

Code No.08-0013

SPECIFICATION

Heparin Sodium

Wako Special Grade

REQUIREMENT	SPECIFICATION
Appearance	White ~ pale brown, powder
Loss on drying at 60°C over phosphorus(V) oxide in vacuum	max.10%
Residue after ignition (as sulfate) (after drying)	max.40%
pH of a 10g/L solution at 25°C	6.0~8.0
Nitrogen compounds (as N) (after drying)	max.3.0%
Barium	to pass test
Protein	to pass test
Activity	min.130units/mg