SPECIFICATION

Sucrose

Guaranteed Reagent

	REQUIREMENT	SPECIFICATION
*	Appearance	White, crystals \sim crystalline powder
*	Particle size (coarser than 1.18mm)	0%
*	Particle size (850 μ m \sim 1.18mm)	max.5%
*	Particle size (355 μ m \sim 850 μ m)	min.70%
	Solubility in water	to pass test
	Specific rotation [α]D20 (after drying)	+66.3~+66.7°
	Loss on drying at 105℃	max.0.1%(mass/mass)
	Residue after ignition (as sulfate)	max.0.01%(mass/mass)
	Acidity (as CH3COOH)	max.0.006%(mass/mass)
	Chloride (CI)	max.5ppm(mass/mass)
	Sulfate (SO4)	max.0.003%(mass/mass)
	Calcium (Ca)	max.0.003%(mass/mass)
	Lead (Pb)	max.3ppm(mass/mass)
	Iron (Fe)	max.5ppm(mass/mass)
	Invert sugar	max.0.05%(mass/mass)

JIS K 8383:2019(*:Additional test performed by Wako but not required by JIS)This product is small granules.

(1 / 1) revised on 2019/03/11