

SPECIFICATION

Polyoxyethylene(20) Sorbitan Monopalmitate

Practical Grade

REQUIREMENT	SPECIFICATION
Appearance	Pale yellow ~ yellowish brown, liquid
Viscosity (30°C)	500~1500mPa·s
Solubility in water	to pass test
Water	max.5.0%
Acid value	max.4
Saponification value	41~55
Hydroxyl value	85~105