

TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251 Fax: +81-3-6667-8250 **OSAKA BRANCH** 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

ISSUED DATE : 2018/04/04

SAFETY DATA SHEET(SDS) per OSHA HazCom 2012 according to 1907/2006/EC, Article 31

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Gelatin
NITTA PRODUCT	MedGel sheet II (PI9)
Company name	Nitta Gelatin Inc.
Address	2-22, FUTAMATA, YAO-CITY,OSAKA, JAPAN
Zip code	581-0024
Information Department	Quality Assurance Department
Phone number	+81-72-949-5381
Email	info-qa@nitta-gelatin.co.jp
Emergency telephone number	+81-72-949-5381

Section 2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008:

The substance is not classified as hazardous to health or the environment according to the CLP regulation

Classification according to Directive 67/548/EEC or Directive 1999/45/EC: Not applicable

LABEL ELEMENTS Labeling according to Regulation(EC)No1272/2008

[SYMBOL]

None listed

[SIGNAL WORD]

None listed

[HMIS(Hazardous Materials Identification System) Class : 0~4]

HEALTH	0
FIRE	1
REACTIVITY	1

[Hazard statement]

May cause an allergic skin reaction

[Other hazards]

Results of PBT and vPvB assessment

PBT: Not applicable



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone : +81-3-6667-8251 Fax : +81-3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

vPvB: Not applicable

Section3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS number :	9000-70-8	
Chemical name :	Gelatin	
%:	Not less than 85%	as protein
EC number :	232-554-6	

Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance Not applicable

Section4. FIRST-AID MEASURES

Inhalation :	Excessive inhalation of dust can mechanically impede respiration.
	Remove from exposure and supply fresh air. If required provide
	artificial respiration. Get medical aid if cough or other symptoms
	appear.
Skin contact :	Wash off with soap and lukewarm water. If skin irritation or rash
	occurs, get medical attention/advice.
Eye contact :	Even if very small amount contact, rinsing by clean water for at least
	15 minutes, and get ophthalmologist's examination. Remove contact
	lenses, unless it sticks to the eye. Then continue rinsing.
Ingestion :	Product is non-hazardous, however, excessive ingestion may block a
	throat at one time. After rinse mouth with water, give about 250 ml
	of water to thin in the stomach, and do not induce to vomit. Receive
	the doctor's treatment(stomach pump) if other symptoms appear.

Section 5. FIRE FIGHTING PROCEDURES

Extinguishing media :	water(First aid), Chemical powder, Carbon
	dioxide, Form, and Dry sand.
	(This product cannot ignition, cause include
	many water)
Unsuitable extinguishing media :	In case of large fires, do not use water.
General fire hazards :	If this product is involved in a fire, the
	following can released: Carbon monoxide and
	carbon dioxide. Nitrogen oxides (NOx) Sulphur



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103'0023) Japan Phone : +81'3-6667-8251 Fax : +81'3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

	oxides (SOx)
Specific extinction method :	Shut off all sources of ignition.
	Wear proper protective equipment.
	After extingusihing, keep personal out by
	roping round until inside of material cools.
Special protective for fire-fighters :	Wear full body protective clothing with
	breathing apparatus

Section6. ACCIDENTAL RELEASE MEASURES

Personal precautions, Protective equipment and emergency procedures :

Wear protective goggles, gloves and long-sleeved clothing, when handling.

Environmental precautions :	Avoid	release	of	this	material	into	sewer,
	waterc	ourse or ri	iver.				

Removing method :	No special treatment are necessary. In case
	theproduct is spilled, vacuum or sweep up
	the material for disposal. Materials can be
	disposed of according to local regulations.
CAUTION! :	Surface that may be covered with the
	Product will become extremely slippery upon
	application of water. Wet spills should be
	thoroughly flushed with lukewarm water
	until non-slippery.

Section 7. HANDLING AND STORAGE

Handling:	It is recommended to use of a dust respirator
	and goggle only if strong dust formation is to
	be expected when handling larger
	quantities.
Storage Conditions:	It is recommended to store in tight
	containers under room temperature and
	avoid high temperature, high humidity and
	sunbeam.



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone : +81-3-6667-8251 Fax : +81-3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

Section8. EXPOSURE CONTROL / PERSONAL PROTECTION

Chemical Name	ACGIH	NIOSH	OSHA-Final PELs
GELATIN	none listed	none listed	none listed

OSHA Vacated PEL's: GELATIN: None listed

Exposure controls :	Using ventilator is recommended if handling is
	generating high dust concentrations.
Control parameters :	Not applicable
Engineering measure	Not applicable
Protective equipment	
Respiratory protection :	Respirators(Protective mask)
Hand protection :	gloves(water resistant)
Eye protection :	Normal eyeglasses, normal eyeglasses with side
	shields, or safety goggles described by OSHA's eye
	and face protection regulations in 29 CFR 1910.133
	or European Standard EN166.
Skin and body protection :	Long-sleeved clothing(water resistant) and
	protective boots.
Respirators :	Follow the OSHA respirator regulations found in 29
	CFR 1910.134 or European Standard EN 149. Use a
	NIOSH/MSHA or European Standard EN 149
	approved respirator if exposure limits are exceeded
	or if irritation or other symptoms.
D (1 1)	

Proper measure for health

Wash hands thoroughly and gargle after handling, before eating and drinking.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance :	Freeze dried sheet
Color :	white to light yellow-brown
Odor :	faint, characteristic
pH :	Not applicable
Boiling point :	Not applicable
Melting point :	Not applicable
Flash point :	Not applicable
Auto-ignition temperature :	No Data
(ignition temperature)	



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone : +81-3-6667-8251 Fax : +81-3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

Explosion properties :	No Data
Vapor pressure :	No Data
Vapor density :	No Data
Vapor rate :	No Data
Specific gravity(relative density) :	No Data
Decomposition temperature :	No Data
Solubility :	Slightly soluble in water
n-Octanol/water partition coefficient :	No Data

Section10. STABILITY AND REACTIVITY

Stability :	Stable under normal storage and handling.
Possibility of hazardous reactions :	May cause hydrolysis with water, and dry
	condition without water cause
	insolubilization.
Conditions to avoid :	High temperature, high humidity,
	incompatible materials, dust generation.
Incompatible Materials :	No Data
Hazardous decomposition products :	¥Carbon monoxide and carbon dioxide
	Nitrogen oxides(NOx)
	Sulphur oxides(Sox)
Others :	No information

Section11. TOXICOLOGICAL INFORMATION

Acute Toxicity :	No Data
LD50/LC50 RTECS :	Not available
Skin Corrosion/Irritation :	No Data
Serious eye damage/eye irritation :	No Data
Respiratory sensitization/skin sensitization :	No Data
Germ cell mutagenicity :	No Data
Carcinogenicity :	Not listed by EPA, ACGIH,
	IARC, NTP, OSHA or CA
	Prop 65
Reproductive toxicity :	No Data
Specific target organ toxicity-single exposure :	No Data
Specific target organ toxicity-repeated exposure :	No Data
Aspiration hazard :	No Data



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone : +81-3-6667-8251 Fax : +81-3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

Others :

No Data

Section 12. ECOLOGICAL INFORMATION

eco toxicity :

No Data

fish toxicity : No Data

Environmental fate, persistence and degradability, mobility :

This product does not present a long-term ecological problems

It is considered biodegradable.

General notes :

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1(Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. It will cause a reduction in dissolved oxygen and could therefore contribute to BOD. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT :	Not applicable.
vPvB :	Not applicable.
Other adverse effects :	No further relevant information available

Section 13. DISPOSAL CONSIDERATIONS

Contents must be disposed of in compliance with the respective national and local regulations. Dispose of contents/container to waste disposal company having the official approval of laws and regulations.

Section14. TRANSPORT INFORMATION

International regulations : DOT, ADN, IMDG, IATA		
UN class of dangerous material in definition of the UN $$: not available		
UN number :	not available	
Packing Group :	not available	
Marine pollution material :	not available	
Domestic regulations :	Follow all regulation on the	

transport in your country or region.



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone : +81-3-6667-8251 Fax : +81-3-6667-8250 **OSAKA BRANCH** 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone :+81-6-6563-1511 Fax :+81-6-6563-1510

Safety measure and condition on transportation :

protect against tumble, fall, physical damage and direct sunlight during loading to avoid shift in transit.

Emergency response guideline number : not available

Transport in bulk according to Annex of MARPOL73/78 and the IBC Code $\,$: not available

Section 15. REGULATORY INFORMATION

The Fire Services Act : Not application

Industrial Safety and Health Act: Not application

Safety, health and environmental regulations/legislation specific for the substance or mixture

North America regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List(DSL)

SARA Section 313(specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65-Chemicals known to cause cancer: Substance is not listed.

Prop 65-Developmental toxicity: Substance is not listed.

Prop 65-Developmental toxicity, female: Substance is not listed.

Prop 65-Developmental toxicity, male: Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Australian inventory of Chemical Substances: Substance is not listed.

Standard for the Uniform Scheduling of Drug and Poisons: Substance is not listed.

Water hazard class: Water hazard class 1(Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances): Substance is not listed.

Substances of very high concern (SVHC) according to REACH, Article 57:

Substance is not listed.

REACH-Pre-registered substances: Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



TOKYO BRANCH 8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103'0023) Japan Phone :+81-3-6667-8251 Fax :+81-3-6667-8250

OSAKA BRANCH 4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

16.OTHER INFORMATION

References

- JIS Z 7253-2012
- ACGIH 2000 TLVs and PEIs (2000)

• Japan Society For Occupational Health(JSOH) Recommendations for allowable concentrations(1999)

• CLP Regulation (EC) No. 1272/2008 [CLP/GHS]

Abbreviations and acronyms:

GHS :	Globally Harmonized System of Classification and Labelling of
	Chemicals
HMIS :	Hazardous Materials Identification System(USA)
PBT :	Persistence Bioaccmulation Toxity
vPvB :	very Persistent and very Bioaccumulative
CAS :	Chemical Abstracts Service (division of the American Chemical
	Society)
EINECS :	European Inventory of Existing Commercial Chemical Society
ACGIH :	American Conference of Governmental Industrial Hygienists(USA)
OSHA :	Occupational Safety and Health Administration (USA)
IARC :	International Agency for Research on Cancer
EPA :	Environmental Protection Agency (USA)
NTP :	National Toxicology Program (USA)
DOT :	US Department of Transportation
IMDG :	International Maritime Code for Dangerous Goods
IATA :	International Air Transport Association

The above information is given in good faith and to the best of our knowledge.

It is not intended to guarantee specific properties but solely to assist in setting up suitable pre cautionary measures. No guarantee can be given for risks arising from unforeseen circumstance.