

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision Date** 1-Jul-2023  
 Version 2

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product name</b>	LabAssay™Cholesterol
<b>Product code</b>	635-50981
<b>Manufacturer</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Facsimile: +81-6-6203-2029
<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Facsimile: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses and restrictions on use</b>	For research use only

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

**Classification of the substance or mixture****Reproductive Toxicity**

Category 2

**Specific target organ toxicity (single exposure)**

Category 1

Category1: central nervous system, kidneys, systemic toxicity

**Specific target organ toxicity (repeated exposure)**

Category 2

Category2: blood vessels, liver, spleen

## Pictograms



## Signal word

Danger

## Hazard statements

H361 – Suspected of damaging fertility or the unborn child

H370 – Causes damage to the following organs: central nervous system, kidneys, systemic toxicity

H373 – May cause damage to the following organs through prolonged or repeated exposure: blood vessels, liver, spleen

## Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/ fume/ gas/ mist/ vapors/ spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

## Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/ physician

**Precautionary statements-(Storage)**

- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others****Other hazards**

Not available

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****Single Substance or Mixture**

Kit (Set of mixtures)

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Buffer Solution	-	N/A	N/A	N/A	N/A
Chromogen Substrate	-	N/A	N/A	N/A	N/A
Standard Solution	-	N/A	N/A	N/A	N/A

**Impurities and/or Additives :** Not applicable

Hazardous Component 4-aminoantipylin &lt;0.004%, 2-Propanol 8%

**Substances Remarks:** The composition considered to be hazardous are listed in the above. The remaining ingredients are not hazardous substances, or exist at below reportable level.**Section 4: FIRST AID MEASURES****Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

**Section 5: FIRE FIGHTING MEASURES****Suitable extinguishing media**Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**Section 6: ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling****Technical measures**

Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

**Safety handling precautions**

Use personal protective equipment as required.

**Storage****Safe storage conditions**

**Storage conditions** Store away from sunlight in a cool (2 °C -10 °C) well-ventilated dry place.

**Safe packaging material** No information available

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
2-Propanol 67-63-0	400 ppm (980 g/m <sup>3</sup> )	ISHL/ACL: 200 ppm	STEL: 400 ppm TWA: 200 ppm

**Personal protective equipment**

**Respiratory protection** Protective mask

**Hand protection** Protection gloves

**Eye protection** Protective eyeglasses or chemical safety goggles

**Skin and body protection** Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form**

**Appearance**

Liquid or solid

**Odor**

No data available

**Melting point/freezing point**

No data available

**Boiling point, initial boiling point and boiling range**

No data available

**Flammability**

No data available

**Evaporation rate:**

No data available

**Flammability (solid, gas):**

No data available

**Upper/lower flammability or explosive limits**

Upper :	No data available
Lower :	No data available
Flash point	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH	No data available
Viscosity (coefficient of viscosity)	No data available
Dynamic viscosity	No data available
Solubilities	water: soluble
n-Octanol/water partition coefficient: (log Pow)	No data available
Vapor pressure	No data available
Specific Gravity / Relative density	No data available
Vapor density	No data available
Particle characteristics	No data available

**Section 10: STABILITY AND REACTIVITY****Stability**

Reactivity	No data available
Chemical stability	Stable under recommended storage conditions.

**Hazardous reactions**

None under normal processing

**Conditions to avoid**

Extremes of temperature and direct sunlight

**Incompatible materials**

Strong oxidizing agents

**Hazardous decomposition products**

No information available

**Section 11: TOXICOLOGICAL INFORMATION****Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Propanol	4384 mg/kg (Rat)	12870 mg/Kg (Rabbit)	27908 ppm (Rat) 4h
4-Aminoantipyrine	1700 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral-source information	Acute toxicity -dermal-source information	Acute toxicity -inhalation gas- source information
2-Propanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -vapor-source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
2-Propanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Skin irritation/corrosion**

Chemical Name	Skin corrosion/ irritation source information
2-Propanol	Based on the NITE GHS classification results.

**Serious eye damage/ irritation**

Chemical Name	Serious eye damage/ irritation source information
2-Propanol	Based on the NITE GHS classification results.

**Respiratory or skin sensitization**

Chemical Name	Respiratory or skin sensitization source information
2-Propanol	Based on the NITE GHS classification results.

**Reproductive cell mutagenicity**

Chemical Name	Germ cell mutagenicity source information
2-Propanol	Based on the NITE GHS classification results.

**Carcinogenicity**

Chemical Name	Carcinogenicity source information
2-Propanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
2-Propanol 67-63-0		Group 3		

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
2-Propanol	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
2-Propanol	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
2-Propanol	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
2-Propanol	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity**

Chemical Name	Algae/ aquatic plants	Fish	Crustacea
2-Propanol	EC50: <i>Desmodesmus subspricatus</i> >1000 mg/L 72 h	LC50: <i>Orange-red killifish</i> >100 mg/L 96h	EC50: <i>Daphnia magna</i> >100 mg/L 21 days

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
2-Propanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available
<b>Mobility</b>	

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

<b>ADR/RID</b>	Not regulated
<b>UN number</b>	-
<b>Proper shipping name:</b>	
<b>UN classification</b>	
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	

Marine pollutant	Not applicable
IMDG	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available
IATA	Not regulated
UN number	-
Proper shipping name:	
UN classification	
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Not applicable

### Section 15: REGULATORY INFORMATION

#### International Inventories

EINECS/ELINCS	-
TSCA	-

#### Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9) No.494 Class 2 Organ Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organ Solvent Poisoning Art.1, Para.1, Item.5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention Law	Enforcement ordinance Appendix No.1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law	Not applicable
Industrial Safety and Health Law	

Law Name	Chemical Name in Regulation	Ordinance Number	Weight %
Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9, and Law Art.56-1)	Propyl alcohol	494	8

### Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) <a href="http://www.safe.nite.go.jp/japan/db.html">http://www.safe.nite.go.jp/japan/db.html</a> IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS
---	---

Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha  
Scientific Co.Ltd.  
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
etc

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**