## **SPECIFICATION**

## CultureSureR L-Histidine, Animal-derived-free

## for Cell Culture

|     | REQUIREMENT   | SPECIFICATION                        |
|-----|---|--------------------------------------|
|     | Description   | White crystals or crystalline powder |
|     | Identification  | to pass test                         |
|     | Optical rotation [ $\alpha$ ]D20 (calculated on the dried basis) pH | +11.8~+12.8°                         |
|     |   | 7.0~8.5                              |
|     | Purity  | -                                    |
| (1) | Clarity and color of solution                                       | to pass test                         |
| (2) | Chloride  | max.0.021%                           |
| (3) | Sulfates  | max.0.028%                           |
| (4) | Ammonium  | max.0.02%                            |
| (5) | Heavy metals  | max.10ppm                            |
| (6) | Iron  | max.10ppm                            |
| (7) | Related substances  | to pass test                         |
|     | Loss on drying  | max.0.3%                             |
|     | Residue on ignition   | max.0.1%                             |
|     | Assay (calculated on the dried basis)                               | 99.0~101.0%                          |
|     | Bacterial endotoxins  | less than 16.7EU/g                   |
|     | Mycoplasma test   | to pass test                         |
|     | Viable count test   | max.50CFU/g                          |

(1 / 1) revised on 2021/04/06