




E-Catalog Version 19.0

ChemGenes Corporation is now ISO 9001:2008 Certified Company

Bio Technology Products &
Manufacturer of DNA-RNA Intermediates



Product Highlight

Remove Watermark Now

Extensive Product Lines:

- DNA amidites: Bulk Quantities for therapeutics grade oligo synthesis
- Natural and modified DNA amidites
- Natural & modified RNA amidites : Bulk Quantities
- 2'-O-Methyl amidites: Bulk Quantities
- RNA Synthesis in Reverse Direction
- TOM amidites for RNA synthesis : Bulk Quantities
- 2'-O-ALE amidites
- 2'-O-PivOM amidites
- 2'-Fluoro amidites
- Non-Cleavable Inert Supports
- ETT & BMT : Bulk Quantities
- DDTT Sulfurizing Reagent
- UnyLinker Universal Support
- Akta Oligonucleotide Synthesizer Reagents
- N-Alkylated nucleosides and amidites
- 5-Azacytidine and 5-Aza-2'-deoxycytidine
- Thio uridines & thymidines nucleosides and amidites
- 6 & 5-FAM NHS Esters
- 6 & 5-FAM-(C-6 linker) amidites
- Biotin (BB)-(urea nitrogen protected) Supports & amidites
- Polyethylene glycol (PEG) (MW. 2000 and 4500) amidites
- 5'-MMTr nucleoside amidites (Purines: A & G)
- 8-Methyl dG & rG amidites
- 8-Oxo dA & dG amidites
- 5'-O-Methyl DNA amidites
- Fmoc Protected Nucleoside amidites
- 5-Formyl dU amidites
- Ammonia Free Deprotection Reagents
- Thiol modifiers (acyclic and cyclic)
- DNA and RNA Purification kit



Experience Nucleic Acid Expertise

Since 1981, the products and services provided by ChemGenes Corporation continue to accelerate the pace of DNA/RNA oligonucleotide synthesis, research, and development in the pharmaceutical and biotechnology industry.



33 Industrial Way
Wilmington, MA 01887
Call: 978-694-4500, Toll Free: 800-762-9323
Fax: 978-694-4502
Email: info@chemgenes.com
Visit us at: www.chemgenes.com

www.chemgenes.com

Email: info@chemgenes.com

Background

ChemGenes Corporation, a biotechnology company located in Wilmington, Massachusetts, has been a strong partner to researchers engaged in the field of DNA/RNA synthesis for more than 20 years. By starting out as a supplier of 'Ultra Pure Products' and then also by becoming an active Contract Researcher, ChemGenes Corporation has achieved unparalleled expertise in the field of DNA/RNA synthesis. Thus, all of us at ChemGenes have the opportunity and great pleasure to serve a vast number of scientists in the US and all over the world.

ChemGenes holds a number of patents in the field of standard, modified, as well as backbone modified DNA/RNA synthesis products. ChemGenes has a worldwide licensing agreement on US patent No.s 4,415,732 and 4,458,066, pioneering patents on the discovery of DNA and RNA synthesis by Caruthers and Beaucage. We had another worldwide licensing agreement on US patent No. Re 34,069, the presently popular cyanoethyl (CEP) phosphoramidite version for DNA and RNA synthesis.

ChemGenes product lines include phosphoramidites for DNA and RNA synthesis, Antisense phosphoramidites, modified bases for DNA, as well as RNA modification. In addition, we produce a variety of modified phosphoramidites for the introduction of chromophores and ligands. The availability of prepacked disposable columns of various pore sizes, loadings, low volume columns, ancillary reagents in configurations suitable for each synthesizer, and DNA purification cartridges is another way ChemGenes meets its customers' needs.

ChemGenes has a strong, dedicated, and talented team of professionals for the manufacturing of many natural and modified nucleoside bases. Included in these natural and modified bases are DMTr protected deoxy and ribo nucleosides, 2'-O-methyl and 2'-O-propargyl nucleosides, and silyl protected ribonucleosides.

A large variety of reagents for the synthesis of DNA/RNA are also available. These include 5-thio-ethyltetrazole (ETT), benzylthiotetrazole (BTT/BMT), DMTr-chloride, MMTr-chloride, and several types of phosphorylating reagents such as cyanoethyl chloro phosphitylating reagent, cyanoethyl tetra isopropyl phosphitylating reagent, cyanoethyl dichloro phosphitylating reagent and 5', 3'-bis silylating reagent.

As the market for oligonucleotides continues to grow, ChemGenes will stay committed to introducing novel products, while maintaining its existing product mix. We also have the capacity to custom synthesize products on request. Our highly trained technical staff is always available and happy to help you with your special needs and demands in this area. For information regarding the full range of products and their applications, please call us at 978-694-4500 or toll-free 800-762-9323, fax: 978-694-4502, or e-mail: info@chemgenes.com

Special Gratitude

The nucleoside phosphoramidites available in this catalog are the result of the classical research contribution by Professor M.H. Caruthers and colleagues (University of Colorado, Boulder, CO) (Beaucage S. L.; Caruthers, M. H. Tet. Lett., 1981, 22,1859-1862). Other enormous contributions in this field have been made by Professor K.K. Ogilvie and colleagues (Acadia University, Acadia, Canada), Professor R.L. Letsinger and colleagues (Northwestern University, Evanston, IL), and Professor H. G. Khorana, Noble Laureate and colleagues (Massachusetts Institute of Technology, Cambridge, MA).

Patents, Licensing & Trademarks

Patent & Application Number	Title of Patent	Date Issued
<u>7956169</u>	Synthesis of novel azo-dyes and their use in oligonucleotide synthesis	June 7, 2011
The invention provides a novel group of azo quencher compositions that are useful as quenchers of fluorescence and to methods for making and using them. The quenchers contain an azo bond and 1,3,3-trimethyl-2-methyleneindoline ring system. The quenchers can be derivatized to facilitate their conjugation to a variety of biologically relevant compounds, including lipids, nucleic acids, peptides, proteins, and the like.		
<u>7846436</u>	Oligonucleotides and related compounds	December 7, 2010
The present invention relates generally to oligonucleotides and more specifically to oligonucleotides which have a sequence including at least two CpG dinucleotides and a prodrug of an antimetabolite. The prodrug can be part of a CpG dinucleotide or may be attached elsewhere on the oligonucleotide.		
<u>9493773</u>	Synthesis of deuterated ribo nucleosides, N-protected phosphoramidites, and oligonucleotides	Nov 15, 2016
<u>App# CA2880496</u>		
<u>App#CN104812770</u>		
<u>App# EP2882769</u>		
<u>App# WO2014022566</u>		
The present invention is directed towards the synthesis of high purity deuterated sugars, deuterated phosphoramidites, deuterated nucleobases, deuterated nucleosides, deuterated oligonucleotides, and deuterated RNA's of defined sequences which can exhibit biochemically useful and biologically valuable properties, thus having potential for therapeutic uses.		
<u>9718855</u>	Nucleosides and oligonucleotides for studies on reversal of cytotoxic and mutagenic damage of DNA and as diagnostic tools	Aug 1, 2016
The present invention is directed to n-alkylated synthetic nucleosides of high regiospecific purity and oligonucleotides that can be utilized for studies on reversal of cytotoxic and mutagenic DNA damage, and as diagnostic tools.		
<u>App# CA2924186</u>	Long RNA, Highly efficient synthesis of long RNA using Reverse Direction Approach	Oct 29, 2015
<u>App# CN105916873</u>		
<u>App# WO2015039053</u>		
The present invention relates to novel process of reverse 5'→3' directed synthesis of RNA oligomers in the range of about 100-mer to about 200-mer has been developed and disclosed. Using that method demonstrated high quality RNA synthesis with coupling efficiency approaching 99%.		

9884885**Synthesis of labile base protected - modified deoxy & modified ribo nucleosides, corresponding phosphoramidites and supports and their use in high purity oligonucleotide synthesis**

Mar 15, 2012

This invention relates to novel method of synthesis of RNA utilizing N-2-acetyl protected guanine as nucleoside base, nucleosides, succinates, phosphoramidites, corresponding solid supports that are suitable for oligo deoxy nucleosides and RNA oligonucleotide synthesis. Our discovery using N-acetyl protected guanine as nucleoside base protecting group, which is significantly faster base labile protecting group, yet significantly more stable than commonly utilized -2-isobutyryl guanosine is a novel approach to obtain highest purity oligonucleotides. This approach is designed to lead to very high purity and very clean oligonucleotide, after efficient removal of the protecting groups, including acetyl group from guanine and to produce high purity therapeutic grade DNA oligonucleotides, RNA oligonucleotides, diagnostic DNA, diagnostic RNA for microarray platform. The deprotection of acetyl protecting groups of the natural deoxy and ribonucleosides occurs under substantially reduced time in contact with mild deprotection conditions such as mild bases, secondary amines for removal of such groups under such conditions would allow synthesis of various DNA and RNA of highest purity for diagnostics and therapeutic application. This approach is designed to lead to high purity large.

9605261App#EP2326656App# CA2735251App# CN102439025**RNA synthesis—phosphoramidites for synthetic RNA in the reverse direction, and application in convenient introduction of ligands, chromophores and modifications of synthetic RNA at the 3'-end**

Mar 28, 2017

The present invention relates to novel phosphoramidites, A-n-bz, C-n-bz, C-n-ac, G-n-ac and U are produced with an HPLC purity of greater than 98% and 31P NMR purity greater than 99%. A novel process of reverse 5' → 3' directed synthesis of RNA oligomers has been developed and disclosed. Using that method demonstrated high quality RNA synthesis with coupling efficiency approaching 99%

8541569**Phosphoramidites for synthetic RNA in the reverse direction, efficient RNA synthesis and convenient introduction of 3'-end ligands, chromophores and modification of synthetic RNA**

Sep 24, 2013

The present invention provides building blocks and methods for synthesizing very pure RNA in a form that can efficiently be modified at the 3'-end. Reverse RNA monomer phosphoramidites have been developed for RNA synthesis in 5' → 3' direction, leading to very clean oligo synthesis that allows for the introduction of various modifications at the 3'-end cleanly and efficiently. Higher coupling efficiency per step have been observed during automated oligo synthesis with the reverse RNA amidites disclosed herein, resulting in a greater ability to achieve higher purity and produce very long oligonucleotides. The use of the reverse RNA phosphoramidites in the synthetic process of this invention leads to oligo-nucleotides free of N+1 species.

8530634**Oligonucleotide Labeling-Cycloaddition Reaction (Method of oligonucleotide labeling using cycloaddition reaction)**

Sep 10, 2013

The invention provides a novel method of labeling oligonucleotides, with reporter moieties, including but not limited to, quenchers, fluorophores, biotin, digoxigenin, peptides and proteins. In addition, this invention provides a method of detecting hybridization of oligonucleotides. This invention also provides novel azo quenchers having the general formula shown below. The invention further provides compositions comprising labeled oligonucleotides and solid supports. The invention also provides kits comprising at least one composition of the present invention.

9441002**Dithiolane based thiol modifier (Dithiolane based thiol modifier for labeling and stronger immobilization of bio-molecules on solid surfaces**

Sep 13, 2016

The thiol modified oligonucleotides have vast number of applications in the field of nucleic acid chemistry. The conjugates generated by mono thiol groups are unstable at higher temperature, in high salt concentration buffers and in presence of other thiols. There is strong need to develop a novel thiol modifier probes that can generate multiple thiol groups. Described herein are efficient processes and compounds, dithiolane phosphoramidites derivative and dithiolane succinyl supports. The advantage of our cyclic disulfide thiol modifier is multifold a) each incorporation introduces two thiol groups; b) it can be introduced at any desired site of oligonucleotides; c) The symmetrical branching nature of the spacer in the linker arm of dithiolane allows for clean oligo synthesis, where cleavage of the linker arm and thereby of loss of oligo chain is prevented. We have successfully made 20-mer oligonucleotide containing single dithiolane derivative at 3', and 21-mer oligonucleotides containing single dithiolane derivative at 5' or in the middle of the mixed base sequence. HPLC and ESI MS analysis of these oligonucleotides indicated satisfactory purity and correct composition of these oligos, respectively.

7932287**Therapeutic compositions and uses**

April 26, 2011

The invention provides compositions for and methods of treating a number of disorders. In one embodiment, the invention provides a method of treating a wide range of conditions by administering to a human being in need of such treatment, a therapeutically effective amount of (a) N-6-trimethyl-L-lysine of at least 98% purity, (b) a prodrug thereof, (c) an aliphatic chain derivative thereof, (d) an ester derivative thereof, (e) an amide derivative thereof, or (f) a pharmaceutically acceptable salt of said N-6-trimethyl-L-lysine or said prodrug.

8389577**Method of treating a human being for a class of metabolic defects and energy production disorders**

Mar 5, 2013

The invention involves various embodiments of a method for treating a human being for a condition associated with (1) a clinical state of impairment of carnitine or carnitine esters, or decreased fatty acid metabolism, (2) low energy production or lower ATP production, (3) clinical hyperammonemia, and (4) clinically high pyruvate levels resulting from a deficiency in the biosynthesis of carnitine. The method involves administering a therapeutically effective salt of N-6-trimethyl-L-lysine.

8518992**Method of synthesis and purification of N-6-trimethyl-L-lysine and derivative compounds**

Aug 27, 2013

The invention provides a method of synthesis of N-6-trimethyl-L-lysine (TML) derivative compounds for potential treatment of disorders resulting from deficiencies in the TML-carnitine pathway. The invention also provides a method of purification of TML and TML derivative compounds. The treatment of conditions of the diseases late infantile neuronal ceroid lipofuscinosis (LINCL) and neuronal ceroid lipofuscinosis (NCL) with TML were shown in the original parent application.

8778996**Method of treating a human being for a class of neurological defects and seizure disorders**

Jul 15, 2014

The invention involves various embodiments of a method for treating a human being for a condition associated with (1) seizures, myoclonic seizures, epilepsy, refractory epilepsy, hyperkinetic movements or tremors of hands or feet, (2) a state of ataxia, (3) accumulation of neuronal autofluorescent storage bodies in lysosomes or neurons, or regression of motor development, and (4) low alertness, dementia or mental retardation. The method involves administering a therapeutically effective salt of N-6-trimethyl-L-lysine.

8981076

App#WO2010062404

Synthesis of N-FMOC protected deoxy nucleosides, ribo nucleosides, modified deoxy and ribo nucleosides, and phosphoramidites, and their use in oligonucleotide synthesis

Mar 17, 2015

This invention relates to synthesis of novel -N-FMOC protected nucleosides, succinates, phosphoramidites, corresponding solid supports that are suitable for oligo deoxy nucleosides and RNA oligonucleotide synthesis. Our discovery using N-FMOC as nucleoside base protecting group, which is highly base labile protecting group is a novel approach to obtain highest purity oligonucleotides. This approach is designed to lead to very high purity and very clean oligonucleotide, after efficient removal of the protecting groups and to produce high purity therapeutic grade DNA oligonucleotides, RNA oligonucleotides, diagnostic DNA, diagnostic RNA for microarray platform. The deprotection of FMOC protecting groups of the natural deoxy and ribonucleosides occurs under very mild deprotection conditions such as mild bases, secondary and tertiary amines for removal of such groups under such conditions would allow synthesis of various DNA and RNA of highest purity for diagnostics and therapeutic application. This approach is further designed to use FMOC protecting group on various base sensitive nucleoside, and for use in oligo peptide synthesis and for support bound oligo nucleotides. DNA oligonucleotides containing 3'-end dA at the 3'-terminal will be produced using the FMOC-dA-supports would lead to much reduced M-1 deletion sequences, and thereby high purity.

App# US20150018579

Synthesis of high purity DMT-C3-disulfide phosphoramidite

Jan 15, 2015

App# WO2013126034

The 5' and 3'-thiol modified oligonucleotides are attractive tools with a vast number of potential applications in the field of nucleic acid chemistry. There is a strong interest in developing new disulfide compounds or to optimize synthesis of existing disulfide modifiers, which are efficient in generating the 3'- or 5'-end reactive thiol group. Various synthetic protocols have been employed to synthesize pure 3-((3-(bis(4-dimethoxytrityl)propyl)disulfanyl)propyl 2-cyanoethyl diisopropylphosphoramidite (compound 2) starting from 3-(dimethoxytrityl)propyl)disulfanyl)propan-1-ol, (compound 1). Here-in, we describe an efficient, reproducible synthetic and purification protocol for target compound 2 from the compound 1. It is noteworthy that our reaction conditions were reproducible even at multi-gram scale (27 g) with a purity level as achieved in a small scale.

US8618279B2

Synthesis of 2', 3'— and 3', 5'—cyclic phosphate mono-and oligonucleotides

Jan 12, 2011

The invention provides a novel method for the chemical synthesis of 2',3'-cyclic phosphate and phosphorothioate of mono and terminated oligonucleotides synthesis. The invention also provides a novel method for the chemical synthesis of 2', 3'- and 3', 5'-cyclic phosphate and phosphorothioate mononucleotide nucleotides. The process is based on quick and efficient cyclization of phosphoramidate moiety and neighboring hydroxyl group. The present invention is directed towards the synthesis of high purity DNA and RNAs, specifically to introduce cyclic phosphate at 3'-end of oligonucleotides. Such DNA and RNAs have extensive application in therapeutics, diagnostics, drug design, and selective inhibition of an RNA sequence within cellular environment, in pre-tRNA cleavage and in ribozyme ligation. The 2',3'-cyclic phosphate nucleosides are involved in a vast number of applications in molecular biology in general and mammalian cells in particular. The invention also envisions providing kits comprising at least one composition disclosed in the pre-sent invention.

Previously Issued Patent:

5744595

Propargyl modified nucleosides and nucleotides

April 28, 1998

The present invention describes a novel 2'-O-alkylation reaction to produce a novel series of nucleosides carrying the 2'-O-propargyl group, using propargyl bromide, dibutyl tin oxide and tetrabutyl ammonium bromide. The procedure involves novel techniques for regioselective introduction of 2'-/3'-O-propargyl group directly on the 5'-DMT-N-protected- nucleosides using dibutyl tin oxide as a mild base in conjunction with a phase transfer catalyst, tetrabutyl ammonium bromide. The reaction process has many significant features and leads to isomeric ratios in favor of the 2'-regio isomer. This allows the synthesis of the corresponding phosphoramidites of high purity.

v

5525719**N-protected-2'-O-methyl-and N-protected-3'-O-methyl-ribonucleosides and their phosphoramidite derivatives**

June 11, 1996

This invention is directed to processes for producing high purity N-protected-2'-O-methyl-5'-dimethoxytrityl-3' ribonucleoside methoxy, N,N-diisopropyl phosphoramidites (group 1), and N-protected-2'-O-methyl-5'-dimethoxytrityl-3'-ribonucleoside ethoxy, N,N-diisopropyl phosphoramidites (group 2). This invention is further directed to the process for producing high purity 2'-O-methyl-5'-dimethoxytrityl-inosine (structure IX; group 3), and 2'-O-methyl-5'-dimethoxytrityl-inosine-3'-cyanoethyl, N,N-diisopropyl phosphoramidite (structure Xa; group 3). This invention is also directed to the process for producing high purity N-protected-3'-O-methyl-5'-dimethoxytrityl ribonucleosides (group 6), and N-protected-3'-O-methyl-5'-dimethoxytrityl-2'-ribonucleoside cyanoethyl, N,N-diisopropyl phosphoramidites (group 7).

5214135**N-protected-2'-O-methyl-ribonucleosides and N-protected 2'-O-methyl-3'-cyanoethyl-N,N-diisopropyl phosphoramidite ribonucleosides**

May 25, 1993

This invention is directed to N (amino)-protected-2'-O-methyl (methoxy)-5'-dimethoxytrityl (dimethoxytrityl) ribonucleosides (Group I compounds) and to N-protected-2'-O-methyl-5'-dimethoxytrityl-3'-ribonucleoside cyanoethyl N,N-diisopropyl phosphoramidites (Group II compounds). This invention is further directed to the processes involved in producing these compounds. The purification processes produce products in Group I with purity in excess of 99.50% and up to 99.8%. The purity of the products in Group II ranges in excess of 99.8% and up to 99.9%.

6015886**2'-O-Methyl, Ethyl phosphoramidite, (Oligonucleotide phosphate esters)**

Jan 18, 2000

This invention relates to synthetic oligonucleotides that are useful for antisense based therapeutic applications. The synthetic oligonucleotides of this invention have modifications in the sugar phosphate backbone for improved antisense properties.

Licensed Patents:

TOM Amidites, ChemGenes Corp. holds worldwide license of Patent# 5986084, from Qiagen Inc.

ssR amino linker, ChemGenes Corp. holds worldwide license of Patent# 7491857 B2. NIAIST & DNA Chip Research, Japan

2'-O-ALE-5'-NPPOC amidites, ChemGenes Corp. holds worldwide license of Patent# 025566 A1 from McGill University and Wisconsin Alumni Research Foundation.

Unylinker Support TM, ChemGenes Corp. holds worldwide license of Patent# US7202264; Isis Pharmaceuticals, Inc.

2'-O-Pivaloyloxymethyl(PivOM) Patent, ChemGenes Corp. holds worldwide license of Patent# 2009144418, Debart, F; Vasseur, J.-J; Lavergne, T. "Process for the solid phase synthesis of RNA".

Natural DNA Amidites, Supports & Oligo Synthesis Reagents

Standard base protection-DNA amidites	3
Standard base protection-DNA supports	4
Mild base protection-DNA amidites	5
Mild base protection-DNA supports	6
Fast deprotection (Using AMA reagent)-DNA amidites	7
Base unprotected-DNA amidites	7
Methyl phosphoramidites	8
Benzyl phosphoramidites	9
Reverse DNA synthesis	10
Supports for reverse DNA synthesis	10
Polystyrene Supportsfor reverse DNA synthesis	11
Levulinyl amidites & levulinyl deprotection solution	12
DNA Dimers	13
DNA H-Phosphonate monomers	14
Succinyl Polystyrene Supports	15
Non-cleavable supports	16
Unylinker supports	17
Icaa Amino supports	18
Empty columns, Filters	18

Ancillary Reagents For Automated Oligonucleotide Synthesizer

(ABI, Akta, Expedite, MerMade Oligonucleotide synthesizers)

Modified DNA Amidites and Supports

2-Thio-dU, 2-Thio-T, 4-Thio-T, 4-Thio-dU amidites & supports	27
dl, dU, 5-Methyl-dC amidites & supports	28
α -D-Amidites & supports, 5-Methyl- α -D-dC amidites	29-30
2'-O-TFA-propyl-dU & dC, 3'-TFA-Amino-dC & dU, 3'-Amino-dT, 5'-Amino-dT modifications & Support for 5'-Amino-dT modification	31
Ara nucleoside amidites & supports	32
7-Deaza-dl, 7-Deaza-dA, 7-Deaza-dG amidites & supports	33
7-Deaza-7-iodo-dA & dG amidites, 7-Deaza-7-propargylamino-TFA-dA & dG amidites	34
Cordecypin (3'-dA) amidite & supports, 6-Thio-dG amidite	35
Halogenated nucleoside amidites & supports	36-37
N-Alkylated nucleoside amidites & supports	38-39
O ⁶ -Trimethyl-silyl-ethoxy-dl, O ⁶ -Diphenylcarbamoyl-dG & Modified purine amidites	40
8-Methyl-dG amidites & supports	41
Modified purine 2'-deoxy riboside amidites & supports	42
Triazoly-dU & dT-amidites, Iso-dG & dC-amidites, supports for Iso-dC & dG	43
L-DNA (Mirror Image) amidites & supports, 5-Formyl-dU	45-46
Abasic amidite, Reverse abasic amidite & supports, 8-Oxo-dA & dG amidites & supports	47
Dideoxy amidites and supports	48
5'-O-Methyl DNA amidites, DNA 3',5'-Diamidites & Thymidine 3'-Bis (diisopropylamino)-phosphoramidite	49-50

DNA purification kit

DNA purification drying traps	52
DNA purification cartridges and barrels	53-54

Natural RNA Amidites and Supports

Standard base protection-RNA amidites	57
Supports for RNA synthesis (Standard base protection)	58
Labile base protection-RNA amidites	59
Supports for RNA synthesis (Mild base protection)	60
Oxalyl RNA supports and Ammonia free oligo deprotection solution	61
2'-O-ALE amidites	62
2'-O-Pivom amidites	63
3'-Polystyrene Supports for RNA synthesis	64
RNA methyl phosphoramidites	65
Labile base protection RNA Methyl phosphoramidites	66
Reverse RNA synthesis and supports	67
Tom amidites and supports	69

Modified RNA Amidites and Supports

2'-5'-Linkage RNA amidites	72
N ³ -Substituted RNA amidites and supports, 8-Methyl-rG RNA amidite & supports	73
5-Methyl-rC, rT, rI, Anhydro-rU RNA amidites & supports	74
N ⁶ & N ⁴ -Substituted ribo nucleoside amidites & supports	75
4-Thio-rU, 4-Triazolyl-rU, Modified pyrimidines, purines, Pseudo uridine amidites & supports, Puromycin supports	76
2'-Fluoro RNA synthesis & supports, Modified 2'-Fluoro (5-methyl-dC & dU, 5-iodo-dU & dI) RNA synthesis, Reverse 2'-F amidites	77-80
Modified purine amidites & supports	81
2'-Amino-TFA-rC & rU amidites & supports, 5'-Amino-TFA-rC amidites	82
7-Deaza amidites & supports, 7-Deaza-7-cyano & reverse 7-Deaza-rG amidites	83
Halogenated ribo amidites & supports, 8-Oxo-rG & 8-Oxo-7-allyl-7,8-dihydro-rG amidites	84-85
Iso-rC, Iso-rG amidites & supports	86
Diacetyl rU & rG, 5,6-dihydro-rU amidites	87
L-RNA (Mirror Image) amidites & supports	88
Ethyl RNA phosphoramidites	89
RNA Purification kit	90-92

2'-O-Alkyl/Antisense Oligonucleotide Modifications

2'-O-Methyl-RNA amidites	93
2'-O-Methyl-RNA supports	94
2'-O-Methyl-RNA amidites (mild protection) & supports	95
2'-O-Methyl-5-methyl-(rC & rU), 2'-O-Methyl-rI, rT & 2'-O-Methyl-modified purine amidites	96
2'-O-Methyl-5-Propynyl-rC & rU, Amino Modifier 2'-O-Methyl (rC & rU), 2'-O-Methyl-4-Triazolyl-rU	97
Halogenated 2'-O-Methyl rU amidites & Modifier 2'-O-Methyl supports	98
2'-O-Methyl-7-Deaza rA & rG, 2'-O-Methyl-7-iodo-7-deaza rA & rG & 2'-O-Methyl-7-deaza-7-propargyl rA & rG Amidites	99
2'-O-Methyl-3'-ethyl phosphoramidites	100
2'-O-Methyl-3'-ethyl phosphoramidites (Mild base protection)	101
3'-O-Methyl amidites & supports	102
2'-Deoxy 3'-ethyl phosphoramidites	103
3'-Oxalyl supports, Ammonia free oligo deprotection solution	104
DNA 3'-Methyl Phosphoramidites	105
2'-O-Methyl-3'-Methyl Phosphoramidites	106
Labile 2'-deoxy 3'-methyl phosphoramidites & 2'-deoxy 3'-isopropyl phosphoramidites	107
2'-O-(2-Butynyl) RNA amidites & supports	108
Reverse 2'-O-Methyl amidites, Reverse 2'-O-Methyl-5-methyl-(C & U) & supports	109-110
Ara-2'-O-methyl amidites & supports	111

CombiClick™ Chemistry Products

2'-O-Propargyl amidites & supports	112
3'-O-Propargyl amidites & supports	113
Abasic 2'-O-Propargyl amidite & Supports, Ara-2'-O-propargyl I	114
2'-O-Hexynyl inosine & Abasic 2'-O-Hexynyl amidites	115

Chromophores and Ligands

Phosphate introducing reagents & supports	117
Amino modifiers, CPG & Polystyrene Supports	118-122
Spacer modifiers, CPG & Polystyrene Supports, Palmitoyl Polystyrene Supports	123-125
Thiol modifiers & supports (acyclic an cyclic)	125-127
Biotin labelling & supports	128
Branching phosphoramidites & supports, Levulinyl deprotection solution	129
Carboxyl generating reagents, Aldehyde generating reagent	130
(+)-a-Tocopherol-Phosphoramidite	131
Cholesterol amidites & supports	132
Dabcyl labelling & supports, DNP labelling & supports	133
Fluorescein labelling: Etheno dA & dC amidites & supports	134
Fluorescein labelling: HEX, TET, 6-FAM & HEX (Cyc) & TET (Cyc) amidites	135
Fluorescein labelling: 5-Fluoroscein, 5-Fluoroscein dT amidites & supports	136
Fluorescein labelling: DMTr 5 & 6 FAM & supports	137
Fluorescein labelling: Rhodamine (Tamra) amidites & supports	138
Psoralen labelling & supports,	139-140
Puromycin Labelling & supports (Refer page 74)	

Nucleosides

Nucleosides (Base N-Unprotected)

Deoxy nucleosides	141
Dideoxy nucleosides, 7-Deaza-7-iodo-dideoxy-(A & G) 5-Iodo-dideoxy-(C & U), 7-Deaza-dideoxy-(A & G)	142
dU, dI, 8-Oxo-dG, Etheno-(dA & dC), 5-Methyl-dC	143
Modified deoxy nucleosides: 5-Bromo-(dC & dU), 8-Bromo-(dA & dG) & 5-Iodo-(dC & dU)	144
Modified deoxy nucleosides: N-alkylated	145
Modified deoxy nucleosides: 4-Thio-(dU & T), 6-Thio-dG, O ⁶ -Carboxymethyl-dG & 5-Propynyl-(dC & dU)	146
L-Deoxy, a-D-deoxy nucleosides & 2-Amino-L-dA	147
Modified deoxy nucleosides: 5-Aza-dC, 3'-Azido-T, dNeubularine, 3'-O-Levulinyl-dG, 2'-Amino-dC, Iso-dG	148
Modified deoxy nucleosides: 7-Deaza-(dA, dG & dI), 7-Deaza-7-iodo-(dA & dG), 7-Deaza-6-O-methyl-dG	149
Ribo nucleosides & modified ribo nucleosides: 5-Methyl-C, rT, N ⁶ -Dimethyl-A, Ara-5-Methyl-C & arabinose-U	150
2'-Fluoro-2'-deoxy nucleosides, Thio-ribo (U & G), 6-Chloro-ribo inosine, Modified-purines-ribo nucleosides	151
Halogenated-ribo nucleosides	152
Etheno A & C, N-Alkylated & 5-Propynyl C & U modified-ribo nucleosides	153
2, 2'-Anhydro C & U,	154
L-Ribo nucleosides	155
7-Deaza ribo nucleosides	156
2'-O-Methyl ribo nucleosides & modified 2'-O-Methyl ribo nucleosides	157
2'-O-Methyl-5-propynyl-rC & rU nucleosides, 3'-O-Methyl ribo nucleosides & 3'-O-Methyl-5-Methyl rC	158
2'-O-Allyl-ribo nucleosides, 3'-O-Allyl-ribo nucleosides	159
2'-O-Propargyl-ribo nucleosides, 3'-O-Propargyl-ribo nucleosides	160
5',3'-Tetraisopropyl-disiloxane-ribo nucleosides	161

Nucleosides (Base-N-protected)

Standard & labile deoxy nucleosides	162
Standard & labile ribo nucleosides, 5-Methyl rC	163
5',3'-Tetraisopropyl-disiloxane-ribo nucleosides & 2', 3'-Isopropylene ribo nucleosides	164
2',3'-O-Diacetyl-ribo nucleosides	165
N-Alkylated, 3'-(O-Allyl) & 2,2'-Anhydro modified nucleosides	166
5'-O-Levulinyl & 3'-O-Levulinyl-deoxy nucleosides	167
3'-O-Acetyl-deoxy nucleosides	168

DMTr Protected Nucleosides

Deoxy nucleosides with standard & labile protection	169
Ribo nucleosides with standard & labile protection	170
Modified deoxy nucleosides	171-173
Modified deoxy halogenated nucleosides	174
Modified ribo nucleosides	175
2'-O-Methyl-ribo nucleosides & 5-Alkyl-2'-O-methyl-ribo nucleosides	176
2'-O-TBDMS-ribo-nucleosides	177
3'-O-TBDMS-ribo-nucleosides	178

Reagents for Nucleic Acid Chemistry

Activation reagents, ETT, BMT, DCI, di- <i>ipr</i> -1H-tetrazolide, 1H-1,2,4- Triazole, MSNT	179
DMTr-Chloride, MMTr-Chloride, TMTr-Chloride	180
Sulfurizing reagents-PADS, Beaucage Reagent , DDTT	181
Phosphorylating Reagents	182-183
4- Isopropyl-phenoxy-acetylchloride & Bis-silylating reagent (TIPS chloride)	183
Purines, Pyrimidines & Sugars	184

Fluorescein and Biotin NHS esters

Fluoresceins: 5 & 6-FAM-Dipivalate NHS Esters, 5 & 6-FAM NHS Esters	185
Biotins: Biotin-Amido-hexanoic-acid NHS ester, Biotin-N-hydroxysuccinimide ester & Biotin-X-Y-SSE	186

Monophosphates

2'-O-Methyl-ribo-monophosphates, b-L-ribo-monophosphates	187
Modified monophosphates : 3'-Amino-rG, Etheno-rC, Iso-rG, 3'-Methyl-rG, rT	188
Deoxy-N-Alkylated A & C, Etheno-dC, 7-Deaza-dA	189

Diphosphates

2'-O-Methyl-ribo-3',5'-diphosphates, Ribo-U-5'-diphosphate	190
--	-----

Triphosphates

2'-O-Methyl-ribo-5'-triphosphates, Iso-rG-triphosphate	191
Etheno-dA & dC, 7-Deaza-dA & dG, Iso-dG triphosphates	192
Ara-5'-triphosphates & Ara-(2'-O-methyl)-triphosphates	193
7-Deaza-7-propargylamine-A & G-triphosphate, 2',3'-Dideoxy-G, 5-Propargylamine-2',3'-dideoxy-C & U triphosphate	194

Appendix & Index

Common Abbreviations	195-196
Index-1: Common name index	197-230
Index-2: IUPAC name index	231-260

Quality:

ChemGenes Corporation products are manufactured under carefully controlled conditions and whenever applicable are constantly analyzed by Ultra Violet (UV) Spectroscopy, Thin Layer Chromatography, Electrophoresis, High Performance Liquid Chromatography (HPLC), Enzymatic, and Sequential Analysis. A product analysis report is enclosed with each shipment of our products.

Terms and Conditions of Sale:

ChemGenes Corporation products are sold for laboratory and manufacturing use only. Our products are not for use in humans for drugs or clinical diagnostics. Our products in many cases require special storage and handling, and should be handled only by trained personnel who are aware of the potential hazards and utilize appropriate safeguard. Liability for any loss or damage which may arise from the sale, storage, use, and handling of these products is solely the responsibility of the purchaser. Purchaser is also solely responsible for compliance with any restrictions on exporting any of ChemGenes products. ChemGenes does not assume an responsibility for patent infringement which may occur with the use of these products.

Should any of our products fail to meet the specifications for such product, ChemGenes Corporation will, in its discretion, either replace the products free of charge or refund the purchase price. The foregoing is the sole remedy, at law or in equity, on account of any failure of the products to meet the specifications. EXCEPT AS EXPRESSLY SET FORTH ABOVE, CHEMGENES CORPORATION DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCTS, INCLUDING, WITHOUT LIMITATION, ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. CHEMGENES DOES NOT WARRANT THAT THE PRODUCTS ARE ERROR-FREE OR WILL ACCOMPLISH ANY RESULT.

In no event shall ChemGenes be liable for any lost profits, loss of goodwill, or any incidental, special or consequential damages, even if it has been advised of the possibility of such damages.

NOTWITHSTANDING ANYTHING TO THE CONTRARY HEREIN, IN NO EVENT SHALL CHEMGENES LIABILITY (WHETHER BY REASON OF BREACH OF WARRANT, BREACH OF CONTRACT, INJURY OR OTHERWISE) EXCEED THE TOTAL PURCHASE PRICE PAID BY PURCHASER TO CHEMGENES WITH RESPECT TO THE PRODUCTS THAT GIVE RISE TO SUCH LIABILITY.

Any damage, due to thawing or breakage in transit, must be reported in less than five days. Any quality related problems, which do not conform to the technical data sheet, must be reported in less than thirty days. No return authorization or credit will be allowed after thirty days. All products returned need proper authorization from ChemGenes.

The information supplied in this catalog is correct to the best of our knowledge. ChemGenes shall not be liable for any errors of clerical nature in prices or statements contained on our website, in our catalog, product literature, labels, and product data sheet. All errors are subject to correction.

Errors:

ChemGenes Corporation shall not be liable for any errors of clerical nature in prices or statements contained in our catalog, product literature, labels, and product data sheet. All errors are subject to correction.

**OUR COMMITMENT TO YOU:
THE MOST COMPETITIVE PRICES
& HIGHEST QUALITY**

Please include the following information with each order:

- Our catalog number.
- Product name.
- Quantity.
- Your purchase order number.
- Shipping and billing address.

Quotations for quantities in excess of those listed in our catalog will be supplied upon request.

Delivery:

Orders for the products listed in our catalog will be filled promptly from our stock. When complete shipments cannot be made, partial shipments will be made at our discretion or if agreed upon with the customer.

All international orders must be 100% pre-paid (including shipping and handling charges) prior to shipment. Payment terms for U.S. customers are determined in ChemGenes discretion. Purchaser is solely responsible for any sales taxes, VAT, duties, and other similar charges in connection with the purchase of the products. All products are shipped freight paid with ChemGenes reserving the right to choose the best possible shipping method.

Shipping dates provided by ChemGenes are given on the basis of the best available information on hand. However, ChemGenes shall not be liable for any loss, damage or expense (consequential or otherwise) incurred by the purchaser if ChemGenes fails to meet specified delivery dates.

Title of Products & Shipment:

The title of goods and products sold hereunder shall pass to the purchaser upon delivery of products to the carrier. All shipments are F.O.B. ChemGenes Warehouse.


The rights and obligations of the parties hereunder shall be governed by and construed in accordance with the laws of the Commonwealth of Massachusetts, without reference to its choice of law provisions. By placing an order with ChemGenes, the purchaser expressly agrees that these Terms and Conditions shall govern any purchase or sale of ChemGenes products and supersedes any inconsistent provisions contained in any purchase order, invoice or any other document or agreement from purchaser. The purchaser irrevocably consents to the exclusive jurisdiction of the state and federal courts in Massachusetts with respect to any action arising out of or related to this Agreement, and waives any right to a trial by jury. Any action arising under this Agreement must be brought within one (1) year from the date the cause of action arose.

Phosphoramidites and Supports for Natural DNA Synthesis

Quality Control Criteria for UltraPure DNA Phosphoramidites

^{31}P NMR


- Single or double peak
- Detection Limit: 0.08%



^{31}P NMR of 5'-O-DMTr-2'-O-TBDMS Guanosine ((N-iBu) 3'-CEP

HPLC


- Single or double peak
- Detection limit: 0.5%




HPLC Graph of 5'-O-DMTr-2'-O-TBDMS Adenosine (N-Bz) 3'-CEP

UV Characterization

- Used to characterize the purine or pyrimidine structure and substituent



UV Spectrum of dC (N-Bz) CEP



UV Spectrum of dA (N-Bz) CEP

Solubility Test

- 200 mg of pure dry product in 1.0 ml of dry acetonitrile (H_2O Content < 0.004-0.005 g / 100 ml)

Coupling Test

- Greater than 99% under set conditions specified in the data sheet supplied with compound.

Phosphoramidites and Supports for Natural DNA Synthesis

Quality Control Criteria for UltraPure DNA Phosphoramidites

ChemGenes has been in business for over 33 years and for over 10 years are established in a state of the art facility just outside of Boston, Massachusetts, USA. ChemGenes has full scale modernized facilities to manufacture in bulk while maintaining its high quality. We have added many new products to our original line to facilitate and stay current in research & development in the area of biotechnology.

As the market for oligonucleotides continues to grow, ChemGenes remains committed to introducing novel products, while maintaining its existing product mix. We also have the capacity to custom synthesize products on request.

Our quality is guaranteed! We want to assure you that every product is of the highest purity and conforms to the certificate of analysis that accompanies it when shipped.

- ChemGenes takes pride in a long history of customer satisfaction in supplying the highest purity phosphoramidites & supports for oligonucleotide synthesis.

- Robust quality system to ensure full documentation of products for oligonucleotide Therapeutics.

- Each lot of phosphoramidite must pass established testing criteria before it can be shipped to customers.

ChemGenes Quality Policy Statement

ChemGenes Corporation is dedicated to producing high quality products for DNA/RNA synthesis to our customers through:

- Excellence in Manufacturing
- Long Term Relationships
- Providing Value
- Satisfaction
- On-Time Delivery, and
- Continually Improving the effectiveness of our Quality Management System.

Required QC Tests for Most Phosphoramidites
Solubility test

- Amidites completely dissolve in Acetonitrile to make a 0.1M Solution (water <0.004-0.005 gm/100 mL). Leaves no visible particulate matter.

Coupling Efficiency

- The coupling efficiency of ChemGenes phosphoramidite products are functionally tested to 98% or better.

HPLC

- Greater than 98% purity by HPLC.

³¹P NMR

- Doublet peak or single peak.
- Position of each peak is known for each phosphoramidite.
- The value between the peaks is calculated and recorded.

UV – The UV test provides 4 values of data:

- The ratio between 250/260 nm.
- The ratio between 260/280 nm.
- ϵ_{max} position.
- Extinction Coefficient.

MASS Spectrum

- ESI-MS performed on each product.

¹H NMR

- Proton NMR analysis is performed for each product.

GC-MS and Head Space Analysis for solvent low volatile substances

LC/MS

- LC-MS performed on each product.


TLC

- Single or double spot (depends on the phosphoramidite) with no other visible impurity on spotting, 0.2 mg/spot.

Moisture Content: <0.1% (<1000 PPM)
Optical Rotation (for L-Amidites): Angle of Rotation is measured.



Phosphoramidites and Supports for Natural DNA Synthesis



Amidites for Natural DNA Synthesis with Standard Base Protection

R	B	Protection	Catalog#	CAS No:
DMTr	A	N-Bz	ANP-5551	98796-53-3
DMTr	C	N-Bz	ANP-5552	102212-98-6
DMTr	G	N-iBu	ANP-5553	93183-15-4
DMTr	T	N/A	ANP-5554	98796-51-1
DMTr	C	N-iBu	ANP-5559	110522-84-4
DMTr	C	N-Ac	ANP-5560	154110-40-4
MMTr	A	N-Bz	ANP-5556	
MMTr	G	N-iBu	ANP-5557	
MMTr	C	N-Bz	ANP-5558	
MMTr	T	N/A	ANP-5561	

Catalog #	Product Name	250mg	500mg	1g	2g	5g	10g	30g
ANP-5551	2'-Deoxy-adenosine (N-Bz)-3'-CEP, <i>M.W. 857.92</i>	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00	\$580.00
ANP-5552	2'-Deoxy-cytidine (N-Bz)-3'-CEP, <i>M.W. 833.89</i>	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00	\$580.00
ANP-5553	2'-Deoxy-guanosine (N-iBu)-3'-CEP, <i>M.W. 839.90</i>	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00	\$580.00
ANP-5554	Thymidine-3'-CEP, <i>M.W. 744.81</i>	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00	\$580.00
ANP-5559	2'-Deoxy-cytidine (N-iBu)-3'-CEP, <i>M.W. 799.89</i>	\$15.00	\$27.00	\$51.00	\$86.00	\$210.00	\$400.00	\$950.00
ANP-5560	2'-Deoxy-cytidine (N-Ac)-3'-CEP, <i>M.W. 771.84</i>	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00	\$580.00
ANP-5556	MMTr-2'-deoxy-adenosine (N-Bz)-3'-CEP, <i>M.W. 827.91</i>	\$15.00	\$27.00	\$51.00	\$86.00	\$210.00	\$400.00	\$950.00
ANP-5557	MMTr-2'-deoxy-guanosine (N-iBu)-3'-CEP, <i>M.W. 809.89</i>	\$15.00	\$27.00	\$51.00	\$86.00	\$210.00	\$400.00	\$950.00
ANP-5558	MMTr-2'-deoxy-cytidine (N-Bz)-3'-CEP, <i>M.W. 803.88</i>	\$15.00	\$27.00	\$51.00	\$86.00	\$210.00	\$400.00	\$950.00
ANP-5561	MMTr-Thymidine-3'-CEP, <i>M.W. 714.79</i>	\$15.00	\$27.00	\$51.00	\$86.00	\$210.00	\$400.00	\$950.00

Mixed Phosphoramidites (Equimolar)

(ANP-5551, ANP-5552 or 5559 or 5560, ANP-5553 and ANP-5554)

Catalog #	Quantity	Prices
ANP-1070	250mg	\$30.00
	500mg	\$55.00
	1g	\$100.00
	2g	\$180.00

Typical Deprotection Conditions

- 45 minutes at R.T. for cleavage of oligo from support with concentrated ammonium hydroxide.
- Cleavage of base protection can be accomplished by either:
 - using concentrated ammonium hydroxide at 37°C for 16-24 hours, or
 - using concentrated ammonium hydroxide at 55°C for 6-8 hours.
 (time ranges are dependant on the oligo chain length)


for faster deprotection conditions
please see pages 5 & 7

Advantages and application of 5'-MMTr in Purine Bases for Oligo Synthesis

Due to the use of 5-ethylthiotetrazole (in most DNA/RNA Synthesis Protocols), which is more acidic in nature compared to 1-*H*-Tetrazole, the DMTr group from purine bases is removed to a certain extent in the coupling step during oligo synthesis, thereby causing undesired M+1 oligo growth.

Since purine bases, A & G, cleave at the 5'-DMTr at a much higher rate than 5'-MMTr, the 5'-MMTr protected nucleoside phosphoramidites is preferred; thus offering a minimal level of M+1 impurities.

Phosphoramidites and Supports for Natural DNA Synthesis



Solid Supports for Natural DNA Synthesis with Standard Base Protection


B	Protection	Catalog #
A	N-Bz	N-5101
C	N-Bz	N-5102
G	N- <i>i</i> Bu	N-5103
T	N/A	N-5104
C	N- <i>i</i> Bu	N-5112
C	N-Ac	N-5212
G	N-DMF	N-9898

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.			each		pack of 10 cols.		
			100 mg	1 g	5 g	40 nmole	0.2 umole	1.0 umole	10 umole	15 umole	40 nmole	0.2 umole	1.0 umole
N-5101-05	2'-Deoxyadenosine	500Å											
N-5101-10	(N-Bz)-3'-lcaa-CPG	1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5101-20		2000Å											
N-5102-05	2'-Deoxycytidine	500Å											
N-5102-10	(N-Bz)-3'-lcaa-CPG	1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5102-20		2000Å											
N-5103-05	2'-Deoxyguanosine	500Å											
N-5103-10	(N- <i>i</i> Bu)-3'-lcaa-CPG	1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5103-20		2000Å											
N-5104-05	Thymidine-3'-lcaa-CPG	500Å											
N-5104-10		1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5104-20		2000Å											
N-5112-05	2'-Deoxycytidine	500Å											
N-5112-10	(N- <i>i</i> Bu)-3'-lcaa-CPG	1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5112-20		2000Å											
N-5212-05	2'-Deoxycytidine	500Å											
N-5212-10	(N-Ac)-3'-lcaa-CPG	1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5212-20		2000Å											
N-9898-05	2'-Deoxyguanosine	500Å											
N-9898-10	(N-DMF)-3'-lcaa-CPG	1000Å	\$14	\$81	\$280	\$26	\$33	\$40	\$91	\$126	\$54	\$62	\$78
N-9898-20		2000Å											

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis



Amidites for Natural DNA Synthesis with Labile (Mild) Base Protection

R	B	Protection	Catalog#	CAS No:
DMTr	A	N-PAC	ANP-6661	110543-74-3
DMTr	A	N-DMA	ANP-6565	
DMTr	C	N-PAC	ANP-6662	
DMTr	G	N-tBPAC	ANP-5668	149989-60-6
DMTr	T	N/A	ANP-5554	98796-51-1
DMTr	G	N-DMF	ANP-6769	330628-04-1
DMTr	A	N,N-di-Bz	ANP-6767	
DMTr	G	N-iPrPAC	ANP-5568	150065-82-0
DMTr	A	N-tBPAC	ANP-5569	149989-58-2
DMTr	G	N-Phenyl AC	ANP-5518	
MMTr	A	N-PAC	ANP-5116	
MMTr	G	N-tBPAC	ANP-5117	
MMTr	G	N-PAC	ANP-5118	

Catalog #	Product name	250mg	500mg	1g	2g	5g	10g
ANP-6661	2'-Deoxyadenosine (N-PAC)- 3'-CEP, <i>M.W.</i> 887.96	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-6565	2'-Deoxyadenosine (N-DMA)- 3'-CEP, <i>M.W.</i> 822.93	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-6662	2'-Deoxycytidine (N-PAC)- 3'-CEP, <i>M.W.</i> 863.93	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-5668	2'-Deoxyguanosine (N-tBPAC)- 3'-CEP, <i>M.W.</i> 960.06	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-5554	Thymidine- 3'-CEP, <i>M.W.</i> 744.81	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00
ANP-6769	2'-Deoxyguanosine (N-DMF)- 3'-CEP, <i>M.W.</i> 824.90	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-6767	2'-Deoxyadenosine (N-diBz)- 3'-CEP, <i>M.W.</i> 962.04	\$25.00	\$45.00	\$81.00	\$160.00	\$340.00	\$590.00
ANP-5568	2'-Deoxyguanosine (N-iPr-PAC)- 3'-CEP, <i>M.W.</i> 946.04	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00	\$473.00
ANP-5569	2'-Deoxyadenosine (N-tBPAC)- 3'-CEP, <i>M.W.</i> 944.06	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00	\$473.00
ANP-5518	2'-Deoxyguanosine (N-Phenyl Ac)-3'-CEP, <i>M.W.</i> 887.38	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00	\$473.00
ANP-5116	MMTr-2'-deoxyadenosine (N-PAC)- 3'-CEP, <i>M.W.</i> 857.93	\$20.00	\$36.00	\$65.00	\$117.00	\$263.00	\$473.00
ANP-5117	MMTr-2'-deoxyguanosine (N-tBPAC)- 3'-CEP, <i>M.W.</i> 930.04	\$20.00	\$36.00	\$65.00	\$117.00	\$263.00	\$473.00
ANP-5118	MMTr-2'-deoxyguanosine (N-PAC)- 3'-CEP, <i>M.W.</i> 873.93	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00	\$473.00

Typical Deprotection Conditions

- 45 minutes at R.T. for cleavage of oligo from support with concentrated ammonium hydroxide.
- Cleavage of base protection can be accomplished by either:
 - using concentrated ammonium hydroxide at 37°C for 6-8 hours, or
 - using concentrated ammonium hydroxide at 55°C for 2-4 hours.
 (time ranges are dependant on the oligo chain length)


For faster deprotection conditions please see page 7

For Ammonia Free Oligo Deprotection Solution (Catalog # RN-1435, page #59) that can be used with the products on this pages 5 and 6.

The capping reagent phenoxy acetic anhydride is available for capping during oligonucleotide synthesis, please see pages 19-25.

For a description of the advantages of using 5'-MMTr nucleoside phosphoramidities, please see page # 3.

Phosphoramidites and Supports for Natural DNA Synthesis



Solid Supports for Natural DNA Synthesis with Labile (mild) Base Protection

B	Protection	Catalog #
A	N-PAC	N-P5101
C	N-PAC	N-P5102
G	N-PAC	N-P5103
T	N/A	N-5104
G	N- <i>i</i> PrPAC	N-P5106


Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.			each		pack of 10 cols.		
			100 mg	1 g	5 g	40 nmole	0.2 umole	1.0 umole	10 umole	15 umole	40 nmole	0.2 umole	1.0 umole
N-P5101-05	2'-Deoxyadenosine	500Å											
N-P5101-10	(N-PAC)-3'-Icaa CPG	1000Å	\$14	\$115	\$540	\$25	\$30	\$45	\$140	\$210	\$50	\$62	\$94
N-P5101-20		2000Å											
N-P5102-05	2'-Deoxycytidine	500Å											
N-P5102-10	(N-PAC)-3'-Icaa CPG	1000Å	\$14	\$115	\$540	\$25	\$30	\$45	\$140	\$210	\$50	\$62	\$94
N-P5102-20		2000Å											
N-P5103-05	2'-Deoxyguanosine	500Å											
N-P5103-10	(N-PAC)-3'-Icaa CPG	1000Å	\$14	\$115	\$540	\$25	\$30	\$45	\$140	\$210	\$50	\$62	\$94
N-P5103-20		2000Å											
N-5104-05	Thymidine-3'-Icaa CPG	500Å											
N-5104-10		1000Å	\$7	\$60	\$260	\$24	\$30	\$38	\$80	\$110	\$50	\$62	\$75
N-5104-20		2000Å											
N-P5106-05	2'-Deoxyguanosine	500Å											
N-P5106-10	(N- <i>i</i> PrPAC)-	1000Å	\$14	\$115	\$540	\$25	\$30	\$45	\$140	\$210	\$50	\$62	\$94
N-P5106-20	3'-Icaa CPG	2000Å											

For deprotection conditions please refer to page # 5.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis



Fast Deprotection Phosphoramidites using AMA Reagents

B	Protection	Catalog#	CAS No:
A	N-PAC	ANP-6661	110543-74-3
C	N-Ac	ANP-5560	154110-40-4
G	N-tBPAC	ANP-5668	149989-60-6
T	N/A	ANP-5554	98796-51-1


Catalog #	Product name	250mg	500mg	1g	2g	5g	10g
ANP-6661	2'-Deoxyadenosine (N-PAC)- 3'-CEP, M.W. 887.96	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-5560	2'-Deoxycytidine (N-Ac)- 3'-CEP, M.W. 771.84	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00
ANP-5668	2'-Deoxyguanosine (N-tBPAC)- 3'-CEP, M.W. 960.06	\$14.00	\$25.00	\$45.00	\$80.00	\$180.00	\$320.00
ANP-5554	Thymidine- 3'-CEP, M.W. 744.81	\$10.00	\$18.00	\$32.00	\$58.00	\$130.00	\$216.00

Deprotection Conditions

- 5 minutes at room temperature (for cleavage of oligo) using AMA Reagent. AMA (Catalog # RN-1450 listed on page #21) is a 50:50 (v/v) ratio of ammonium hydroxide and methyl amine.
- Cleavage of base protecting groups can be accomplished by either: using AMA at 37 °C for 30 minutes, or using AMA at 55°C for 10 minutes.

For shorter sequences, standard base protected dA (N-Bz) amidite ANP-5551, dG (N-iBu) amidite ANP-5553, along with dC (N-Ac) amidite ANP-5560 are all recommended; however, for longer sequences it is recommended to use the above Fast Deprotecting Phosphoramidites, i.e. dA (N-PAC) amidite, dG (N-tBPAC) amidite, with the dC (N-Ac) amidite.

NOTE: Ancillary reagents for DNA synthesis using Fast Deprotecting Phosphoramidites are available at ChemGenes and are listed on pages 19-25.




Base Unprotected Amidites

B	Protection	Catalog#	CAS No:
A	none	ANP-7771	140613-55-4
C	none	ANP-7772	140613-57-6
G	none	ANP-7773	140613-56-5

Catalog #	Product name	250mg	500mg	1g	2g
ANP-7771	2'-Deoxyadenosine- 3'-CEP, M.W. 753.83	\$60.00	\$110.00	\$200.00	\$380.00
ANP-7772	2'-Deoxycytidine- 3'-CEP, M.W. 729.80	\$60.00	\$110.00	\$200.00	\$380.00
ANP-7773	2'-Deoxyguanosine- 3'-CEP, M.W. 769.83	\$60.00	\$110.00	\$200.00	\$380.00

ChemGenes now offers deoxy nucleoside phosphoramidites of dA, dC & dG which do not have base protecting groups. The oligonucleotide coupling per step goes essentially quantitative. The synthesis using these phosphoramidites allows oligonucleotide synthesis which does not require ammonia normally used for base deprotection.

Phosphoramidites and Supports for Natural DNA Synthesis



Natural DNA P-methoxy Amidites

R	B	Protection	Catalog#	CAS No:
DMTr	A	N-Bz	ANP-3761	84416-82-0
DMTr	C	N-Bz	ANP-3762	84416-83-1
DMTr	C	N-Ac	ANP-3769	833480-37-8
DMTr	G	N-iBu	ANP-3763	84416-84-2
DMTr	G	N-DMA	ANP-3768	
DMTr	T	N/A	ANP-3764	
MMTr	A	N-Bz	ANP-3766	107573-07-9
MMTr	G	N-iBu	ANP-3767	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-3761	2'-Deoxyadenosine (N-Bz)-5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 818.90	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00
ANP-3762	2'-Deoxycytidine (N-Bz)-5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 794.87	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00
ANP-3769	2'-deoxycytidine (N-Ac)- 5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 732.80	\$25.00	\$45.00	\$80.00	\$146.00	\$328.00
ANP-3763	2'-Deoxyguanosine (N-iBu)- 5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 800.88	\$20.00	\$36.00	\$65.00	\$115.00	\$263.00
ANP-3768	2'-deoxyguanosine (N-DMA)-5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 783.90	\$30.00	\$54.00	\$85.00	\$155.00	\$360.00
ANP-3764	Thymidine-5'DMTr 3'-methyl phosphoramidite, <i>M.W.</i> 705.78	\$20.00	\$36.00	\$75.00	\$145.00	\$263.00
ANP-3766	5'-MMTr-2'-deoxyadenosine (N-Bz)- 3'-methyl phosphoramidite, <i>M.W.</i> 788.87	\$25.00	\$45.00	\$80.00	\$146.00	\$328.00
ANP-3767	5'-MMTr-2'-deoxyguanosine (N-iBu)- 3'-methyl phosphoramidite, <i>M.W.</i> 770.85	\$25.00	\$45.00	\$80.00	\$146.00	\$328.00

Natural DNA methyl phosphoramidites

Methyl phosphate can be also used for aminoalkyl-phosphoramidate oligonucleotide modification that can be introduced postsynthetically. Similar pathway for postsynthetic labeling was applied using *H*-phosphonates strategy.

Important : Deprotection Conditions

- For natural phosphodiester: use thiophenol solution (Catalog # RN-1465 on page # 19-25) to thoroughly remove the *P*-Methoxy groups prior to ammonia base deprotection.
- In the anti-sense study, the neutral phosphate triester backbone displayed high nuclease resistance and improved cellular uptake. For *P*-Methoxy phosphodiester oligonucleotides: use PAC protected methylphosphoramidites listed on page # 104 in combination with our ammonia free deprotection solution listed on page # 59.

Please see page #104 for DNA methyl phosphoramidites with labile base deprotection (PAC).


Please see page #102 for DNA methyl phosphoramidites.

Please see page #100 for DNA ethyl phosphoramidites.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis



P-O-benzyl Phosphoramidites

B	Protection	Catalog#
A	N-Bz	ANP-6731
C	N-Bz	ANP-6732
G	N-iBu	ANP-6733
T	N/A	ANP-6734

Catalog #	Product name	100mg	250mg	500mg	1g	2g
ANP-6731	2'-Deoxyadenosine (N-Bz) 3'-O-benzyl phosphoramidite, <i>M.W. 894.99</i>	\$24.00	\$54.00	\$90.00	\$160.00	\$290.00
ANP-6732	2'-deoxycytidine (N-Bz) 3'-O-benzyl phosphoramidite, <i>M.W. 870.97</i>	\$24.00	\$54.00	\$90.00	\$160.00	\$290.00
ANP-6733	2'-deoxyguanosine (N-iBu) 3'-O-benzyl phosphoramidite, <i>M.W. 876.98</i>	\$24.00	\$54.00	\$90.00	\$160.00	\$290.00
ANP-6734	Thymidine 3'-O-benzyl phosphoramidite, <i>M.W. 781.87</i>	\$24.00	\$54.00	\$90.00	\$160.00	\$290.00

Applications of benzyl phosphoramidites:


- Synthesis of Natural DNA fragments.
- Cleavage of *P*-O-benzyl phosphate occurs smoothly with aqueous ammonia.
- The synthesis of sequence specific phosphoramidites.

Nielson, J.; Caruthers, M. H. *Jour. Am. Chem Soc.* **1988**, *110*, 6275-6276.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis




Reverse DNA Synthesis

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-4671	140712-82-9
C	N-Bz	ANP-4672	140712-83-0
G	N-iBu	ANP-4673	140839-24-3
T	N/A	ANP-4674	134031-86-0
C	N-Ac	ANP-4675	
G	N-DMF	ANP-4678	
A	N-PAC	ANP-4681	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-4671	3'-O-DMTr-2'-deoxyadenosine (N-Bz) 5'-CEP, M.W. 857.92	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4672	3'-O-DMTr-2'-deoxycytidine (N-Bz) 5'-CEP, M.W. 833.89	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4673	3'-O-DMTr-2'-deoxyguanosine (N-iBu) 5'-CEP, M.W. 839.90	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4674	3'-O-DMTr-Thymidine 5'-CEP, M.W. 744.80	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4675	3'-O-DMTr-2'-deoxycytidine (N-Ac) 5'-CEP, M.W. 771.84	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4678	3'-O-DMTr-2'-deoxyguanosine (N-DMF) 5'-CEP, M.W. 824.90	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00
ANP-4681	3'-O-DMTr-2'-deoxyadenosine (N-PAC) 5'-CEP, M.W. 887.96	\$70.00	\$130.00	\$230.00	\$410.00	\$925.00

Reverse 7-Deaza-dG-phosphoramidite (ANP-4679) DNA monomer is listed on page # 34.

Reverse 2'-Fluoro DNA amidites are listed on page # 76.



Standard CPG for Reverse DNA Synthesis


B	Protection	Catalog #
A	N-Bz	N-3351
C	N-Bz	N-3352
G	N-iBu	N-3353
T	N/A	N-3354

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 umole	1.0 umole	0.2 umole	1.0 umole
N-3351-05	2'-Deoxyadenosine	500Å						
N-3351-10	(N-Bz)-5'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-3351-20		2000Å						
N-3352-05	2'-Deoxycytidine	500Å						
N-3352-10	(N-Bz)-5'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-3352-20		2000Å						
N-3353-05	2'-Deoxyguanosine	500Å						
N-3353-10	(N-iBu)-5'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-3353-20		2000Å						
N-3354-05	Thymidine-	500Å						
N-3354-10	5'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-3354-20		2000Å						

Applications of Reverse Phosphoramidites:

- Synthesis of 3'-3'-linked DNA.
- Synthesis of special oligonucleotides required to be coupled at the 5'-end selectively.
- Synthesis of oligonucleotide from left to right (5'->3' direction).
- Synthesis of oligonucleotide with specific 3'-conjugation.


Phosphoramidites and Supports for Natural DNA Synthesis



Succinyl Polystyrene Supports for Reverse DNA Synthesis

B	Protection	Catalog #
A	N-Bz	PS-7511
C	N-Bz	PS-7515
G	N-iBu	PS-7513
T	N/A	PS-7514

Catalog #	Product Name	Pore Size	Particle Size	Bulk Polystyrene Loading 30-40 µm/g			pack of 4 cols.			pack of 10 cols.		
				100 mg	1 g	5 g	40 nmole	0.2 µmole	1.0 µmole	40 nmole	0.2 µmole	1.0 µmole
PS-7511-03	2'-Deoxy-Adenosine (N-Bz)-5'-succinyl Polystyrene Support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
PS-7515-03	2'-Deoxy-Cytidine (N-Ac)-5'-succinyl Polystyrene Support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
PS-7513-03	2'-Deoxy-Guanosine (N-iBu)-5'-succinyl Polystyrene Support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
PS-7514-03	Thymidine-5'-succinyl Polystyrene Support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160



High Loading Succinyl Polymeric Supports for Reverse DNA Synthesis (loading greater than 150 µmol/g)

B	Protection	Catalog #
A	N-Bz	PMS-7311
C	N-Bz	PMS-7315
G	N-iBu	PMS-7313
T	N/A	PMS-7314


Catalog #	Product Name	Pore Size	Particle Size	1 g	2 g	5 g	10 g
				\$240	\$384	\$768	\$1,230
PMS-7311-03	2'-Deoxy-Adenosine (N-Bz)-5'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7315-03	2'-Deoxy-Cytidine (N-Ac)-5'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7313-03	2'-Deoxy-Guanosine (N-iBu)-5'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7314-03	Thymidine-5'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230

ChemGenes has developed unique Polystyrene Support sand columns that have special appeal due to rigidity, non-swelling, and inertness towards moisture and water.

Our Polymeric Support has a special linker and different pore size . This unique cross-linking nature matches very closely with the commonly used CPG (500 Å).

Our supports have consistently displayed outstanding performance for the synthesis of medium length oligos of varying sizes.

Phosphoramidites and Supports for Natural DNA Synthesis



Levuliny DNA Phosphoramidites with Standard Base Protection

B	Protection	Catalog#	CAS No:
A	N-Bz	ANP-5001	
C	N-Bz	ANP-5002	
G	N-iBu	ANP-5003	
T	N/A	ANP-5004	581076-14-4

Catalog#	Product Name	250mg	500mg	1g	2g
ANP-5001	5'-O-Levuliny-2'-deoxyadenosine (N-Bz)- 3'-CEP, <i>M.W.</i> 653.67	\$50.00	\$80.00	\$140.00	\$250.00
ANP-5002	5'-O-Levuliny-2'-deoxycytidine (N-Bz)- 3'-CEP, <i>M.W.</i> 629.64	\$50.00	\$80.00	\$140.00	\$250.00
ANP-5003	5'-O-Levuliny-2'-deoxyguanosine (N-iBu)- 3'-CEP, <i>M.W.</i> 635.65	\$50.00	\$80.00	\$140.00	\$250.00
ANP-5004	5'-O-Levuliny-Thymidine- 3'-CEP, <i>M.W.</i> 540.55	\$50.00	\$80.00	\$140.00	\$250.00

Levuliny Deprotection Solution

Catalog#	Pricing
CLP-7171	\$44.00 / 5 ml
	\$72.00 / 10 ml


5'-O-Levuliny DNA Phosphoramidites with Standard Base Protection

5'-O-Levuliny DNA phosphoramidites can be used when oligonucleotide has acid labile modifications and TCA or DCA formulations cannot be used. ChemGenes offers levuliny deprotection solution (Catalog # CLP7171)

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis



DNA Dimer Phosphoramidites

Catalog#

Pricing

Pricing applies to all	\$550.00 / 100mg
dimers listed below	\$1,230.00 / 250 mg
	\$2,200.00 / 500 mg
	\$3,750.00 / 1g

10 gram minimum order, call for pricing.

B ₁	B ₁ Protection	B ₂	B ₂ Protection	Catalog #	M.W.	Chemical Formula
A	N-Bz	A	N-Bz	ANP-2501-CE	1328.31	C ₆₇ H ₇₇ N ₁₃ O ₁₃ P ₂
A	N-Bz	C	N-Bz	ANP-2502-CE	1304.28	C ₆₆ H ₇₁ N ₁₁ O ₁₄ P ₂
A	N-Bz	G	N-/Bu	ANP-2503-CE	1310.29	C ₆₇ H ₇₃ N ₁₃ O ₁₄ P ₂
A	N-Bz	T	N/A	ANP-2504-CE	1215.19	C ₆₆ H ₆₈ N ₁₀ O ₁₄ P ₂
C	N-Bz	A	N-Bz	ANP-2505-CE	1304.28	C ₆₆ H ₇₁ N ₁₁ O ₁₄ P ₂
C	N-Bz	C	N-Bz	ANP-2506-CE	1280.26	C ₆₅ H ₇₁ N ₉ O ₁₅ P ₂
C	N-Bz	G	N-/Bu	ANP-2507-CE	1286.27	C ₆₃ H ₇₃ N ₁₁ O ₁₅ P ₂
C	N-Bz	T	N/A	ANP-2508-CE	1191.16	C ₅₉ H ₆₈ N ₈ O ₁₅ P ₂
G	N-/Bu	A	N-Bz	ANP-2509-CE	1310.29	C ₆₄ H ₇₃ N ₁₃ O ₁₄ P ₂
G	N-/Bu	C	N-Bz	ANP-2510-CE	1286.27	C ₆₃ H ₇₃ N ₁₁ O ₁₅ P ₂
G	N-/Bu	G	N-/Bu	ANP-2511-CE	1292.27	C ₆₁ H ₇₅ N ₁₃ O ₁₆ P ₂
G	N-/Bu	T	N/A	ANP-2512-CE	1197.17	C ₅₇ H ₇₀ N ₁₀ O ₁₆ P ₂
T	N/A	A	N-Bz	ANP-2513-CE	1215.19	C ₆₆ H ₆₈ N ₁₀ O ₁₄ P ₂
T	N/A	C	N-Bz	ANP-2514-CE	1191.16	C ₅₉ H ₆₈ N ₈ O ₁₅ P ₂
T	N/A	G	N-/Bu	ANP-2515-CE	1197.17	C ₅₇ H ₇₀ N ₁₀ O ₁₆ P ₂
T	N/A	T	N/A	ANP-2516-CE	1102.07	C ₅₃ H ₆₅ N ₇ O ₁₅ P ₂


DNA Dimer Phosphoramidites

Main advantage of using dimer phosphoramidites is the absence of n-1 and n+1 impurities in the crude oligonucleotide mixtures.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural DNA Synthesis



DNA H-Phosphonate Monomers

B	Protection	Catalog#	CAS No:
A	N-Bz	ANP-3410	118352-75-3
C	N-Bz	ANP-3411	118352-74-2
G	N-/Bu	ANP-3412	118352-76-4
T	N/A	ANP-3413	3868-27-7
C	N-Ac	ANP-3414	


Catalog#	Product name	250mg	500mg
ANP-3410	2'-Deoxyadenosine (N-Bz)- 3'-H-phosphonate TEA Salt, <i>M.W. 822.87</i>	\$35.00	\$65.00
ANP-3411	2'-Deoxycytidine (N-Bz)- 3'-H-phosphonate TEA Salt, <i>M.W. 798.84</i>	\$35.00	\$65.00
ANP-3412	2'-Deoxyguanosine (N-/Bu)- 3'-H-phosphonate TEA Salt, <i>M.W. 804.86</i>	\$35.00	\$65.00
ANP-3413	Thymidine- 3'-H-phosphonate TEA Salt, <i>M.W. 709.76</i>	\$35.00	\$65.00
ANP-3414	2'-Deoxycytidine (N-Ac)- 3'-H-phosphonate TEA Salt, <i>M.W. 736.79</i>	\$35.00	\$65.00

Ancillary reagents for H-phosphonate chemistry are listed in page # 19.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Supports for DNA & RNA Synthesis




Succinyl Polystyrene Supports for DNA Synthesis

B	Protection	Catalog #
A	N-Bz	N-7511
C	N-Bz	N-7512
G	N-iBu	N-7513
T	N/A	N-7514
C	N-Ac	N-7515

Catalog #	Product Name	Pore Size	Particle Size	Bulk Polystyrene Loading 30-40 µm/g			pack of 4 cols.			pack of 10 cols.		
				100 mg	1 g	5 g	40 nmole	0.2 µmole	1.0 µmole	40 nmole	0.2 µmole	1.0 µmole
N-7511-03	2'-Deoxy-adenosine (N-Bz)- 3'-succinyl Polystyrene support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
N-7512-03	2'-Deoxy-cytidine (N-Bz)- 3'-succinyl Polystyrene support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
N-7513-03	2'-Deoxy-guanosine (N-iBu)- 3'-succinyl Polystyrene support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
N-7514-03	Thymidine- 3'-succinyl Polystyrene support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160
N-7515-03	2'-Deoxy-cytidine (N-Ac)- 3'-succinyl Polystyrene support	300Å	15-20 µm 60-70 µm	\$35	\$245	\$753	\$50	\$65	\$80	\$100	\$130	\$160

ChemGenes has developed unique Polystyrene Supports and columns that have special appeal due to rigidity, non-swelling and inertness towards moisture and water.




High Loading Succinyl Polymeric Supports for DNA Synthesis (loading greater than 150 µmol/g)

B	Protection	Catalog #
A	N-Bz	PMS-7511
C	N-Bz	PMS-7512
G	N-iBu	PMS-7513
T	N/A	PMS-7514
C	N-Ac	PMS-7515

Catalog #	Product Name	Pore Size	Particle Size	1 g	2 g	5 g	10 g
PMS-7511-07	2'-Deoxy-adenosine (N-Bz)- 3'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7512-07	2'-Deoxy-cytidine (N-Bz)- 3'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7513-07	2'-Deoxy-guanosine (N-iBu)- 3'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7514-07	Thymidine- 3'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230
PMS-7515-07	2'-Deoxy-cytidine (N-Ac)- 3'-succinyl Polymeric support	700-800Å	37-74 µm	\$240	\$384	\$768	\$1,230


Supports for DNA & RNA Synthesis



Non Cleavable Supports and Columns for DNA/RNA Synthesis

B	Protection	Catalog #
A	N-Bz	N-7521
C	N-Bz	N-7522
G	N-iBu	N-7523
T	N/A	N-7524

Catalog #	Product Name	Pore Size	Particle Size	Bulk loading 30-40 µm/g		pack of 4 cols.			pack of 10 cols.		
				100 mg	1 g	40 nmole	0.2 µmole	1.0 µmole	40 nmole	0.2 µmole	1.0 µmole
N-7521-15	2'-Deoxyadenosine (N-Bz)-	300Å	15-20 µm								
N-7521-60	3'-non-cleavable long chain spacer	300Å	60-70 µm	\$55	\$280	\$110	\$130	\$150	\$220	\$260	\$300
N-7521-10-60		1000Å	60-70 µm								
N-7522-15	2'-Deoxycytidine (N-Bz)-	300Å	15-20 µm								
N-7522-60	3'-non-cleavable long chain spacer	300Å	60-70 µm	\$55	\$280	\$110	\$130	\$150	\$220	\$260	\$300
N-7522-10-60		1000Å	60-70 µm								
N-7523-15	2'-Deoxyguanosine (N-iBu)-	300Å	15-20 µm								
N-7523-60	3'-non-cleavable long chain spacer	300Å	60-70 µm	\$55	\$280	\$110	\$130	\$150	\$220	\$260	\$300
N-7523-10-60		1000Å	60-70 µm								
N-7522-15	2'-Deoxycytidine (N-Bz)-	300Å	15-20 µm								
N-7522-60	3'-non-cleavable long chain spacer	300Å	60-70 µm	\$55	\$280	\$110	\$130	\$150	\$220	\$260	\$300
N-7522-10-60		1000Å	60-70 µm								



Catalog #	Product Name	Pore Size	Particle Size	Bulk loading 30-40 µm/g		pack of 4 cols.			pack of 10 cols.		
				100 mg	1 g	40 nmole	0.2 µmole	1.0 µmole	40 nmole	0.2 µmole	1.0 µmole
N-4545-03	Non-cleavable spacer	300Å	15-20 µm	\$55	\$280	\$110	\$130	\$150	\$220	\$260	\$300
N-4545-10	polystyrene	1000Å	50-70 µm								

Non Cleavable Solid Supports and Columns

(For Affinity Chromatography & One bead one Compound combinatorial libraries)

ChemGenes has developed a non-cleavable support, which is inert in nature and is amenable to oligonucleotide synthesis. Using our irreversible support leads to oligo synthesis of coupling efficiencies of 98-99% per step for a chain length of 20-40 mers.

Our Inert beads are uniform particles. The support bound oligonucleotides, which are irreversibly bound, have extensive applications in molecular biology. Some of the common applications are as follows:

1. Affinity based chromatography for oligonucleotides, proteins, and other macromolecules.
2. Design and construction of one bead one compound libraries by split synthesis methods.
3. PCR amplification is possible with the support attached to oligonucleotides. See photo to the right for bead based aptamer library screening, sequencing analysis of PCR products.
4. Molecular Biology R&D experiments on bead bound oligonucleotides have performed beyond expectations.

This method has been used by Gorenstein & Coworkers (Yang, X.; Bassett, S. E.; Li, X.; Luxon, B. A.; Herzog, N. K.; Shope, R. E.; Aronson, J.; Prow, T. W.; Leary, J. F.; Kirby, R.; Ellington, A. D.; Gorenstein, D. G. Nucle. Acids. Res., 2002, 30, e-132) for the selection of combinatorial oligonucleotides aptamer and PCR amplification followed by sequencing.





photo taken by permission from Nucleic Acid Research.

Supports for DNA & RNA Synthesis

Unylinker Universal Supports for Synthesis of Oligonucleotides



Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.			each		pack of 10 cols.		
			100 mg	250 mg	1 g	40 nmole	0.2 umole	1.0 umole	10 umole	15 umole	40 nmole	0.2 umole	1.0 umole
N-4000-05	UnyLinker Icaa CPG	500Å	\$8	\$18	\$65	\$26	\$32	\$40	\$85	\$120	\$52	\$64	\$80
N-4000-10		1000Å	\$8	\$18	\$65	\$26	\$32	\$40	\$85	\$120	\$52	\$64	\$80
N-4000-20		2000Å	\$10	\$22	\$75	\$30	\$36	\$48	\$98	\$142	\$62	\$74	\$96
N-4000-03	UnyLinker Polystyrene	300Å	\$14	\$27	\$80	\$38	\$44	\$56	\$109	\$149	\$70	\$82	\$104

High Loading Unylinker Universa Succinyl Polymeric Supports for RNA Synthesis (Loading 150-200 µmol/g)

Catalog #	Product Name	Pore Size	Particle Size	1 g	2 g	5 g	10 g
PMS-4000-07	UnyLinker Polymeric support	700-800Å	37-74 µm	\$85	\$150	\$640	\$960

Unylinker Microarray Slide (Discontinued)

Catalog#	Pricing
N-4501	\$16.00 / 1 unit
	\$12.00 / 50 unit

UNYLINKER™ Universal Support for synthesis of Oligodeoxynucleotides

(Fully compatible with standard phosphoramidite reagents and synthesis conditions) Average coupling efficiency of >99% per step.

Quantitative cleavage from support with standard ammonia or methylamine deprotection conditions.

No need to synthesize four deoxy nucleosides & avoids need to synthesize difficult to procure 2' or 3'-modified nucleoside based on support

Improvement in the quality of oligonucleotides synthesized, since the quality of succinates can vary from batch to batch and supplier to suppliers.

Cost reduction due to single support for the Oligo synthesis instead of several supports.

Releases work load of QC and material management and testing of many products verses a single support.

UNYLINKER universal support does not contribute any atom to API and hence need not be classified as a starting material.

Therefore offer major advantage when dealing with QA and FDA.

High purity Phosphorothioate synthesis is performed as usual.

2'-O-Alkyl oligonucleotides are synthesized in high purity.

LNA oligonucleotides are synthesized in high high purity.

Fully compatible with Biotin, Fluorescein and other labeled oligonucleotides.

*UNYLINKER™ is a trademark of Isis Pharmaceuticals, Inc. The above products are covered under Isis patent #7,202,264. and ChemGenes Corp. holds world wide marketing rights.

Supports for DNA & RNA Synthesis

Solid Supports & Columns

Controlled Pore Glass (CPG) is rigid and non-swelling with deep pores in which oligonucleotide synthesis takes place. CPG's with 500 Å (50 nm) pores are mechanically robust and are routinely used in the synthesis of shorter oligonucleotides. However, synthetic yields fall dramatically when oligonucleotides more than 40 bases in length are prepared on CPG's with 500 Å. This is because growing oligonucleotides blocks the pores and reduces diffusion of the reagents through the matrix. Although large pore CPG's are more fragile, 1000 Å CPG's has proved to satisfactory for the synthesis of oligonucleotides up to 100 bases in length, and 2000 Å supports can be used for the longer length oligonucleotides. CPG's have a C-17 spacer (Icaa) between the succinate and Silyl group on the CPG supports. The long chain spacer arm is ≈ 18 Å long. The longer arm facilitates the synthesis of longer oligomers, where steric effects and surface repulsions are problems. The drop in coupling yield during the attachment of 1st and 2nd phosphoramidite is minimal and thus the formation of N-1 chain is negligible.

We are proud that the ChemGenes CPG Supports have out performed equivalent products available on the market. All the functional groups available on the derivatized CPGs have been carefully blocked to minimize possibilities of side reactions. CPGs are available in three pore diameters and each have been functionalized in three different loading levels.


Amino CPG Long Chain Alkyl (Icaa) Support

The particle sizes for CPG's available at ChemGenes are: 80-200 mesh, 80-120 mesh, and 120-200 mesh. However the most common is 120-200 mesh and is used to derivatize our listed CPG's. Please enquire about the other two mesh sizes, which are available on a custom basis.

Selection Chart of Icaa CPG Supports for optimum oligo chain length

Trityl Value Codes	Synthesis Scales	Loading ($\mu\text{m/g}$)	Recommended Pore Size	Oligo Chain Length (mer)
VL: Very Low	0.05 μm	5-6	2000Å	150-175
L: Low	0.2 μm	15-16	1000Å or 2000Å	61-100
M: Medium	0.2 μm	35	500Å and 1000Å	30 and 60
H: High	1.0 μm	90	500Å	< 30

Amino Icaa CPG Supports

 $n = 12-16$	Catalog#	Pricing	Catalog#	Pricing
	N-5100-05	\$32.00 / 1 g	N-5100-10	\$32.00 / 1 g
		\$55.00 / 5 g		\$55.00 / 5 g
		\$85.00 / 10 g		\$85.00 / 10 g
	Pore Size: 500Å		Pore Size: 1000Å	

ChemGenes Corp. uses and sells native amino Icaa CPG with linker length 12 -16;

Empty Columns for Oligonucleotide Synthesizers

Catalog#	Product Name	Appropriate Scales	Pricing
E-1007-AB30	ABI 392/394 Style Empty Column, Aluminum Caps (2), & Frits (2)	40nmol - 1.0 μmol	\$5.00 each
E-1007-15-AB30	ABI 392/394 Style Empty Column, Aluminum Caps (2), & Frits (2)	$\sim 15 \mu\text{mol}$	\$50.00 each
E-1007-02-EX	Expedite Style Empty Synthesis Column, Aluminum Caps (2), & Frits (2)	40nmol - 0.2 μmol	\$5.00 each
E-1007-10-EX	Expedite Style Empty Synthesis Column, Aluminum Caps (2), & Frits (2)	1.0 μmol	\$5.00 each
E-1007-100-EX	Expedite Style Empty Synthesis Column, Aluminum Caps (2), & Frits (2)	10 μmol	\$40.00 each
E-1007-AB39	ABI3900 & MerMade Style Empty Column & Frits (upper & lower)	40nmol - 1.0 μmol	\$5.00 each

Replacement Filters

Catalog #	Quantity	Prices
EPC-1008	100	\$50.00

* can be used for either ABI 392/394 or Expedite Oligonucleotide Synthesizers

Ancillary Reagents

Ancillary Reagents for Automated DNA Synthesizers (For *H*-Phosphonate Chemistry)

Catalog #	Product Name	Qty.	Price
RN-6464	Dipentafluorophenyl Carbonate*	2 g	\$85.00
	(Highly efficient coupling reagent for <i>H</i> -phosphonate chemistry and superior to Adamantane carbonyl chloride)	5 g	\$190.00
RN-6664	Activator for monomers and Capping Reagent (Adamantane Carbonyl Chloride)	2 g	\$45.00
RN-4523-P	Acetonitrile/Pyridine(50:50), Anhydrous (Diluent for Monomers)	100 ml	\$28.00
RN-1356-P2	Acetonitrile/Pyridine(95:5), Anhydrous (Diluent for Activator)	100 ml	\$28.00
RN-7684-AP	Acetonitrile/Pyridine (Wash Solvent)	900 ml	\$77.00
RN-6645-IP	Capping Reagent for ABI Synthesizers (Isopropyl Phosphite/Acetonitrile/Pyridine)	45 ml	\$37.00
RN-1210-PHT	**Oxidation Solution 1 (Iodine in Pyridine/H ₂ O/THF)	45 ml	\$18.00
RN-1220-THT	**Oxidation Solution 2 (THF/H ₂ O/TEA)	45 ml	\$18.00

* Efimov, V. A.; Kalinkina, A. L.; Chakhmakhcheva, O. G. *Nucl. Acids. Res.*, **1993**, 2, 5337-5344.

** Note: Both oxidation solutions 1 & 2 are needed for *H*-phosphonate oxidation.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Ancillary Reagents

ABI Oligonucleotide Synthesizers

Catalog #	Product Name	Qty.	Price
RN-1447-S-AB30	Acetonitrile Anhydrous	45 ml	\$9.00
RN-1447-M-AB30	(Phosphoramidite Diluent & Washings)	100 ml	\$14.00
RN-1447-L-AB30		450 ml	\$20.00
RN-1448-M-AB30	Acetonitrile Wash Grade	1 L	\$32.00
RN-1448-L-AB30		4 L	\$90.00
RN-1551-SS-AB30	Activation Reagent	45 ml	\$35.00
RN-1551-S-AB30	(0.45 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	200 ml	\$87.00
RN-1551-M-AB30		450 ml	\$140.00
RN-1551-L-AB30		2 L	\$410.00
RN-1466-SS-AB30	Activation Reagent	45 ml	\$35.00
RN-1466-S-AB30	(0.25 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	200 ml	\$87.00
RN-1466-M-AB30		450 ml	\$140.00
RN-1466-L-AB30		2 L	\$410.00
RN-1467-SS-AB30	Activation Reagent	45 ml	\$35.00
RN-1467-S-AB30	(0.25 M 4,5-Dicyanoimidazole/Acetonitrile)	200 ml	\$87.00
RN-1467-M-AB30		450 ml	\$140.00
RN-1467-L-AB30		2 L	\$410.00
RN-1452	Activation Reagent (BMT Solution) (0.3M Benzylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	45 ml	\$35.00
RN-1458-SS-AB30	CAP A	45 ml	\$15.00
RN-1458-S-AB30	(Acetic Anhydride/Pyridine/THF)	200 ml	\$25.00
RN-1458-M-AB30		450 ml	\$54.00
RN-1458-L-AB30		2 L	\$230.00
RN-1481-SS-AB30	CAP B	45 ml	\$15.00
RN-1481-S-AB30	(10% <i>N</i> -Methylimidazole/THF, v/v)	200 ml	\$25.00
RN-1481-M-AB30		450 ml	\$54.00
RN-1481-L-AB30		2 L	\$260.00
RN-7776-SS-AB30	CAP B	45 ml	\$15.00
RN-7776-S-AB30	(16% <i>N</i> -Methylimidazole/THF, v/v)	200 ml	\$25.00
RN-7776-M-AB30		450 ml	\$54.54
RN-7776-L-AB30		2 L	\$260.00
RN-1468-M-AB30	DMTr Removal Reagent	450 ml	\$47.00
RN-1468-L-AB30	(3% DCA (Dichloro acetic acid)/Dichloromethane, v/v)	2 L	\$220.00
RN-1462-M-AB30	DMTr Removal Reagent	450 ml	\$27.00
RN-1462-L-AB30	(3% TCA (Trichloro acetic acid)/Dichloromethane, v/v)	2 L	\$108.00
RN-1455-S-AB30	Oxidation Solution	200 ml	\$20.00
RN-1455-M-AB30	(0.02 M Iodine/Pyridine/H ₂ O/THF)	450 ml	\$40.00
RN-1455-L-AB30		2 L	\$168.00
RN-1456-S-AB30	Oxidation Solution	200 ml	\$20.00
RN-1456-M-AB30	(0.1 M Iodine/Pyridine/H ₂ O/THF)	450 ml	\$40.00
RN-1456-L-AB30		2 L	\$168.00
RN-1465-AB30	*Thiophenol/Triethylamine/Dioxane	10 ml	\$38.00
RN-1535-L-AB30	**Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide)	2 g	\$76.00
RN-1688	*** DDTT Solution	100 ml	\$65.00
RN-1688	[0.05 M] (Sulfurizing Reagent)	200 ml	\$125.00
RN-1688		450 ml	\$225.00
RN-1689	*** DDTT Solution	100 ml	\$88.00
RN-1689	[0.10 M] (Sulfurizing Reagent)	200 ml	\$160.00
RN-1689		450 ml	\$310.00
BL-1536-S-AB30	Silanized Bottles for Beaucage Reagent	100 ml	\$8.00
BL-1536-M-AB30		250 ml	\$8.00
BL-1536-L-AB30		500 ml	\$8.00
RN-1450-AB30	AMA Reagent	25 ml	\$25.00

* Used in selective removal of *P*-methoxy groups in oligos.

** For the separate listing of Beaucage Reagent see page 175

*** DDTT Solution (Sulfurizing Reagents) see page 21,24 & 25.

*** For Bulk pricing and details of Solid DDTT (Sulfurizing Reagents) see page 175.

Ancillary Reagents

ABI 3900 Oligonucleotide Synthesizers

Catalog #	Product Name	Qty.	Price
RN-1447-L-AB39	***Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings)	450 ml	\$20.00
RN-1448-M-AB39	Acetonitrile Wash Grade	1 L	\$32.00
RN-1448-L-AB39		4 L	\$90.00
RN-1551-M-AB39	Activation Reagent (ETT)	450 ml	\$140.00
RN-1551-L-AB39	(0.45 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	2 L	\$410.00
RN-1466-M-AB39	Activation Reagent	450 ml	\$140.00
RN-1466-L-AB39	(0.25 M 5-Ethylthio Tetrazole/Acetonitrile)	2 L	\$410.00
RN-1467-M-AB39	Activation Reagent (DCI)	450 ml	\$140.00
RN-1467-L-AB39	(0.25 M 4,5-Dicyanoimidazole/Acetonitrile)	2 L	\$410.00
RN-1452	Activation Reagent (BMT)	45 ml	\$35.00
	(0.3M 5-Benzylthio-1 <i>H</i> -Tetrazole/Acetonitrile)		
RN-1458-M-AB39	CAP A	450 ml	\$54.00
RN-1458-L-AB39	(Acetic Anhydride/Pyridine/THF)	2 L	\$230.00
RN-1481-M-AB39	CAP B	450 ml	\$54.00
RN-1481-L-AB39	(10% <i>N</i> -Methylimidazole/THF, v/v)	2 L	\$260.00
RN-7776-M-AB39	CAP B	450 ml	\$54.00
RN-7776-L-AB39	(16% <i>N</i> -Methylimidazole/THF, v/v)	2 L	\$260.00
RN-1468-M-AB39	DMTr Removal Reagent	450 ml	\$47.00
RN-1468-L-AB39	(3% DCA (Dichloroacetic acid)/Dichloromethane, v/v)	2 L	\$220.00
RN-1462-M-AB39	DMTr Removal Reagent	450 ml	\$27.00
RN-1462-L-AB39	(3% TCA (Trichloroacetic acid)/Dichloromethane, v/v)	2 L	\$108.00
RN-1455-M-AB39	Oxidation Solution	450 ml	\$40.00
RN-1455-L-AB39	(0.02 M Iodine/Pyridine/H ₂ O/THF)	2 L	\$168.00
RN-1456-M-AB39	Oxidation Solution	450 ml	\$60.00
RN-1456-L-AB39	(0.1 M Iodine/Pyridine/H ₂ O/THF)	2 L	\$168.00
RN-1465-AB39	*Thiophenol/Triethylamine/Dioxane	10 ml	\$38.00
RN-1535-L-AB39	**Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide)	2 g	\$76.00
RN-1688	**** DDTT Solution	100 ml	\$65.00
RN-1688	[0.05 M] (Sulfurizing Reagent)	200 ml	\$125.00
RN-1688		450 ml	\$225.00
RN-1689	**** DDTT Solution	100 ml	\$88.00
RN-1689	[0.10 M] (Sulfurizing Reagent)	200 ml	\$160.00
RN-1689		450 ml	\$310.00
BL-1536-S-AB39	Silanized Bottles for Beaucage Reagent	100 ml	\$8.00
BL-1536-M-AB39		250 ml	\$8.00
BL-1536-L-AB39		500 ml	\$8.00
RN-1450-AB39	AMA Reagent	25 ml	\$25.00

* Used in selective removal of p-methoxy groups in oligos.

** For the separate listing of Beaucage Reagent see page 175.

*** Moisture Content: less than 50 ppm. Bottles are prepacked with drying traps an extra moisture free environment.

**** For Bulk pricing and details of Solid DDTT (Sulfurizing Reagents) see page 175.

Ancillary Reagents

Akta Oligonucleotide Synthesizers

Catalog #	Product Name	Qty.	Price
RN-1447-S-OP	Acetonitrile Anhydrous	45 ml	\$9.00
RN-1447-M-OP	(Phosphoramidite Diluent & Washings)	100 ml	\$14.00
RN-1447-L-OP		450 ml	\$20.00
RN-1448-M-OP	Acetonitrile Wash Grade	1 L	\$32.00
RN-1448-L-OP		4 L	\$90.00
RN-2202-M-OP	Cap A	4 L	\$304.00
	(20% <i>N</i> -Methyl imidazole in Acetonitrile, v/v)		
RN-2217-M-OP	Cap B1	4 L	\$208.00
	(40% Acetic Anhydride in Acetonitrile, v/v)		
RN-2225-M-OP	Cap B2	4 L	\$416.00
	(60% Symmetrical Collidine in Acetonitrile, v/v)		
RN-2232-M-OP	*Activator (BMT)	4 L	\$512.00
	(5-Benzyl thio-1 <i>H</i> -tetrazole; 0.2 M in acetonitrile)		
RN-2238-M-OP	Oxidizer	4 L	\$272.00
	(50 mM Iodine in 10% Water/Pyridine)		
RN-2242-M-OP	Deblock	4 L	\$272.00
	(3% DCA in Toluene, v/v)		

* For the separate listing of BMT Reagent see page 173.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Ancillary Reagents

Expedite Oligonucleotide Synthesizers

Catalog #	Product Name	8905		8909	
		Qty.	Price	Qty.	Price
RN-1447-S-EX	Acetonitrile Anhydrous	45 ml	\$9.00	45 ml	\$9.00
RN-1447-M-EX	(Phosphoramidite Diluent & Washings)	100 ml	\$14.00	100 ml	\$14.00
RN-1447-L-EX		450 ml	\$20.00	450 ml	\$20.00
RN-1448-M-EX	Acetonitrile Wash Grade	1 L	\$32.00	1 L	\$32.00
RN-1448-L-EX		4 L	\$90.00	4 L	\$90.00
RN-1551-SS-EX	Activation Reagent	60 ml	\$40.00	-	-
RN-1551-S-EX	(0.45 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	200 ml	\$87.00	200 ml	\$87.00
RN-1551-M-EX		450 ml	\$140.00	450 ml	\$140.00
RN-1551-L-EX		2 L	\$410.00	2 L	\$410.00
RN-1466-SS-EX	Activation Reagent	60 ml	\$40.00	-	-
RN-1466-S-EX	(0.25 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	200 ml	\$87.00	200 ml	\$87.00
RN-1466-M-EX		450 ml	\$140.00	450 ml	\$140.00
RN-1466-L-EX		2 L	\$410.00	2 L	\$410.00
RN-1467-SS-EX	Activation Reagent (DCI)	60 ml	\$40.00	-	-
RN-1467-S-EX	(0.25 M 4,5-Dicyanoimidazole/Acetonitrile)	200 ml	\$87.00	200 ml	\$87.00
RN-1467-M-EX		450 ml	\$140.00	450 ml	\$140.00
RN-1467-L-EX		2 L	\$410.00	2 L	\$410.00
RN-1452	Activation Reagent (BMT)	45 ml	\$35.00	-	-
	(0.3M 5-Benzylthio-1 <i>H</i> -Tetrazole/Acetonitrile)				
RN-1458-SS-EX	CAP A	60 ml	\$17.00	-	-
RN-1458-S-EX	(Acetic Anhydride/Pyridine/THF)	90 ml	\$19.00	200 ml	\$25.00
RN-1458-M-EX		450 ml	\$54.00	450 ml	\$54.00
RN-1458-L-EX		2 L	\$230.00	2 L	\$230.00
RN-1481-SS-EX	CAP B	60 ml	\$17.00	-	-
RN-1481-S-EX	(10% <i>N</i> -Methylimidazole/THF, v/v)	90 ml	\$19.00	200 ml	\$25.00
RN-1481-M-EX		450 ml	\$54.00	450 ml	\$54.00
RN-1481-L-EX		2 L	\$260.00	2 L	\$230.00
RN-7776-SS-EX	CAP B	60 ml	\$17.00	-	-
RN-7776-S-EX	(16% <i>N</i> -Methylimidazole/THF, v/v)	90 ml	\$19.00	200 ml	\$25.00
RN-7776-M-EX		450 ml	\$54.00	450 ml	\$54.00
RN-7776-L-EX		2 L	\$260.00	2 L	\$230.00
RN-1468-M-EX	DMTr Removal Reagent	180 ml	\$25.00	180 ml	\$25.00
RN-1468-L-EX	(2.5% Dichloroacetic Acid/Dichloromethane, v/v)	900 ml	\$85.00	900 ml	\$85.00
RN-1462-M-EX	DMTr Removal Reagent	180 ml	\$15.00	180 ml	\$15.00
RN-1462-L-EX	(3% Trichloroacetic Acid/Dichloromethane, v/v)	900 ml	\$85.00	900 ml	\$85.00
RN-1455-S-EX	Oxidation Solution	60 ml	\$10.00	60 ml	\$10.00
RN-1455-M-EX	(0.02 M Iodine/Pyridine/H ₂ O/THF)	200 ml	\$20.00	200 ml	\$20.00
RN-1455-L-EX		450 ml	\$40.00	450 ml	\$40.00
RN-1456-S-EX	Oxidation Solution	200 ml	\$20.00	-	-
RN-1456-M-EX	(0.1 M Iodine/Pyridine/H ₂ O/THF)	450 ml	\$40.00	-	-
RN-1456-L-EX		2 L	\$168.00	-	-
RN-1465-EX	*Thiophenol/Triethylamine/Dioxane	10 ml	\$38.00	10 ml	\$38.00
RN-1535-S-EX	**Sulfurizing Reagent (Beaucage Reagent) for	100 mg	\$15.00	100 mg	\$15.00
RN-1535-M-EX	Introduction of Phosphorothioate (S-oligonucleotide)	1 g	\$42.00	1 g	\$42.00
RN-1535-L-EX		2 g	\$76.00	2 g	\$76.00
RN-1688	*** DDTT Solution	100 ml	\$65.00	-	-
RN-1688	[0.05 M] (Sulfurizing Reagent)	200 ml	\$125.00	-	-
RN-1688		450 ml	\$225.00	-	-
RN-1689	*** DDTT Solution	100 ml	\$88.00	-	-
RN-1689	[0.10 M] (Sulfurizing Reagent)	200 ml	\$160.00	-	-
RN-1689		450 ml	\$310.00	-	-
BL-1536-S-EX	Silanized Bottles for Beaucage Reagent	100 ml	\$8.00	100 ml	\$8.00
BL-1536-M-EX		250 ml	\$8.00	250 ml	\$8.00
BL-1536-L-EX		500 ml	\$8.00	500 ml	\$8.00
RN-1450-EX	AMA Reagent	25 ml	\$25.00	25 ml	\$25.00

* Used in selective removal of p-methoxy groups in oligos.

** For the separate listing of Beaucage Reagent see page 175.

*** DDTT Solution (Sulfurizing Reagents) see page 21,24 & 25.

*** For Bulk pricing and details of Solid DDTT (Sulfurizing Reagents) see page 175.

Ancillary Reagents

MerMade Oligonucleotide Synthesizers

Catalog #	Product Name	Qty.	Price
RN-1447-S-MR	Acetonitrile Anhydrous	45 ml	\$9.00
RN-1447-M-MR	(Phosphoramidite Diluent & Washings)	100 ml	\$14.00
RN-1447-L-MR		450 ml	\$20.00
RN-1448-M-MR	Acetonitrile Wash Grade	1 L	\$32.00
RN-1448-L-MR		4 L	\$90.00
RN-1551-M-MR	Activation Reagent	450 ml	\$140.00
RN-1551-L-MR	(0.45 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	900 ml	\$218.00
RN-1466-M-MR	Activation Reagent	450 ml	\$140.00
RN-1466-L-MR	(0.25 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)	900 ml	\$218.00
RN-1467-M-MR	Activation Reagent	450 ml	\$140.00
RN-1467-L-MR	(0.25 M 4,5-Dicyanoimidazole/Acetonitrile)	900 ml	\$218.00
RN-1452	Activation Reagent (BMT)	45 ml	\$35.00
	(0.3M 5-Benzylthio-1 <i>H</i> -Tetrazole/Acetonitrile)		
RN-1458-M-MR	CAP A	450 ml	\$54.00
RN-1458-L-MR	(Acetic Anhydride/THF/2,6-Lutidine)	900 ml	\$109.00
RN-1481-M-MR	CAP B	450 ml	\$54.00
RN-1481-L-MR	(10% <i>N</i> -Methylimidazole/THF, v/v)	900 ml	\$109.00
RN-7776-M-MR	CAP B	450 ml	\$54.00
RN-7776-L-MR	(16% <i>N</i> -Methylimidazole/THF, v/v)	900 ml	\$109.00
RN-1468-M-MR	DMTrRemoval Reagent	450 ml	\$47.00
RN-1468-L-MR	(2.5% DCA-Dichloroacetic Acid/Dichloromethane, v/v)	900 ml	\$85.00
RN-1462-M-MR	DMTr Removal Reagent	450 ml	\$27.00
RN-1462-L-MR	(3% TCA-Trichloroacetic Acid/Dichloromethane, v/v)	900 ml	\$85.00
RN-1455-M-MR	Oxidation Solution	450 ml	\$40.00
RN-1455-L-MR	(0.02 M Iodine/Pyridine/H ₂ O/THF)	900 ml	\$135.00
RN-1456-M-MR	Oxidation Solution	450 ml	\$50.00
RN-1456-L-MR	(0.1 M Iodine/Pyridine/H ₂ O/THF)	900 ml	\$135.00
RN-1465-MR	*Thiophenol/Triethylamine/Dioxane	10 ml	\$38.00
RN-1535-S-MR	**Sulfurizing Reagent (Beaucage Reagent) for	100 mg	\$15.00
RN-1535-M-MR	Introduction of Phosphorothioate (S-oligonucleotide)	1 g	\$42.00
RN-1535-L-MR		2 g	\$76.00
RN-1688	**** DDTT Solution	100 ml	\$65.00
RN-1688	[0.05 M] (Sulfurizing Reagent)	200 ml	\$125.00
RN-1688		450 ml	\$225.00
RN-1689	**** DDTT Solution	100 ml	\$88.00
RN-1689	[0.10 M] (Sulfurizing Reagent)	200 ml	\$160.00
RN-1689		450 ml	\$310.00
BL-1536-S-MR	Silanized Bottles for Beaucage Reagent	100 ml	\$8.00
BL-1536-M-MR		250 ml	\$8.00
BL-1536-L-MR		500 ml	\$8.00
RN-1450-MR	AMA Reagent	25 ml	\$25.00

* Used in selective removal of P-Methoxy groups in oligos.

** For the separate listing of Beaucage Reagent see page 175.

*** Moisture Content: less than 50 ppm. Bottles are prepacked with drying traps an extra moisture free environment.

**** For Bulk pricing and details of Solid DDTT (Sulfurizing Reagents) see page 175.

Ancillary Reagents

PolyPlex Oligonucleotide Synthesizers

Catalog #	Product Name	Qty.	Price
RN-1447-S-PX	Acetonitrile Anhydrous	45 ml	\$9.00
RN-1447-M-PX	(Phosphoramidite Diluent & Washings)	100 ml	\$14.00
RN-1447-L-PX		450 ml	\$20.00
RN-1448-M-PX	Acetonitrile Wash Grade	1 L	\$32.00
RN-1448-L-PX		4 L	\$90.00
RN-1551-M-PX	Activation Reagent	200 ml	\$87.00
RN-1551-L-PX	(0.45 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)		
RN-1466-M-PX	Activation Reagent	200 ml	\$87.00
	(0.25 M 5-Ethylthio-1 <i>H</i> -Tetrazole/Acetonitrile)		
RN-1467-M-PX	Activation Reagent	200 ml	\$87.00
	(0.25 M 4,5-Dicyanoimidazole/Acetonitrile)		
RN-1452	Activation Reagent (BMT Solution)	45 ml	\$35.00
	(0.3 M 5-Benzylthio-1 <i>H</i> -Tetrazole/Acetonitrile)		
RN-1458-M-PX	CAP A	200 ml	\$25.00
	(Acetic Anhydride/Pyridine/THF)		
RN-1481-M-PX	CAP B	200 ml	\$25.00
	(10% <i>N</i> -Methylimidazole/THF, v/v)		
RN-7776-M-PX	CAP B	200 ml	\$25.00
	(16% <i>N</i> -Methylimidazole/THF, v/v)		
RN-1468-M-PX	DMTr Removal Reagent	2 L	\$220.00
	(3% DCA (Dichloroacetic acid)/Dichloromethane, v/v)		
RN-1462-L-PX	DMTr Removal Reagent	2 L	\$108.00
	(3% TCA (Trichloroacetic acid)/Dichloromethane, v/v)		
RN-1455-L-PX	Oxidation Solution	200 ml	\$20.00
	(0.02 M Iodine/Pyridine/H ₂ O/THF)		
RN-1456-M-PX	Oxidation Solution	200 ml	\$20.00
	(0.1 M Iodine/Pyridine/H ₂ O/THF)		
RN-1465-PX	*Thiophenol/Triethylamine/Dioxane	10 ml	\$38.00
RN-1535-S-PX	**Sulfurizing Reagent (Beaucage Reagent) for	100 mg	\$15.00
RN-1535-M-PX	Introduction of Phosphorothioate (S-oligonucleotide)	1 g	\$42.00
RN-1535-L-PX		2 g	\$76.00
BL-1536-S-PX	Silanized Bottles for Beaucage Reagent	100 ml	\$8.00
BL-1536-M-PX		250 ml	\$8.00
BL-1536-L-PX		500 ml	\$8.00
RN-1688	**** DDTT Solution	100 ml	\$65.00
RN-1688	[0.05 M] (Sulfurizing Reagent)	200 ml	\$125.00
RN-1688		450 ml	\$225.00
RN-1689	**** DDTT Solution	100 ml	\$88.00
RN-1689	[0.10 M] (Sulfurizing Reagent)	200 ml	\$160.00
RN-1689		450 ml	\$310.00
RN-1450-PX	AMA Reagent	25 ml	\$25.00

* Used in selective removal of p-methoxy groups in oligos.

** For the separate listing of Beaucage Reagent see page 175.

*** Moisture Content: less than 50 ppm. Bottles are prepacked with drying traps an extra moisture free environment.

**** For Bulk pricing and details of Solid DDTT (Sulfurizing Reagents) see page 175.

Phosphoramidites and Supports for Modified DNA Synthesis

Summary of Modified Deoxy Amidites & Supports

During the last couple of decades, plethora of novel structurally modified nucleic acid analogs have been introduced¹ to develop probes that has potential application in nucleic acid based therapeutics², diagnostics², molecular biology³ & Nanotechnology⁴ research and development. Incorporation of modified purines and pyrimidines has been utilized to optimize DNA-protein interactions and sequence recognition for many proteins and enzymes such as repressor proteins, restriction endonucleases, modification enzymes, and promoters^{5,6}. Applications for a variety of key modifications are described on the following pages.

ChemGenes carries a wide variety of modified DNA phosphoramidites and supports. The products are summarized below.

4-Thio and 2-Thio amidites.

deoxy Inosine; deoxy Uridine; 5-Methyl cytidine Amidites and Supports.

C-5 Methyl substituted Amidites and Supports.

Alpha (α) deoxy Amidites and Supports.

2'-O-Trifluoroacetamido (TFA) propyl Amidite; 3'-amino (TFA) Amidites; 3'-amino (MMT) Amidites.

5'-amino (MMTr) thymidine Amidites and Supports.

Arabinoside Amidites and Supports.

7-Deaza Amidites; 7-Deaza-7-modified Amidites and Supports.

3'-deoxy adenosine (Cordycepin) Amidites and Supports.

6-Thio guanosine Amidites.

C-5; C8-Halogenated; 5'-Halogenated amidites and supports.

N-Alkylated Amidites and Supports.

2'-Fluoro Insosine (O⁶-TMS-Ethylxy) Amidites and Supports.

8-Methyl deoxy guanosine Amidites and Supports.

Nebularine; 2-Amino Purine Amidites and Supports

Nebularine, 2-Amino-purine-deoxyadenosine, & 2-Fluoro-deoxyinosine (O⁶-trimethoxy silyl ethoxy)

4-Triazoly; IsoC, IsoG Amidites and Supports

Including 2-Thio-thymidine, 2-Thio-deoxyuridine, Deoxy-isoguanosine, & Deoxy-isocytidine amidites & supports.

L-DNA Amidites and Supports

Abasic, 8-Oxo and Dideoxy Amidites and Supports

Including Abasic & Reverse Abasic, 8-Oxo-dA, 8-Oxo-dG, and Dideoxy-A,C,G,T amidites and supports.

5'-O-Methyl DNA amidites


5'-O-DMTr-5-formyl (diacetyl)-2'-deoxyuridine-3'-CEP

References:

1. Korreck, J. *Eur. J. Biochem.* **2003**, 270, 1625.
2. Wilson, C. *Curr. Opin. Chem. Biol.* **2006**, 5487-5502.
3. Grimm, D. *Adv. Drug, Deliv. Rev.* **2009**, 61,672-703.
4. Lin, C. *et al. Biochemistry* **2009**, 48, 1663-1674.
5. Dubendorff, J. W.; de Hasett, P. L.; Rosendahl, M. S.; Caruthers, M. H. *J. Biol. Chem.* **1987**, 262, 892.
6. Brennan, C. A.; Van Cleve, M. D.; Gumpert, R. I. *J. Biol. Chem.* **1986** 261, 7270-7279.

Phosphoramidites and Supports for Modified DNA Synthesis

2-Thio-thymidine-3'-CEP




Catalog#
ANP-9213

Pricing
\$280.00 / 100 μ mole
\$620.00 / 250 mg
\$1025.00 / 500 mg

Purity: 98% +

$C_{48}H_{55}N_4O_8PS$
Mol. Wt.: 879.01

2-Thio-2'-deoxyuridine-3'-CEP



Catalog#
ANP-9214

Pricing
\$280.00 / 100 μ mole
\$620.00 / 250 mg
\$1025.00 / 500 mg


Purity: 98% +

$C_{47}H_{53}N_4O_8PS$
Mol. Wt.: 864.99

2 Thio 3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	100 mg	Bulk CPG 1 g	0.2 μ mole	pack of 4 cols. 1.0 μ mole	0.2 μ mole	pack of 10 cols. 1.0 μ mole
N-9509-05	2-Thio-thymidine-	500Å	\$110	\$810	\$125	\$155	\$250	\$310
N-9509-10	3'-Icaa CPG	1000Å						
N-9510-05	2-Thio-2'-deoxyuridine-	500Å	\$125	\$900	\$135	\$170	\$270	\$340
N-9510-10	3'-Icaa CPG	1000Å						

4-Thio-thymidine-3'-CEP



Catalog#
ANP-6414


Pricing
\$280.00 / 100 μ mole
\$620.00 / 250 mg
\$1025.00 / 500 mg

Purity: 98% +

CAS No. 1290537-73-3

$C_{43}H_{52}N_5O_7PS$
Mol. Wt.: 813.94

4-Thio-2'-deoxyuridine-3'-CEP



Catalog#
ANP-7624

Pricing
\$280.00 / 100 μ mole
\$620.00 / 250 mg
\$1025.00 / 500 mg

Purity: 98% +

CAS No. 144303-74-2

$C_{42}H_{50}N_5O_7PS$
Mol. Wt.: 799.92

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	100 mg	Bulk CPG 1 g	0.2 μ mole	pack of 4 cols. 1.0 μ mole	0.2 μ mole	pack of 10 cols. 1.0 μ mole
N-9758-05	4-Thio-2'-deoxy-	500Å	\$90	\$735	\$80	\$120	\$160	\$240
N-9758-10	uridine-3'-Icaa CPG	1000Å						
N-9925-05	4-Thio-thymidine-	500Å	\$80	\$735	\$90	\$120	\$160	\$240
N-9925-10	3'-Icaa CPG	1000Å						

Thiolated Nucleobases


Thiolated nucleobases incorporated into oligonucleotides primarily have been used as an efficient photo-cross linking groups and useful moieties for further post-synthetic oligonucleotide modifications.¹ Another high demand for thiolated nucleosides is in DNA and RNA structural study due to size and electro negativity difference of the sulfur atom compared to oxygen.²

ChemGenes also offers thiolated RNA phosphoramidites (see p. 74)

1. Coleman, R. S., Kesicki, E. A. Jour. Am. Chem. Soc. 1994, 116, 11636. 2. Sismour, A. M., Benner, S. A. Nucleic. Acids Res. 2005, 33, 5640.

Phosphoramidites and Supports for Modified DNA Synthesis

2'-Deoxyinosine-3'-CEP



Catalog#
ANP-6411


Pricing
\$45.00 / 100 µmole
\$115.00 / 250 mg
\$195.00 / 500 mg

Purity: 98% +

CAS No. 141684-35-7

Chemical Formula: C₄₀H₄₇N₆O₇P
Mol. Wt.: 754.81

2'-Deoxyuridine-3'-CEP



Catalog#
ANP-6131

Pricing
\$32.00 / 100 µmole
\$95.00 / 250 mg
\$165.00 / 500 mg

Purity: 98% +

CAS No. 109389-30-2

Chemical Formula: C₃₉H₄₇N₄O₈P
Mol. Wt.: 730.79


Deoxy Inosine amidite: Universal bases hybridize non-selectively to each of native bases. For a recent publication in this field, see, Berger M., Wu Y., Ogawa A. K., McMinn D. L., Schultz P. G., Rosenberg F. E., *Nucl. Acids Res.* **2000**, 28, 2911-2914.

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	5 g	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-5107-05	2'-Deoxyuridine-3'-Icaa CPG	500Å							
N-5107-10		1000Å	\$45	\$185	\$550	\$48	\$60	\$96	\$120
N-5107-20		2000Å							
N-5108-05	2'-Deoxyinosine-3'-Icaa CPG	500Å							
N-5108-10		1000Å	\$45	\$185	\$550	\$48	\$60	\$96	\$120
N-5108-20		2000Å							

5-Methyl-2'-deoxycytidine-3'-CEP

(5-Methyl-2'-deoxycytidine (N-DMF)-3'-CEP)



Catalog#
ANP-6422


Pricing
\$70.00 / 100 µmole
\$182.00 / 250 mg
\$325.00 / 500 mg

Purity: 98% +

Chemical Formula: C₄₃H₅₅N₆O₇P
Mol. Wt.: 798.91

5-Methyl-2'-deoxycytidine-3'-CEP

(5-Methyl-2'-deoxycytidine (N-Bz)-3'-CEP)



Catalog#
ANP-6421

Pricing
\$40.00 / 100 µmole
\$100.00 / 250 mg
\$190.00 / 500 mg

Purity: 98% +

CAS No. 105931-57-5


Chemical Formula: C₄₇H₅₄N₅O₈P
Mol. Wt.: 847.93

Deprotection of Oligonucleotides consisting of 5-Methyl deoxy Cytidine (N-DMF) takes 3-4 hours at 37 °C with aq. ammonia and is compatible with PAC chemistry.

5-Methyl dC Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-1353-05	5-Methyl-2'-deoxycytidine (N-Bz)-	500Å						
N-1353-10	3'-Icaa CPG	1000Å	\$45	\$175	\$95	\$135	\$190	\$270
N-1353-20		2000Å						
N-1355-05	5-Methyl-2'-deoxycytidine (N-DMF)-	500Å						
N-1355-10	3'-Icaa CPG	1000Å	\$45	\$175	\$95	\$135	\$190	\$270
N-1355-20		2000Å						

Phosphoramidites and Supports for Modified DNA Synthesis



α-D-Modified DNA

B	Protection	Catalog#
A	N-Bz	ANP-1651
C	N-Bz	ANP-1652
G	N-iBu	ANP-1653
T	N/A	ANP-1654
C	N-Ac	ANP-4676

Catalog #	Product Name	100 μmole	250 mg	500mg	1g
ANP-1651	α-D-2'-deoxyadenosine (N-Bz)-3'-CEP, <i>M.W. 857.93</i>	\$70.00	\$175.00	\$295.00	\$500.00
ANP-1652	α-D-2'-deoxycytidine (N-Bz)-3'-CEP, <i>M.W. 833.81</i>	\$70.00	\$175.00	\$295.00	\$500.00
ANP-1653	α-D-2'-deoxyguanosine (N-iBu)-3'-CEP, <i>M.W. 839.92</i>	\$70.00	\$175.00	\$295.00	\$500.00
ANP-1654	α-D-thymidine-3'-CEP, <i>M.W. 744.81</i>	\$70.00	\$175.00	\$295.00	\$500.00
ANP-4676	α-D-2'-deoxycytidine (N-Ac)-3'-CEP, <i>M.W. 771.84</i>	\$70.00	\$175.00	\$295.00	\$500.00

α-D-5-methyl-2'-deoxycytidine (N-Bz)-3'-CEP

$C_{47}H_{54}N_5O_8P$
Mol. Wt.: 847.93

Catalog#

ANP1756

Pricing


\$180.00 / 100 μmole

\$425.00 / 250 mg

\$725.00 / 500 mg

Purity: 98% +

Phosphoramidites and Supports for Modified DNA Synthesis



Solid Supports for Alpha-D-Modified DNA

B	Protection	Catalog#
A	N-Bz	N-1751
C	N-Bz	N-1752
G	N-iBu	N-1753
T	N/A	N-1754

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-1751-05	α -D-2'-deoxyadenosine-	500Å						
N-1751-10	(N-Bz)-3'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-1751-20		2000Å						
N-1752-05	α -D-2'-deoxycytidine-	500Å						
N-1752-10	(N-Bz)-3'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-1752-20		2000Å						
N-1753-05	α -D-2'-deoxyguanosine-	500Å						
N-1753-10	(N-iBu)-3'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-1753-20		2000Å						
N-1754-05	α -D-thymidine-	500Å						
N-1754-10	3'-lcaa CPG	1000Å	\$45	\$350	\$100	\$150	\$200	\$300
N-1754-20		2000Å						

Phosphoramidites and Supports for Modified DNA Synthesis

2'-O-Trifluoroacetoamidopropyl-uridine-3'-CEP

Catalog#
ANP-7115

Pricing
\$275.00 / 100 μ mole
\$675.00 / 250 mg
\$1140.00 / 500 mg

Purity: 98% +
CAS No. 165381-49-7

2'-O-Trifluoroacetoamidopropyl-cytidine-3'-CEP (2'-O-Trifluoroacetoamido-propyl-cytidine (N-Bz)-3'-CEP)

Catalog#
ANP-7116

Pricing
\$275.00 / 100 μ mole
\$675.00 / 250 mg
\$1140.00 / 500 mg

Purity: 98% +
CAS No. 165381-54-4

3'-Amino (TFA)-2'-deoxycytidine-5'-CEP

(3'-Amino (TFA)-2'-deoxycytidine (N-Bz)-5'-CEP)

Catalog#
ANP-1242

Pricing
\$290.00 / 100 μ mole
\$940.00 / 250 mg
\$1590.00 / 500 mg

Purity: 98% +

3'-Amino (MMTr)-thymidine-5'-CEP

Catalog#
ANP-8454

Pricing
\$290.00 / 100 μ mole
\$940.00 / 250 mg
\$1590.00 / 500 mg

Purity: 98% +

5'-Amino (MMTr)-thymidine-3'-CEP

Catalog#
ANP-9402

Pricing
\$145.00 / 100 μ mole
\$395.00 / 250 mg
\$710.00 / 500 mg

Purity: 98% +
CAS No. 118849-12-0

3'-Amino (TFA)-2'-deoxyuridine-5'-CEP

Catalog#
ANP-1245

Pricing
\$290.00 / 100 μ mole
\$940.00 / 250 mg
\$1590.00 / 500 mg

Purity: 98% +


3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9506-05	5'-Amino (MMT)-thymidine-	500Å	\$110	\$850	\$120	\$180	\$240	\$360
N-9506-10	3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified DNA Synthesis

Adenosine-arabinoside

Ara-(2'-O-acetyl)-adenosine (N-Bz)-3'-CEP



DMTrO

NHBz

AcO

O

P

OCE

$C_{49}H_{54}N_7O_9P$

Mol. Wt.: 915.97

Catalog#

ANP-1711

Pricing

\$126.00 / 100 μ mole


\$306.00 / 250 mg

\$550.00 / 500 mg

Purity: 98% +

Cytosine-arabinoside

Ara-(2'-O-acetyl)-cytidine (N-Bz)-3'-CEP



DMTrO

NHBz

AcO

O

P

OCE

$C_{48}H_{54}N_5O_{10}P$

Mol. Wt.: 891.94

Catalog#

ANP-1712

Pricing

\$126.00 / 100 μ mole

\$306.00 / 250 mg


\$550.00 / 500 mg

Purity: 98% +

CAS No. 675573-97-4

Guanosine-arabinoside

Ara-(2'-O-acetyl)-guanosine (N-iBu)-3'-CEP



DMTrO

AcO

O

P

OCE

$C_{46}H_{56}N_7O_{10}P$

Mol. Wt.: 897.95

Catalog#

ANP-1713

Pricing

\$160.00 / 100 μ mole


\$400.00 / 250 mg

\$720.00 / 500 mg

Purity: 98% +

Uridine-arabinoside

Ara-(2'-O-acetyl)-uridine-3'-CEP



DMTrO

AcO

O

P

OCE

$C_{41}H_{49}N_4O_{10}P$

Mol. Wt.: 788.1

Catalog#

ANP-1715

Pricing

\$126.00 / 100 μ mole


\$306.00 / 250 mg

\$550.00 / 500 mg

Purity: 98% +

Cytidine (N-Ac)-arabinoside

Ara-(2'-O-acetyl)-cytidine(N-Ac)-3'-CEP



DMTrO

NHAc

AcO

O

P

OCE

$C_{43}H_{52}N_4O_{10}P$

Mol. Wt.: 829.89

Catalog#

ANP-1714

Pricing

\$126.00 / 100 μ mole

\$306.00 / 250 mg

\$550.00 / 500 mg

Purity: 98% +

Effect of all Arabino modified nucleosides on the duplex stabilities upon incorporation into DNA/RNA has been extensively studied.

(Beardsley, P.; Mikita, T.; Klause, M. M.; Nussbaum, A. L. *Nucl. Acids. Res.* **1988**, 16, 9165).


AraC nucleoside is a potent antileukemic agent as well as an inhibitor of DNA replication, through a mechanism which is not yet fully understood (Major, P. P. *et. al. Proc. Natl. Acad. Sci. USA*, **1981**, 78, 3235).

Arabinoside Icaa Supports & Columns

Catalog#	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-7366-05	Ara-adenosine (N-Bz)-	500Å						
N-7366-10	3'-Icaa CPG	1000Å	\$65	\$500	\$88	\$112	\$176	\$224
N-7366-20		2000Å						
N-7367-05	Ara-cytidine (N-Bz)-	500Å						
N-7367-10	3'-Icaa CPG	1000Å	\$65	\$500	\$88	\$112	\$176	\$224
N-7367-20		2000Å						
N-7421-05	Ara-guanosine (N-iBu)-	500Å						
N-7421-10	3'-Icaa CPG	1000Å	\$65	\$500	\$88	\$112	\$176	\$224
N-7421-20		2000Å						
N-7422-05	Ara-uridine-	500Å						
N-7422-10	3'-Icaa CPG	1000Å	\$65	\$500	\$88	\$112	\$176	\$224
N-7422-20		2000Å						

Phosphoramidites and Supports for Modified DNA Synthesis

7-Deaza-2'-deoxyinosine-3'-CEP



C41H48N5O7P
Mol. Wt.: 753.82

Catalog#
ANP-1146

Pricing

\$150.00 / 50 µmole

\$310.00 / 100 µmole

\$790.00 / 250 mg


\$1340.00 / 500 mg

\$2200.00 / 1 g

Purity: 98% +

2'-Deoxytubercidin 3'-CEP

(7-Deaza-2'-deoxyadenosine (N-Bz)-3'-CEP);



C48H53N6O7P
Mol. Wt.: 856.94

Catalog#
ANP-4815

Pricing

\$150.00 / 50 µmole

\$310.00 / 100 µmole

\$790.00 / 250 mg


\$1340.00 / 500 mg

\$2200.00 / 1 g

Purity: 98% +

CAS No. 107134-59-8

7-Deaza-2'-deoxyguanosine (N-iBu)-3'-CEP



C45H53N5O6P
Mol. Wt.: 838.93

Catalog#
ANP-4857

Pricing

\$150.00 / 50 µmole

\$310.00 / 100 µmole


\$790.00 / 250 mg

\$1340.00 / 500 mg

\$2200.00 / 1 g

Purity: 98% +

7-Deaza-2'-deoxyguanosine (N-Ac)-3'-CEP



C43H51N5O6P
Mol. Wt.: 810.87

Catalog#
ANP-4858

Pricing

\$150.00 / 50 µmole

\$310.00 / 100 µmole

\$790.00 / 250 mg

\$1340.00 / 500 mg

\$2200.00 / 1 g

Purity: 98% +

7-Deaza 3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-8777-05	7-Deaza-2'-deoxyadenosine	500Å	\$90	\$750	\$110	\$145	\$220	\$290
N-8777-10	(N-Bz)-3'-Icaa CPG;	1000Å						
	(2'-Deoxytubercidin CPG)							
N-8778-05	7-Deaza-2'-deoxyguanosine	500Å	\$90	\$750	\$110	\$145	\$220	\$290
N-8778-10	(N-iBu)-3'-Icaa CPG	1000Å						
N-8779-05	7-Deaza-2'-deoxy-	500Å	\$90	\$750	\$110	\$145	\$220	\$290
N-8779-10	inosine-3'-Icaa CPG	1000Å						

7-Deaza-2'-deoxyadenosine (2'-deoxytubercidin), 7-Deaza-2'-deoxyGuanosine, and 7-Deaza-2'-deoxyInosine

These analogs of natural deoxy Inosine, deoxy Adenosine, and deoxy Guanosine have found great interest among molecular biologists for the purpose of localizing DNA-enzyme interactions (Seela, F.; Driller, H. *Nucl. Acids Res.* **1985**, 13, 911) and facilitating DNA sequencing using M13 chain-termination methodology (Mizusawa, S.; Nishimura, S.; Seela, F. *Nucl. Acids Res.* **1986** 14, 1315).

The oligonucleotide containing these bases have reduced band compression which occurs due to strong GC base pairing. The high stability of the oligomers containing these bases and their possible application in MALDI mass spectrometry (Schneider, K.; Chait, B. T. *Nucl. Acids Res.* **1995**, 23, 1570) allows for these substances to play a key role in DNA sequencing. The 7-deaza bases are related to 2'-deoxyadenosine, 2'-deoxyguanosine and form stable base pairs in duplex DNA. (Seela, F.; Winter, H. *Helv. Chim. Acta.* **1994**, 77, 597; Seela, F.; Winter, H. *Helv. Chim. Acta.* **1998**, 81, 2244.)


For Corrospounding ribo 7-Deaza Amidites see page 80.

For Corrospounding 7-Deaza-2'-O-methyl amidites see page 96.

Phosphoramidites and Supports for Modified DNA Synthesis

7-Deaza-7-iodo-2'-deoxyguanosine-3'-CEP

(5'-DMTr-7-Deaza-7-Iodo-2'-deoxyguanosine (N-DMF)-3'-CEP)



Catalog#

ANP-4589


Pricing

\$225.00 / 50 μ mole
\$380.00 / 100 μ mole
\$760.00 / 250 mg
\$1290.00 / 500 mg
\$2190.00 / 1 g

Purity: 98% +

7-Deaza-7-iodo-2'-deoxyadenosine-3'-CEP

(5'-DMTr-7-Deaza-7-Iodo-2'-deoxyadenosine (N-DMF)-3'-CEP); 7-Iodo-2'-deoxytubercidin CEP



Catalog#


ANP-4586

Pricing

\$225.00 / 50 μ mole
\$380.00 / 100 μ mole
\$760.00 / 250 mg
\$1290.00 / 500 mg
\$2190.00 / 1 g

Purity: 98% +

7-Deaza-2'-deoxyadenosine (N-DMF)-7-propargylamino (TFA)-3'-CEP



Catalog#


ANP-1339

Pricing

\$265.00 / 50 μ mole
\$400.00 / 100 μ mole
\$800.00 / 250 mg
\$1440.00 / 500 mg
\$2440.00 / 1 g

Purity: 98% +

7-Deaza-2'-deoxyguanosine (N-DMF)-7-propargylamino (TFA)-3'-CEP



Catalog#


ANP-1354

Pricing

\$265.00 / 50 μ mole
\$400.00 / 100 μ mole
\$800.00 / 250 mg
\$1440.00 / 500 mg
\$2440.00 / 1 g

Purity: 98% +

7-Deaza-2'-deoxyguanosine (N-iBu)-3'-DMTr-5'-CEP



Catalog#

ANP-4679

Pricing


\$220.00 / 50 μ mole
\$310.00 / 100 μ mole
\$790.00 / 250 mg
\$1340.00 / 500 mg
\$2240 / 1 g

Purity: 98% +

Phosphoramidites and Supports for Modified DNA Synthesis

3'-Deoxyadenosine (N-Bz)-2'-CEP

(Cordycepin)



Catalog#

ANP-9312

Pricing

\$345.00 / 100μmole

\$895.00 / 250 mg

\$1520.00 / 500 mg

\$2420.00 / 1 g


Purity: 98% +

CAS No. 207347-42-0

3'-dA Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.		pack of 10 cols.	
			100 mg	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9502-05	3'-Deoxyadenosine (N-Bz)-2'-Icaa CPG (Cordycepin)	500Å	\$295	\$200	\$400	\$400	\$800
N-9502-10	3'-Deoxyadenosine (N-Bz)-2'-Icaa CPG (Cordycepin)	1000Å	\$295	\$200	\$400	\$400	\$800

6-Thio-2'-deoxyguanosine (N-Ac)-3'-CEP



Catalog#

ANP-7628

Pricing

\$250.00 / 100μmole

\$600.00 / 250 mg

\$1080.00 / 500 mg

\$1720.00 / 1 g

Purity: 98% +

Halogenated Nucleobases

Brominated and iodinated nucleobases may be used in crystallographic studies of oligonucleotide structures,¹ as photo-crosslinking groups or for introducing other functional groups replacing halogen with nucleophiles.² It has been shown that 5-modified pyrimidines such as 5-Fluor, 5-Bromo, 5-Iodo uridines and 5-Methyl cytidine capping increases nucleobase resistance from 7- to 12-fold over unmodified oligonucleotides.³

1. Goytisolo, F. A., Packman, L. C., Thomas, J. O. *European J. Biol* **1996**, 242, 619, b) Fernandez, J. L., Campos, A., Goytisolo, F. A., Buno, I., Gosálvez, *Jour. Biol. Cell* **1994**, 82, 33.

2. DeCorte, B. L., Tsarouhtsis, D., Kuchimanchi, S., Cooper, M. D., Horton, P., Harris, C. M., Harris, T. M. *Chem. Res. Toxicol.* **1996**, 9, 630.

3. Sanghvi, Y. S., Hoke, G. D., Freier, S. M., Zounes, M. C., Gonzalez, C., Cummins, L., Sasmor, H., Cook, P. D. *Nucleic Acids Res.* **1993**, 21, 3197.

Phosphoramidites and Supports for Modified DNA Synthesis

5-Bromo-2'-deoxycytidine (N-Bz)-3'-CEP

$C_{46}H_{51}BrN_4O_8P$
 Mol. Wt.: 912.8

Catalog#
ANP-6141

Pricing
 \$55.00 / 100 μ mole
 \$135.00 / 250 mg
 \$240.00 / 500 mg
 \$430.00 / 1 g

Purity: 98% +
CAS No. 178925-43-4

5-Bromo-2'-deoxyuridine-3'-CEP

$C_{39}H_{46}BrN_4O_8P$
 Mol. Wt.: 809.68

Catalog#
ANP-6415

Pricing
 \$55.00 / 100 μ mole
 \$135.00 / 250 mg
 \$240.00 / 500 mg
 \$430.00 / 1 g

Purity: 98% +
CAS No. 142246-64-8

5-Iodo-2'-deoxyuridine-3'-CEP

$C_{39}H_{46}IN_4O_8P$
 Mol. Wt.: 856.6

Catalog#
ANP-4611

Pricing
 \$55.00 / 100 μ mole
 \$135.00 / 250 mg
 \$240.00 / 500 mg
 \$430.00 / 1 g

Purity: 98% +
CAS No. 178925-48-9

5-Iodo-2'-deoxycytidine (N-DBF)-3'-CEP

(5-Iodo-2'-deoxycytidine (N-DBF)-3'-CEP)

$C_{48}H_{60}IN_6O_8P$
 Mol. Wt.: 1022.9

Catalog#
ANP-4591

Pricing
 \$125.00 / 100 μ mole
 \$250.00 / 250 mg
 \$450.00 / 500 mg
 \$810.00 / 1 g

Purity: 98% +

5'-Iodo-thymidine-3'-CEP

$C_{39}H_{46}IN_4O_8P$
 Mol. Wt.: 552.3

Catalog#
ANP-4613

Pricing
 \$125.00 / 100 μ mole
 \$416.00 / 250 mg
 \$710.00 / 500 mg
 \$1275.00 / 1 g

Purity: 98% +

5-Fluoro-2'-deoxyuridine-3'-CEP

$C_{39}H_{46}FN_4O_8P$
 Mol. Wt.: 748.7

Catalog#
ANP-6151


Pricing
 \$125.00 / 100 μ mole
 \$416.00 / 250 mg
 \$710.00 / 500 mg
 \$1275.00 / 1 g

Purity: 98% +
CAS No. 178925-48-9

For applications of halogenated nucleobases please refer to page # 35.

Phosphoramidites and Supports for Modified DNA Synthesis

8-Bromo-2'-deoxyadenosine (*N*-DBF)-3'-CEP (8-Bromo-2'-deoxyadenosine (*N*-DBF)-3'-CEP)



Catalog#

ANP-4702

Pricing


\$110.00 / 100 μ mole

\$275.00 / 250 mg

\$495.00 / 500 mg

Purity: 98% +

8-Bromo-2'-deoxyadenosine (*N*-Bz)-3'-CEP (8-Bromo-2'-deoxyadenosine (*N*-Bz)-3'-CEP)



Catalog#

ANP-4703

Pricing


\$120.00 / 100 μ mole

\$300.00 / 250 mg

\$540.00 / 500 mg

Purity: 98% +

8-Bromo-2'-deoxyguanosine (*N*-iBu)-3'-CEP



Catalog#

ANP-6152

Pricing

\$100.00 / 100 μ mole

\$230.00 / 250 mg

\$510.00 / 500 mg

Purity: 98% +

Deprotection of Bz protected 8-Bromo deoxy Adenosine containing oligos takes 7-8 hours at 37 °C with aq. ammonia.

Deprotection of *N*-dibutyl formamidine (*N*-DBF) protected 5'-DMTr-8-Bromo deoxy Adenosine takes 2-3 hours at 37 °C with aq. ammonia deprotection of oligo. This group is compatible with PAC Chemistry.

C-8 Substituted Purine and C-5 Halogen Substituted Pyrimidines:

The bromo group in Adenosine and Guanosine at C-8 position is photolabile in nature. 8-Bromo deoxy Adenosine phosphoramidite has been incorporated into synthetic DNA as a means to create a site which can be photo-activated after duplex formation.

Such DNA or RNA probes containing 8-Bromo Adenosine or Guanosine could thus be useful to determine specific contact in protein-DNA complexes (Liu, J., Verdine, G. L. *Tet. Lett.* **1992**, 33, 4265).


Supports for Halogenated Nucleosides

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-1378-05	5-Bromo-2'-deoxyuridine-	500Å	\$50	\$175	\$95	\$145	\$190	\$290
N-1378-10	3'-Icaa CPG	1000Å						
N-7362-05	5-Bromo-2'-deoxycytidine-	500Å	\$50	\$175	\$95	\$145	\$190	\$290
N-7362-10	(<i>N</i> -Bz)-3'-Icaa CPG	1000Å						
N-7363-05	5-Iodo-2'-deoxycytidine-	500Å	\$65	\$260	\$105	\$160	\$210	\$320
N-7363-10	(<i>N</i> -DBF)-3'-Icaa CPG	1000Å						
N-4612-05	5-Iodo-2'-deoxycytidine (<i>N</i> -Bz)	500Å	\$65	\$260	\$105	\$160	\$210	\$320
N-4612-10	-3'-Icaa CPG	1000Å						
N-7364-05	5-Iodo-2'-deoxyuridine-	500Å	\$65	\$260	\$105	\$160	\$210	\$320
N-7364-10	3'-Icaa CPG	1000Å						
N-7365-05	5-Fluoro-2'-deoxyuridine-	500Å	\$65	\$265	\$105	\$160	\$210	\$320
N-7365-10	3'-Icaa CPG	1000Å						
N-9921-05	8-Bromo-2'-deoxyguanosine	500Å	\$115	\$430	\$110	\$180	\$220	\$360
N-9921-10	(<i>N</i> -iBu)-3'-Icaa CPG	1000Å						
N-4704-05	8-Bromo-2'-deoxyadenosine	500Å	\$110	\$420	\$105	\$175	\$210	\$350
N-4704-10	(<i>N</i> -DBF)-3'-Icaa CPG	1000Å						
N-4705-05	8-Bromo-2'-deoxyadenosine	500Å	\$110	\$420	\$105	\$175	\$210	\$350
N-4705-10	(<i>N</i> -Bz)-3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified DNA Synthesis

*N*¹-Methyl-2'-deoxyadenosine-3'-CEP

(*N*¹-Methyl-2'-deoxyadenosine (N-Fmoc)-3'-CEP)



Catalog#

ANP-6121

Pricing

\$325.00 / 100 μmole


\$690.00 / 250 mg

\$1170.00 / 500 mg

Purity: 98% +

*N*¹-Methyl-2'-deoxyguanosine-3'-CEP

(*N*¹-Methyl-2'-deoxyguanosine (N-DMF)-3'-CEP)



Catalog#

ANP-6122

Pricing

\$325.00 / 100 μmole

\$825.00 / 250 mg


\$1470.00 / 500 mg

Purity: 98% +

CAS No. 178925-48-9

*N*³-Methyl-2'-deoxycytidine-3'-CEP

(*N*³-Methyl-2'-deoxycytidine (N-Bz)-3'-CEP)



Catalog#

ANP-3851

Pricing


\$225.00 / 100 μmole

\$630.00 / 250 mg

\$1070.00 / 500 mg

Purity: 98% +

*N*³-Methyl-thymidine-3'-CEP



Catalog#

ANP-6153

Pricing

\$127.00 / 100 μmole


\$286.00 / 250 mg

\$500.00 / 500 mg

Purity: 98% +

CAS No. 178925-48-9

*N*³-Cyanoethyl-thymidine-3'-CEP



Catalog#

ANP-3857

Pricing

\$150.00 / 100 μmole

\$495.00 / 250 mg

\$850.00 / 500 mg

Purity: 98% +

N-Alkylated phosphoramidites

DNA in living organisms is vulnerable to alkylation due to mutagenic effects of carcinogens. Recently it has been shown that there is direct reversal of *N*-alkylation of methylated bases in oligonucleotides. A recent discovery of an enzyme which is a substrate for DNA repair (Trewick, S. C., Henshaw, T. F., Hausinger, R. P., Lindahl, T., Sedgwick, B. *Nature*, **2002**, 419, 174-177; and another report confirming these observations, Falnes, P.; Johansen, R. F.; Seeberg, E. *Nature* **2002**, 419, 178). These reports have great implication for repair of such carcinogenic and mutagenic events*.

N-alkylated nucleosides and the oligonucleotides incorporating methylated bases at specific sites in oligonucleotides possess great potential for studies of reversal of alkylation in oligonucleotides and studies in oxidative alkylation inside cells by various carcinogens.


ChemGenes is offering the phosphoramidites for studies and possibilities of reversal of methylation lesions by use of oligonucleotides incorporating alkylated purine/pyrimidines.

*For more references check on page 39.

Check page # 39 for *N*-Alkylated nucleoside supports

Phosphoramidites and Supports for Modified DNA Synthesis

*N*⁶-Methyl-2'-deoxyadenosine-3'-CEP




Catalog#
ANP-3855

Pricing
\$150.00 / 100 µmole
\$415.00 / 250 mg
\$705.00 / 500 mg

Purity: 98% +

CAS No. 178925-48-9

*N*³-Ethyl-2'-deoxycytidine (*N*-Bz)-3'-CEP




Catalog#
ANP-3856

Pricing
\$225.00 / 100 µmole
\$580.00 / 250 mg
\$990.00 / 500 mg

Purity: 98% +

*N*⁴-Ethyl-2'-deoxycytidine-3'-CEP



Catalog#
ANP-6444

Pricing
\$190.00 / 100 µmole
\$550.00 / 250 mg
\$990.00 / 500 mg

Purity: 98% +

CAS No. 195535-80-9

***N*⁴-Ethyldeoxy Cytidine phosphoramidite:** *N*⁴-Ethyl dC hybridizes selectively with natural dG to give G:4EtC base pair (Nguyen, H., Southern, E. M. *Nucl. Acids Res.*, **2000**, 28, 3904-3909).

***N*-Alkylated phosphoramidites references** (cont. from page # 38):
 Delaney, J. C., Essigmann, J. M. *Proc. Natl. Acad. Sci. U.S.A.* **2004**, 101, 14051-14056.
 Delaney, J. C. *et al. Nat. Struct. Mol. Biol.*, **2005**, 12, 855-860.
 Jarosz, D. F. *et al. Nature* **2006**, 439, 225-228.
 Frick, L. E. *et al. Proc. Natl. Acad. Sci. U.S.A.* **2007**, 104, 755-760.
 Lee *et al. Biochemistry*, **2009**, 48, 1850-1861.
 Jarosz, D. F. *et al. Proc. Natl. Acad. Sci. U.S.A.* **2009**, 106, 21137-21142.
 Li and *et al. Journal of Nucleic Acids*, **2010**, 369434


Supports for N-Alkylated Nucleosides

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-9980-05	<i>N</i> ¹ -Methyl-2'-deoxyadenosine	500Å	\$125	\$970	\$90	\$125	\$180	\$250
N-9980-10	(<i>N</i> -Fmoc)-3'-Icaa CPG	1000Å						
N-9981-05	<i>N</i> ¹ -Methyl-2'-deoxyguanosine	500Å	\$125	\$970	\$90	\$125	\$180	\$250
N-9981-10	(<i>N</i> -DMF)-3'-Icaa CPG	1000Å						
N-9922-05	<i>N</i> ³ -Methyl-thymidine-	500Å	\$125	\$970	\$90	\$125	\$180	\$250
N-9922-10	3'-Icaa CPG	1000Å						
N-9923-05	<i>N</i> ⁴ -Ethyl-2'-deoxycytidine-	500Å	\$125	\$970	\$80	\$120	\$160	\$240
N-9923-10	3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified DNA Synthesis

2-Fluoro-O⁶-TMS-ethyloxy-2'-deoxyinosine-3'-CEP

(For post synthetic modification of Guanosine-carbon-2)



Catalog#

ANP-7702

Pricing

\$250.00 / 100 μmole


\$640.00 / 250 mg

\$1080.00 / 500 mg

Purity: 98% +

CAS No. 175730-60-6

N²(Tert-butyldithiopropyl)-O⁶-TMS-ethyloxy-2'-deoxyinosine-3'-CEP



Catalog#

ANP-6445

Pricing


\$280.00 / 100 μmole

\$650.00 / 250 mg

\$1170.00 / 500 mg

Purity: 98% +

O⁶-Diphenylcarbamoyl-N²-iBu-2'-deoxyguanosine-3'-methyl phosphoramidite



Catalog#

ANP-9277

Pricing


\$150.00 / 100 μmole

\$335.00 / 250 mg

\$600.00 / 500 mg

Purity: 98% +

O⁶-Diphenylcarbamoyl-N²-iBu-2'-deoxyguanosine-3'-CEP



Catalog#

ANP-9276

Pricing

\$150.00 / 100 μmole

\$335.00 / 250 mg

\$600.00 / 500 mg

Purity: 98% +

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9926-05	2-Fluoro-2'-deoxyinosine	500Å	\$125	\$970	\$100	\$150	\$200	\$300
N-9926-10	(O ⁶ -trimethylsilyl ethyl)-3'-Icaa CPG	1000Å						


2-Fluoro-O⁶-trimethylsilyl-ethyloxy-2'-deoxyinosine-3'-CEP (ANP-7702)

2-Fluoro-2'-deoxyinosine incorporated oligonucleotides have been used for conversion into N²-alkyl-2'-deoxyguanosine moiety and used in DNA repair or damage pathway study.^{1,2}

- DeCorte, B. L., Tsarouhtsis, D., Kuchimanchi, S., Cooper, M. D., Horton, P., Harris, C. M., Harris, T. M. *Chem. Res. Toxicol.* **1996**, *9*, 630.
- Cohen, S. E., Lewis, C. A., Mooney, R. A., Kohanskic, M. A., Collins, J. J., Landick, R., Walkera, G. C. *Proc. Natl. Ac. Sci. USA*, **2010**, *107*, 15517.

Phosphoramidites and Supports for Modified DNA Synthesis

8-Methyl-2'-deoxyguanosine(*N*-iBu)-3'-CEP



DMTrO

$C_{45}H_{56}N_7O_8P$

Mol. Wt.: 853.94

Catalog#

ANP-9274

Pricing

\$320.00 / 100 μ mole

\$790.00 / 250 mg

\$1340.00 / 500 mg

Purity: 99% +

8-Methyl deoxy Guanosine Phosphoramidite

ChemGenes now offers 8-methyl dG and 8-methyl rG amidite for incorporation in oligonucleotides for conformational studies, stability & oligonucleotides engineering. 8-methyl dG containing oligonucleotides have been shown to conform remarkable stability to Z-conformation of DNA. Similarly 8-methyl dG containing oligonucleotides have been shown to cause a conformational and helical switch to left handed oligonucleotides.

1. Sugiyama, H., Kawai, K., Matsunaga, A., Fujimoto, K., Saito, I., Robinson, H., Wang, A.H., *Nucl. Acids Res.* **1996**, 24, 7, 1272-1278.
2. Cherrak, I., Mauffret, O., Santamaria, F., Hocquet, A., Ghomi, B., Rayner, B., Femandjian, S., *Nucl. Acids Res.* **2003**, 6986-6995.

8-Methyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9924-05	8-Methyl-2'-deoxyguanosine	500Å	\$125	\$970	\$80	\$125	\$160	\$240
N-9924-10	(<i>N</i> -iBu)-3'-Icaa CPG	1000Å						


Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Modified DNA Synthesis

2'-Deoxynebularine-3'-CEP

(2'-Deoxy-purine-3'-CEP)



Catalog#

ANP-7601

Pricing

\$110.00 / 100 μ mole

\$330.00 / 250 mg


\$595.00 / 500 mg

Purity: 98% +

CAS No. 178925-28-5

2-Amino-2'-deoxypurine riboside-3'-CEP

(2-Amino-purine-2'-deoxyriboside (N-DMF)-3'-CEP)



Catalog#

ANP-9315-2

Pricing

\$300.00 / 100 μ mole

\$825.00 / 250 mg

\$1480.00 / 500 mg


Purity: 98% +

CAS No. 178925-41-2

ANP-9315 with N-iBu protection has been discontinued.

2-Amino-2'-deoxyadenosine-(N²,N⁶-diPAC)-3'-CEP

2,6-Diamino-2'-deoxypurine (N², N⁶-diPAC)-3'-CEP



Catalog#

ANP-9316-DI

Pricing

\$300.00 / 100 μ mole


\$500.00 / 250 mg

\$850.00 / 500 mg

Purity: 98% +

CAS No. 156549-50-7

6-Chloro-2'-deoxypurine riboside-3'-CEP



Catalog#

ANP-7706

Pricing

\$250.00 / 100 μ mole

\$720.00 / 250 mg

\$1290.00 / 500 mg

Purity: 98% +

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9511-05	2-Amino-2'-deoxypurine riboside	500Å	\$110	\$650	\$80	\$120	\$160	\$240
N-9511-10	(N-DMF)-3'-Icaa CPG	1000Å						
N-9503-05	2'-Deoxynebularine	500Å	\$110	\$750	\$120	\$140	\$240	\$280
N-9503-10	-3'-Icaa CPG	1000Å						
N-9512-05-DI	2-6-Diaminopurine-riboside	500Å	\$110	\$700	\$90	\$120	\$180	\$240
N-9512-10-DI	(N ² ,N ⁶ -diPAC)-3'-Icaa CPG	1000Å						
N-9519-05	2-Amino-2'-deoxypurine	500Å	\$110	\$700	\$90	\$120	\$180	\$240
N-9519-10	riboside 3'-Icaa CPG	1000Å						


2,6-diminopurine

Oligonucleotides modified with diaminopurine display greater duplex stability and specificity compared to corresponding oligonucleotides with adenosine. These oligonucleotides have potential application in the detection of single base mismatches in the target strands.¹

1. Hughesman, C. B., Turner, R. F. B., Haynes, C. *Nucleic Acids Symposium Series*, **2008**, 52, 245.

Phosphoramidites and Supports for Modified DNA Synthesis

4-Triazolyl-2'-deoxyuridine-3'-CEP (Convertible dU)




Catalog#
ANP-9211

Pricing
\$130.00 / 100 μmole
\$320.00 / 250 mg
\$575.00 / 500 mg

Purity: 98% +
CAS No. 109389-31-3

C₄₁H₄₈N₇O₇P
Mol. Wt.: 781.84

4-Triazolyl-thymidine-3'-CEP (Convertible dT)



Catalog#
ANP-9212


Pricing
\$130.00 / 100 μmole
\$320.00 / 250 mg
\$575.00 / 500 mg

Purity: 98% +
CAS No. 101712-10-1

C₄₂H₅₀N₇O₇P
Mol. Wt.: 795.86

2'-Deoxy-isoguanosine-3'-CEP

(2'-Deoxy-isoguanosine (N-DBF)-3'-CEP)



Catalog#
ANP-4268


Pricing
\$170.00 / 100 μmole
\$415.00 / 250 mg
\$745.00 / 500 mg

Purity: 98% +

C₄₉H₆₅N₉O₇P
Mol. Wt.: 909.06

2'-Deoxy-isocytidine-3'-CEP

(2'-Deoxy-isocytidine (N-DBF)-3'-CEP)



Catalog#
ANP-4269

Pricing
\$170.00 / 100 μmole
\$430.00 / 250 mg
\$770.00 / 500 mg

Purity: 98% +

C₄₈H₆₅N₆O₇P
Mol. Wt.: 869.04

Deprotection of dibutyl-Formamidyl protected 2'-deoxy isoGuanosine takes 4-5 hours at 37 °C with aq. ammonia deprotection of oligo.


IsoG & IsoC 3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9929-05	2'-Deoxy-isocytidine	500Å	\$125	\$970	\$110	\$175	\$220	\$350
N-9929-10	(N-DBF)-3'-Icaa CPG	1000Å						
N-9927-05	2'-Deoxy-isoguanosine	500Å	\$125	\$970	\$110	\$175	\$220	\$350
N-9927-10	(N-DBF)-3'-Icaa CPG	1000Å						

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Modified DNA Synthesis




3'-HQ-Amidobenzyl-2'-Deoxy Amidite

B	Protection	Catalog#
A	N-Bz	ANP-8301
C	N-Ac	ANP-8306
C	N-Bz	ANP-8302
C	N-Bz	ANP-8307
G	N-iBu	ANP-8303
T	N/A	ANP-8305
U	N/A	ANP-8304

Catalog #	Product Name	100mg	250mg	500mg
ANP-8301	3'-HQ-Amidobenzyl-2'-Deoxyadenosine (N-Bz)- 5'-CEP, <i>M.W. 852.89</i>	\$410.00	\$815.00	\$1,460.00
ANP-8306	3'-HQ-Amidobenzyl-2'-Deoxycytidine (N-Ac)- 5'-CEP, <i>M.W. 766.79</i>	\$410.00	\$815.00	\$1,460.00
ANP-8302	3'-HQ-Amidobenzyl-2'-Deoxycytidine (N-Bz)- 5'-CEP, <i>M.W. 830.88</i>	\$410.00	\$815.00	\$1,460.00
ANP-8307	5-Methyl 3'-HQ-Amidobenzyl-2'-Deoxycytidine (N-Bz)- 5'-CEP, <i>M.W. 828.90</i>	\$410.00	\$815.00	\$1,460.00
ANP-8303	3'-HQ-Amidobenzyl-2'-Deoxyguanosine (N-iBu)- 5'-CEP, <i>M.W. 820.88</i>	\$410.00	\$815.00	\$1,460.00
ANP-8305	3'-HQ-Amidobenzyl-2'-Thymidine 5'-CEP, <i>M.W. 739.76</i>	\$410.00	\$815.00	\$1,460.00
ANP-8304	3'-HQ-Amidobenzyl-2'-Deoxyuridine 5'-CEP, <i>M.W. 725.74</i>	\$410.00	\$815.00	\$1,460.00

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK



β -L-DNA Amidites for Spiegelmers Synthesis

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-8031	141846-54-0
C	N-Bz	ANP-8032	
G	N-iBu	ANP-8033	141846-56-2
T	N/A	ANP-8034	141846-55-1
C	N-Ac	ANP-8035	
U	N/A	ANP-8036	144385-59-1

Catalog #	Product Name	100mg	250mg	500mg	1g	2g	5g
ANP-8031	β -L-2'-Deoxyadenosine (N-Bz)-3'-CEP, <i>M.W.</i> 857.92	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00
ANP-8032	β -L-2'-Deoxycytidine (N-Bz)-3'-CEP, <i>M.W.</i> 833.89	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00
ANP-8033	β -L-2'-Deoxyguanosine (N-iBu)-3'-CEP, <i>M.W.</i> 839.90	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00
ANP-8034	β -L-Thymidine 3'-CEP, <i>M.W.</i> 744.80	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00
ANP-8035	β -L-2'-Deoxycytidine (N-Ac)-3'-CEP, <i>M.W.</i> 771.84	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00
ANP-8036	β -L-2'-Deoxyuridine-3'-CEP, <i>M.W.</i> 730.79	\$160.00	\$320.00	\$510.00	\$810.00	\$1,250.00	\$2,800.00

Mirror Image of Natural DNA, (β -L-Deoxy Nucleoside Phosphoramidites) For The Synthesis of L-DNA

- β -L-deoxyribonucleoside polymers do not form double strands with complementary strands (Aseline, U. *et. al. Nucl. Acids. Res.* **1991**, 19, 4067-4074).
- β -L-deoxyribonucleosides have high resistance to digestion by various nucleases.
- Synthetic 56-nucleotide β -L-DNA bind with Vasopressin and is an antagonist of Vasopressin (Williams, K. P. *et. al. Proc. Nat. Acad. Sci. USA* **1997**, 94, 11285-11290).
- β -L-deoxyribonucleosides are being developed to bind with great specificity to antibodies and small biologically active molecules.
- β -L-DNA attached to primers for microarray design (Fig.1) and molecular beacon design (Fig 2).

Illustration of L-DNA for microarray design and attached molecular beacons:




Fig. 1. Template Specific Primer Extension & Labelling Illustration of advantages of L-DNA (Zip Code) attached Primers for PCR and Microarray (*Nucl. Acids Res.* **2007**, 35, 7279-7287) Reproduced by the kind permission of Oxford Press, UK.





Fig. 2. Application of L-DNA attached molecular beacons (MB) avoiding non-specific binding (a-c). Design of Universal Microarray Platform. (*Nucl. Acids Res.* **2006**, 34, 5101-5111) Reproduced by the kind permission of Oxford Press, UK.

Phosphoramidites and Supports for Modified DNA Synthesis



β -L-DNA Icaa Supports & Columns


B	Protection	Catalog #
A	N-Bz	N-3521
C	N-Bz	N-3522
G	N-Bu	N-3523
T	n/a	N-3524
C	N-Ac	N-3525

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.		pack of 10 cols.	
			100 mg	500 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-3521-05	β -L-2'-Deoxyadenosine (N-Bz)-	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-3521-10	3'-Icaa CPG	1000Å							
N-3522-05	β -L-2'-Deoxycytidine (N-Bz)-	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-3522-10	3'-Icaa CPG	1000Å							
N-3523-05	β -L-2'-Deoxyguanosine (N-Bu)-	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-3523-10	3'-Icaa CPG	1000Å							
N-3524-05	β -L-Thymidine	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-3524-10	3'-Icaa CPG	1000Å							
N-3525-05	β -L-2'-Deoxycytidine (N-Ac)-	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-3525-10	3'-Icaa CPG	1000Å							

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.		pack of 10 cols.	
			100 mg	500 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-4062-05	β -L-3'-Deoxycytidine (N-Bz)-	500Å	\$125	\$290	\$465	\$120	\$240	\$240	\$480
N-4062-10	2'-Icaa CPG	1000Å							

5-(1,2-Diacetyloxyethyl)-2'-deoxyuridine-3'-CEP

5-Formyl (diacetyl)-2'-deoxyuridine-3'-CEP



Catalog#

ANP-6067

Pricing

\$350.00 / 100 μ mole

\$895.00 / 250 mg

\$1600.00 / 500 mg

Purity: 99% +

CAS No. 186086-49-7

5- Formyl Uridine phosphoramidite

It has been shown that 5-Formyl-2'-deoxy uridine is formed in DNA as a result of ionization radiation and several means such as gamma-ray irradiation and other oxidative damages^{1,2}. The damaged DNA, due to formation of 5-formyl uracil, causes mutagenesis. We now offer the 5-formyl dU-phosphoramidite for synthesis of DNA and modifications for the study and evaluation of various roles it plays and for diagnostic applications.

1. Bjelland, S., Eide, L., Time, R. W., Store, R., Eftedal, I., Volden, G., Seeberg, E. *Biochemistry* **1995**, 34, 14758-14764.
2. Sugiyama, H., Matsuda, S., Kino, K., Zhang, Q.-M., Yonei, S., Saito, I. *Tet. Lett.* **1996**, 9067-9070.

AbasicPhosphoramidite; dSpacer Phosphoramidite (1,2-Dideoxy-D-ribose-3'-CEP)

 $C_{35}H_{45}N_2O_6P$ Mol. Wt.: 620	Catalog#
	ANP-7058
	Pricing
	\$95.00 / 100 μ mole
	\$330.00 / 250 mg
Purity: 98% +	\$594.00 / 500 mg
	CAS No. 129821-76-7

Reverse-Abasic-Phosphoramidites; Reverse-dSpacer Phosphoramidite (1,2-Dideoxy-D-ribose 3'-O-DMTr-5-CEP)

 $C_{35}H_{45}N_2O_6P$ Mol. Wt.: 620.72	Catalog#
	ANP-1422
	Pricing
	\$125.00 / 100 μ mole
	\$425.00 / 250 mg
Purity: 98% +	\$765.00 / 500 mg
	CAS No. 129821-76-7

Abasic Site (dSpacer amidite)

Oligonucleotides containing the chemically stable isostructural tetrahydrofuran analog of an abasic site are important reagents for studies related to depurination of oligonucleotides, which occurs quite frequently within the cell. For elegant publications regarding T_m values etc., see Pompizi, I., Haberli, A., Leumann, C. J. *Nucl. Acids Res.* **2000**, 28, 2702-2708, Aseline, U. *et. al. Nucl. Acids Res.* **1991**, 4067-4074.

Abasic (dSpacer) Succinyl Icaa Supports &

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.		pack of 10 cols.	
			100 mg	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-1423-05	1,2-Dideoxy-D-ribose	500Å	\$210	\$170	\$215	\$340	\$430
N-1423-10	5-O-DMTr-3-Icaa CPG	1000Å					
N-1424-05	1,2-Dideoxy-D-ribose	500Å	\$290	\$210	\$300	\$420	\$600
N-1424-10	3-O-DMTr-5-Icaa CPG	1000Å					

8-Oxo-2'-deoxyadenosine-3'-CEP

(5'-O-DMTr-2'-deoxy-N-Bz-8-Oxo-adenosine-3'-CEP)

 $C_{47}H_{52}N_7O_8P$ Mol. Wt.: 873.93	Catalog#
	ANP-9301
	Pricing
	\$130.00 / 100 μ mole
	\$345.00 / 250 mg
Purity: 98% +	\$620.00 / 500 mg
	CAS No. 142979-42-8

8-Oxo-2'-deoxyguanosine-3'-CEP***

(5'-O-DMTr-2'-deoxy-N-DMF-8-Oxo-guanosine-3'-CEP)

 $C_{43}H_{53}N_8O_8P$ Mol. Wt.: 840.90	Catalog#
	ANP-9311-2
	Pricing
	\$154.00 / 100 μ mole
	\$345.00 / 250 mg
Purity: 99% +	\$620.00 / 500 mg
	CAS No. 142979-42-8

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
			Bulk CPG		pack of 4 cols.		pack of 10 cols.	
N-5300-05	8-Oxo-2'-deoxyadenosine	500Å	\$110	\$780	\$120	\$145	\$240	\$290
N-5300-10	(N-Bz)-3'-Icaa CPG	1000Å						
N-9501-05	8-Oxo-2'-deoxyguanosine	500Å	\$125	\$900	\$135	\$170	\$270	\$340
N-9501-10	(N-DMF)-3'-Icaa CPG	1000Å						
N-9400-05	8-Oxo-2'-deoxyguanosine	500Å	\$125	\$900	\$135	\$170	\$270	\$340
N-9400-10	(N-Ac)-3'-Icaa CPG	1000Å						


***ANP-9311 With N-iBu protection has been discontinued.

Oligo Synthesis Products

Remove Watermark Now

Phosphoramidites and Supports for Modified DNA Synthesis

2',3'-Dideoxyadenosine (N-Bz)-5'-CEP




Catalog#
DDN-7051

Pricing
\$125.00 / 100 µmole
\$540.00 / 250 mg
\$950.00 / 500 mg
Purity: 98% +

C₂₆H₃₄N₇O₅P
Mol. Wt.: 539.57

2',3'-Dideoxycytidine (N-Bz)-5'-CEP




Catalog#
DDN-7052

Pricing
\$125.00 / 100 µmole
\$540.00 / 250 mg
\$950.00 / 500 mg
Purity: 98% +

C₂₅H₃₄N₅O₅P
Mol. Wt.: 515.54

2',3'-Dideoxyguanosine (N-iBu)-5'-CEP




Catalog#
DDN-7053

Pricing
\$200.00 / 100 µmole
\$800.00 / 250 mg
\$1440.00 / 500 mg
Purity: 98% +

C₂₃H₃₁N₇O₅P
Mol. Wt.: 521.55

2',3'-Dideoxy-thymidine-5'-CEP



Catalog#
DDN-7054

Pricing
\$125.00 / 100 µmole
\$540.00 / 250 mg
\$950.00 / 500 mg
Purity: 98% +

C₁₉H₃₁N₄O₅P
Mol. Wt.: 426.4


Dideoxy Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.	pack of 10 cols.
			100 mg	1 g	0.2 µmole	0.2 µmole
N-7368-05	2',3'-Dideoxyadenosine (N-succinyl-Icaa CPG)	500Å	\$250	\$1,500	\$180	\$250
N-7369-05	2',3'-Dideoxycytidine (N-succinyl-Icaa CPG)	500Å	\$250	\$1,500	\$180	\$240

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK


Phosphoramidites and Supports for Modified DNA Synthesis



5'-O-Methyl DNA Phosphoramidites

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-5511	
C	N-Bz	ANP-5512	
G	N-iBu	ANP-5513	
T	N/A	ANP-5514	149681-62-9

Catalog #	Product Name	100μmole	250mg	500mg
ANP-5511	5'-O-Methyl-2'-deoxyadenosine (N-Bz)- 3'-CEP, M.W. 569.6	\$250.00	\$966.00	\$1540.00
ANP-5512	5'-O-Methyl-2'-deoxycytidine (N-Bz)- 3'-CEP, M.W. 545.6	\$200.00	\$815.00	\$1310.00
ANP-5513	5'-O-Methyl-2'-deoxyguanosine (N-iBu)- 3'-CEP, M.W. 551.58	\$200.00	\$815.00	\$1310.00
ANP-5514	5'-O-Methyl-thymidine- 3'-CEP, M.W. 456.47	\$200.00	\$815.00	\$1310.00




DNA 3',5'-DiPhosphoramidites

B	Protection	Catalog#
A	N-Bz	ANP-7761
C	N-Ac	ANP-7762
G	N-iBu	ANP-7763
T	N/A	ANP-7764

Catalog #	Product Name	100μmole	250mg	500mg
ANP-7761	3',5'-Bis-CEP-2'-deoxyadenosine (N-Bz), M.W. 755.78	\$155.00	\$295.00	\$495.00
ANP-7762	3',5'-Bis-CEP-2'-deoxycytidine (N-Ac), M.W. 669.69	\$155.00	\$295.00	\$495.00
ANP-7763	3',5'-Bis-CEP-2'-deoxyguanosine (N-iBu), M.W. 737.77	\$155.00	\$295.00	\$495.00
ANP-7764	3',5'-Bis-CEP-thymidine, M.W. 642.6	\$155.00	\$295.00	\$495.00

Phosphoramidites and Supports for Natural DNA Synthesis



DNA 3'-Bis(diisopropylamino) Phosphoramidite

B	Protection	Catalog#
A	N-Bz	ANP-7681
C	N-Bz	ANP-7682
G	N-iBu	ANP-7683
T	N/A	ANP-7766
C	N-iBu	ANP-7686
C	N-Ac	ANP-7685


Catalog #	Product Name	100μmole	250mg	500mg
ANP-7681	2'-Deoxyadenosine (N-Bz)- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 888.06</i>	\$170.00	\$490.00	\$880.00
ANP-7682	2'-Deoxycytidine (N-Bz)- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 864.04</i>	\$170.00	\$490.00	\$880.00
ANP-7683	2'-Deoxyguanosine (N-iBu)- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 870.04</i>	\$170.00	\$490.00	\$880.00
ANP-7766	Thymidine- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 774.93</i>	\$170.00	\$490.00	\$880.00
ANP-7686	2'-Deoxycytidine (N-iBu)- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 830.02</i>	\$170.00	\$490.00	\$880.00
ANP-7685	2'-Deoxycytidine (N-Ac)- 3'-Bis(diisopropylamino) Phosphoramidite, <i>M.W. 801.97</i>	\$170.00	\$490.00	\$880.00

DNA Purification

DNA PURIFICATION

ChemGenes offers GENE-SYS 1 solid phase DMT-ON purification/extraction 96 well micropurifier to enable parallel purification of synthetic oligonucleotides for 5 OD (260nm) to 50 OD (260 nm) quantities. The 96 position GENE-SYS 1 accommodates the polypropylene 0.7 mL/well, 1.2 mL/well, 1.25 mL/well, and 2.25mL/ well removable well filter plates. The system charges crude oligos followed by washing and elution without a cumbersome valve network.

Catalog#	Product Name	Prices
GS-3249	Puri-Pak Plate™	\$280.00
GS-1154	GeneSys-12 (Not Shown)	\$550.00
GS-1158	GeneSys-24 (Not Shown)	\$805.00
GS-8366	GeneSys Manifold for 96-Well Format GeneSys-1	\$1,280.00
GS-3280	96 Well Collection plate (1 plate)	\$15.00
GS-3280	96 Well Collection plate (Pack of 12)	\$162.00
GS-8361	96 Well Oligonucleotide Synthesis Plate	\$25.00



GeneSys-12 (catalog #GS-1154) purifies up to 12 oligos at the same time.
GeneSys-24 (catalog #GS-1158) purifies up to 24 oligos at the same time.

Puri-Pak Plate™ (catalog #3249) is a 96-Well purification extraction plate. Each well is filled with a unique packing material for oligo purification/cleanup. Each well is capable of the following:

- DMT-ON purification of up to 1 μ mole scale per well, or
- DMT-OFF desalting of up to 25 OD per well

Genesys Manifold for the 96 Well format comes complete with a gasket for top and bottom collection plates. The system also includes a vacuum controller for low vacuum evacuation of the system for the 96-well solvent, buffer exchange, and dropwise collection of the purified oligo. This system has the advantage of simultaneous purification of large numbers of oligos in a 96-well purification format. The purification of the crude synthetic oligos can be achieved either by desalting of the crude synthetic oligo or by DMT-ON purification protocol of the crude synthetic DNA.

Besides the natural synthetic DNA oligonucleotides, the Puri-Pak Cartridges or the Puri-Pak plate can be used to purify terminal and nucleobase modified oligos, biotin, other chromophore labeled oligos, 2'-O-Methyl-oligos, and phosphorothioate labeled oligos.

96-Well collection plates (catalog # GS3280) have a unique design in which the purification plate fits in effectively in each well for the collection plate and accommodates a 2 ml volume per well.

Puri-Pak Plate™ and Puri-Pak Cartridges™ are trade marks of ChemGenes Corporation.

Drying Traps

Drying Traps

DNA moisture traps are used for maintaining moisture-free environments in oligonucleotide synthesis. The use of these traps will generate super anhydrous conditions for high quality full length DNA/RNA. The traps are available in four different sizes: Small, Medium, Large, and Extra Large. DNA moisture traps are shipped fully activated in vacuum sealed foil packets and are ready for immediate use.

These traps allow highly effective drying of either phosphoramidite solution in acetonitrile, tetrazole solution in acetonitrile (activator solution), or anhydrous acetonitrile (used to make either phosphoramidite solutions or activator solutions).

In addition, the use of these traps in the acetonitrile bottles wash cycle in the DNA synthesizer will maintain a dry environment which results in consistently high coupling in the synthesis per cycle. The traps also restore the usability of "wet" acetonitrile (app. 250 ppm moisture content) by reducing the moisture content below 50 ppm.

Please see the data in the chart below for the selection of your specific application. As the chart indicates a small trap should be used for 10 ml acetonitrile solution and a large trap should be used for 500 ml acetonitrile solution.

Moisture Absorption Efficiency Chart:

Shows the water absorption of the traps of different sizes, as determined by coulometric analysis of acetonitrile spiked with water.

Quantity of Acetonitrile	Amount of Moisture present in "Wet" Solvent	Number of Traps required	Size of Trap	Time required to achieve 35-40 ppm or lower
10-50 ml	180-200 ppm	One	Small	24 Hours
50-100 ml	180-200 ppm	One	Medium	24 Hours
100-1000 ml	180-200 ppm	One	Large	24 Hours
1-4 liters	180-200 ppm	One	Extra Large	24 Hours

Prices

Catalog#	Size	Price for 5	Price for 10
DMT-1975	Small	\$32.00	\$58.00
DMT-1974	Medium	\$34.00	\$63.00
DMT-1973	Large	\$40.00	\$68.00
DMT-1972	Extra Large	\$42.00	\$78.00

Puri-Pak Cartridges & Barrels

The **Puri-Pak™** has been developed by ChemGenes to purify oligonucleotides by DMT-ON method and to desalt oligonucleotides which have been purified by ion-exchange HPLC or Gel Electrophoresis. They are very effective in producing high purity oligonucleotides after synthesis.

The **Puri-Pak cartridges™** are suitable for the following applications:

- Low scale and also 1.0 μ mol scale purification of synthetic oligonucleotides, modified synthetic oligonucleotides carrying amino-terminals, biotin, phosphorothioate oligonucleotides, and 2'-OMe oligonucleotides.
- Desalting of oligonucleotides.


Technical Details

The Puri-Pak columns are designed for efficient and fast purification of DMT-ON oligonucleotides as well as for desalting of oligonucleotides. They are recommended for single use where 25 OD units can be loaded per cartridge. The Puri-Pak columns can also efficiently purify crude oligonucleotides. Also, 5'-DMT-ON oligonucleotides can be separated cleanly from the shorter "fail" sequences.

After NH_3 deprotection of the oligonucleotide, the NH_3 solution containing the dissolved oligo can be loaded directly onto the Puri-Pak column. We recommend washing the crude oligo with Ether prior to removal of the cleaved base protecting groups. The oligo should then be dissolved in either water or 0.1M triethylammonium acetate (1-3ml) and loaded onto the Puri-Pak column.

DNA Purification & Drying Traps

Catalog#	Product Name	Quantity	Price
CSS-3920-S	Cartridge	1	\$6.50
CSS-3920-M	Cartridge	5	\$30.00
CSS-3920-L	Cartridge	10	\$55.00
CSS-3940-S	Barrel (4 ml)	1	\$6.50
CSS-3940-M	Barrel (4 ml)	5	\$30.00
CSS-3940-L	Barrel (4 ml)	10	\$55.00
CSS-3960-S	Barrel (8 ml)	1	\$12.00
CSS-3960-M	Barrel (8 ml)	10	\$95.00
CSS-3960-L	Barrel (8 ml)	50	\$450.00



Phosphoramidites and Supports for Natural RNA Synthesis

RNA Synthesis

The importance of RNA has long been recognized in cellular processes. A major area of focus is on antisense RNA (Hélène, C.; Toulme, J. J. *Biochim. Biophys. Acta* **1990**, 99, 1049) and the role of catalytic RNA in splicing and ligation (Cech, T. R. *Science* **1987**, 236, 1532; Guerrier-Takadac, N.; Altman, L. S. *Science* **1989**, 246, 1578).

Chemical synthesis of defined sequence RNA is fundamental to develop and understand the role and application of RNA. The enzymatic approach using RNA polymerase is template dependant and therefore, is not a controlled sequence synthesis (Milligan, J. F.; Groebe, D. R.; Witherell, G. W.; Uhlenbeck, O. C. *Nucl. Acids Res.* **1987**, 15, 8783).

Chemical synthesis of RNA has been perfected to the extent that long sequences, such as biologically active 76-mer tRNA and multi-milligram quantities can be produced efficiently (Gasparuto, D.; Livache, T.; Bazin, H.; Duplaa, A.; Guy, A.; Khorlin, A.; Molko, D.; Roget, A.; Teoule, R. *Nucl. Acids Res.* **1992**, 20, 5159; Webster, K. R.; Shamoo, Y.; Königsberg, W.; Spicer, E. K.; *Biotechniques* **1991**, 11, 658).

Small Interference RNA

Small interference RNA (siRNA) is one of the key discoveries in the field of RNA application. Short double stranded RNAs (dsRNAs), with a general chain length of 21-23 nts. and having a two nucleotide 3'-end overhang, mediate gene specific suppression of mammalian cells. siRNA guide endonucleolytic cleavage of the target RNA at a single site. The process is known as RNA interference (RNAi) (Fire, A.; Xu, S.; Montgomery, M. K.; Kostas, S. A.; Driver, S. E.; Mello, C. C. *Nature* **1998**, 391, 806-811). The dsRNA direct the degradation of target RNAs complementary to the siRNA sequence (Zamore, P.; Tuschl, T.; Sharp, P.; Bartel, D. *Cell* **2000**, 101, 25-33; Elbashir, S.; Harborth, J.; Weber, K.; Tuschl, T.; *Methods Finds. Exp.Clin. Pharmacol.* **2002**, 26, 199-213).

The RNAi offers astronomical potentials for understanding and manipulating human diseases at the cellular level. Among the vast and rapidly exploding field of siRNA, some key developments in this area are prediction of natural regulatory mechanism in the field of cell biology and functional genomics. This is expected to result in gene based drug discovery. Gene control, gene knock down, and target validation are currently being pursued with great vigor by a vast number of researchers worldwide.

Short dsRNA's can be best obtained by Chemical synthesis. ChemGenes specializes in producing the highest purity RNA monomers for studies and further developments in this field.

Use of ethylthio Tetrazole (ETT)

The use of ethylthio tetrazole has been shown to enhance coupling efficiency to 99.7% (Wasner, M.; Arion, D.; Borkow, G.; Noronha, A.; Uddin, A. H.; Parniak, M. A.; Damha, M. J. *Biochemistry* **1998**, 37, 7478-7486).

Please see page 19-25 and 173 for ordering information.

Use of Benzylthio Tetrazole (BMT)

The use of Benzylthio tetrazole as activator in RNA synthesis has been shown to yet further enhance coupling efficiency. (Wasner, M.; Arion, D.; Borkow, G.; Noronha, A.; Uddin, A. H.; Parniak, M. A.; Damha, M. J. *Biochemistry* **1998**, 37, 7478-7486).


Please see page 19-25 as Ancillary Reagent and page 173 for for bulk quantity supply for ordering information.

Phosphoramidites and Supports for Natural RNA Synthesis

Quality Control Criteria for UltraPure RNA Phosphoramidites

³¹P NMR


- Single or double peak
- Detection Limit: 0.08%



³¹P NMR of 5'-O-DMTr-2'-O-TBDMS Guanosine ((N-iBu) 3'-CEP

HPLC


- Single or double peak
- Detection limit: 0.5%




HPLC Graph of 5'-O-DMTr-2'-O-TBDMS Adenosine (N-Bz) 3'-CEP

UV Characterization

- Used to characterize the purine or pyrimidine structure and substituent



UV Spectrum of 2'-O-TBDMS-ribo Cytidine (N-Bz)-OP



UV Spectrum of 2'-O-TBDMS-ribo Cytidine (N-Bz)-OP

Coupling Test

- Greater than 98-98.5% stepwise coupling efficiency under set conditions specified in the data sheet supplied with compound



An example of a coupling efficiency profile for an RNA Phosphoramidite

Thin Layer Chromatography


- Two spots in most cases, or a single spot
- Detection Limit 0.5%
- No visible impurity observed

Solubility Test

- 200 mg of pure dry product in 1.0 mL of dry acetonitrile (H₂O Content < 0.004-0.005 g / 100 mL)

Phosphoramidites and Supports for Natural RNA Synthesis

Amidites for Natural RNA Synthesis with Standard Base Protection



R	B	Protection	Catalog#	CAS No.
DMTr	A	N-Bz	ANP-5671	104992-55-4
DMTr	C	N-Bz	ANP-5672	118380-84-0
DMTr	G	N-iBu	ANP-5673	147201-04-5
DMTr	U	N/A	ANP-5674	118362-03-1
DMTr	A	N-Ac	ANP-4546	
DMTr	C	N-Ac	ANP-6676	121058-88-6
DMTr	G	N-Ac	ANP-4547	944138-03-8
DMTr	G	N-DMF	ANP-5678	149559-87-5
MMTr	A	N-Bz	ANP-5676	
MMTr	G	N-iBu	ANP-5677	
MMTr	C	N-Bz	ANP-5685	
MMTr	U	N/A	ANP-5688	111160-33-9

Catalog#	Product name	250mg	500mg	1g	2g
ANP-5671	2'-O-TBDMS-Adenosine (N-Bz)- 3'-CEP, M.W. 988.19	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5672	2'-O-TBDMS-Cytidine (N-Bz)- 3'-CEP, M.W. 964.17	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5673	2'-O-TBDMS-Guanosine (N-iBu)- 3'-CEP, M.W. 970.18	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5674	2'-O-TBDMS-Uridine- 3'-CEP, M.W. 861.05	\$32.00	\$58.00	\$105.00	\$175.00
ANP-4546	2'-O-TBDMS-Adenosine (N-Ac)- 3'-CEP, M.W. 926.12	\$32.00	\$58.00	\$105.00	\$175.00
ANP-6676	2'-O-TBDMS-Cytidine (N-Ac)- 3'-CEP, M.W. 902.10	\$32.00	\$58.00	\$105.00	\$175.00
ANP-4547	2'-O-TBDMS-Guanosine (N-Ac)- 3'-CEP, M.W. 942.12	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5678	2'-O-TBDMS-Guanosine (N-DMF)- 3'-CEP, M.W. 955.16	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5676	MMTr-2'-O-TBDMS-Adenosine (N-Bz)- 3'-CEP, M.W. 958.17	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5677	MMTr-2'-O-TBDMS-Guanosine (N-iBu)- 3'-CEP, M.W. 940.15	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5685	MMTr-2'-O-TBDMS-Cytidine (N-Bz)- 3'-CEP, M.W. 934.14	\$32.00	\$58.00	\$105.00	\$175.00
ANP-5688	MMTr-2'-O-TBDMS-Uridine- 3'-CEP, M.W. 831.02	\$32.00	\$58.00	\$105.00	\$175.00


Bulk quantities available : 10g, 100g, 500g,1000g - Please enquire prices

Advantages and Applications of 5'-MMTr in Purine Bases for Oligo Synthesis

Due to the use of 5-ethylthiotetrazole (in most DNA/RNA Synthesis protocols), which is more acidic in nature compared to 1-*H* tetrazole, the DMTr group from purine bases is removed to a certain extent in the coupling step during oligo synthesis, thereby causing undesired M+1 oligo growth.

Since the 5'-DMTr group in purine bases (A & G) cleave at much higher rate than 5'-MMTr group, the 5'-MMTr protected nucleoside phosphoramidites is preferable; thus, offering a minimal level of M+1 impurities.

Phosphoramidites and Supports for Natural RNA Synthesis



Natural RNA Supports with Standard Base Protection


B	Protection	Catalog #
A	N-Bz	N-6101
C	N-Bz	N-6102
G	N-/Bu	N-6103
U	N/A	N-6104
C	N-Ac	N-6106
A	N-Ac	N-6681

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.				each		pack of 10 cols.		
			100 mg	1 g	40 nmole	0.2 umole	1.0 umole	10 umole	15 umole	40 nmole	0.2 umole	1.0 umole
N-6101-05	2'-O-TBDMS-	500Å										
N-6101-10	Adenosine (<i>N</i> -Bz)-	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6101-20	3'-Icaa CPG	2000Å										
N-6102-05	2'-O-TBDMS-	500Å										
N-6102-10	Cytidine (<i>N</i> -Bz)-	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6102-20	3'-Icaa CPG	2000Å										
N-6103-05	2'-O-TBDMS-	500Å										
N-6103-10	Guanosine (<i>N</i> - <i>i</i> Bu)-	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6103-20	3'-Icaa CPG	2000Å										
N-6104-05	2'-O-TBDMS-Uridine-	500Å										
N-6104-10	3'-Icaa CPG	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6104-20		2000Å										
N-6106-05	2'-O-TBDMS-	500Å										
N-6106-10	Cytidine (<i>N</i> -Ac)-	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6106-20	3'-Icaa CPG	2000Å										
N-6681-05	2'-O-TBDMS-	500Å										
N-6681-10	Adenosine (<i>N</i> -Ac)-	1000Å	\$25	\$240	\$50	\$60	\$85	\$240	\$355	\$100	\$120	\$170
N-6681-20	3'-Icaa CPG	2000Å										

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural RNA Synthesis



Amidites for Natural RNA Synthesis with Labile (Mild) Base Protection


R	B	Protection	Catalog#	CAS No.
DMTr	A	N-PAC	ANP-6671	121058-86-4
DMTr	C	N-PAC	ANP-6672	
DMTr	G	N-PAC	ANP-6673	121058-87-5
MMTr	A	N-PAC	ANP-6678	
MMTr	G	N-PAC	ANP-6677	
DMTr	C	N-Ac	ANP-6676	121058-88-6
DMTr	G	N-Phenyl-Ac	ANP-5679	
DMTr	G	N- <i>i</i> prPAC	ANP-6679	
DMTr	C	N- <i>t</i> BPAC	ANP-6680	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-6671	2'-O-TBDMS-Adenosine (N-PAC)-3'-CEP, <i>M.W.</i> 1018.22	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6672	2'-O-TBDMS-Cytidine (N-PAC)-3'-CEP, <i>M.W.</i> 994.19	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6673	2'-O-TBDMS-Guanosine (N-PAC)-3'-CEP, <i>M.W.</i> 1034.22	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6678	MMT-2'-O-TBDMS-Adenosine (N-PAC)-3'-CEP, <i>M.W.</i> 988.19	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6677	MMT-2'-O-TBDMS-Guanosine (N-PAC)-3'-CEP, <i>M.W.</i> 1004.19	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6676	2'-O-TBDMS-Cytidine (N-Ac)-3'-CEP, <i>M.W.</i> 902.1	\$32.00	\$58.00	\$105.00	\$175.00	\$350.00
ANP-5679	2'-O-TBDMS-Guanosine (N-Phenyl-Ac)-3'-CEP, <i>M.W.</i> 1018.22	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6679	2'-O-TBDMS-Guanosine (N- <i>i</i> prPAC)-3'-CEP, <i>M.W.</i> 1076.30	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00
ANP-6680	2'-O-TBDMS-Cytidine (N- <i>t</i> BPAC)-3'-CEP, <i>M.W.</i> 1050.30	\$55.00	\$95.00	\$154.00	\$246.00	\$490.00

The capping reagent phenoxy acetic anhydride is recommended for capping during oligonucleotide synthesis and is available from ChemGenes, please see pages 19-25.

For a description of the advantages of using 5'-MMTr nucleoside phosphoramidites, please see page #55.

Phosphoramidites and Supports for Natural RNA Synthesis




Natural RNA Supports with Labile (Mild) Base Protection

B	Protection	Catalog #
A	N-PAC	N-P6101
C	N-PAC	N-P6102
G	N-PAC	N-P6103
U	N/A	N-6104
A	N-tBPAC	N-6207
G	N-tBPAC	N-6208

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.		
			100 mg	1 g	40 nmole	0.2 umole	1.0 umole	40 nmole	0.2 umole	1.0 umole
N-P6101-05	2'-O-TBDMS-Adenosine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-P6101-10	(N-PAC)-3'-lcaa CPG	1000Å								
N-P6102-05	2'-O-TBDMS-Cytidine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-P6102-10	(N-PAC)-3'-lcaa CPG	1000Å								
N-P6103-05	2'-O-TBDMS-Guanosine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-P6103-10	(N-PAC)-3'-lcaa CPG	1000Å								
N-6104-05	2'-O-TBDMS-Uridine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6104-10	Uridine-3'-lcaa CPG	1000Å								
N-6207-05	2'-O-TBDMS-Adenosine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6207-10	(N-tBPAC)-3'-lcaa CPG	1000Å								
N-6208-05	2'-O-TBDMS-Guanosine	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6208-10	(N-tBPAC)-3'-lcaa CPG	1000Å								

Phosphoramidites and Supports for Natural RNA Synthesis



Oxalyl RNA Supports with Labile Base (Mild) Protection for RNA Synthesis

B	Protection	Catalog #
A	N-PAC	N-5141
C	N-PAC	N-5142
G	N-PAC	N-5143
U	N/A	N-5144
G	N-iBu	N-5166

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.		
			100 mg	1 g	40 nmole	0.2 umole	1.0 umole	40 nmole	0.2 umole	1.0 umole
N-5141-05	3'-Oxalyl-2'-O-TBDMS-adenosine (N-PAC)-3'-Icaa CPG	500Å	\$48	\$336	\$70	\$88	\$106	\$130	\$166	\$202
N-5142-05	3'-Oxalyl-2'-O-TBDMS-cytidine (N-PAC)-3'-Icaa CPG	500Å	\$48	\$336	\$70	\$88	\$106	\$130	\$166	\$202
N-5143-05	3'-Oxalyl-2'-O-TBDMS-guanosine (N-PAC)-3'-Icaa CPG	500Å	\$48	\$336	\$70	\$88	\$106	\$130	\$166	\$202
N-5144-05	3'-Oxalyl-2'-O-TBDMS-uridine-3'-Icaa CPG	500Å	\$48	\$336	\$70	\$88	\$106	\$130	\$166	\$202

Ammonia Free Oligo Deprotection Solution should be used under the following Conditions:

PAC-Protected nucleoside phosphoramidites must be used for efficient base deprotection using ammonia free oligo deprotection solution.

1. Oxalyl CPGs are cleaved using ammonia free oligo deprotection solution.
2. The standard succinyl CPGs will not adequately deprotect when using ammonia free oligo deprotection solution.
3. The oligonucleotide bound to solid support CPG after oligonucleotide synthesis is ether washed, air dried, and is placed in a vial with a septum cap.
4. Ammonia free oligo deprotection solution is added using a syringe. This reaction is typically done at 37°C for 24 hours.

Step by step protocol is provided with the COA.


Ammonia Free Oligo Deprotection Solution

Catalog#	Pricing
RN-1435	\$35.00 / 25 ml
	\$55.00 / 50 ml
	\$75.00 / 100 ml

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural RNA Synthesis



2'-Acetal Levulinyl Ester (ALE), 5'-O-NPPOC for Natural RNA Synthesis

B	Protection	Catalog#
A	N-PAC	ANP-3211
C	N-/Bu	ANP-3212
G	N-PAC	ANP-3213
U	N/A	ANP-3214

Catalog #	Product Name	100mg	250mg	500mg	1g
ANP-3211	2'-O-ALE-5'-O-NPPOC-Adenosine (N-PAC) 3'-CEP, <i>M.W.</i> 936.90	\$178.00	\$415.00	\$664.00	\$1,060.00
ANP-3212	2'-O-ALE-5'-O-NPPOC-Cytidine (N-/Bu) 3'-CEP, <i>M.W.</i> 848.83	\$178.00	\$415.00	\$664.00	\$1,060.00
ANP-3213	2'-O-ALE-5'-O-NPPOC-Guanosine (N-PAC) 3'-CEP, <i>M.W.</i> 952.90	\$178.00	\$415.00	\$664.00	\$1,060.00
ANP-3214	2'-O-ALE-5'-O-NPPOC-Uridine 3'-CEP, <i>M.W.</i> 779.73	\$178.00	\$415.00	\$664.00	\$1,060.00

* ALE:Acetal Levulinyl Ester

* NPPOC: 2-(2-Nitrophenyl) propyloxycarbonyl


2'-O-ALE-5'-O-NPPOC-Ribonucleoside Phosphoramidites

Novel 2'-O-ALE (Acetal-Levulinyl-Ester)-5'-O-NPPOC phosphoramidites are now available for R & D in exciting field of RNA microarray technology. RNA synthesis utilizing these monomers on a microarray ("chip") has been successfully demonstrated (Lackey, J. G.; Mitra, D.; Somaza, M. M.; Cerrina, F.; Damha, M. J.; J. Am. Chem. Soc. 2009,131, 8496-8502).

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural RNA Synthesis



2'-O-Pivom-RNA Phosphoramidites for Natural RNA Synthesis

B	Protection	Catalog#
A	N-PAC	ANP-3216
C	N-Ac	ANP-3217
G	N- <i>i</i> pr-PAC	ANP-3218
U	N/A	ANP-3219

Catalog #	Product Name	250mg	500mg	1g	2g	5g	10g
ANP-3216	2'-O-Pivom-5'-O-DMTr-Adenosine (N-PAC)-3'-CEP, <i>M.W. 1018.10</i>	\$65.00	\$115.00	\$205.00	\$365.00	\$820.00	\$1,460.00
ANP-3217	2'-O-Pivom-5'-O-DMTr-Cytidine (N-Ac)-3'-CEP, <i>M.W. 901.98</i>	\$65.00	\$115.00	\$205.00	\$365.00	\$820.00	\$1,460.00
ANP-3218	2'-O-Pivom-5'-O-DMTr-Guanosine (N- <i>i</i> pr-PAC) 3'-CEP, <i>M.W. 1076.18</i>	\$65.00	\$115.00	\$205.00	\$365.00	\$820.00	\$1,460.00
ANP-3219	2'-O-Pivom-5'-O-DMTr-Uridine	\$65.00	\$115.00	\$205.00	\$365.00	\$820.00	\$1,460.00



* Pivom- Pivaloyloxymethyl

2'-O-Pivom-RNA Phosphoramidites

Single step mild base deprotection of RNA synthesized by 2'-O-Pivom (Pivaloyloxymethyl) technology is now offering the 2'-O-Pivom amides for R & D in RNA synthesis field (Lavergne, T.; Janim, M.; Dupoug, C.; Vasseuer, J. J.; Debart, F. "Chemical synthesis of RNA with base Labile 2'-O-(Pivaloyloxy methyl) protected Ribo nucleosides phosphoramidites" 2010, Curr Protoc Nucleic Acid Chem. Dec; Chapter 3:Unit3.19).

2'-O-PivOM-5-Methoxy-Uridine-3'-CEP

Catalog#
ANP-3781
Pricing
\$360.00 / 100 mg
\$810.00 / 250 mg
\$1290.00 / 500 mg




High Loading 5' Succinyl Polymeric Supports for RNA Synthesis (loading greater than 150 μ mol/g)

B	Protection	Catalog #
A	N-Bz	PMS-6321
C	N-Bz	PMS-6322
G	N- <i>i</i> Bu	PMS-6323
U	N/A	PMS-6324
C	N-Ac	PMS-6325

Catalog #	Product Name	Pore Size	Particle Size	1 g	2 g	5 g	10 g
PMS-6321-07	2'-O-TBDMS-Adenosine (N-Bz)-5'-succinyl Polymeric support	700-800Å	37-74 μ m	\$250	\$390	\$770	\$1,220
PMS-6322-07	2'-O-TBDMS-Cytidine (N-Bz)-5'-succinyl Polymeric support	700-800Å	37-74 μ m	\$250	\$390	\$770	\$1,220
PMS-6323-07	2'-O-TBDMS-Guanosine (N- <i>i</i> Bu) 5'-succinyl Polymeric support	700-800Å	37-74 μ m	\$250	\$390	\$770	\$1,220
PMS-6324-07	2'-O-TBDMS-Uridine 5'-succinyl Polymeric support	700-800Å	37-74 μ m	\$250	\$390	\$770	\$1,220
PMS-6325-07	2'-O-TBDMS-Cytidine (N-Ac) 5'-succinyl Polymeric support	700-800Å	37-74 μ m	\$250	\$390	\$770	\$1,220

Phosphoramidites and Supports for Natural RNA Synthesis




Succinyl Polystyrene Supports for RNA Synthesis

B	Protection	Catalog #
A	N-Bz	N-6211
C	N-Bz	N-6212
G	N- <i>i</i> Bu	N-6213
U	N/A	N-6214
C	N-Ac	N-6216

Catalog #	Product Name	Pore Size	Particle Size	Bulk Polystyrene Loading 30-40 $\mu\text{mol/g}$		pack of 4 cols.			pack of 10 cols.		
				100 mg	1 g	40 nmole	0.2 μmole	1.0 μmole	40 nmole	0.2 μmole	1.0 μmole
N-6211-03	2'-O-TBDMS-Adenosine (N-Bz)-3'-succinyl Polystyrene	300Å	60-70 μm	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6212-03	2'-O-TBDMS-Cytidine (N-Bz)-3'-succinyl Polystyrene	300Å	60-70 μm	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6213-03	2'-O-TBDMS-Guanosine (N- <i>i</i> Bu)-3'-succinyl Polystyrene	300Å	60-70 μm	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6214-03	2'-O-TBDMS-Uridine 3'-succinyl Polystyrene	300Å	60-70 μm	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-6216-03	2'-O-TBDMS-Cytidine (N-Ac) 3'-succinyl Polystyrene	300Å	60-70 μm	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160

ChemGenes has developed unique Polystyrene Supports and columns that have special appeal due to rigidity, swelling, and inertness towards moisture and water. Our supports have been checked for the synthesis of medium length oligos of varying sizes up to 40-mer.




High Loading 3' Succinyl Polymeric Supports for RNA Synthesis (loading greater than 150 $\mu\text{mol/g}$)

B	Protection	Catalog #
A	N-Bz	PMS-7611
C	N-Bz	PMS-7612
G	N- <i>i</i> Bu	PMS-7613
U	N/A	PMS-7614
C	N-Ac	PMS-7615

Catalog #	Product Name	Pore Size	Particle Size	1 g	2 g	5 g	10 g
PMS-7611-07	2'-O-TBDMS-Adenosine (N-Bz)-3'-succinyl Polymeric support	700-800Å	37-74 μm	\$240	\$380	\$760	\$1,210
PMS-7612-07	2'-O-TBDMS-Cytidine (N-Bz)-3'-succinyl Polymeric support	700-800Å	37-74 μm	\$240	\$380	\$760	\$1,210
PMS-7613-07	2'-O-TBDMS-Guanosine (N- <i>i</i> Bu)-3'-succinyl Polymeric support	700-800Å	37-74 μm	\$240	\$380	\$760	\$1,210
PMS-7614-07	2'-O-TBDMS-Uridine 3'-succinyl Polymeric support	700-800Å	37-74 μm	\$240	\$380	\$760	\$1,210
PMS-7615-07	2'-O-TBDMS-Cytidine (N-Ac) 3'-succinyl Polymeric support	700-800Å	37-74 μm	\$240	\$380	\$760	\$1,210

Phosphoramidites and Supports for Natural RNA Synthesis



RNA Methyl Phosphoramidites with Standard Base Protection


R	B	Protection	Catalog#
DMTr	A	N-Bz	ANP-5691
DMTr	C	N-Bz	ANP-5692
DMTr	G	N-iBu	ANP-5693
DMTr	U	N/A	ANP-5694
MMTr	A	N-Bz	ANP-5696
MMTr	G	N-iBu	ANP-5697

Catalog#	Product name	250mg	500mg	1g	2g	5g	10g
ANP-5691	2'-O-TBDMS-adenosine (N-Bz)-3'-methyl-phosphoramidite, <i>M.W. 949.16</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00
ANP-5692	2'-O-TBDMS-cytidine (N-Bz)-3'-methyl-phosphoramidite, <i>M.W. 925.13</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00
ANP-5693	2'-O-TBDMS-guanosine (N-iBu)-3'-methyl-phosphoramidite, <i>M.W. 901.11</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00
ANP-5694	2'-O-TBDMS-uridine-3'-P-O-methyl-phosphoramidite, <i>M.W. 822.01</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00
ANP-5696	5'-O-MMTr-2'-O-TBDMS-adenosine (N-Bz)-3'-methyl-phosphoramidite, <i>M.W. 919.13</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00
ANP-5697	5'-O-MMTr-2'-O-TBDMS-guanosine (N-iBu)-3'-methyl-phosphoramidite, <i>M.W. 965.16</i>	\$45.00	\$680.00	\$140.00	\$250.00	\$630.00	\$1,130.00

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural RNA Synthesis



RNA Methyl Phosphoramidites with Labile (Mild) Base Protection

R	B	Protection	Catalog#
DMTr	A	N-PAC	ANP-3861
DMTr	C	N-PAC	ANP-3862
DMTr	G	N-PAC	ANP-3863
MMTr	A	N-PAC	ANP-3866
MMTr	G	N-PAC	ANP-3867


Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-3861	2'-O-TBDMS-adenosine (N-PAC)- 3'-methyl-phosphoramidite, <i>M.W. 979.18</i>	\$90.00	\$175.00	\$335.00	\$645.00	\$1,550.00
ANP-3862	2'-O-TBDMS-cytidine (N-PAC)- 3'-methyl-phosphoramidite, <i>M.W. 955.16</i>	\$90.00	\$175.00	\$335.00	\$645.00	\$1,550.00
ANP-3863	2'-O-TBDMS-guanosine (N-PAC)- 3'-methyl-phosphoramidite, <i>M.W. 995.18</i>	\$90.00	\$175.00	\$335.00	\$645.00	\$1,550.00
ANP-3866	5'-O-MMTr-2'-O-TBDMS-adenosine (N-PAC)- 3'-methyl-phosphoramidite, <i>M.W. 949.16</i>	\$100.00	\$190.00	\$375.00	\$735.00	\$1,800.00
ANP-3867	5'-O-MMTr-2'-O-TBDMS-guanosine (N-PAC)- 3'-methyl-phosphoramidite, <i>M.W. 965.16</i>	\$100.00	\$190.00	\$375.00	\$735.00	\$1,800.00

- For natural phosphodiester oligonucleotide, use thiophenol solution (catalog#: RN-1465 on pages 19-25) to thoroughly remove the P-methoxy group prior to ethanolic ammonia deprotection.
- To make P-methoxy phosphotriester oligonucleotides, use our ammonia free deprotection solution listed on page 101.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Natural RNA Synthesis




Reverse RNA Amidites for RNA Synthesis Reverse Direction (5'→3')

B	Protection	Catalog#
A	N-Bz	ANP-3401
C	N-Bz	ANP-3402
C	N-Ac	ANP-3405
G	N-iBu	ANP-3403
U	N/A	ANP-3404
G	N- <i>ipr</i> PAC	ANP-3406

Catalog #	Product Name	250mg	500mg	1g	2g	5g	10g
ANP-3401	2'-O-TBDMS-Adenosine (N-Bz)-5'-CEP, M.W. 988.19	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00
ANP-3402	2'-O-TBDMS-Cytidine (N-Bz)-5'-CEP, M.W. 964.17	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00
ANP-3405	2'-O-TBDMS-Cytidine (N-Ac)-5'-CEP, M.W. 902.10	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00
ANP-3403	2'-O-TBDMS-Guanosine (N-iBu)-5'-CEP, M.W. 970.18	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00
ANP-3404	2'-O-TBDMS-Uridine-5'-CEP, M.W. 861.05	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00
ANP-3406	2'-O-TBDMS-Guanosine (N- <i>ipr</i> PAC)-5'-CEP, M.W. 1076.30	\$41.00	\$72.00	\$105.00	\$190.00	\$405.00	\$725.00

Note: ANP-3406 has better solubility as compared to ANP-3403 in anhydrous acetonitrile.

Bulk quantities available : 10 g, 100 g, 500 g - Please enquire prices



Supports for Reverse RNA Synthesis (5'→3')

B	Protection	Catalog #
A	N-Bz	N-6201
C	N-Bz	N-6202
C	N-Ac	N-6205
G	N-iBu	N-6203
U	N/A	N-6204
G	N- <i>ipr</i> PAC	N-6209

Catalog #	Product Name	Pore Size	100 mg	Bulk CPG		pack of 4 cols.			pack of 10 cols.	
				1 g	40 nmole	0.2 umole	1.0 umole	40 nmole	0.2 umole	1.0 umole
N-6201-05	2'-O-TBDMS-Adenosine (N-Bz)-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6201-10	(N-Bz)-5'-Icaa CPG	1000Å								
N-6202-05	2'-O-TBDMS-Cytidine (N-Bz)-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6202-10	(N-Bz)-5'-Icaa CPG	1000Å								
N-6206-05	2'-O-TBDMS-Cytidine (N-Ac)-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6206-10	(N-Ac)-5'-Icaa CPG	1000Å								
N-6203-05	2'-O-TBDMS-Guanosine (N-iBu)-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6203-10	(N-iBu)-5'-Icaa CPG	1000Å								
N-6204-05	2'-O-TBDMS-Uridine-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6204-10	5'-Icaa CPG	1000Å								
N-6209-05	2'-O-TBDMS-Guanosine-(N- <i>ipr</i> PAC)-5'-Icaa CPG	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-6209-10	(N- <i>ipr</i> PAC)-5'-Icaa CPG	1000Å								

Phosphoramidites and Supports for Natural RNA Synthesis

Highlights of Reverse RNA Synthesis:⁽¹⁻⁵⁾

High Purity Synthetic RNA Synthesis in Reverse Direction (5'→3')

Leads to Smooth 3'-conjugation of functional macromolecules to Synthetic RNA. Synthesized oligo's are completely free of M+1 species.




Figure 1. Capillary Gel Electrophoresis (CE) of 21-mer RNA with 3'-Cholesterol-TEG linker. Reverse direction (5'→3') synthesis and HPLC purification. 1 umole scale. Purity; 99.9%.




Figure 2a. Capillary Gel Electrophoresis (CE) of the HPLC purified 21-mer RNA with 3'-PEG (Poly ethyleneglycol; MW; 2000). Made by Reverse RNA synthesis method (5'→3'-direction). Expedite model 8909- 1 μmole scale. Purity; 100%




Figure. 2b. ESI/MS Spectral analysis of 21-mer RNA with 3'-PEG-2000 attachment. The synthesis in (5'→3' direction). The PEG-2000 amidite (ChemGenes Cat# CLP-3119) as last step.

Note: There is a distribution of at least 14 PEG species of the RNA on both sides of the Calculated molecular weight with PEG-2000. Thus species from 8417.1 to 8945.3 are present with a molecular weight difference of a glycol unit (+/- 44).


Salient Features:

- Significant amount of (M-1) impurities are generated in the conventional method (3'→5'-direction).
- Insignificant amount of (M-1) impurities are generated in the reverse RNA synthesis (5'→3' direction).
- The purified RNA synthesized by reverse RNA synthesis are high purity.
- The features mentioned above is much more evident in the synthesis of 3'-end cholesterol attached RNA. It is easier to purify RNA with cholesterol at 3'-end synthesized by reverse RNA synthesis.
- M+1 impurities are essentially absent in the RNAs synthesized by reverse RNA synthesis method. It is postulated that in the molecule, ribonucleoside 3'-O-DMTr-2'-O-TBDMS-5'-phosphoramidites, the 3'-O-DMTr group is not cleaved by 5-ethylthiotetrazole during the coupling time of oligonucleotide chain extension.
- RNA containing macromolecules at the 3'-end which are generally inaccessible by conventional methods (3'→5') are easily synthesized by reverse RNA synthesis (5'→3' direction). These RNAs can be produced in high purity.
- 3'-PEG RNA (21-mer) was synthesized; after purification the oligonucleotide was essentially 100% pure.
- Shorter coupling time (~2 min) is used for Inverse RNA phosphoramidites coupling.

References:

1. Srivastava, S.C., Srivastava, N.P., RNA Synthesis in the Reverse Direction, **2011**, PCT Int. App., WO2011103468.
2. Srivastava, S.C., Srivastava, N.P., RNA Synthesis in the Reverse Direction, **2011**, PCT App., Pub. US20110137010.
3. Srivastava, S.C., Pandey, D., Srivastava, N., Bajpai, S.P., RNA Synthesis in the Reverse Direction, **2010**, WO2010027512.
4. Srivastava, S.C., Pandey, D., Srivastava, N., Bajpai, S.P., RNA Synthesis in the Reverse Direction, **2011**, *Current Protocols in Nucleic Acid Chemistry*; Unit3.20.

Phosphoramidites and Supports for Natural RNA Synthesis



TOM Amidites for RNA Synthesis, Labile Base Protection

B	Protection	Catalog#	CAS No.
A	N-Ac	ANP-3201	253586-13-9
C	N-Ac	ANP-3202	253586-12-8
G	N-Ac	ANP-3203	253586-14-0
U	N/A	ANP-3205	220230-62-6

Catalog #	Product Name	250mg	500 mg	1g	5g	10g
ANP-3201	2'-O-TOM-Adenosine (N-Ac) 3'-CEP, M.W. 998.23	\$55	\$120	\$245	\$980	\$1,630
ANP-3202	2'-O-TOM-Cytidine (N-Ac)- 3'-CEP, M.W. 974.18	\$55	\$120	\$245	\$980	\$1,630
ANP-3203	2'-O-TOM-Guanosine (N-Ac)- 3'-CEP, M.W. 1014.15	\$55	\$120	\$245	\$980	\$1,630
ANP-3205	2'-O-TOM-Uridine- 3'-CEP, M.W. 932.75	\$55	\$120	\$245	\$980	\$1,630

2'-O-TOM-5-Methoxy-Uridine-3'-CEP


TOM: Triisopropylsilyloxymethyl

Catalog#
ANP-3799

Pricing
\$315.00 / 100 mg
\$700.00 / 250 mg
\$1260.00 / 500 mg

Purity: 99% +

C₅₀H₇₁N₄O₁₁PSi
Mol.Wt.: 963.19



TOM RNA Supports with Labile Base Protection

B	Protection	Catalog #
A	N-Ac	N-32001
C	N-Ac	N-32002
G	N-Ac	N-32003
U	N/A	N-32005

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.		
			100 mg	1 g	40 nmole	0.2 umole	1.0 umole	40 nmole	0.2 umole	1.0 umole
N-3201-05	2'-O-TOM-Adenosine (N-Ac)-	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-3201-10	3'-lcaa-CPG	1000Å								
N-3202-05	2'-O-TOM-Cytidine (N-Ac)-	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-3202-10	3'-lcaa-CPG	1000Å								
N-3203-05	2'-O-TOM-Guanosine (N-Ac)-	500Å	\$35	\$245	\$50	\$65	\$80	\$100	\$130	\$160
N-3203-10	3'-lcaa-CPG	1000Å								
N-3205-05	2'-O-TOM-Uridine-	500Å	\$25	\$240	\$50	\$60	\$85	\$100	\$120	\$170
N-3205-10	3'-lcaa CPG	1000Å								

Phosphoramidites and Supports for Modified RNA Synthesis

Summary of Phosphoramidites and Supports for Synthesis of Modified RNA

ChemGenes produces a wide range of modified RNA phosphoramidites and supports.

Our key modifications are summarized below:

Unnatural 2',5'-Linkage amidites

*N*³-Methyl & *N*³-Thiobenzylethyl pyrimidine amidites

Includes *N*³-Methyl-uridine, *N*³-Methyl-ribothymidine & *N*³-Thiobenzoylethyl-uridine Amidites & Supports.

Inosine, *ribo*-Thymidine, 5-Methyl Cytidine and 2, 2'-Anhydro Uridine Amidites & Supports

*N*⁶-Substituted Purine Amidites & Supports

Includes *N*⁶-Benzyl-adenosine and *N*⁶-Isopentenyl-adenosine Amidites & Supports.

Puromycin (3'-deoxy *N*, *N*'-dimethyl-3'-[(*O*-methyl-L-tyrosyl)amino] adenosine) CPG

*N*⁴-Ethyl-Cytidine, 4-Thio-U and Pyrimidine-2-one (Zebularine) Products

2'-Fluoro and 2'-Amino Amidites & Supports

Includes 2'-Fluoro-C, 2'-Fluoro-U, 2'-Amino-C, 2'-Amino-U

2'-Amino-adenosine, Purine-riboside, & 2-Amino-purine-riboside

5-Halo pyrimidines & 8-Halo purine amidites & Supports

Includes 5-Bromo-cytidine, 5-Bromo-uridine, 5-Iodo-cytidine, 5-Iodo-uridine, 5-Fluoro-uridine, and 8-Bromo-adenosine

7-Deaza Amidites & Supports


7-Deaza-7-Modified Amidites & Supports

Iso-C and iso-G Amidites & Supports

2',3'-O-Diacetyl-guanosine & Uridine

L-RNA Amidites & Supports

Phosphoramidites and Supports for Modified RNA Synthesis



Unnatural 2',5' Linkage RNA Amidites with Standard Base Protection

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-5681	
C	N-Bz	ANP-5682	
G	N-iBu	ANP-5683	
U	N/A	ANP-5684	129451-77-0
C	N-Ac	ANP-5686	
I	N/A	ANP-5687	

Catalog#	Product name	250mg	500mg	1g	2g	5g
ANP-5681	3'-O-TBDMS-Adenosine (N-Bz)- 2'-CEP, <i>M.W. 988.19</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00
ANP-5682	3'-O-TBDMS-Cytidine (N-Bz)- 2'-CEP, <i>M.W. 964.17</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00
ANP-5683	3'-O-TBDMS-Guanosine (N-iBu)- 2'-CEP, <i>M.W. 970.18</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00
ANP-5684	3'-O-TBDMS-Uridine- 2'-CEP, <i>M.W. 861.05</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00
ANP-5686	3'-O-TBDMS-Cytidine (N-Ac)- 2'-CEP, <i>M.W. 902.10</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00
ANP-5687	3'-O-TBDMS-Inosine- 2'-CEP, <i>M.W. 885.07</i>	\$80.00	\$150.00	\$290.00	\$510.00	\$1,140.00

For Supports, see page# 56

*Currently we are offering 2'-O-TBDMS-Succinyl Icaa CPG Products instead of 3'-O-TBDMS-Succinyl Icaa CPG which we offered in the past.

Synthesis of Unnatural RNA 2'-5'-linked Oligos

ChemGenes offers a wide variety of 3'-O-TBDMS protected ribonucleoside phosphoramidites that allow the synthesis of 2'-5'-linked oligos. The low molecular weight oligomer 5'-O-triphosphoryl adenylyl-(2'-5')-adenylyl-(2'-5')-adenosine (pppA2'p5'A2'p5'A) activates the latent endo-ribonuclease RNase L, which subsequently cleaves the messenger and ribosomal RNAs (Charubala, R.; Uhlmann, E.; Himmelsbach, F.; Pfeleiderer, W. *Helv. Chem. Acta* **1987**, 70, 2028).


Such oligonucleotides are very useful to determine their exact biological role, to extend their biological half life, or to alter the biological activity of the core structure (A2'p5'A2'p5'A) (Jamoulle, J. C.; Imai, J.; Lesiak, K.; Torrence, P. F. *Biochemistry*, **1984**, 23, 3063).

2',5'-linked synthetic RNA sequences consisting of mixed bases and their duplexes are not substrates of the enzyme RNase H (Escherichia coli or HIV-1 reverse transcriptase). However, they can inhibit the RNaseH mediated cleavage of a natural DNA/RNA substrate (Wasner, M.; Arion, D.; Borkow, G.; Noronha, A.; Uddin, H. J.; Parniak, M. A.; Damha, M. J. *Biochemistry* **1998**, 37, 7478-7486).

Phosphoramidites and Supports for Modified RNA Synthesis

*N*³-Methyl-2'-O-TBDMS-Uridine-3'-CEP

(*N*³-Methyl-2'-O-TBDMS-Uridine-3'-CEP)



C₄₆H₆₃N₄O₉PSi
Mol. Wt.: 875.07

Catalog#

ANP-7451

Pricing

\$160.00 / 100 μmole


\$410.00 / 250 mg

\$740.00 / 500 mg

Purity: 98% +

*N*³-Methyl-2'-O-TBDMS-RiboThymidine-3'-CEP

(*N*³-Methyl-2'-O-TBDMS-ribo-thymidine-3'-CEP)



C₄₇H₆₅N₄O₉PSi
Mol. Wt.: 889.10

Catalog#

ANP-7461

Pricing


\$200.00 / 100 μmole

\$500.00 / 250 mg

\$900.00 / 500 mg

Purity: 98% +

*N*³-Thiobenzoyl-ethyl-2'-O-TBDMS-Uridine-3'-CEP



C₅₄H₆₉N₄O₁₀PSSi
Mol. Wt.: 1025.27

Catalog#

ANP-7441

Pricing


\$300.00 / 100 μmole

\$620.00 / 250 mg

\$1115.00 / 500 mg

Purity: 98% +

8-Methyl-2'-O-TBDMS-Guanosine-3'-CEP



C₅₁H₇₀N₇O₉PSi
Mol. Wt.: 984.20

Catalog#

ANP-6274

Pricing

\$350.00 / 100 μmole

\$795.00 / 250 mg

\$1430.00 / 500 mg

Purity: 99% +

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9814-05	<i>N</i> ³ -Methyl-2'-O-TBDMS-	500Å	\$75	\$475	\$90	\$120	\$180	\$240
N-9814-10	uridine-3'-Icaa CPG	1000Å						
N-9816-05	<i>N</i> ³ -Methyl-2'-O-TBDMS-	500Å	\$75	\$475	\$90	\$120	\$180	\$240
N-9816-10	-thymidine-3'-Icaa CPG	1000Å						
N-9828-05	<i>N</i> ³ -Thiobenzoyl-ethyl-2'-O-	500Å	\$110	\$475	\$120	\$165	\$220	\$340
N-9828-10	TBDMS-Uridine-3'-Icaa CPG	1000Å						
N-9909-05	8-Methyl-2'-O-TBDMS-	500Å	\$110	\$475	\$120	\$165	\$220	\$340
N-9909-10	guanosine (<i>N</i> -iBu)-3'-Icaa CPG	1000Å						

*N*³-Methyl-uridine and *N*³-Methyl-thymidine are the results of chemical carcinogens on DNA/RNA. In general, alkylation products are formed at the ring-nitrogen atoms and the exocyclic oxygen atoms of all four bases as well as at the oxygen atoms of the internucleotide phosphate bonds. Such adducts can initiate neoplastic transformations (Singer, B., Kusmierek, J. T., *Ann. Rev. Biochem.* **1982**, 52, 522; Saffhill, R., Margison, G. P., O'Connor, P. J. *Biochim. Biophys. Acta* **1985**, 823, 111).


The individual alkylation products are thought to possess different mutagenic and carcinogenic properties (*Nucl. Acids Res.* **1992**, 20, 6471).

*N*³-Methyl-uridine phosphoramidite and *N*³-Methyl-thymidine phosphoramidite are currently available from ChemGenes for incorporation into RNA/DNA to further study the biochemical nature of these oligonucleotides. It is important to gain an understanding of these ring-nitrogen modified bases for eventual damage repairs.

Phosphoramidites and Supports for Modified RNA Synthesis

5-Methyl-2'-O-TBDMS-Cytidine-3'-CEP

(5'-O-DMTr-5-Methyl-2'-O-TBDMS-cytidine (N-Bz)-3'-CEP)



Catalog#

ANP-5675

Pricing

\$120.00 / 100 μ mole


\$290.00 / 250 mg

\$520.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-RiboThymidine-3'-CEP

(5'-O-DMTr-2'-O-TBDMS-thymidine-3'-CEP)



Catalog#

ANP-7511

Pricing

\$185.00 / 100 μ mole


\$480.00 / 250 mg

\$864.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-Inosine-3'-CEP

(5'-O-DMTr-2'-O-TBDMS-inosine-3'-CEP)



Catalog#

ANP-5680

Pricing

\$280.00 / 250 mg


\$450.00 / 500 mg

\$720.00 / 1 g

Purity: 98% +

2,2'-Anhydro-Uridine-3'-CEP

(5'-O-DMTr-2,2'-Anhydro-uridine-3'-CEP)



Catalog#

ANP-4876

Pricing


\$165.00 / 100 μ mole

\$510.00 / 250 mg

\$920.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-5-Methoxy Uridine-3'-CEP



Catalog#

ANP-3782

Pricing


\$360.00 / 100 mg

\$610.00 / 250 mg

\$1290.00 / 500 mg

Purity: 98% +

3'-O-TBDMS-5-Methoxy Uridine-2'-CEP



Catalog#

ANP-3783

Pricing

\$330.00 / 100 mg

\$710.00 / 250 mg

\$1290.00 / 500 mg

Purity: 98% +


3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9822-05	5-Methyl-2'-O-TBDMS-	500Å	\$60	\$475	\$75	\$110	\$150	\$210
N-9822-10	cytidine (N-Bz)-3'-Icaa CPG	1000Å						
N-8477-05	2'-O-TBDMS-ribothymidine-	500Å	\$110	\$545	\$75	\$90	\$150	\$180
N-8477-10	3'-Icaa CPG	1000Å						
N-8370-05	2'-O-TBDMS-inosine-	500Å	\$75	\$425	\$50	\$65	\$100	\$130
N-8370-10	3'-Icaa CPG	1000Å						
N-9810-05	2,2'-Anhydro-uridine-	500Å	\$60	\$485	\$60	\$75	\$120	\$150
N-9810-10	3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified RNA Synthesis

*N*⁶-Benzyl-2'-O-TBDMS-adenosine-3'-CEP

(*N*⁶-Benzyl-2'-O-TBDMS-adenosine-3'-CEP)



Catalog#

ANP-8614

Pricing

\$365.00 / 100 μmole


\$790.00 / 250 mg

\$1260.00 / 500 mg

Purity: 98% +

*N*⁶-Isopentenyl-2'-O-TBDMS-adenosine-3'-CEP

(*N*⁶-isopentenyl-2'-O-TBDMS-adenosine-3'-CEP)



Catalog#

ANP-8615

Pricing


\$365.00 / 100 μmole

\$790.00 / 250 mg

\$1260.00 / 500 mg

Purity: 98% +

*N*⁴-Ethyl-2'-O-TBDMS-cytidine-3'-CEP



Catalog#

ANP-4165

Pricing


\$265.00 / 100 μmole

\$594.00 / 250 mg

\$952.00 / 500 mg

Purity: 98% +

*N*⁶,*N*⁶-Dimethyl-2'-O-TBDMS-adenosine-3'-CEP



Catalog#

ANP-8626

Pricing

\$365.00 / 100 μmole

\$840.00 / 250 mg

\$1340.00 / 500 mg


Purity: 98% +

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9824-05	<i>N</i> ⁴ -Ethyl-2'-O-TBDMS-	500Å	\$ 60	\$525	\$85	\$125	\$170	\$250
N-9824-10	cytidine-3'-Icaa CPG	1000Å						
N-9050-05	<i>N</i> ⁶ -Benzyl-2'-O-TBDMS-	500Å	\$120	\$800	\$105	\$170	\$210	\$340
N-9050-10	adenosine-3'-Icaa CPG	1000Å						
N-9060-05	<i>N</i> ⁶ -Isopentenyl-2'-O-TBDMS-	500Å	\$125	\$810	\$110	\$175	\$220	\$350
N-9060-10	adenosine-3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified RNA Synthesis

4-Thiocyanoethyl-2'-O-TBDMS-Uridine-3'-CEP




Catalog#
ANP-8101

Pricing
\$350.00 / 100 μmole
\$840.00 / 250 mg
\$1510.00 / 500 mg

Purity: 98% +

$C_{48}H_{64}N_5O_8PSi$
 Mol. Wt.: 930.1

4(1,2,4-Triazolyl)-2'-O-TBDMS-Uridine-3'-CEP




Catalog#
ANP-9167

Pricing
\$350.00 / 100 μmole
\$810.00 / 250 mg
\$1380.00 / 500 mg

Purity: 98% +

$C_{47}H_{62}N_7O_8PSi$
 Mol. Wt.: 912.

2'-O-TBDMS-Pyrimidin-2-one-3'-CEP; Zebularine CEP




Catalog#
ANP-8611

Pricing
\$240.00 / 100 μmole
\$630.00 / 250 mg
\$1130.00 / 500 mg

Purity: 98% +
CAS No. 155831-90-6

$C_{45}H_{61}N_4O_8PSi$
 Mol. Wt.: 845.05

2-Thio-2'-O-TBDMS-Uridine (N3/O4-toluoyl)-3'-CEP




Catalog#
ANP-9216

Pricing
\$320.00 / 100 μmole
\$725.00 / 250 mg
\$1300.00 / 500 mg

Purity: 98% +

$C_{53}H_{68}N_4O_9SiPS$
 Mol. Wt.: 986.99

Puromycin 2'-succinyl lcaa CPG




N-1971-05/10

Succinyl lcaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9020-05	2'-O-TBDMS-Pyridine-2-One	500Å	\$105	\$685	\$95	\$145	\$190	\$290
N-9020-10	3'-lcaa CPG (Zebularine CPG)	1000Å						
N-4617-05	2'-O -TBDMS-Pseudouridine - 3'-lcaa CPG	500Å	\$60	\$525	\$85	\$125	\$170	\$250
N-1971-05	3'-O-Methyl-Tyrosine-	500Å	\$108	\$896	\$108	\$190	\$216	\$380
N-1971-10	Puromycin-2'-lcaa CPG	1000Å						

Phosphoramidites and Supports for Modified RNA Synthe

5'-DMT-2'-O-TBDMS-Pseudo-Uridine-3'-CEP



$C_{45}H_{61}N_4O_9PSi$
Mol. Wt.: 861

Catalog#

ANP-8612

Pricing

\$345.00 / 100 mg


\$995.00 / 250 mg

\$1790.00 / 500 mg

Purity: 98% +

CAS No. 163496-23-9

5'-DMT-2'-O-Methoxy -Pseudo Uridine-3'-CEP



$C_{40}H_{49}N_4O_9P$
Mol. Wt.: 760.82

Catalog#

ANP-3614

Pricing


\$300.00 / 100 mg

\$700.00 / 250 mg

\$1290.00 / 500 mg

Purity: 98% +

5'-DMT-2'-O-PivOM-N1-Methyl Pseudo-Uridine-3'-CEP



$C_{46}H_{59}N_4O_{11}P$
Mol. Wt.: 874.97

Catalog#

ANP-3619

Pricing


\$370.00 / 100 mg

\$830.00 / 250 mg

\$1490.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-Pseudouridine 3'-Icaa CPG



$C_{46}H_{59}N_4O_{11}P$
Mol. Wt.: 874.97


Catalog#

N-4617-05

Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 umole	1.0 umole	0.2 umole	1.0 umole
N-4617-05	2'-O -TBDMS-Pseudouridine - 3'-Icaa CPG	500Å	\$60	\$525	\$85	\$125	\$170	\$250


Phosphoramidites and Supports for Modified RNA Synthesis



2'-Fluoro-2'-deoxy Amidites with Base Protection

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-9151	136834-22-5
A	N-DMF	ANP-9157	
C	N-Ac	ANP-9152	159414-99-0
G	N-iBu	ANP-9153	
G	N-DMF	ANP-9159	
U	N/A	ANP-9154	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-9151	2'-Fluoro-2'-deoxyadenosine (N-Bz)- 3'-CEP, M.W. 875.92	\$115.00	\$205.00	\$320.00	\$526.00	\$1,055.00
ANP-9157	2'-Fluoro-2'-deoxyadenosine (N-DMF)- 3'-CEP, M.W. 826.9	\$125.00	\$225.00	\$360.00	\$576.00	\$1,260.00
ANP-9152	2'-Fluoro-2'-deoxycytidine (N-Ac) 3'-CEP, M.W. 789.83	\$105.00	\$190.00	\$305.00	\$490.00	\$980.00
ANP-9153	2'-Fluoro-2'-deoxyguanosine (N-iBu) 3'-CEP, M.W. 857.91	\$115.00	\$205.00	\$320.00	\$526.00	\$1,055.00
ANP-9159	2'-Fluoro-2'-deoxyguanosine (N-DMF) 3'-CEP, M.W. 842.89	\$125.00	\$225.00	\$360.00	\$576.00	\$1,260.00
ANP-9154	2'-Fluoro-2'-deoxyuridine 3'-CEP, M.W. 748.78	\$105.00	\$190.00	\$305.00	\$490.00	\$980.00



2'-Fluoro-2'-deoxy Nucleosides Supports with base Protection

B	Protection	Catalog #
A	N-Bz	N-1058
A	N-DMF	N-1067
C	N-Ac	N-1057
G	N-iBu	N-1055
G	N-DMF	N-1069
U	N/A	N-1056

Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.		pack of 10 cols.	
			100 mg	0.2 umole	1.0 umole	0.2 umole	1.0 umole
N-1058-05	2'-Fluoro-2'-deoxyadenosine (N-Bz)	500Å	\$110	\$145	\$165	\$295	\$365
N-1058-10	3'-Icaa CPG	1000Å					
N-1067-05	2'-Fluoro-2'-deoxyadenosine (N-DMF)	500Å	\$110	\$145	\$165	\$295	\$365
N-1067-10	3'-Icaa CPG	1000Å					
N-1057-05	2'-Fluoro-2'-deoxycytidine (N-Ac)	500Å	\$85	\$105	\$125	\$210	\$250
N-1057-10	3'-Icaa CPG	1000Å					
N-1055-05	2'-Fluoro-2'-deoxyguanosine (N-iBu)	500Å	\$110	\$145	\$165	\$295	\$365
N-1055-10	3'-Icaa CPG	1000Å					
N-1069-05	2'-Fluoro-2'-deoxyguanosine (N-DMF)	500Å	\$110	\$145	\$165	\$295	\$365
N-1069-10	3'-Icaa CPG	1000Å					
N-1056-05	2'-Fluoro-2'-deoxyuridine	500Å	\$85	\$105	\$125	\$210	\$250
N-1056-10	3'-Icaa CPG	1000Å					


2'-Fluoro nucleoside phosphoramidites:

A number of 2'-deoxy-2'-fluoro nucleosides have been found to display significant biological activity as nucleosides and as triphosphates, and are used as versatile probes for DNA and RNA polymerases (see review article; Viani, F., Stereochemical Challenges and Biomedical Targets; Soloshonola, V.A. Ed. Chapter 13, pp 419-449, John Wiley & Sons Ltd. 1999; Wright G.E., Brown N.C. *Ther. Pharmacol.* 1990, 47, 447). The incorporation of the deoxyfluoronucleosides into oligonucleotides imparts very interesting biological properties to fluorinated oligomers (Reif, B., Wittmann, V., Schwalbe, H., Griesinger, C., Jahn-Hofmann, K., Engels, J.W. *Helv. Chim. Acta* 1997, 80, 1952).


Phosphoramidites and Supports for Modified RNA Synthesis

2'-Fluoro-2'-deoxy Amidites with labile Base Protection

2'-Fluoro-2'-deoxyadenosine (N-PAC)-3'-CEP


 $C_{48}H_{53}FN_7O_9P$ Mol. Wt.: 905.95	Catalog# ANP-9131 Pricing \$60.00 / 100 μmole \$130.00 / 250 mg \$210.00 / 500 mg \$336.00 / 1 g Purity: 98% +
---	---

2'-Fluoro-2'-deoxyguanosine (N-iPrPAC)-3'-CEP


 $C_{51}H_{59}FN_7O_9P$ Mol. Wt.: 964.03	Catalog# ANP-9134 Pricing \$60.00 / 100 μmole \$130.00 / 250 mg \$210.00 / 500 mg \$336.00 / 1 g Purity: 98% +
--	---

2'-Fluoro-2'-deoxy Amidites for Reverse Direction Synthesis


2'-Fluoro-2'-deoxycytidine (N-Ac)-5'-CEP

 $C_{41}H_{49}FN_3O_8P$ Mol. Wt.: 789.83	Catalog# ANP-8192 Pricing \$60.00 / 100 μmole \$130.00 / 250 mg \$210.00 / 500 mg \$336.00 / 1 g CAS No. 159414-99-0 Purity: 98% +
---	--

2'-Fluoro-2'-deoxyuridine-5'-CEP

 $C_{39}H_{46}FN_2O_8P$ Mol. Wt.: 748.78	Catalog# ANP-8194 Pricing \$60.00 / 100 μmole \$130.00 / 250 mg \$210.00 / 500 mg \$336.00 / 1 g CAS No. 146954-75-8 Purity: 98% +
--	--

Phosphoramidites and Supports for Modified RNA Synthesis



2'-Deoxy-2'-Fluoro-5-Methyl Amidites with Base Protection

B	Protection	Catalog#
5-Me C	N-Ac	ANP-9231
5-Me C	N-Bz	ANP-9232
5-Me U	N/A	ANP-9233

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-9231	2'-Fluoro-5-methyl-2'-deoxy-cytidine (N-Ac)-3'-CEP, <i>M.W. 803.86</i>	\$120.00	\$215.00	\$385.00	\$690.00	\$1,240.00
ANP-9232	2'-Fluoro-5-methyl-2'-deoxy-cytidine (N-Bz)-3'-CEP, <i>M.W. 865.92</i>	\$120.00	\$215.00	\$385.00	\$690.00	\$1,240.00
ANP-9233	2'-Fluoro-5-methyl-2'-deoxy uridine-3'-CEP, <i>M.W. 762.80</i>	\$120.00	\$215.00	\$385.00	\$690.00	\$1,240.00

2'-Fluoro-2'-deoxyinosine-3'-CEP

Catalog#
ANP-9234

Pricing
\$255.00 / 100 μ mole
\$655.00 / 250 mg
\$1025.00 / 500 mg

Purity: 98% +

$C_{40}H_{46}FN_6O_7P$
Mol. Wt.: 772.80

2'-Fluoro-5-Iodo-2'-deoxyuridine-3'-CEP

Catalog#
ANP-9235


Pricing
\$255.00 / 100 μ mole
\$655.00 / 250 mg
\$1025.00 / 500 mg

Purity: 98% +

$C_{39}H_{45}FIN_4O_8P$
Mol. Wt.: 874.6

Phosphoramidites and Supports for Modified RNA Synthesis

2'-O-TBDMS-2,6-Diamino-purine(*N*², *N*⁶-dipac)-3'-CEP
(2-Amino-2'-O-TBDMS-adenosine-3'-CEP)



Catalog#

ANP-8613

Pricing


\$325.00 / 100 μ mole

\$625.00 / 250 mg

\$1125.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-purine-ribose-3'-CEP; Nebularine CEP
(2'-O-TBDMS-purine-Riboside-3'-CEP)



Catalog#

ANP-8616

Pricing


\$245.00 / 100 μ mole

\$630.00 / 250 mg

\$1130.00 / 500 mg

Purity: 98% +

2-Amino-2'-O-TBDMS-purine (N-iBu)-ribose-3'-CEP
(2'-O-TBDMS-2-Amino-purine (N-iBu)-ribose-3'-CEP)



Catalog#

ANP-8617

Pricing


\$ 295.00 / 100 μ mole

\$ 690.00 / 250 μ mole

\$1210.00 / 500 mg

Purity: 98% +

2-Amino-2'-O-TBDMS-purine (N-DMF)-ribose-3'-CEP
(2'-O-TBDMS-2-Amino-purine (N-DMF)-ribose-3'-CEP)



Catalog#

ANP-8619

Pricing

\$370.00 / 100 μ mole

\$880.00 / 250 mg

\$1510.00 / 500 mg

Purity: 98% +

3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9040-05	2-Amino-2'-O-TBDMS-	500Å	\$120	\$615	\$95	\$165	\$190	\$330
N-9040-10	Adenosine-3'-Icaa CPG	1000Å						
N-9070-05	2-Amino-2'-O-TBDMS-	500Å	\$120	\$610	\$95	\$165	\$190	\$330
N-9070-10	purine-ribose-3'-Icaa CPG	1000Å						
N-9080-05	2'-O-TBDMS-Purine-	500Å	\$110	\$610	\$95	\$165	\$190	\$330
N-9080-10	ribose-3'-Icaa CPG	1000Å						


Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Modified RNA Synthesis

2'-Amino (TFA)-cytidine-3'-CEP

(2'-Amino (TFA)-cytidine (N-Bz)-3'-CEP)



C₄₈H₅₂F₃N₆O₉P
Mol. Wt.: 944.9

Catalog#

ANP-5322

Pricing

\$245.00 / 100 μmole


\$510.00 / 250 mg

\$840.00 / 500 mg

Purity: 98% +

2'-Amino (TFA)-uridine-3'-CEP

(2'-Amino (TFA)-uridine-3'-CEP)



C₄₁H₄₇F₃N₅O₉P
Mol. Wt.: 841.8

Catalog#

ANP-9403

Pricing

\$245.00 / 100 μmole


\$575.00 / 250 mg

\$920.00 / 500 mg

Purity: 98% +

5'-Amino (TFA)-2'-O-TBDMS-cytidine-3'-CEP

(5'-Amino (TFA)-2'-O-TBDMS-Cytidine (N-Ac)-3'-CEP)



C₂₈H₄₆F₃N₅O₇PSi
Mol. Wt.: 694.76

Catalog#

ANP-9405

Pricing

\$280.00 / 100 μmole


\$790.00 / 250 mg

\$1260.00 / 500 mg

Purity: 98% +

Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-9010-05	2'-Amino (TFA)-uridine-	500Å	\$110	\$610	\$90	\$155	\$180	\$310
N-9010-10	3'-Icaa CPG	1000Å						
N-9015-05	2'-Amino (TFA)-cytidine-	500Å	\$110	\$610	\$90	\$155	\$180	\$310

7-Deaza-2'-O-TBDMS-adenosine(N-Bz)-3'-CEP;
Tubercidin CEP; (7-Deaza-2'-O-TBDMS-adenosine (N-Bz)-3'-CEP)


$C_{54}H_{67}N_6O_8PSi$
Mol. Wt.: 987.20

Catalog#

ANP-7101

Pricing


 \$440.00 / 100 μ mole

\$1045.00 / 250 mg

\$1880.00 / 500 mg

Purity: 98% +

CAS No. 144994-95-6

7-Deaza-2'-O-TBDMS-guanosine (N-iBu)-3'-CEP
(7-Deaza-2'-O-TBDMS-guanosine (N-iBu)-3'-CEP)


$C_{51}H_{63}N_5O_8PSi$
Mol. Wt.: 969.19

Catalog#

ANP-7301


Pricing

 \$440.00 / 100 μ mole

\$1045.00 / 250 mg

\$1880.00 / 500 mg

Purity: 98% +

7-Deaza-2'-O-TBDMS-guanosine (N-iBu)-5'-CEP
(3'-DMT 7-Deaza-2'-O-TBDMS-guanosine (N-iBu)-5'-CEP)


$C_{51}H_{63}N_5O_9PSi$
Mol. Wt.: 969.19

Catalog#

ANP-7102


Pricing

 \$480.00 / 100 μ mole

\$1150.00 / 250 mg

\$2060.00 / 500 mg

Purity: 98% +

7-Deaza-2'-O-TBDMS-guanosine (N-Ac)-3'-CEP
(7-Deaza-2'-O-TBDMS-guanosine (N-Ac)-3'-CEP)


$C_{52}H_{63}N_5O_9PSi$
Mol. Wt.: 941.12

Catalog#

ANP-7302


Pricing

 \$440.00 / 100 μ mole

\$1045.00 / 250 mg

\$1880.00 / 500 mg

Purity: 98% +

7-Deaza-7-cyano-2'-O-TBDMS-adenosine (N-Bz)-3'-CEP
(7-Deaza 7-cyano -2'-O-TBDMS-adenosine (N-Bz)-3'-CEP)


$C_{55}H_{66}N_7O_8PSi$
Mol. Wt.: 1012.21

Catalog#

ANP-7306

Pricing

 \$480.00 / 100 μ mole

\$1150.00 / 250 mg

\$2060.00 / 500 mg

Purity: 98% +


3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9897-05	7-Deaza-2'-O-TBDMS-adenosine (N-Bz)	500Å	\$95	\$685	\$110	\$190	\$220	\$380
N-9897-10	3'-Icaa CPG (Tubercidine CPG)	1000Å						
N-9895-05	7-Deaza-2'-O-TBDMS-	500Å	\$95	\$685	\$110	\$190	\$220	\$380
N-9895-10	guanosine (N-iBu)-3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Modified RNA Synthesis

5-Iodo-2'-O-TBDMS-cytidine (N-Bz)-3'-CEP

(5-Iodo-2'-O-TBDMS-cytidine (N-Bz)-3'-CEP)



Catalog#

ANP-7212

Pricing


\$185.00 / 100 μ mole

\$400.00 / 250 mg

\$720.00 / 500 mg

Purity: 98% +

5-Iodo-2'-O-TBDMS-uridine-3'-CEP



Catalog#

ANP-7412

Pricing

\$185.00 / 100 μ mole


\$400.00 / 250 mg

\$720.00 / 500 mg

Purity: 98% +

5-Bromo-2'-O-TBDMS-cytidine (N-Bz)-3'-CEP

(5-Bromo-2'-O-TBDMS-cytidine (N-Bz)-3'-CEP)



Catalog#

ANP-5648

Pricing

\$180.00 / 100 μ mole


\$415.00 / 250 mg

\$750.00 / 500 mg

Purity: 98% +

5-Bromo-2'-O-TBDMS-uridine-3'-CEP

(5-Bromo-2'-O-TBDMS-uridine-3'-CEP)



Catalog#

ANP-7411

Pricing

\$180.00 / 100 μ mole


\$415.00 / 250 mg

\$750.00 / 500 mg

Purity: 98% +

5-Fluoro-2'-O-TBDMS-uridine-3'-CEP

(5-Fluoro-2'-O-TBDMS-uridine-3'-CEP)



Catalog#

ANP-6154

Pricing


\$255.00 / 100 μ mole

\$650.00 / 250 mg

\$1180.00 / 500 mg

Purity: 98% +

8-Bromo-2'-O-TBDMS-adenosine (N-DBF)-3'-CEP



Catalog#

ANP-7111

Pricing

\$120.00 / 100 μ mole


\$250.00 / 250 mg

\$450.00 / 500 mg

Purity: 99% +

CAS No. 197712-21-3

8-Bromo-2'-O-TBDMS-adenosine (N-DMF)-3'-CEP



Catalog#

ANP-7112

Pricing


\$110.00 / 100 μ mole

\$240.00 / 250 mg

\$425.00 / 500 mg

Purity: 99% +

8-Bromo-2'-O-TBDMS-guanosine (N-DMF)-3'-CEP



Catalog#

ANP-7113

Pricing

\$120.00 / 100 μ mole

\$250.00 / 250 mg

\$450.00 / 500 mg


Purity: 99% +

3'-Succinyl Icaa Supports Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9809-05	5-Iodo-2'-O-TBDMS-uridine-	500Å	\$125	\$550	\$105	\$120	\$210	\$240
N-9809-10	3'-Icaa CPG	1000Å						
N-9818-05	5-Bromo-2'-O-TBDMS-uridine-	500Å	\$125	\$550	\$105	\$120	\$210	\$240
N-9818-10	3'-Icaa CPG	1000Å						
N-9844-05	5-Bromo-2'-O-TBDMS-	500Å	\$140	\$580	\$115	\$130	\$230	\$260
N-9844-10	cytidine (N-Bz)-3'-Icaa CPG	1000Å						
N-9812-05	8-Bromo-2'-O-TBDMS-adenosine	500Å	\$150	\$800	\$130	\$175	\$260	\$350
N-9812-10	(N-DBF)-3'-Icaa CPG	1000Å						
N-9832-05	5-Fluoro-2'-O-TBDMS-	500Å	\$125	\$580	\$105	\$120	\$210	\$240
N-9832-10	uridine-3'-Icaa CPG	1000Å						
N-9893-05	5-Iodo-2'-O-TBDMS-	500Å	\$150	\$800	\$130	\$175	\$260	\$350
N-9893-10	cytidine (N-Bz)-3'-Icaa CPG	1000Å						

8-Oxo-2'-O-TBDMS-guanosine-3'-CEP

(8-Oxo-riboguanosine (N-DMF)-3'-CEP)



Catalog#

ANP-9420

Pricing

\$285.00 / 100 μ mole


\$675.00 / 250 mg

\$1325.00 / 500 mg

Purity: 99% +

8-Oxo-7-allyl-7,8-dihydro-2'-O-TBDMS-Guanosine-3'-CEP

(8-Oxo-7-allyl-7,8-dihydro-riboguanosine (N-HiBu)-3'-CEP)



Catalog#

ANP-9422

Pricing

\$325.00 / 100 μ mole

\$768.00 / 250 mg


\$1520.00 / 500 mg

Purity: 99% +

Phosphoramidites and Supports for Modified RNA Synthesis

2'-O-TBDMS-isocytidine (N-DBF)-3'-CEP

(Isocytidine (N-DBF)-3'-CEP)



Catalog#

ANP-7715

Pricing

\$370.00 / 100 μ mole


\$790.00 / 250 mg

\$1420.00 / 500 mg

Purity: 98% +

2'-O-TBDMS-isoguanosine (N-DBF)-3'-CEP

(Isoguanosine (N-DBF)-3'-CEP)



Catalog#

ANP-5988

Pricing

\$370.00 / 100 μ mole

\$790.00 / 250 mg

\$1420.00 / 500 mg

Purity: 98% +


iso-C & iso-G 3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9712-05	Iso-2'-O-TBDMS-	500Å	\$155	\$810	\$120	\$145	\$240	\$290
N-9712-10	Cytidine (N-DBF)-3'-Icaa CPG	1000Å						
N-9827-05	Iso-2'-O-TBDMS-	500Å	\$155	\$810	\$120	\$150	\$240	\$300
N-9827-10	guanosine (N-DBF)-3'-Icaa CPG	1000Å						

Iso-Cytidine and Iso-Guanosine Phosphoramidite

Iso-Cytidine and Iso-Guanosine are variants of natural Cytidine and Guanosine RNA bases. One of the key advantages of these monomers is their capability of binding with each other with three hydrogen bonds as shown in the figure below. Additionally these monomers do not recognize naturally occurring Cytidine and Guanosine bases. Thus they are used for specific sequence based genetic engineering^{1,2}.


- Switzer, C. Y.; Moroney, S. E.; Benner, S. A. *Biochemistry* **1993**, 32, 10489-10496 & references cited in this article.
- Chen, X.; Kierzek, R.; Turner, D. H. *J. Am. Chem. Soc.* **2001**, 123, 1267-1774.



Iso-C

Figure: Representing Iso-C and Iso-G base pairing

2',3'-O-Diacetyl-Uridine-5'-CEP



$C_{22}H_{33}N_4O_9P$
Mol. Wt.: 528.49

Catalog#

ANP-6155

Pricing


\$80.00 / 100 μ mole

\$320.00 / 250 mg

\$575.00 / 500 mg

Purity: 98% +

2',3'-O-Diacetyl-Guanosine (N-iBu)-5'-CEP



$C_{27}H_{42}N_7O_9P$
Mol. Wt.: 623.64

Catalog#

ANP-6156

Pricing


\$90.00 / 100 μ mole

\$316.00 / 250 mg

\$570.00 / 500 mg

Purity: 98% +

5,6-Dihydro-2'-O-TBDMS-Uridine-3'-CEP



$C_{45}H_{61}N_4O_9PSi$
Mol. Wt.: 861.1

Catalog#

ANP-6066

Pricing

\$220.00 / 100 μ mole

\$565.00 / 250 mg

\$1015.00 / 500 mg

Purity: 98% +

Terminal Diol Generating Phosphoramidites

2',3'-O-Diacetyl-5'-phosphoramidites are available from ChemGenes for the introduction of 2',3'-ribose units at the 5'-end of oligonucleotides. Following ammonia deprotection, the 2',3'-diacetate generates a free ribose 2',3'-diol moiety in the oligonucleotide.

Periodate cleavage of these diols generates dialdehydes (Krynetskaya, N. F.; Zayakina, G. V.; Oretskaya, T. S.; Volkov, E. M.; Shabarova, Z. A. *Nucleosides Nucleotides Nucleic Acids* **1986**, 5, 33). These dialdehydes have been stabilized by amines, especially by terminal amino groups of lysine residue of proteins or polypeptides (Khyim, J. X. *Biochemistry* **1963**, 2, 344). Such oligonucleotide-protein conjugates have been utilized in immuno-assay and diagnostic applications.

Dihydrouridine Phosphoramidite

Dihydrouridine, along with a large number of other modified nucleosides are present abundantly in tRNA, mRNA, shRNA, rRNA and other RNAs¹. The catabolic degradation of uridine or the uracil moiety leads to dihydrouridine and enzyme dihydropyrimidine dehydrogenase is involved². The oligonucleotides containing this base seem to be crucial in understanding the regulation of enzymes involved in the pathway.

1. Limback, P. A.; Crain, P. F.; McCloskey, J. A. *Nucl. Acids Res.* **1994**, 22, 2183-2196.


2. Gokjovic, Z.; Rislund, L.; Andersen, B.; Sandrini, M. P. B.; Cook, P. F.; Schnackerz, K. D.; Piskur, J. *Nucl. Acids Res.* **2003**, 31, 1683-1692.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK


Phosphoramidites and Supports for Modified RNA Synthesis

β-L-RNA Phosphoramidites



B	Protection	Catalog#
A	N-Bz	ANP-4841
C	N-Bz	ANP-4842
G	N-iBu	ANP-4843
T	N/A	ANP-4844
U	N/A	ANP-4845
C	N-Ac	ANP-4846

Catalog#	Product name	250mg	500mg	1g	2g	5g
ANP-4841	β-L-2'-O-TBDMS-Adenosine (N-Bz)-3'-CEP, <i>M.W. 988.19</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00
ANP-4842	β-L-2'-O-TBDMS-Cytidine (N-Bz)-3'-CEP, <i>M.W. 964.17</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00
ANP-4843	β-L-2'-O-TBDMS-Guanosine (N-iBu)-3'-CEP, <i>M.W. 970.18</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00
ANP-4844	β-L-2'-O-TBDMS-riboThymidine-3'-CEP, <i>M.W. 875.07</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00
ANP-4845	β-L-2'-O-TBDMS-Uridine 3'-CEP, <i>M.W. 861.05</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00
ANP-4846	β-L-2'-O-TBDMS-Cytidine (N-Ac) 3'-CEP, <i>M.W. 902.10</i>	\$200.00	\$360.00	\$640.00	\$1,152.00	\$2,592.00




β-L-RNA Icaa Supports

B	Protection	Catalog #
A	N-Bz	N-4691
C	N-Bz	N-4692
G	N-iBu	N-4693
U	N/A	N-4694
T	N/A	N-4695
C	N-Ac	N-4696

Catalog #	Product Name	Pore Size	Bulk CPG				pack of 4 cols.		pack of 10 cols.
			100 mg	500 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-4691-05	β-L-2'-O-TBDMS-Adenosine (N-Bz) 3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4691-10	Adenosine (N-Bz) 3'-Icaa CPG	1000Å							
N-4692-05	β-L-2'-O-TBDMS-Cytidine (N-Bz)-3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4692-10	Cytidine (N-Bz)-3'-Icaa CPG	1000Å							
N-4693-05	β-L-2'-O-TBDMS-Guanosine (N-iBu)-3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4693-10	Guanosine (N-iBu)-3'-Icaa CPG	1000Å							
N-4694-05	β-L-2'-O-TBDMS-Uridine -3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4694-10	Uridine -3'-Icaa CPG	1000Å							
N-4695-05	β-L-2'-O-TBDMS-RiboThymidine-3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4695-10	RiboThymidine-3'-Icaa CPG	1000Å							
N-4696-05	β-L-2'-O-TBDMS-Cytidine (N-Ac)-3'-Icaa CPG	500Å	\$135	\$425	\$850	\$110	\$125	\$220	\$250
N-4696-10	Cytidine (N-Ac)-3'-Icaa CPG	1000Å							

*Currently we are offering 2'-O-TBDMS-3'-Icaa CPG Products instead of 3'-O-TBDMS-2'-Icaa CPG

Phosphoramidites and Supports for Modified RNA Synthesis



RNA Ethyl Phosphoramidites with Labile (Mild) Base Protection

B	Protection	Catalog#
A	N-PAC	ANP-4131
C	N-PAC	ANP-4132
G	N-PAC	ANP-4133
U	N/A	ANP-4134

Catalog#	Product name	250mg	500mg	1g	2g	5g
ANP-4131	2'-O-TBDMS-Adenosine (N-PAC) 3'-Ethyl Phosphoramidite, <i>M.W. 993.21</i>	\$180.00	\$325.00	\$590.00	\$1,060.00	\$2,375.00
ANP-4132	2'-O-TBDMS-Cytidine (N-PAC) 3'-Ethyl Phosphoramidite, <i>M.W. 969.18</i>	\$180.00	\$325.00	\$590.00	\$1,060.00	\$2,375.00
ANP-4133	2'-O-TBDMS-Guanosine (N-PAC) 3'-Ethyl Phosphoramidite, <i>M.W. 1009.21</i>	\$180.00	\$325.00	\$590.00	\$1,060.00	\$2,375.00
ANP-4134	2'-O-TBDMS-Uridine 3'-Ethyl Phosphoramidite, <i>M.W. 836.04</i>	\$180.00	\$325.00	\$590.00	\$1,060.00	\$2,375.00

pdfelement

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

RNA Purification

Purification of synthetic RNA

RNA purification is significantly more difficult than DNA purification due to possible chain cleavage and isomerization of the internucleotide phosphate linkage. Several methodologies for deprotection and purification have been developed.

Small Quantity Purification

The first step following the synthesis of oligonucleotides involves a base treatment to remove the *N*-protecting and cyanoethyl groups. For base deprotection, both 28% aqueous ammonia containing ethanol (1:3) or anhydrous saturated ethanolic ammonia solutions have been used. The latter was found to be superior in preventing the loss of any silyl groups (Scaringe, S. A.; Francklyn, C.; Usman, N. *Nucl. Acids Res.* **1990**, 18, 5433). It has been reported that a certain amount of silyl groups will be lost when using the former ammonia solution (Stawinski, J.; Stromberg, R.; Thelin, M.; Westman, E. *Nucl. Acids Res.* **1988**, 16, 9285).

The second step in the deprotection process involves removal of silyl protecting groups (TBDMS). This has been accomplished by 1.0 M solution of tetrabutylammoniumfluoride (TBAF) in THF. The reaction involves 50 equivalents of TBAF per TBDMS group during 24 hours. Even though initially deemed adequate, this method is slow and still leaves some TBDMS groups on the oligonucleotide. Much better results have been obtained with triethylamine-tris-hydrofluoride (TEA.3HF). In the synthesis of 76-mer tRNA the reaction with neat TEA.3HF for 14 hours resulted in complete removal of all TBDMS groups (Gasparutto, D.; Livache, T.; Bazin, H.; Duplaa, A.-M.; Guy M.; Khorlin, A.; Molko, D.; Roget, A.; Toule, R. *Nucl. Acids Res.* **1992**, 20, 5159). The faster rate of silyl removal with TEA.3HF has been demonstrated by others (Sproat, B.; Colonna, F.; Mullah, B.; Tsou, D.; Andrus, A.; Hampel, A.; Vinayak, R. *Nucleosides & Nucleotides*, **1995**, 14, 255).

Example of Oligonucleotide Purification using 2'-O-TBDMS-N-(A^{bz}, G^{ibu}, C^{Ac} & U) protected RNA monomers:

A summary of procedures is outlined below. Detailed protocols are available, with the products supplied to customers.

Caution: Only de-ionized RNase, pyrogen, nucleases and bacteria free water and filtered through a membrane with a filter unit capable of high molecular weight cut off should be used (preferably Millipore unit) for manipulations involving subsequent steps. Similarly all buffers to be used require this quality of water.

Deprotection Procedures:

Methyl Amine Deprotection: Cleavage from the solid support and deprotection of bases with methyl amine (MA; 40% methylamine in water; 1.0ml), followed by Triethylamine.3HF deprotection of silyl protecting group and subsequent precipitation with n-butanol, cooling at -70 C, followed by centrifugation at 8000 RPM, removal of supernatant is carried out. The solid later dissolved in 0.1M TEAA buffer (pH; 7.5), filtered through 0.45 micron filter and HPLC purification is carried out.

AMA Deprotection: Support cleavage and base deprotection with ammonium hydroxide : methylamine (AMA; 1:1; 1.5 ml), at different time intervals depending on sequence length results in based deprotected oligo. Subsequently the fully deprotected oligonucleotide is quenched with 50mM TEAB followed by cooling at -70 C and precipitation with n-butanol. The precipitated oligo dissolved in 0.1 M TEAA buffer (pH; 7.5) and filtered through 0.45 micron filter and HPLC purification is carried out. The oligo is then lyophilized as triethylamine salt to dry powder.

Puripak Cartridge (ChemGenes Cat # CSS-5232) Purification: The oligo (from 1.0 uM synthesis) dissolved in 0.1 M TEAB (pH; 7.5), charged on to appropriate size cartridge, eluted by applying a gentle pressure successively with 0.1M, 0.5 M and 1.0 M buffer, collecting 3-4 fractions in each buffer; each fraction being 5 ml. Small volume from the fractions to be dried 3 times with 50:50 mixture of ethanol:water (v/v) on rotary evaporator to remove buffer salt and analyzed by UV, CE to determine purest fractions. The desired fractions then coevaporation with 50:50 (v/v) ethanol:water. Generally RNA is present in 0.5 M buffer fraction (shorter length oligos) or in 1.0 M buffer (longer sequences such as 20-mer and above). The thin film of RNA is taken in 0.1 M TEAA and precipitated with 1.0 M solution of sodium perchlorate in acetone. The precipitated oligonucleotide is centrifuged.

HPLC Purification: After deprotection and precipitation of crude oligo or oligo obtained after cartridge purification (depending on purity) is subsequently purified by HPLC. Brief conditions of purification of synthetic RNA's are as follows:

Anion-exchange -DNAPac PA-100 (4X250 nm Dionex Column) .

Mobile Phase: Eluants; 2 mM Tris.HCl (pH 7.4), 10 mM NaClO₄, 6 M urea; & 2 mM Tris. HCl (pH 7.4), 0.55 M NaClO₄, 6 M urea; (Purification of Long chain RNA's; Pitch, S. *et.al.*, *Helv. Chim. Acta*, **2001**, 84, 3773).

Source 15TM Q resin columns** (Ion- Exchange) Purification: Manufacturer-GE Eluants: 0.5 M Tris:Acetonitrile: water (10:10:80, v/v/v) (Buffer A) & 1.5 M NaCl in Buffer A (Buffer B). **Source Q is a Trade mark of GE Health Care.

Mono Q HR 10/10 column (GE Health Care): with NaClO₄ gradient in Tris buffer (pH 6.8); Eluants: 0.1 M KH₂PO₄, pH 6.4, 0.05 M NaCl & Eluant B: 0.1 M KH₂PO₄, pH 6.4, 0.9 M NaCl as well as Eluants: 0.01 M NaClO₄, 20 mM Tris HCl, pH 6.8 & 0.6 M NaClO₄, 20 mM Tris-HCl, pH , 6.8, containing 10% acetonitrile (Mikhailov, S. N.; Rozensski, J.; Efimtseva, E. V.; Busson, R.; Aerschot, A. V.; Herdewijn, P. *Nucl. Acids Res.* **2002**, 30, 1124-1131); RNA's containing *N*-1 methyl adenosine base are separated well.

Desalting: Fractions obtained after HPLC are desalted by; (a) loading on C18 Sep Pak cartridge (Waters/Millipore), (Micura *et. al.* *Nucl. Acids Res.* **2000**), (b) ChemGenes Cartridges (CSS-5232), (c) NAP25 columns. After desalting the desired fractions are converted into sodium salt with sodium perchlorate.

RNA Purification Kit

(for Synthetic RNA via 2'-O-TBDMS Protection)

Besides offering highest purity RNA monomers, we also offer RNA deprotection & purification kits. With ChemGenes purification kits and products you can now synthesize and obtain a high quality of pure synthetic RNA. ChemGenes RNA purification kits include all the solutions and buffers required to obtain a high quality of synthetic RNA.

Catalog #	Quantity	Prices
CSS-5232-02	1 kit	\$140.00 / 0.2 μ m
CSS-5232-10	1 kit	\$192.00 / 1.0 μ m

The RNA Purification kit consist of the Following:

- CSS-3268 (10 ml)
- CSS-5272 (pack of 10)
- CSS-6634 (50 ml)
- CSS-5232 (25 ml)

Anhydrous Ammonia in Ethanol Solution

(20% ammonia by weight in absolute ethanol)

NH₃. F.W.: 17

C₂H₆O. F.W.: 46.07

Catalog #	Quantity	Prices
CSS-3268	10 ml	\$35.00

Ideal for selective deprotection of the base protecting groups and the cyanoethyl groups and preventing chain cleavage isomerization of 3'-5' phosphodiester bond in the final RNA.
(ref: Taifeng Wu, Kelvin K. Ogilvie, Richard T. Pon, *Nucl. Acids Res.*, **1989**, 17, 3501.)

RNA Purification Cartridges

Catalog #	Quantity	Prices
CSS-5272-02	pack of 10	\$60.00 / 0.2 μ m
CSS-5272-10	pack of 10	\$125.00 / 1.0 μ m

The RNA purification cartridges are designed for the purification of short to medium length RNA oligonucleotides. The separation of different length oligos is based on charges on the ion-exchange media in the cartridges. They achieve excellent purification of the oligonucleotide.

Tetra Butyl Ammonium Fluoride (TBAF)

(1M Solution in Tetrahydrofuran)

C₁₆H₃₈FN

F.W.: 261.47

Catalog #	Quantity	Prices
CSS-4356	25 ml	\$30.00

Used to remove silyl-protecting groups after the oligonucleotide synthesis.
Moisture Content adjusted for optimum silyl group removal.

Fluoride Ion Removal Solution

Catalog #	Quantity	Prices
CSS-6634	50 ml	\$50.00

This is used to remove all the fluoride and organic by products after tetra butyl ammonium fluoride step in RNA deprotection.

Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides

Antisense (*i.e.* sequences complimentary to the “sense” strand, or usually messenger RNA) and otherwise interfering (e.g. “decoy”) oligonucleotides, oligoribonucleotides (ONs), and modified ONs have gained overwhelming popularity for interference in various steps leading from DNA transcription to mRNA translation. Such regulatory interference has been harnessed for therapeutic effects against many diseases and viral infections. Production of viral proteins are inhibited by oligonucleotides that are complimentary to portions of mRNA for that protein (*i.e.* antisense). Other regulatory mechanisms of viruses, such as HIV, have been targeted for interference with the use of complimentary (*i.e.* antisense), or decoy (*i.e.* sense) ONs. Oligonucleotides for therapy have several advantages. These include the extremely high specificity and the ease of design based on Watson-Crick base pairing. The high association constants imply a strong duplex formation and thus effectiveness at low concentrations.

They Hybridize with Natural Targets leading to Diagnostic & Therapeutic Applications

Unmodified ONS

Poor Uptake

- Molecule too big
- Highly charged

Nuclease Resistant

Greater Specificity, Reacts Rapidly

Higher T_m

2'-OMe Modified Synthetic ONS

Lipophilic, Amphiphilic

Degradation by nucleases

Less Specificity

Lower T_m

Combination of phosphorothioate phosphodiester regenerates RNaseH activity.

Synthetic Antisense oligo (2'-O-me Modified) are designed to;

Permeate through cell membrane

Bind to target RNA

Inactivate the target RNA

Biological Properties of 2'-O-Methyl RNA Molecules


- 2'-O-Methyl oligonucleotides have been used as chimeric oligomers with DNA-oligomers for site directed cleavage of RNA with RNaseH^{1,2}.
- 2'-O-Methyl oligonucleotides are more stable against several nucleases as compared to the deoxy and ribo type of oligomers. Therefore, the 2'-O-Methyl oligonucleotides are less susceptible to several nucleases³.
- The use of 2'-O-Methyl and mixed phosphorothioates results in an inhibitory effect against HIV induced cytopathic effects and expressions of the virus specific antigens in cultures MT-4 cells. The anti-viral activity seems to be strongly concerned with the resistance to one or the other kind of deoxynucleosides⁴.
- 2'-O-Methyl oligoribonucleotides form stable hetero-duplexes with the complimentary RNA. The hybrid formed has a high, or a higher T_m than the corresponding DNA sequence¹.
- 2'-O-Methyl ribonucleotides have been used as valuable antisense probes for studying pre-mRNA splicing and the structures of splicosomes^{5,6}.
- The 2'-O-Methylethers of common ribonucleosides have been found as minor components of RNA^{7,8}.
- A number of biotechnology oriented companies in the U.S. are currently involved in the development of DNA-based diagnostic and therapeutic products, using 2'-O-Methyl oligonucleotide sequences⁹, such as GEM^R132 being developed for HCMV treatment¹⁰.
- Antisense ONS have inhibited several gene functions in mammalian cell lines such as myc, bcl-2 (relevant to lymphomas), and erb-B2 (relevant to breast cancer).

References

1. Inoue, H.; Hayase, Y.; Imura, A.; Iwai, S.; Miura, K.; Ohtsuka, E. *Nucl. Acids Res.* **1987**, *15*, 6131-6148.
2. Shibahara, S.; Mukai, S.; Nishihara, T.; Inoue, H.; Ohtsuka, E.; Morisawa, H. *Nucl. Acids Res.* **1987**, *15*, 4403-4415.
3. Dunlap, B. F.; Friderici, K. H.; Rottman, F. *Biochemistry*, **1971**, *10*, 2581-2587.
4. Shibahara, S.; Mukai, S.; Morisawa, H.; Nakashima, H.; Kobayashi, S.; Yamamoto, N. *Nucl. Acids Res.* **1989**, *17*, 239-252.
5. Lamond, A. I.; Sproat, B. S.; Ryder, U.; Hamm, J. *Cell* **1989**, *58*, 383-390.
6. Barbino, S.; Sproat, B. S.; Ryder, U.; Blencowe, B. J.; Lamond, A. I. *Cell*, **1989**, *59*, 531-539.
7. Hall, R. H. “*The Modified Nucleosides in Nucleic Acids*”, Columbia University Press, **1971**, New York, NY.
8. Cotton, M.; Oberhauser, B.; Schaffner, G.; Wagner, E.; Birnstiel, M. L. *Nucl. Acids Res.* **1991**, *19*, 2629-2635.
9. Agarwal, S.; Tang, J. Y., *Antisense Res. and Devel.* **1992**, *4*, 261.
10. Michael, J. G. *XII International Roundtable, Nucleosides, Nucleotides & Their Biological Applications*, **1996**, La Jolla, CA, Sep 15-19, Abstract 0850.

ChemGenes offers a number of special modified phosphoramidites: new modifications of Antisense producing oligos.

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides



2'-O-Methyl RNA Amidites With Standard Base Protection


R	B	Protection	Catalog#	CAS No.
DMTr	A	N-Bz	ANP-5751	110782-31-5
DMTr	C	N-Bz	ANP-5752	110764-78-8
DMTr	G	N-iBu	ANP-5753	150780-67-9
DMTr	U	N/A	ANP-5754	110764-79-9
DMTr	C	N-Ac	ANP-6756	199593-09-4
MMTr	A	N-Bz	ANP-5756	
MMTr	G	N-iBu	ANP-5757	

Catalog#	Product name	250mg	500mg	1g	2g	5g	10g
ANP-5751	2'-O-Methyl-adenosine (N-Bz)- 3'-CEP, M.W. 887.96	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5752	2'-O-Methyl-cytidine (N-Bz)- 3'-CEP, M.W. 863.93	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5753	2'-O-Methyl-guanosine (N-iBu)- 3'-CEP, M.W. 869.94	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5754	2'-O-Methyl-uridine- 3'-CEP, M.W. 760.81	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-6756	2'-O-Methyl-cytidine (N-Ac)- 3'-CEP, M.W. 801.86	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5756	5'-O-MMTr-2'-O-Methyl-adenosine (N-Bz)- 3'-CEP, M.W. 857.93	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5757	5'-O-MMTr-2'-O-Methyl-guanosine (N-iBu)- 3'-CEP, M.W. 839.92	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides



2'-O-Methyl RNA Supports With Standard Base Protection

B	Protection	Catalog#
A	N-Bz	N-7910
C	N-Bz	N-7911
G	N-iBu	N-7912
U	N/A	N-7904
C	N-Ac	N-7905
G	N-DMF	N-7914


Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.			each			pack of 10 cols.		
			100 mg	250 mg	1 g	40 nmole	0.2 umole	1.0 umole	10 umole	15 umole		40 nmole	0.2 umole	1.0 umole
N-7910-05	2'-O-Methyl-adenosine	500Å												
N-7910-10	(N-Bz)-3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150
N-7911-05	2'-O-Methyl-cytidine	500Å												
N-7911-10	(N-Bz)-3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150
N-7912-05	2'-O-Methyl-guanosine	500Å												
N-7912-10	(N-iBu)-3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150
N-7904-05	2'-O-Methyl-uridine-	500Å												
N-7904-10	3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150
N-7905-05	2'-O-Methyl-cytidine	500Å												
N-7905-10	(N-Ac)-3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150
N-7914-05	2'-O-Methyl-guanosine	500Å												
N-7914-10	(N-DMF)-3'-lcaa CPG	1000Å	\$38	\$80	\$285	\$50	\$60	\$75	\$150	\$225		\$100	\$120	\$150

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK


2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

2'-O-Methyl RNA Amidites With Labile (Mild) Base Protection



B	Protection	Catalog#	CAS No.
A	N-PAC	ANP-6751	128219-82-9
C	N-PAC	ANP-6752	
G	N-PAC	ANP-6753	138906-79-3
G	N-DMF	ANP-6759	128219-77-2
U	N/A	ANP-5754	110764-79-9
G	N- <i>i</i> PrPAC	ANP-5761	

Catalog#	Product name	250mg	500mg	1g	2g	5g	10g
ANP-6751	2'-O-Methyl-adenosine (N-PAC)-3'-CEP, <i>M.W.</i> 917.98	\$56.00	\$101.00	\$182.00	\$328.00	\$73.00	\$1,329.00
ANP-6752	2'-O-Methyl-cytidine (N-PAC)-3'-CEP, <i>M.W.</i> 893.96	\$56.00	\$101.00	\$182.00	\$328.00	\$738.00	\$1,329.00
ANP-6753	2'-O-Methyl-guanosine (N-PAC)-3'-CEP, <i>M.W.</i> 933.98	\$56.00	\$101.00	\$182.00	\$328.00	\$738.00	\$1,329.00
ANP-6759	2'-O-Methyl-guanosine (N-DMF)-3'-CEP, <i>M.W.</i> 854.93	\$56.00	\$101.00	\$182.00	\$328.00	\$738.00	\$1,329.00
ANP-5754	2'-O-Methyl-uridine-3'-CEP, <i>M.W.</i> 760.81	\$45.00	\$81.00	\$146.00	\$263.00	\$657.00	\$1,183.00
ANP-5761	2'-O-Methyl-guanosine (N- <i>i</i> PrPAC)-3'-CEP, <i>M.W.</i> 976.06	\$56.00	\$101.00	\$182.00	\$328.00	\$738.00	\$1,329.00



Solid Supports for 2'-O-Methyl RNA with Labile (Mild) Base Protection

B	Protection	Catalog#
A	N-PAC	N-P7901
C	N-PAC	N-P7902
G	N-PAC	N-P7903

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.		
			100 mg	1 g	40 nmole	0.2 umole	1.0 umole	40 nmole	0.2 umole	1.0 umole
N-P7901-05	2'-O-Methyl-adenosine	500Å								
N-P7901-10	(N-PAC)-3'-Icaa CPG	1000Å	\$86	\$290	\$50	\$60	\$75	\$100	\$120	\$150
N-P7902-05	2'-O-Methyl-cytidine	500Å								
N-P7902-10	(N-PAC)-3'-Icaa CPG	1000Å	\$86	\$290	\$50	\$60	\$75	\$100	\$120	\$150
N-P7903-05	2'-O-Methyl-guanosine	500Å								
N-P7903-10	(N-PAC)-3'-Icaa CPG	1000Å	\$86	\$290	\$50	\$60	\$75	\$100	\$120	\$150


Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides

2'-O-Methyl-5-methyl-cytidine (N-DMF)-3'-CEP

(5-Methyl-cytidine-2'-O-Methyl (N-DMF)-3'-CEP)



Catalog#

ANP-6554

Pricing

\$260.00 / 100 μ mole


\$900.00 / 250 mg

\$1220.00 / 500 mg

Purity: 98% +

2'-O-Methyl-5-methyl-cytidine (N-Bz)-3'-CEP

(5-Methyl-cytidine (N-Bz)-2'-O-Methyl-3'-CEP)



Catalog#

ANP-6556

Pricing

\$225.00 / 100 μ mole


\$575.00 / 250 mg

\$2588.00 / 500 mg

Purity: 98% +

2'-O-Methyl-5-methyl-uridine-3'-CEP

(2'-O-Methyl-ribothymidine-3'-CEP)



Catalog#

ANP-5600

Pricing


\$140.00 / 100 μ mole

\$400.00 / 250 mg

\$720.00 / 500 mg

Purity: 98% +

2'-O-Methyl-5-methyl-cytidine (N-Ac)-3'-CEP



Catalog#

ANP-6555

Pricing


\$225.00 / 100 μ mole

\$615.00 / 250 mg

\$1105.00 / 500 mg

Purity: 98% +

2'-O-Methyl-inosine-3'-CEP



Catalog#

ANP-5758

Pricing

\$135.00 / 100 μ mole


\$385.00 / 250 mg

\$693.00 / 500 mg

Purity: 98% +

CAS No. 128219-85-2

2'-O-Methyl-2,6-diamino (N^2 , N^6 -diPAC)-purine-riboside-3'-CEP



Catalog#

ANP-8519

Pricing

\$350.00 / 100 μ mole

\$715.00 / 250 mg


\$1287.00 / 500 mg

Purity: 98% +

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

2'-O-Methyl-5-propynyl-cytidine (N-Bz)-3'-CEP

(5-Propynyl-2'-O-Methyl-cytidine (N-Bz)-3'-CEP)



Catalog#

ANP-1874

Pricing


\$330.00 / 100 μ mole

\$815.00 / 250 mg

\$1465.00 / 500 mg

Purity: 98% +

2'-O-Methyl-5-propynyl-uridine-3'-CEP



Catalog#

ANP-1347

Pricing

\$320.00 / 100 μ mole


\$900.00 / 250 mg

\$1620.00 / 500 mg

Purity: 98% +

Amino Modifier-2'-O-methyl-cytidine (N-DMF) CEP

(Amino Modifier-2'-O-Methyl-cytidine (N-DMF)-C-6-3'-CEP)



Catalog#

ANP-2583

Pricing

\$370.00 / 100 μ mole


\$769.00 / 250 mg

\$1384.00 / 500 mg

Purity: 98% +

Amino Modifier-2'-O-methyl uridine CEP

(Amino Modifier 2'-O-Methyl-uridine C-6-3'-CEP)



Catalog#

ANP-2581

Pricing

\$325.00 / 100 μ mole


\$769.00 / 250 mg

\$1384.00 / 500 mg

Purity: 98% +

2'-O-Methyl-4-triazolyl-5-methyl uridine-3'-CEP

(4-Triazolyl-5'-DMTr-2'-O-Methyl-5-methyl uridine-3'-CEP)



Catalog#

ANP-5604

Pricing

\$300.00 / 100 μ mole

\$810.00 / 250 mg

\$1457.00 / 500 mg

Purity: 98% +

2'-O-Methyl-5-propynyl-cytidine (pdC) &

2'-O-Methyl-5-propynyl-uridine (pdU)

The substitution of dC and dT in antisense phosphorothioate oligonucleotides with C-5 propynyl analogues pdC and pdU respectively, showed effective inhibition of gene expression. Both 2'-deoxy and 2'-OMe nucleotides incorporated into oligonucleotides have higher duplex stability compared to natural bases.¹


1. Wagner, R. W.; Matteucci, M. D.; Lewis, J. G.; Gutierrez, A. G.; Moulds, C.; Froeller, B. C. *Science*, **1993**, 260, 1510.

Amino modifier cytidine & amino modifier uridine

Amino modifier cytidine and amino modifier uridine can be used for internal oligonucleotide labeling with reporter molecules. In that case the reporter molecule has minimal interference with base pairing during hybridization process.

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

2'-O-Methyl-5-bromo-uridine-3'-CEP




Catalog#
ANP-576

Pricing
\$220.00 / 100 μmole
\$595.00 / 250 mg
\$1071.00 / 500 mg

Purity: 98% +

C₄₀H₄₈BrN₄O₉P
Mol. Wt.: 839.7

2'-O-Methyl-5-iodo-uridine-3'-CEP




Catalog#
ANP-5759

Pricing
\$220.00 / 100 μmole
\$650.00 / 250 mg
\$1100.00 / 500 mg

Purity: 98% +

C₄₀H₄₈IN₄O₉P
Mol. Wt.: 886.7

2'-O-Methyl-5-Methoxy Uridine-3'-CEP




Catalog#
ANP-3785

Pricing
\$360.00 / 100 mg
\$610.00 / 250 mg
\$1290.00 / 500 mg

Purity: 98% +

C₄₁H₅₁N₄O₁₀P
Mol. Wt: 790.85

3'-O-Methyl-5-Methoxy Uridine-2'-CEP




Catalog#
ANP-3784

Pricing
\$380.00 / 100 mg
\$830.00 / 250 mg
\$1310.00 / 500 mg

Purity: 98% +

C₄₁H₅₁N₄O₁₀P
Mol. Wt: 790.85

Modified 2'-O-Methyl 3'-Succinyl Icaa Supports & Columns



B	Protection	Catalog#
5-Me C	N-DMF	N-1613
5-Me C	N-Bz	N-1613Bz
I	N/A	N-9013
5-Br U	N/A	N-9011
5-Iodo U	N/A	N-9012
T	N/A	N-5601


Modified 2'-O-Methyl 3'-Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			250 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-1613-05	2'-O-Methyl-5-methyl-cytidine	500Å	\$230	\$900	\$125	\$200	\$250	\$400
N-1613-10	(N-DMF)-3'-Icaa CPG	1000Å						
N-1613Bz-05	2'-O-Methyl-5-methyl-cytidine	500Å	\$230	\$900	\$125	\$200	\$250	\$400
N-1613Bz-10	(N-Bz)-3'-Icaa CPG	1000Å						
N-9013-05	2'-O-Methyl-inosine-	500Å	\$230	\$900	\$125	\$200	\$250	\$400
N-9013-10	3'-Icaa CPG	1000Å						
N-9011-05	2'-O-Methyl-5-bromo-	500Å	\$230	\$900	\$125	\$200	\$250	\$400
N-9011-10	uridine-3'-Icaa CPG	1000Å						
N-9012-05	2'-O-Methyl-5-iodo-	500Å	\$230	\$900	\$125	\$200	\$250	\$400
N-9012-10	uridine-3'-Icaa CPG	1000Å						
N-5601-05	2'-O-Methyl-ribothymidine-	500Å	\$190	\$750	\$100	\$175	\$200	\$350
N-5601-10	3'-Icaa CPG	1000Å						

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

2'-O-Methyl-7-deaza-adenosine-3'-CEP

(7-Deaza-2'-O-Methyl-adenosine (N-Bz)-3'-CEP)



Catalog#

ANP-5951

Pricing

\$264.00 / 50 μ mole

\$476.00 / 100 μ mole


\$1200.00 / 250 mg

\$2160.00 / 500 mg

Purity: 98% +

2'-O-Methyl-7-deaza-guanosine-3'-CEP

(7-Deaza-2'-O-Methyl-guanosine (N-iBu)-3'-CEP)



Catalog#

ANP-5953

Pricing

\$279.00 / 50 μ mole

\$495.00 / 100 μ mole


\$1280.00 / 250 mg

\$2300.00 / 500 mg

Purity: 98% +

2'-O-Methyl-7-iodo-7-deaza-adenosine-3'-CEP

(7-Iodo-7-deaza-2'-O-Methyl-adenosine (N-Bz)-3'-CEP)



Catalog#

ANP-9171

Pricing

\$320.00 / 50 μ mole


\$576.00 / 100 μ mole

\$1290.00 / 250 mg

\$2320.00 / 500 mg

Purity: 98% +

2'-O-Methyl-7-iodo-7-deaza-guanosine-3'-CEP



Catalog#

ANP9173

Pricing

\$320.00 / 50 μ mole

\$576.00 / 100 μ mole


\$1290.00 / 250 mg

\$2320.00 / 500 mg

Purity: 98% +

2'-O-Methyl-7-deaza-7-propargyl-adenosine-3'-CEP

(7-Deaza-7-propargylamino (TFA)-2'-O-Methyl-adenosine (N-Bz)-3'-CEP)



Catalog#

ANP-9176

Pricing

\$380.00 / 50 μ mole

\$684.00 / 100 μ mole


\$1480.00 / 250 mg

\$2665.00 / 500 mg

Purity: 98% +

2'-O-Methyl-7-deaza-7-propargyl-guanosine-3'-CEP

(7-Deaza-7-propargylamino (TFA)-2'-O-Methyl-guanosine (N-iBu)-3'-CEP)



Catalog#

ANP-9178

Pricing

\$380.00 / 50 μ mole

\$684.00 / 100 μ mole

\$1480.00 / 250 mg


\$2665.00 / 500 mg

Purity: 98% +

Amino modifier cytidine CEP and amino modifier uridine CEP

Amino modifier cytidine and amino modifier uridine can be used for internal oligonucleotide labeling with reporter molecules. In that case the reporter molecule has minimal interference with base pairing during hybridization process.

Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides



2'-O-Methyl RNA Ethyl Phosphoramidite with Standard Base Protection

B	Protection	Catalog #
A	N-Bz	ANP-7221
C	N-Bz	ANP-7222
G	N-iBu	ANP-7223
T	N/A	ANP-7224
U	N/A	ANP-7225

Catalog #	Product Name	250mg	500mg	1g	2g	5g	10g
ANP-7221 \$1,530.00	2'-O-Methyl-adenosine (N-Bz)- 3'-ethyl phosphoramidite, <i>M.W. 862.95</i>	\$65.00	\$117.00	\$210.00	\$378.00	\$851.00	
ANP-7222 \$1,530.00	2'-O-Methyl-cytidine (N-Bz)- 3'-ethyl phosphoramidite, <i>M.W. 838.90</i>	\$65.00	\$117.00	\$210.00	\$378.00	\$851.00	
ANP-7223 \$1,530.00	2'-O-Methyl-guanosine (N-iBu)- 3'-ethyl phosphoramidite, <i>M.W. 844.92</i>	\$65.00	\$117.00	\$210.00	\$378.00	\$851.00	
ANP-7224 \$1,530.00	2'-O-Methyl-ribothymidine- 3'-ethyl phosphoramidite, <i>M.W. 749.83</i>	\$65.00	\$117.00	\$210.00	\$378.00	\$851.00	
ANP-7225 \$1,530.00	2'-O-Methyl-uridine- 3'-ethyl phosphoramidite, <i>M.W. 735.80</i>	\$65.00	\$117.00	\$210.00	\$378.00	\$851.00	

Applications:


For the synthesis of DNA/RNA with neutral charge instead of a negatively charged phosphate back bone, *P*-Ethoxys not only provide neutral charge but impart lipophilic character to the synthetic DNA. It is a useful product for the development of delivery of DNA molecules into cells. With the already established usefulness of 2'-O-Methyl RNA, additional backbone modification to the phosphate neutral charge would provide valuable products in the field of antisense therapeutics.

The above products are covered under ChemGenes patent title: Oligonucleotide phosphate esters US#6,015,886.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides



2'-O-Methyl RNA Ethyl Phosphoramidite with Labile Base Protection

B	Protection	Catalog #
A	N-PAC	ANP-7227
C	N-PAC	ANP-7228
G	N-PAC	ANP-7226


Catalog #	Product Name	250mg	500mg	1g	2g	5g	10g
ANP-7227	2'-O-Methyl-adenosine (N-PAC) 3'-Ethyl phosphoramidite, <i>M.W. 892.97</i>	\$78.00	\$128.00	\$230.00	\$415.00	\$935.00	\$1,683.00
ANP-7228	2'-O-Methyl-cytidine (N-PAC)- 3'-Ethyl phosphoramidite, <i>M.W. 868.95</i>	\$78.00	\$128.00	\$230.00	\$415.00	\$935.00	\$1,683.00
ANP-7226	2'-O-Methyl-guanosine (N-PAC)- 3'-Ethyl phosphoramidite, <i>M.W. 908.97</i>	\$78.00	\$128.00	\$230.00	\$415.00	\$935.00	\$1,683.00



Please Indicate Synthesizer when Ordering _____

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK


Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides



3'-O-Methyl Amidites with Standard Base Protection

B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-2901	179479-02-8
C	N-Bz	ANP-2902	179479-03-9
G	N-iBu	ANP-2903	
U	N/A	ANP-2904	179479-05-1
I	N/A	ANP-2905	
C	N-Ac	ANP-2906	
T	N/A	ANP-2907	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-2901	3'-O-Methyl-adenosine (N-Bz)- 2'-CEP, <i>M.W.</i> 887.96	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2902	3'-O-Methyl-cytidine (N-Bz)- 2'-CEP, <i>M.W.</i> 863.93	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2903	3'-O-Methyl-guanosine (N-iBu)- 2'-CEP, <i>M.W.</i> 869.94	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2904	3'-O-Methyl-uridine- 2'-CEP, <i>M.W.</i> 760.81	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2905	3'-O-Methyl-inosine- 2'-CEP, <i>M.W.</i> 784.84	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2906	3'-O-Methyl-cytidine (N-Ac)- 2'-CEP, <i>M.W.</i> 801.86	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00
ANP-2907	3'-O-Methyl-ribothymidine- 2'-CEP, <i>M.W.</i> 774.84	\$165.00	\$294.00	\$530.00	\$954.00	\$2,145.00




3'-O-Methyl Supports with Standard Base Protection

B	Protection	Catalog #
A	N-Bz	N-8810
C	N-Bz	N-8811
G	N-iBu	N-8812
U	N/A	N-8813
I	N/A	N-8814

Catalog #	Product Name	Pore Size	250 mg	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
				1 g	0.2 umole	1.0 umole	0.2 umole	1.0 umole	
N-8810-05	3'-O-Methyl-adenosine	500Å	\$125	\$480	\$ 95	\$120	\$190	\$240	
N-8810-10	(N-Bz)-2'-lcaa CPG	1000Å							
N-8811-05	3'-O-Methyl-cytidine	500Å	\$125	\$480	\$ 95	\$120	\$190	\$240	
N-8811-10	(N-Bz)-2'-lcaa CPG	1000Å							
N-8812-05	3'-O-Methyl-guanosine	500Å	\$125	\$480	\$ 95	\$120	\$190	\$240	
N-8812-10	(N-iBu)-2'-lcaa CPG	1000Å							
N-8813-05	3'-O-Methyl-uridine-	500Å	\$125	\$480	\$ 95	\$120	\$190	\$240	
N-8813-10	2'-lcaa CPG	1000Å							
N-8814-05	3'-O-Methyl-inosine-	500Å	\$250	\$900	\$135	\$245	\$270	\$490	
N-8814-10	2'-lcaa CPG	1000Å							

The above products are covered under ChemGenes patent title: *N*-protected-2'-O-methyl- and *N*-protected-3'-O-methyl-ribonucleosides and their phosphoramidite derivatives US#5,525,719.


2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides



DNA Ethyl Phosphoramidites with Standard Base Protection

B	Protection	Catalog#
A	N-Bz	ANP-6541
C	N-Bz	ANP-6542
G	N-iBu	ANP-6543
T	N/A	ANP-6544

Catalog #	Product Name	250 mg	500mg	1g	2g	5g
ANP-6541	2'-deoxyadenosine (N-Bz) 3'-Ethyl-phosphoramidite <i>M.W. 832.92</i>	\$24	\$45	\$80	\$144	\$324
ANP-6542	2'-deoxycytidine (N-Bz) 3'-Ethyl-phosphoramidite <i>M.W. 808.90</i>	\$24	\$45	\$80	\$144	\$324
ANP-6543	2'-deoxyguanosine (N-iBu) 3'-Ethyl-phosphoramidite <i>M.W. 814.91</i>	\$24	\$45	\$80	\$144	\$324
ANP-6544	Thymidine 3'-Ethyl-phosphoramidite, <i>M.W. 719.80</i>	\$24	\$45	\$80	\$144	\$324



DNA Ethyl Phosphoramidites with Labile (mild) Base Protection


B	Protection	Catalog #
A	N-PAC	ANP-5541
C	N-PAC	ANP-5542
G	N-PAC	ANP-5543
T	N/A	ANP-6544

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-5541	2'-deoxyadenosine (N-PAC) 3'-Ethyl-phosphoramidite <i>M.W. 862.95</i>	\$27.00	\$48.00	\$90.00	\$160.00	\$360.00
ANP-5542	2'-deoxycytidine (N-PAC) 3'-Ethyl-phosphoramidite <i>M.W. 838.92</i>	\$27.00	\$48.00	\$90.00	\$160.00	\$360.00
ANP-5543	2'-deoxyguanosine (N-PAC) 3'-Ethyl-phosphoramidite <i>M.W. 935.05</i>	\$27.00	\$48.00	\$90.00	\$160.00	\$360.00
ANP-6544	Thymidine 3'-Ethyl-phosphoramidite, <i>M.W. 719.80</i>	\$24.00	\$45.00	\$80.00	\$144.00	\$324.00

Applications:

For the synthesis of DNA/RNA with neutral charge instead of a negatively charged phosphate backbone, ethyl phosphoramidites not only provide neutral charge but impart lipophilic character to the synthetic DNA. It is a useful product for the development of delivery of DNA molecules into cells. For clean removal of the base protecting groups using ammonia free deprotection solution, see the page 101.

Amidites and Supports for 2'-O-Alkyl/Antisense Oligonucleotides



Oxalyl Supports with Labile (mild) Base Protection for DNA Synthesis

B	Protection	Catalog #
A	N-PAC	N-5131
C	N-PAC	N-5132
G	N-PAC	N-5133
T	N/A	N-5134

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.		
			100 mg	1 g	40 umole	0.2 umole	1.0 umole	40 umole	0.2 umole	1.0 umole
N-5131-05	3'-Oxalyl-2'-deoxy-adenosine (N-PAC)-3'-lcaa CPG	500A	\$18	\$144	\$32	\$39	\$58	\$64	\$78	\$116
N-5132-05	3'-Oxalyl-2'-deoxy-cytidine (N-PAC)-3'-lcaa CPG	500A	\$18	\$144	\$32	\$39	\$58	\$64	\$78	\$116
N-5133-05	3'-Oxalyl-2'-deoxy-guanosine (N-PAC)-3'-lcaa CPG	500A	\$18	\$144	\$32	\$39	\$58	\$64	\$78	\$116
N-5134-05	3'-Oxalyl-thymidine-3'-lcaa CPG	500A	\$18	\$144	\$32	\$39	\$58	\$64	\$78	\$116

Ammonia Free Oligo Deprotection Solution can be used with the following CPGs:

1. PAC-protected nucleoside phosphoramidites must be used for efficient base deprotection using ammonia free oligo deprotection solution.
2. Oxalyl CPGs can be cleaved from the solid support using ammonia free oligo deprotection solution. The standard succinyl CPGs will not get adequately deprotected when using ammonia free oligo deprotection solution. The synthesized oligo attached on the CPG is washed with diethyl ether, followed by air drying is placed in a vial. Ammonia free oligo deprotection solution is added and the vial is kept seal during the cleavage and deprotection.

Ammonia Free Oligo Deprotection Solution


Catalog#	Pricing
RN-1435	\$35.00 / 25 ml
	\$55.00 / 50 ml
	\$75.00 / 100 ml

For oxalyl RNA supports please refer to page # 59

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides



DNA Methyl Phosphonamidites with Standard Base Protection


B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-7551	114079-05-9
C	N- <i>i</i> Bu	ANP-7556	
G	N- <i>i</i> Bu	ANP-7553	115131-08-3
T	N/A	ANP-7554	114079-04-8
U	N/A	ANP-7557	
I	N/A	ANP-7558	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-7551	2'-Deoxyadenosine (N-Bz) 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 802.90</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00
ANP-7556	2'-Deoxycytidine (N- <i>i</i> Bu) 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 744.86</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00
ANP-7553	2'-Deoxyguanosine (N- <i>i</i> Bu) 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 784.88</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00
ANP-7554	Thymidine 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 689.78</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00
ANP-7557	2'-Deoxyuridine 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 675.75</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00
ANP-7558	2'-Deoxyinosine 3'-[(Methyl)-(N,N-diisopropyl)] phosphonamidite <i>M.W. 699.78</i>	\$50.00	\$90.00	\$162.00	\$292.00	\$655.00

Please Indicate Synthesizer when Ordering _____

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified Amidites & Support /Antisense Oligonucleotides



2'-O-Methyl RNA Methyl Phosphonamidites with Standard Base Protection


B	Protection	Catalog#	CAS No.
A	N-Bz	ANP-8551	110782-30-4
C	N-iBu	ANP-8552	
G	N-iBu	ANP-8553	
U	N/A	ANP-8554	110764-77-7
C	N-Ac	ANP-8556	

Catalog #	Product Name	250 mg	500mg	1g	2g	5g
ANP-8551	2'-O-Methyl-adenosine (N-Bz) 3'-[(Methyl)-(N,N-diisopropyl)]-phosphonamidite <i>M.W. 832.92</i>	\$165.00	\$297.00	\$535.00	\$963.00	\$2,165.00
ANP-8552	2'-O-Methyl-cytidine (N-iBu) 3'-[(Methyl)-(N,N-diisopropyl)]-phosphonamidite <i>M.W. 774.88</i>	\$165.00	\$297.00	\$535.00	\$963.00	\$2,165.00
ANP-8553	2'-O-Methyl-guanosine (N-iBu) 3'-[(Methyl)-(N,N-diisopropyl)]-phosphonamidite <i>M.W. 814.91</i>	\$165.00	\$297.00	\$535.00	\$963.00	\$2,165.00
ANP-8554	2'-O-Methyl-uridine 3'-[(Methyl)-(N,N-diisopropyl)]-phosphonamidite <i>M.W. 705.78</i>	\$165.00	\$297.00	\$535.00	\$963.00	\$2,165.00
ANP-8556	2'-O-Methyl-cytidine (N-Ac) 3'-[(Methyl)-(N,N-diisopropyl)]-phosphonamidite <i>M.W. 746.83</i>	\$165.00	\$297.00	\$535.00	\$963.00	\$2,165.00

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides




DNA Methyl Phosphoramidites with Labile (mild) Base Protection **

R	B	Protection	Catalog#	CAS No.
DMTr	A	N-PAC	ANP-5531	
DMTr	C	N-PAC	ANP-5532	
DMTr	G	N-tBPAC	ANP-5533	
DMTr	T	N/A	ANP-3764	84416-85-3
MMTr	A	N-PAC	ANP-5536	
MMTr	G	N-tBPAC	ANP-5537	

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-5531	2'-Deoxy-Adenosine (N-PAC) 3'-methyl phosphoramidite, <i>M.W. 848.92</i>	\$30.00	\$54.00	\$97.00	\$175.00	\$395.00
ANP-5532	2'-Deoxy-Cytidine (N-PAC) 3'-methyl phosphoramidite, <i>M.W. 824.90</i>	\$30.00	\$54.00	\$97.00	\$175.00	\$395.00
ANP-5533	2'-Deoxy-Guanosine (N-tBPAC) 3'-methyl phosphoramidite, <i>M.W. 921.03</i>	\$30.00	\$54.00	\$97.00	\$175.00	\$395.00
ANP-3764	Thymidine 3'-methyl phosphoramidite, <i>M.W. 705.78</i>	\$20.00	\$36.00	\$75.00	\$145.00	\$263.00
ANP-5536	5'-MMTr-2'-Deoxy-adenosine (N-PAC) 3'-methyl phosphoramidite, <i>M.W. 818.90</i>	\$30.00	\$54.00	\$97.00	\$175.00	\$395.00
ANP-5537	5'-MMTr-2'-Deoxy-Guanosine (N-tBPAC) 3'-pethyl phosphoramidite, <i>M.W. 891.00</i>	\$30.00	\$54.00	\$97.00	\$175.00	\$395.00

**With proper care, using base labile protecting groups and Ammonia free deprotection solution, it is possible to synthesize *P*-Methoxy tri-ester oligonucleotides.

For Ammonia Free Oligo Deprotection Solution (Catalog # RN-1435) that can be used with methyl phosphoramidites with labile PAC protecting groups, refer to page 101. For a description of the advantages of using 5'-MMTr nucleoside phosphoramidites, please see page # 3.




DNA Isopropyl Phosphoramidites with standard Base Protection***

B	Protection	Catalog #	CAS No.
A	N-Bz	ANP-6901	
C	N-Bz	ANP-6902	
G	N-tBu	ANP-6903	
T	N/A	ANP-6904	153922-18-0

Catalog #	Product Name	250mg	500mg	1g	2g	5g
ANP-6901	2'-Deoxy-Adenosine (N-Bz)- 3'-isopropyl-phosphoramidite, <i>M.W. 846.95</i>	\$45.00	\$80.00	\$144.00	\$260.00	\$585.00
ANP-6902	2'-Deoxy-Cytidine (N-Bz)- 3'-isopropyl-phosphoramidite, <i>M.W. 822.92</i>	\$45.00	\$80.00	\$144.00	\$260.00	\$585.00
ANP-6903	2'-Deoxy-Guanosine (N-tBu)- 3'-isopropyl-phosphoramidite, <i>M.W. 828.93</i>	\$45.00	\$80.00	\$144.00	\$260.00	\$585.00
ANP-6904	Thymidine- 3'-isopropyl-phosphoramidite, <i>M.W. 733.83</i>	\$45.00	\$80.00	\$144.00	\$260.00	\$585.00

*** With proper care, using base labile protecting groups and Ammonia free deprotection solution, it is possible to synthesize *P*-Isopropoxy tri-ester oligonucleotides conveniently.


2'-O-Alkyl Modified Amidites & Support /Antisense Oligonucleotides



2'-O-(2-Butynyl) RNA Amidites with Standard Base Protection

B	Protection	Catalog#
A	N-Bz	ANP-7621
C	N-Bz	ANP-7622
G	N-iBu	ANP-7623
U	N/A	ANP-7625

Catalog #	Product Name	100umole	250mg	500mg	1g
ANP-7621	2'-O-(2-Butynyl)-Adenosine (N-Bz) 3'-CEP, <i>M.W. 926.01</i>	\$185.00	\$450.00	\$810.00	\$1,450.00
ANP-7622	2'-O-(2-Butynyl)-Cytidine (N-Bz) 3'-CEP, <i>M.W. 901.98</i>	\$185.00	\$450.00	\$810.00	\$1,450.00
ANP-7623	2'-O-(2-Butynyl)-Guanosine (N-iBu) 3'-CEP, <i>M.W. 907.99</i>	\$185.00	\$450.00	\$810.00	\$1,450.00
ANP-7625	2'-O-(2-Butynyl)-Uridine 3'-CEP, <i>M.W. 798.86</i>	\$185.00	\$450.00	\$810.00	\$1,450.00




2'-O-(2-Butynyl) RNA Supports with Standard Base Protection

B	Protection	Catalog #
A	N-Bz	N-9611
C	N-Bz	N-9612
G	N-iBu	N-9613
U	N/A	N-9614

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.		pack of 10 cols.	
			100 mg	0.2 umole	1.0 umole	0.2 umole	1.0 umole
N-9611-05	2'-O-(2-Butynyl)-Adenosine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190
N-9611-10	3'-lcaa CPG	1000Å					
N-9612-05	2'-O-(2-Butynyl)-Cytidine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190
N-9612-10	3'-lcaa CPG	1000Å					
N-9613-05	2'-O-(2-Butynyl)-Guanosine (N-iBu)-	500Å	\$65	\$80	\$95	\$160	\$190
N-9613-10	3'-lcaa CPG	1000Å					
N-9614-05	2'-O-(2-Butynyl)-Uridine-	500Å	\$65	\$80	\$95	\$160	\$190
N-9614-10	3'-lcaa CPG	1000Å					

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

2'-O-Methyl RNA Synthesis in Reverse Direction




2'-O-Methyl-5'-Phosphoramidites with Standard Base Protection

B	Protection	Catalog#
A	N-Bz	ANP-1012
C	N-Bz	ANP-1013
G	N-iBu	ANP-1014
U	N/A	ANP-1015
C	N-Ac	ANP-1019

Catalog #	Product Name	100μmole	250mg	500mg	1g	2g
ANP-1012	2'-O-Methyl-adenosine (N-Bz)-5'-CEP, M.W. 887.96	\$100.00	\$265.00	\$477.00	\$859.00	\$1,545.00
ANP-1013	2'-O-Methyl-cytidine (N-Bz)-5'-CEP, M.W. 863.93	\$100.00	\$265.00	\$477.00	\$859.00	\$1,545.00
ANP-1014	2'-O-Methyl-guanosine (N-iBu)-5'-CEP, M.W. 869.94	\$100.00	\$265.00	\$477.00	\$859.00	\$1,545.00
ANP-1015	2'-O-Methyl-uridine-5'-CEP, M.W. 760.85	\$100.00	\$265.00	\$477.00	\$859.00	\$1,545.00
ANP-1019	2'-O-Methyl-cytidine (N-Ac)-5'-CEP, M.W. 801.88	\$100.00	\$265.00	\$477.00	\$859.00	\$1,545.00

2'-O-Methyl-5-methyl-cytidine (N-Bz)-5'-CEP 3'-O-DMT-2'-O-Methyl-5-Methyl-cytidine (N-Bz)-5'-CEP



C₂₈H₃₆N₅O₉P
Mol. Wt.: 877.5

Catalog#

ANP-1016

Pricing

\$126.00 / 100 μmole


\$320.00 / 250 mg

\$580.00 / 500 mg

\$1040.00 / 1 g

Purity: 98% +

2'-O-Methyl-5-methyl-uridine-5'-CEP



C₂₁H₂₁N₄O₉P
Mol. Wt.: 774

Catalog#

ANP-1017

Pricing

\$126.00 / 100 μmole

\$375.00 / 250 mg

\$675.00 / 500 mg

\$1215.00 / 1 g


Purity: 98% +

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified Amidites & Support /Antisense Oligonucleotides

2'-O-Methyl RNA Synthesis in Reverse Direction



2'-O-Methyl-5'-Supports with Standard Base protection


B	Protection	Catalog #
A	N-Bz	N-9912
C	N-Bz	N-9913
G	N-iBu	N-9914
U	N/A	N-9915
C	N-Ac	N-9919
5-Me-C	N-Bz	N-9916
5-Me-U	N/A	N-9917

Catalog #	Product Name	Pore Size	Bulk CPG	pack of 4 cols.		pack of 10 cols.	
			100 mg	0.2 umole	1.0 umole	0.2 umole	1.0 umole
N-9912-05	2'-O-Methyl-adenosine (N-Bz)-	500Å	\$60	\$65	\$80	\$130	\$160
N-9912-10	5'-lcaa CPG	1000Å					
N-9913-05	2'-O-Methyl-cytidine (N-Bz)-	500Å	\$60	\$65	\$80	\$130	\$160
N-9913-10	5'-lcaa CPG	1000Å					
N-9914-05	2'-O-Methyl-guanosine (N-iBu)-	500Å	\$60	\$65	\$80	\$130	\$160
N-9914-10	5'-lcaa CPG	1000Å					
N-9915-05	2'-O-Methyl-uridine-	500Å	\$60	\$65	\$80	\$130	\$160
N-9915-10	5'-lcaa CPG	1000Å					
N-9919-05	2'-O-Methyl-cytidine (N-Ac)-	500Å	\$75	\$75	\$90	\$150	\$190
N-9919-10	5'-lcaa CPG	1000Å					
N-9916-05	2'-O-Methyl-5-Methyl-cytidine (N-Bz)-	500Å	\$75	\$75	\$90	\$150	\$190
N-9916-10	5'-lcaa CPG	1000Å					
N-9917-05	2'-O-Methyl-5-Methyl-uridine-	500Å	\$75	\$95	\$90	\$150	\$190
N-9917-10	5'-lcaa CPG	1000Å					

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK


2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides



2'-O-Methyl Arabino Amidites with Standard Base protection

B	Protection	Catalog#
A	N-Bz	ANP-1716
C	N-Bz	ANP-1717
C	N-Ac	ANP-1718
G	N-iBu	ANP-1719
U	N/A	ANP-1721

Catalog #	Product Name	50μmole	100μmole	250mg	500mg	1g
ANP-1716	2'-O-methyl-Arabino Adenosine (N-Bz) 3'-CEP, <i>M.W. 887.96</i>	\$70.00	\$126.00	\$355.00	\$675.00	\$1,215.00
ANP-1717	2'-O-methyl-Arabino Cytidine (N-Bz) 3'-CEP, <i>M.W. 863.93</i>	\$70.00	\$126.00	\$355.00	\$675.00	\$1,215.00
ANP-1718	2'-O-methyl-Arabino Cytidine (N-Ac) 3'-CEP, <i>M.W. 801.86</i>	\$70.00	\$126.00	\$355.00	\$675.00	\$1,215.00
ANP-1719	2'-O-methyl-Arabino Guanosine (N-iBu) 3'-CEP, <i>M.W. 869.94</i>	\$70.00	\$126.00	\$355.00	\$675.00	\$1,215.00
ANP-1721	2'-O-methyl-Arabino Uridine 3'-CEP, <i>M.W. 760.81</i>	\$70.00	\$126.00	\$355.00	\$675.00	\$1,215.00



Solid Supports for 2'-O-Methyl Arabino with Standard Base protection

B	Protection	Catalog #
A	N-Bz	N-7423
C	N-Bz	N-7424
C	N-Ac	N-7425
G	N-iBu	N-7426
U	N/A	N-7427

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-7423-05	2'-O-methyl-Arabino Adenosine	500Å	\$70	\$630	\$100	\$200	\$200	\$400
N-7423-10	(N-Bz)-3'-lcaa CPG	1000Å						
N-7424-05	2'-O-methyl-Arabino Cytidine	500Å	\$70	\$630	\$100	\$200	\$200	\$400
N-7424-10	(N-Bz)-3'-lcaa CPG	1000Å						
N-7425-05	2'-O-methyl-Arabino Cytidine	500Å	\$70	\$630	\$100	\$200	\$200	\$400
N-7425-10	(N-Ac)-3'-lcaa CPG	1000Å						
N-7426-05	2'-O-methyl-Arabino Guanosine	500Å	\$70	\$630	\$100	\$200	\$200	\$400
N-7426-10	(N-iBu)-3'-lcaa CPG	1000Å						
N-7427-05	2'-O-methyl-Arabino Uridine-	500Å	\$70	\$630	\$100	\$200	\$200	\$400
N-7427-10	3'-lcaa CPG	1000Å						


2'-O-Methyl-arabino-amidites are covered by ChemGenes patent, U.S. Patent#. US20120149888

ChemGenes is offering the novel modifications for the Synthesis of 2'-O-Methyl-arabino Nucleosides, Phosphoramidites and Oligonucleotides for Biological Application in Therapeutics, Diagnostics, G-tetrad Forming Oligonucleotides and Aptamers etc.

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides


CombiClick™ Chemistry Products

2'-O-Propargyl Amidites with Standard Base Protection



B	Protection	Catalog#
A	N-Bz	ANP-7751
C	N-Bz	ANP-7752
G	N-iBu	ANP-7753
U	N/A	ANP-7754
C	N-Ac	ANP-7756
I	N/A	ANP-6191

Catalog #	Product Name	100µmole	250mg	500 mg	1g
ANP-7751	2'-O-Propargyl-adenosine (N-Bz)- 3'-CEP, <i>M.W. 911.98</i>	\$185.00	\$490.00	\$880.00	\$1,584.00
ANP-7752	2'-O-Propargyl-cytidine (N-Bz)- 3'-CEP, <i>M.W. 887.96</i>	\$185.00	\$490.00	\$880.00	\$1,584.00
ANP-7753	2'-O-Propargyl-guanosine (N-iBu)- 3'-CEP, <i>M.W. 893.96</i>	\$185.00	\$490.00	\$880.00	\$1,584.00
ANP-7754	2'-O-Propargyl-uridine- 3'-CEP, <i>M.W. 784.83</i>	\$185.00	\$490.00	\$880.00	\$1,584.00
ANP-7756	2'-O-Propargyl-cytidine (N-Ac)- 3'-CEP, <i>M.W. 825.89</i>	\$185.00	\$490.00	\$880.00	\$1,584.00
ANP-6191	2'-O-Propargyl-inosine- 3'-CEP, <i>M.W. 810.89</i>	\$185.00	\$490.00	\$880.00	\$1,584.00



2'-O-Propargyl Supports with Standard Base Protection

B	Protection	Catalog #
A	N-Bz	N-8910
C	N-Bz	N-8920
G	N-iBu	N-8930
U	N/A	N-8940
C	N-Ac	N-8960
I	N/A	N-8970

Catalog #	Product Name	Pore Size	Bulk CPG				
			100 mg	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-8910-05	2'-O-Propargyl-adenosine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190
N-8910-10	3'-lcaa CPG	1000Å					
N-8920-05	2'-O-Propargyl-cytidine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190
N-8920-10	3'-lcaa CPG	1000Å					
N-8930-05	2'-O-Propargyl-guanosine (N-iBu)-	500Å	\$65	\$80	\$95	\$160	\$190
N-8930-10	3'-lcaa CPG	1000Å					
N-8940-05	2'-O-Propargyl-uridine-	500Å	\$65	\$80	\$95	\$160	\$190
N-8940-10	3'-lcaa CPG	1000Å					
N-8960-05	2'-O-Propargyl-cytidine (N-Ac)-	500Å	\$65	\$80	\$95	\$160	\$190
N-8960-10	3'-lcaa CPG	1000Å					
N-8970-05	2'-O-Propargyl-inosine-	500Å	\$65	\$80	\$95	\$160	\$190
N-8970-10	3'-lcaa CPG	1000Å					


The Propargyl Amidites Products are covered under ChemGenes patent, U.S. Patent# 5,744,595

CombiClick™ is the term coined by ChemGenes for Solid Support Based Combinatorial "Click Chemistry" for Efficient Oligonucleotide Conjugation: This is a versatile method for Oligonucleotide Labeling; N. Srivastava and S. Srivastava, A. Laikhter, J. Biomol. Tech. 2010 September; 21 (3 Suppl) S44.

We have developed a method for efficient attachment of a variety of dyes to the oligonucleotide backbone in nearly quantitative yields (95-98%). This approach allows the synthesis of multiply labeled oligonucleotides in combinatorial fashion during oligonucleotide synthesis on solid support.

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides


Combiclick™ Chemistry Products



3'-O-Propargyl Amidites with Standard Base Protection

B	Protection	Catalog#
A	N-Bz	ANP-9751
C	N-Bz	ANP-9752
G	N-iBu	ANP-9753
U	N/A	ANP-9754
C	N-Ac	ANP-9759

Catalog #	Product Name	100μmole	250mg	500 mg	1g	2g
ANP-9751	3'-O-Propargyl-adenosine (N-Bz)- 2'-CEP, <i>M.W. 911.98</i>	\$185.00	\$490.00	\$880.00	\$1,584.00	\$2,850.00
ANP-9752	3'-O-Propargyl-cytidine (N-Bz)- 2'-CEP, <i>M.W. 887.96</i>	\$185.00	\$490.00	\$880.00	\$1,584.00	\$2,850.00
ANP-9753	3'-O-Propargyl-guanosine (N-iBu)- 2'-CEP, <i>M.W. 893.96</i>	\$185.00	\$490.00	\$880.00	\$1,584.00	\$2,850.00
ANP-9754	3'-O-Propargyl-uridine- 2'-CEP, <i>M.W. 784.83</i>	\$185.00	\$490.00	\$880.00	\$1,584.00	\$2,850.00
ANP-9759	3'-O-Propargyl-cytidine (N-Ac)- 2'-CEP, <i>M.W. 825.89</i>	\$185.00	\$490.00	\$880.00	\$1,584.00	\$2,850.00



3'-O-Propargyl Supports with Standard Base Protection

B	Protection	Catalog #
A	N-Bz	N-9881
C	N-Bz	N-9882
G	N-iBu	N-9883
U	N/A	N-9884
C	N-Ac	N-9889


Catalog #	Product Name	Pore Size	Bulk CPG cols.		pack of 4 cols.		pack of 10	
			100 mg	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole	
N-9881-05	3'-O-Propargyl-adenosine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190	
N-9881-10	2'-lcaa CPG	1000Å						
N-9882-05	3'-O-Propargyl-cytidine (N-Bz)-	500Å	\$65	\$80	\$95	\$160	\$190	
N-9882-10	2'-lcaa CPG	1000Å						
N-9883-05	3'-O-Propargyl-guanosine (N-iBu)-	500Å	\$65	\$80	\$95	\$160	\$190	
N-9883-10	2'-lcaa CPG	1000Å						
N-9884-05	3'-O-Propargyl-uridine-	500Å	\$65	\$80	\$95	\$160	\$190	
N-9884-10	2'-lcaa CPG	1000Å						
N-9889-05	3'-O-Propargyl-cytidine (N-Ac)-	500Å	\$65	\$80	\$95	\$160	\$190	
N-9889-10	2'-lcaa CPG	1000Å						

The above Products are covered under ChemGenes patent, U.S. Patent No. 5,744,595

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

Combiclick™ Chemistry Products

2'-O-Propargyl-abasic-phosphoramidite (2'-O-Propargyl-1,1-dihydro-D-ribose-3'-CEP)




C38H47N2O7P
Mol. Wt.: 674.

Catalog#
ANP-9782

Pricing
 \$85.00 / 50 μ mole
 \$150.00 / 100 μ mole
 \$495.00 / 250 mg
 \$890.00 / 500 mg

Purity: 98% +

2'-O-Propargyl-Arabino inosine-3'-CEP



C43H49N6O8P
Mol. Wt.: 808.86

Catalog#
ANP-9851

Pricing
 \$180.00 / 50 μ mole
 \$320.00 / 100 μ mole
 \$890.00 / 250 mg
 \$1600.00 / 500 mg

Purity: 98% +

2'-O-Propargyl Abasic Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9784-05	2'-O-Propargyl-abasic-ribose	500Å	\$110	\$970	\$110	\$180	\$220	\$360
N-9784-10	3'-Icaa CPG	1000Å						


Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

2'-O-Alkyl Modified amidites & Support / Antisense Oligonucleotides

CombiClick™ Chemistry Products contd..

2'-O-Hexynyl-inosine-3'-CEP




Catalog#
ANP-9852

Pricing
\$120.00 / 50 μmole
\$215.00 / 100 μmole
\$560.00 / 250 mg
\$1020.00 / 500 mg

Purity: 98% +

C₄₆H₅₅N₆O₈P
Mol. Wt.: 850.94

2-O-Hexynyl-Abasic-Phosphoramidite (2-O-Hexynyl-1,1-dihydro-D-ribose-3-CEP)



Catalog#
ANP-9781

Pricing
\$85.00 / 50 μmole
\$150.00 / 100 μmole
\$465.00 / 250 mg
\$835.00 / 500 mg

Purity: 98% +

C₄₁H₅₃N₂O₇P
Mol. Wt.: 716.84

CombiClick™ Chemistry Products

Several azido modified reporter molecules such as Fluorescein, Lissamine, Cy3, Cy5, Ferrocene, and New quencher dye Instant Quencher (IQ2™), that is developed by ChemGenes, have been synthesized and tested in CombiClick™ attachment chemistry. This approach allows the synthesis of multiply labeled oligonucleotides in combinatorial fashion during oligonucleotide synthesis on solid support. In the case of multiply labeled oligonucleotides, each step of CombiClick™ attachment can be performed independently after incorporation of the corresponding propargyl base.

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Chromophores & Ligands

ChemGenes offers a variety of chromophores and ligands for developing modified synthetic oligonucleotides conjugated with reporter molecules which can be employed in hybridization-based assays. Such oligonucleotides have broad applications in both basic molecular biology research and in clinical diagnostics and screening, because they have high specificity to a target nucleic acid sequence.

Ligands for attachment Chemistries

A wide variety of ligands are available from ChemGenes. The most common modification used for selective oligonucleotide attachment is the alkyl amino group. We offer from C-3 to C-12 spacer amino modifiers. This modification can be introduced into an oligonucleotide by using the corresponding phosphoramidite building block with the protected alkyl amine, which enabled for the reaction with activated esters after removal of the protecting group.^{1,2}

Amongst various other chemistries available in literature by different approaches such as introduction of the desired alkyl amino function by aminolysis of the ester bond by diamino alkanes.^{3,4} The reaction of alkyl amino modified oligonucleotides and activated esters affords the amide bond between an oligonucleotide and molecule of interest. Similarly hydrazides have been used in selective reaction with active esters. That type of nucleophilic modifications attached to the oligonucleotides and some of their applications have been recently reported in the literature.^{5,6} It also has been shown that hydrazide forms a stable Schiff base in the reaction with aldehydes and for some applications does not require reduction into stable alkyl hydrazide by cyanoborohydride.⁷

Sulfhydryl modification reagents and supports are offered by us. This is a very efficient functionality utilized in the Michael-addition and nucleophilic substitution reactions with different electrophiles. It was successfully employed in chemoselective bio-molecule conjugations.^{8,9} That modification can be introduced by several thioate and disulfide containing phosphoramidites and solid supports sold by us.

References

1. Connolly, B. A. *Nucl. Acids Res.* **1987**, *15*, 3131-3139.
2. Coull, J. M.; Weith, H. L.; Bischoff, R. *Tet. Lett.* **1986**, *27*, 3991-3994.
3. Hovinen, J.; Gusaev, A.; Azhaev, A.; Lönnberg, H. *J. Chem. Soc. Perkin Trans. I*, **1994**, 2745-2749.
4. Azhaeva, E.; Azhaev, A.; Gusaev, A.; Hovinen, J.; Lönnberg, H. *Nucl. Acid Res.* **1995**, *23*, 1170-1176.
5. Ghosh, S. S.; Kao, P. M.; Kwok, D. Y. *Analytical Biochemistry* **1989**, *178*, 43-51.
6. Raddatz, S.; Mueller-Ibeler, J.; Kluge, J.; Wäß, L.; Burdinski, G.; Havens, J. R.; Onofrey, T. J.; Wang, D. and Schweitzer, M. *Nucl. Acids Res.* **2002**, *30*, 4793-4802.
7. Podyminogin, M. A.; Lukhtanov, E. A.; Reed, M. W. *Nucl. Acids Res.* **2001**, *29*, 5090-5098.
8. Jablonski *et al.* *Nucl. Acids Res.* **1986**, *14*, 6115.
9. Farmer, G. J.; Castenada, M. *Biotechniques*, **1991**, *11*, 588.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Summary of Chromophore & Ligand Modified Phosphoramidites

The incorporation of the chromophores and ligands are summarized below:

Phosphate Introducing Reagents

Bis- Cyanoethyl-*N,N*-diisopropyl Amidite and Phosphate-ON (generates DMTr color) Reagents

Amino Linkers

Includes TFA-Amino-C4, TFA-Amino-C5, TFA-Amino-C6, MMTr-Amino-C6, dC *N*⁴-Amino Linker, MMT-Amino-C12, TFA-Amino-C12, Amino-dT-C6, & Fmoc-Amino-DMTr-C3 Amidites and various supports, ssR-Me/ssH amino modifiers.

Spacers

Includes C2, C3, C4, C6, C9 and C12 spacers, Spacer 9, Spacer 12, Spacer 18, Polyethyleneglycol 2000, and Polyethyleneglycol 4500

5'-Thiol & 3'-Thiol Modifiers

Includes 5'-Thio Modifier Hexyl, 5'-Thiol C3 Disulfide, and 5' Thiol C6 Disulfide amidites and 3'-Thiol Modifier C6 support. Cyclic Disulfide Dithiolane phosphoramidite and Supports.

Biotin

Including Biotin BB, Biotin Phosphoramidites

Branching Amidites and Supports

Asymmetrical and Symmetrical Branching, Glycerol CPG, & Butanol CPG

Carboxy Introduction and Cholesterol

Including Thymidine-succinyl-hexamide Amidite, Deoxyuridine-5-methylacrylate Amidite, Cholesterol TEG(generating DMT-orange color), TEG Cholesterol, & Cholesterol Supports.

Dabcyl and DNP-TEG

Including Dabcyl Amidites and Supports, Thymidine-C5-dabcyl Amidite, and DNP-TEG Amidites

Etheno Amidites & Supports

HEX,TET,6-FAM, 5-FAM, Fluorescein-dT, and Tetrachloro, Hexachloro Fluorescein Cyclohexyl Amidites & Supports

Includes N4 6-TAMRA Amidites and Support & 5-TAMRA Amidite

Psoralen Amidites & Supports

Includes Psoralen Amidites, Psoralen-C2, Psoralen-C4, Psoralen-C6, Psoralen-hexaethoxyglycol, and Psoralen CPG

TAMRA Amidites & Supports and Cocktail for TAMRA

Includes *N*⁴-6-TAMRA Amidites and Supports & 5-TAMRA Amidite

Oligo Synthesis Products


Remove Watermark Now

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Chemical Phosphorylation & Supports

5'-Phosphorylation Reagent

(Bis-Cyanoethyl-*N,N*-diisopropyl Phosphoramidite)



Catalog#

CLP-1454

Pricing

\$40.00 / 100 μ mole

\$300.00 / 250 mg


\$480.00 / 500 mg

\$760.00 / 1 g

Purity: 98% +

5'-Phosphorylation Reagent (generates DMT color)

(5-Phosphate-ON Reagent)



Catalog#

CLP-1544

Pricing

\$45.00 / 100 μ mole


\$150.00 / 250 mg

\$270.00 / 500 mg

\$485.00 / 1 g

Purity: 98% +

3'- Phosphate-ON CPG



N-9977-05/10/20

Phosphate-ON Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9977-05	3'-Phosphate-ON	500Å	\$62	\$425	\$52	\$92	\$104	\$184
N-9977-10	Icaa CPG	1000Å						
N-9977-20		2000Å						

Oligonucleotides can be phosphorylated enzymatically at the 5'-terminus by polynucleotide kinase. This reaction is reversible and is difficult to control. For applications such as gene assembly, where complete phosphorylation is important, it is advisable to introduce the phosphate chemically.

ChemGenes offers two reagents for 5'-phosphorylation of an oligonucleotide:

- The bis-cyanoethyl-*N,N*-diisopropyl phosphoramidite (catalog #: CLP-1454) quantitatively phosphorylates the 5'-hydroxyl group via phosphoramidite methodology on an automatic DNA/RNA synthesizer.
- An alternative is the 5'-Phosphate-ON Reagent (catalog #: CLP-1544) which generates a "DMT orange color" after introduction of phosphate at the last nucleotide in the oligonucleotide chain.

Description:


Bis-Cyanoethyl-*N,N*-diisopropyl CEP is used for the introduction of 5'- terminal phosphate on a synthetic DNA/RNA via phosphoramidite chemistry on an automatic DNA Synthesizer to produce probes and primers carrying 5'-phosphate. This is an ideal reagent for the production of phosphorylated DNA or RNA oligomers in large quantity, as compared to enzymatic phosphorylation at this position, which has limitations with respect to the quantities. This becomes a significant factor when large quantities of phosphorylated oligomers are required for recombinant DNA applications. The bis-cyanoethyl phosphoramidite reagent has the disadvantage of not generating any color, however due to its lower price it is the reagent of choice for the production of phosphorylated DNA or RNA oligomers in large quantities.

5-Phosphate-ON-reagent is an alternative to Bis-cyanoethyl phosphorylating reagent, outlined above. This reagent generates DMT orange color after introduction of phosphate at the last nucleoside in the oligonucleotide chain.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Amino Modifiers & Supports

5'-Amino (TFA)-Modifier-C4 spacer CEP



Catalog#
CLP-1453

Pricing

\$48.00 / 100 μ mole

\$170.00 / 250 mg


\$300.00 / 500 mg

\$540.00 / 1 g

Purity: 98% +

$C_{15}H_{27}F_3N_3O_3P$
Mol. Wt.: 385.36

5'-Amino (TFA)-Modifier-C5 spacer CEP



Catalog#
CLP-1357

Pricing

\$30.00 / 100 μ mole

\$90.00 / 250 mg


\$160.00 / 500 mg

\$285.00 / 1 g

Purity: 98% +

$C_{16}H_{29}F_3N_3O_3P$
Mol. Wt.: 399.39

5'-Amino (TFA)-modifier-C6 spacer CEP



Catalog#
CLP-1553

Pricing

\$28.00 / 100 μ mole

\$84.00 / 250 mg


\$150.00 / 500 mg

\$270.00 / 1 g

Purity: 98% +

$C_{17}H_{31}F_3N_3O_3P$
Mol. Wt.: 413.42

5'-Amino (MMTr)-modifier-C6 spacer CEP



Catalog#
CLP-1563

Pricing

\$56.00 / 100 μ mole

\$190.00 / 250 mg


\$340.00 / 500 mg

\$610.00 / 1 g

Purity: 98% +
CAS No. 114616-27-2

$C_{35}H_{48}N_3O_3P$
Mol. Wt.: 589.75

Amino-(Spacer-7) Icaa Supports & Columns



Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-1577-05	Amino-(Spacer-7)	500Å	\$62	\$425	\$52	\$92	\$104	\$184
N-1577-10	Icaa CPG	1000Å						


MMTr-Amino & TFA-Amino C-12 CEP, Fmoc amino C6 & spacer 7 CEP: Please see Page 118.

2'-O-Methyl amino modifier: Please see Page 94 (ANP-2583 / ANP2581).

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Amino Modifiers & Supports

Amino-modifier-13-atom-Spacer-dC CEP; (Deoxy Cytidine N⁴ Amino Linker Phosphoramidite)



Catalog#

CLP-1329

Pricing

\$150.00 / 100 μ mole


\$325.00 / 250 mg

\$585.00 / 500 mg

\$1050.00 / 1 g

Purity: 98% +

ssR-Me Amino Modifier



Catalog#

CLP-1131

Pricing

\$84.00 / 100 μ mole

\$270.00 / 250 mg

\$485.00 / 500 mg


\$870.00 / 1 g

Purity: 98% +

For synthesis of amino linker oligo nucleotideprobes in which the amino group possess enhanced reactivity towards various amine reactive dyes for conjugation.

US7491857B2; Y. Komatsu; N. Kojima; K. Sato; Ken Nonaka; Y. Fujiwana

ssH Amino Modifier



Catalog#

CLP-1132

Pricing

\$84.00 / 100 μ mole

\$275.00 / 250 mg

\$495.00 / 500 mg

\$890.00 / 1 g

Purity: 98% +

5'-Terminal Amino Introducing Reagents

The standard DNA synthesis protocols are followed to quantitatively generate the primary aliphatic amino group. This primary aliphatic amino group is useful for the subsequent introduction of various functional entities such as following:

- Biotin
- Fluorescent molecules
- Alkaline phosphatase enzyme, amino acids, hydrophobic moieties etc.

The primary aliphatic amino group reacts very smoothly with a wide variety of labeling reagents; thus it is the chemical modification of choice for this application. Thus covalently linked chromophores can be readily introduced in a synthetic DNA or RNA of interest. (Nelson, P. S.; Gold, R. S.; Leon, R. *Nucl. Acids Res.* **1989**, *17*, 7179).

The 5'-Terminal amino Introducing Reagent such as C4 Spacer (TFA-amino C4, Catalog# CLP-1453), C5 Spacer (Catalog# CLP-1357), C6 Spacer (Catalog# CLP-1553) allows only for a single primary amino function per molecule. The amino group is introduced while protected as trifluoroacetamido which is cleaved during ammonia deprotection of the oligo. The 5'-Terminal Amino Introducing Reagents allow for introduction of C4, C5 and C6 spacer respectively between the 5'-phosphate and the terminally introduced primary amino group.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Amino Modifiers & Supports

5'-Amino (MMTr)-Modifier-C12 spacer CEP

$C_{41}H_{60}N_3O_3P$
 Mol. Wt.: 673.91

Catalog#

CLP-1585

Pricing

\$90.00 / 100 μ mole

\$275.00 / 250 mg

\$495.00 / 500 mg

\$890.00 / 1 g

Purity: 98% +

2,7-di-tert-butyl-(Fmoc)-amino-butyrylglyceryl- Phosphoramidite

$C_{60}H_{78}N_3O_7P$
 Mol. Wt.: 984.27

Catalog#

CLP-1666

Pricing

\$210.00 / 250 mg

\$335.00 / 500 mg

\$535.00 / 1 g

Purity: 98% +

5'-Amino (TFA)-Modifier-C12 spacer CEP

$C_{23}H_{43}F_3N_3O_3P$
 Mol. Wt.: 497.57

Catalog#

CLP-1575

Pricing

\$90.00 / 100 μ mole

\$275.00 / 250 mg

\$495.00 / 500 mg

\$890.00 / 1 g

Purity: 98% +

5'-Amino (Fmoc)-Modifier-C6 spacer CEP

$C_{30}H_{42}N_3O_4P$
 Mol. Wt.: 539.65

Catalog#

CLP-1586

Pricing

\$90.00 / 100 μ mole

\$375.00 / 250 mg

\$675.00 / 500 mg

\$1210.00 / 1 g

Purity: 98% +

5'-Amino (Fmoc)-Modifier-spacer (7 atoms) CEP

$C_{51}H_{60}N_3O_8P$
 Mol. Wt.: 874.01

Catalog#

CLP-1662

Pricing

\$90.00 / 100 μ mole

\$240.00 / 250 mg

\$430.00 / 500 mg

\$775.00 / 1 g

Purity: 98% +

MMTr-Amino C6 & C12 Modifiers


The 5'-Terminal Introducing Reagent with C6 Spacer (MMTr-amino-C6 spacer phosphoramidite, Catalog# CLP-1563) and the 5'-Terminal amino introducing Reagent with C12 Spacer (MMTr-amino-C6 phosphoramidite, Catalog# CLP-1585) are used to introduce a primary amino group at the 5'-terminal of an oligonucleotide. The MMTr on the amino function is cleaved with 3% trichloroacetic acid (TCA), similar to DMTr removal in oligonucleotide synthesis. However, the MMTr-group removal is significantly slower (12 minutes contact with TCA).

A useful utilization of MMTr protected C6 and C12 phosphoramidites involves the selective cleavage of the MMTr group from the synthesized oligonucleotide to obtain the free terminal amino function while the oligo is still bound to the solid support. Various chromophores and biologically significant molecules can be coupled to the terminal amino group of the support bound oligonucleotide. As it is a solid phase synthesis the excess reagent (chromophores) can easily be washed off, thus leaving almost pure chromophore-oligonucleotide

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Amino-modifier-C6-dT CEP

Amino Modifier Thymidine (total 10 atoms spacer) CEP



Catalog#

CLP-1501

Pricing

\$175.00 / 100 μ mole


\$410.00 / 250 mg

\$735.00 / 500 mg

\$1320.00 / 1 g

Purity: 98% +

3'-Amino (Fmoc)-modifier-C3 CEP



Catalog#

CLP-1661

Pricing

\$48.00 / 100 μ mole

\$130.00 / 250 mg


\$200.00 / 500 mg

\$320.00 / 1 g


Amino Introducing Reagent with C3 Spacer (Fmoc-amino-DMTr C3 phosphoramidite) & Amino-dT

The amino introducing reagent with C3 Spacer (Fmoc-amino-DMTr C3 phosphoramidite, Catalog# CLP-1661) has a DMT group in addition to the protected primary amino group. This DMT group facilitates monitoring the efficiency of the phosphoramidite coupling and also allows multiple additions of the amino function. The amino dT, with a total spacer arm of 10 atoms, is suitable for the internal labeling of oligonucleotides.


Supports & Columns for 3'-amino linker oligonucleotides




N-6052-05/10




N-6054-05/10



N-1004-05/10



N-9750-05/10



N-8024-05/10

Supports & Columns for 3'-amino linker oligonucleotides

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.			pack of 10 cols.	
			100 mg	250 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-1004-05	3'-Amino (TFA)-modifier-	500Å	\$140	\$180	\$585	\$120	\$180	\$240	\$360
N-1004-10	Spacer 7-Icaa CPG	1000Å							
N-9750-05	3'-Amino (Fmoc) modifier C3	500Å	\$140	\$150	\$550	\$88	\$112	\$176	\$224
N-9750-10	Icaa CPG	1000Å							
N-6052-05	Amino-modifier-Spacer-13-dC-	500Å	\$140	\$170	\$570	\$110	\$170	\$220	\$340
N-6052-10	Icaa CPG	1000Å							
N-6054-05	Amino-modifier-C6-dT-	500Å	\$140	\$170	\$570	\$110	\$170	\$220	\$340
N-6054-10	Icaa CPG	1000Å							
N-8024-05	3'-Amino (trityl)-modifier-dT	500Å	\$140	\$170	\$570	\$110	\$170	\$220	\$340
N-8024-10	CPG	1000Å							
N-1004-13	3'-Amino (TFA)-modifier-spacer 6-	300Å	\$140	\$170	\$570	\$110	\$170	\$220	\$340
	Polymeric Support	1000Å							


3'-Amino Modifier

The 3'-amino modifier TFA-C6 (Catalog# N-1004) has been found to be a very useful addition to 3'-amino linked DNA/RNA chimeras and micro RNA (Quintana, L. *et. al.* *Current Biology* **2002**, 12, 735-739).

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Amino Modifiers & Supports

Amino-Modifier-C6-Phthalamido-TEA Salt




$C_{42}H_{50}N_2O_7$
Mol. Wt. : 694.86


Catalog#
CLP-1328

Pricing
\$115.00 / 100 μ mole
\$360.00 / 250 mg
\$640.00 / 500 mg
\$1150.00 / 1 g
Purity: 98% +

3'-Amino-Phthalamido Modifier CPG



3'-Amino (Fmoc)-Modifier (C6 spacer) CPG



Supports & Columns for 3'-amino linker oligonucleotides

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.		pack of 10 cols.	
			100 mg	250 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-8217-05	3'-Amino-modifier-C6 phthalamido	500Å	\$90	\$180	\$585	\$120	\$180	\$240	\$360
N-8217-10	Icaa CPG	1000Å							
N-1005-05	3'-Amino modifiers (Fmoc)	500Å	\$90	\$180	\$585	\$120	\$180	\$240	\$360
N-1005-10	C7 Icaa CPG	1000Å							

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Oligo Synthesis Products

Remove Watermark Now

Standard DNA

Ancillary Reagents

Modified DNA

DNA Purification

Standard RNA

Modified RNA

RNA Purification

Antisense


Chromophores & Ligands

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Spacer Modifiers & Supports


DMTr-O-Ethyleneglycol phosphoramidite

(C2 Spacer)

 $C_{32}H_{41}N_2O_5P$ Mol. Wt.: 564	Catalog#
	CLP-2250
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +


DMTr-O-Hexyl 6-Phosphoramidite

(C6 Spacer)

 $C_{36}H_{49}N_2O_5P$ Mol. Wt.: 620.76	Catalog#
	CLP-1120
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +


DMTr-O-Butyl 4-Phosphoramidite

(C4 Spacer)

 $C_{34}H_{45}N_2O_5P$ Mol. Wt.: 592.71	Catalog#
	CLP-9775
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +


DMTr-O-Nonyl 9-Phosphoramidite

(C9 Spacer)

 $C_{39}H_{55}N_2O_5P$ Mol. Wt.: 662.84	Catalog#
	CLP-9009
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +


DMTr-O-Propyl 3-Phosphoramidite

(C3 Spacer)

 $C_{33}H_{43}N_2O_5P$ Mol. Wt.: 578.68	Catalog#
	CLP-9908
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +

DMTr-O-Dodecyl 12-Phosphoramidite

(C12 Spacer)

 $C_{42}H_{61}N_2O_5P$ Mol. Wt.: 704.92	Catalog#
	CLP-1114
	Pricing
	\$75.00 / 100 μ mole
	\$150.00 / 250 mg
	\$250.00 / 500 mg
	\$400.00 / 1 g
	Purity: 98% +

Supports & Columns for Phthalamido

Catalog #	Product Name	Pore Size	Bulk CPG			pack of 4 cols.		pack of 10 cols.	
			100 mg	250 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-1089-05	1-O-DMTr-propyl-3-O-succinyl	500Å	\$140	\$180	\$585	\$120	\$180	\$240	\$360
N-1089-10	Icaa CPG	1000Å							
N-9168-05	1-O-DMTr-butyl-4-O-succinyl	300Å	\$140	\$180	\$585	\$120	\$180	\$240	\$360
N-9168-10	Polymeric Support	1000Å							
N-7178-05	Butyl CPG; DMTr-butanol-Icaa CPG	500Å	\$140	\$180	\$585	\$120	\$180	\$240	\$360
N-7178-10	(for 3'-butanol Spacer)	1000Å							
N-7175-05	Glyceryl CPG (for 3'-Glyceryl Spacer)	500Å	\$140	\$180	\$585	\$120	\$180	\$240	\$360
N-7175-10		1000Å							

The DMTr-O-butyl phosphoramidite (catalog # CLP-9775) introduces the butanediol moiety (single or multiple units) into an oligonucleotide. The butanediol spacer has been incorporated in oligonucleotides consisting of 2',5'-A and DNA segments to produce oligonucleotide chimeras that catalyze selective cleavage of RNA in human cells. (a) Maitra, R. K.; Li, G.; Xiao, W.; Dong, B.; Torrence, P. F.; Silverman, R. H. *J. Biol. Chem.* **1995**, 270, 15071. (b) Lesiak, K.; Khamnei, S.; Torrence, P. F. *Biocon. Chem.* **1993**, 4, 467.


The corresponding CPG is also available to incorporate this unit at the 3'-end of an oligo.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Spacer Modifiers & Supports

DMTr-O-Triethyleneglycol Phosphoramidite

(Spacer 9)



$C_{36}H_{49}N_2O_7P$
Mol. Wt.: 652.76

Catalog#

CLP-1113

Pricing

\$80.00 / 100 μ mole

\$150.00 / 250 mg


\$225.00 / 500 mg

\$450.00 / 1 g

Purity: 98% +

DMTr-O-Tetraethyleneglycol Phosphoramidite

(Spacer 12)



$C_{38}H_{53}N_2O_8P$
Mol. Wt.: 696.81

Catalog#

CLP-1368

Pricing

\$80.00 / 100 μ mole

\$150.00 / 250 mg


\$225.00 / 500 mg

\$450.00 / 1 g

Purity: 98% +

DMTr-O-Hexaethyleneglycol Phosphoramidite

(Spacer 18)



$C_{42}H_{61}N_2O_{10}P$
Mol. Wt.: 784.91

Catalog#

CLP-9765

Pricing

\$80.00 / 100 μ mole

\$150.00 / 250 mg


\$225.00 / 500 mg

\$450.00 / 1 g

Purity: 98% +

DMTr-O-Polyethyleneglycol 4500 Phosphoramidite

(Avg. M.W.~4500)



Mol. Wt. Avg: ~4500

Catalog#

CLP-3118


Pricing

\$275.00 / 100 μ mole

\$540.00 / 1 g

Purity: 98% +

DMTr-O-Polyethyleneglycol 2000 Phosphoramidite



$C_{120}H_{217}N_2O_{49}P$
Mol. Wt.: 2502.96

Catalog#

CLP-2119

Pricing


\$265.00 / 100 μ mole

\$515.00 / 500 mg

\$930.00 / 1 g

Purity: 98% +

Ethyl-diethyleneglycol phosphoramidite



$C_{15}H_{31}N_2O_4P$
Mol. Wt.: 334.39

Catalog#

CLP-3119

Pricing

\$275.00 / 100 μ mole


\$340.00 / 250 mg

\$480.00 / 500 mg

\$600.00 / 1 g

Purity: 98% +

TOM-C6 Phosphoramidite



$C_{25}H_{53}N_2O_4PSi$
Mol. Wt.: 504.76

Catalog#

CLP-8508

Pricing

\$40.00 / 100 μ mole


\$150.00 / 250 mg

\$250.00 / 500 mg

\$400.00 / 1 g

Purity: 98% +

Palmitoyl Polymeric Support



Catalog#

N-9821-03

Pricing

\$ 40.00 / 100 μ mole

\$ 50.00 / 250 mg

\$110.00 / 1 g


Purity: 98% +

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Spacer Modifier

DMTr-O-Pentyl-5-Phosphoramidite

(C5 Spacer)



$C_{35}H_{47}N_2O_5P$
Mol. Wt.: 606.73

Catalog#

CLP-9901

Pricing

\$75.00 / 100 μ mole

\$150.00 / 250 mg


\$220.00 / 500 mg

\$370.00 / 1 g

Purity: 98% +

Thiol Modifiers & Supports

5'-Thiol-C6-disulfide Modifier Phosphoramidite



$C_{42}H_{61}N_2O_5PS_2$
Mol. Wt.: 769.05

Catalog#

CLP-8506

Pricing

\$126.00 / 100 μ mole


\$360.00 / 250 mg

\$615.00 / 500 mg

\$1100.00 / 1 g

Purity: 98% +

5'-Thiol (S-Trityl)-hexyl-C6-Modifier Phosphoramidite



$C_{34}H_{45}N_2O_2PS$
Mol. Wt.: 576.87

Catalog#

CLP-5888

Pricing

\$60.00 / 100 μ mole

\$230.00 / 250 mg


\$390.00 / 500 mg

\$660.00 / 1 g

Purity: 98% +

5'-Thiol Modifier-C-6 (catalog# CLP-5888): Several methods are available to introduce a thiol group at the 5'-end of an oligonucleotide. (a) Connolly, B. A.; Rider, P. *Nucl. Acids Res.* **1985**, *12*, 4485; Sinha, N. D.; Cook, R. M. *Nucl. Acids Res.* **1988**, *16*, 2659; Sharma, S.; Gupta, K. C. *Nucl. Acids Res.* **1989**, *14*, 4404; (b) Kumar, A.; Advani, S.; Dawar, H.; Talwar, G. P. *Nucl. Acids Res.* **1991**, *19*, 4561).

DMTr-C6-Disulfide Solid Support (N-9987)



3'-Thiol Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9987-05	3'-Thiol Modifier-	500Å	\$70	\$530	\$68	\$110	\$136	\$220
N-9987-10	C6-disulfide Icaa CPG	1000Å						

For Puromycin Labelling: See N-1971-05/10; page # 74

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Thiol Modifiers & Supports

5'-Thiol-modifier (C3-disulfide Phosphoramidite)*

$C_{36}H_{49}N_2O_5PS_2$
Mol. Wt.: 684.89

Catalog#

CLP-8409

Pricing

\$120.00 / 100 μ mole

\$365.00 / 250 mg

\$584.00 / 500 mg

\$936.00 / 1 g

Purity: 98% +

1-Thiobenzoyl-hexyl-6-Phosphoramidite

$C_{22}H_{35}N_2O_3PS$
Mol. Wt.: 438.21

Catalog#

CLP-9773

Pricing

\$66.00 / 100 μ mole

\$290.00 / 250 mg

\$460.00 / 500 mg

\$735.00 / 1 g

Purity: 98% +

5'-S-Trityl-2'-deoxycytidine Phosphoramidite

$C_{39}H_{46}N_5O_5PS$
Mol. Wt.: 727.85

Catalog#

CLP-8509

Pricing

\$155.00 / 100 μ mole

\$425.00 / 250 mg

\$680.00 / 500 mg

\$1090.00 / 1 g

Purity: 98% +

Cyclic Dithiolane Disulfide Phosphoramidite**

$C_{45}H_{64}N_3O_6PS_2$
Mol. Wt.: 838.12

Catalog#

CLP-8407

Pricing

\$150.00 / 100 μ mole

\$380.00 / 250 mg

\$650.00 / 500 mg

\$1100.00 / 1 g

Purity: 98% +

3'-Thiol modifier (S-trityl) Icaa CPG

N-9978-05/10

3'-Thiol modifier-C3-disulfide Icaa CPG*

N-9976-05/10

Cyclic Dithiolane Disulfide Icaa CPG**

N-8408-05/10

3'-Thiol Succinyl Icaa Supports & Columns


Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9978-05	3'-Thiol Modifier-	500Å	\$70	\$530	\$68	\$110	\$136	\$220
N-9978-10	(S-trityl) Icaa CPG	1000Å						
N-9976-05	3'-Thiol Modifier-	500Å	\$70	\$530	\$68	\$110	\$136	\$220
N-9976-10	C3-disulfide Icaa CPG	1000Å						
N-8408-05	Cyclic Dithiolane	500Å	\$70	\$530	\$68	\$110	\$136	\$220
N-8408-10	Disulfide Icaa CPG	1000Å						

*Srivastava, S. C., Kumar, T. S. et al. "Synthesis of high purity DMT-C3-disulfide phosphoramidite" Patent Application No. PCT/US2012/000103.

**Srivastava, S. C., Kumar, T. S. et al. "Dithiolane based thiol modifier for labeling and stronger immobilization of bio-molecules on solid surfaces" The Serial No. for the provisional application is 61/795851.


Phosphoramidites and Supports for Introducing Chromophores & Ligands

Biotin-dT Phosphoramidite






Biotin Labelling

Biotin (BB)TM Phosphoramidite



Biotin (BB) -TEG Phosphoramidite



Biotin (BB)TM Phosphoramidites

"Biotin BB" contains a *tert*-butyl-benzoyl group at one of the secondary amino groups of Biotin. This novel feature is what makes ChemGenes "Biotin BB" (Catalog# CLP-1517) superior to other commercially available biotin products, such as "Biotin dT" and "Biotin TEG". Another biotin product, "Biotin Phosphoramidite" can potentially cause side reactions during oligo synthesis due to the presence of the free urea moiety of the biotin. As repeated synthesis cycles are performed, this side reaction will occur when 3'-end attachment is desired using a solid support. The "Biotin Phosphoramidite" has an additional problem of low solubility. "MMTr-Biotin Phosphoramidite", another biotin analog has a MMTr-group on the urea portion of the biotin. The MMTr-group, however, is potentially susceptible to hydrolysis during oligo synthesis. Furthermore, the MMTr-group does not deactivate the urea moiety of biotin towards side reactions during oligo synthesis. This novel feature was originally developed by Brian Sproat and coworkers (Uwe Piele, Brian Sproat and Gabor M. Lamm, *Nucl. Acids Res.* **1990**, 18,4355). This study demonstrated that the protection of the urea nitrogen causes dramatic effect in the purity of the synthesized oligos. ChemGenes "Biotin BB", which has a 7 atom spacer utilizes this protection feature and has *tert*-butyl-benzoyl protection on the urea nitrogen. This product is a simple and cost effective alternative to Biotin dT. ChemGenes also produces "Biotin BB" attached to solid support.

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9162-05	D-(+) Biotin	500Å	\$115	\$970	\$100	\$180	\$200	\$360
N-9162-10	Icaa CPG	1000Å						
N-9162-20		2000Å						
N-1506-05	Biotin TEG	500Å	\$115	\$970	\$100	\$180	\$200	\$360
N-1506-10	Icaa CPG	1000Å						

Biotinylation in the sequence and at the 5' Terminus

For use in automated synthesis and associated rapid purification techniques. Applications to which our biotin phosphoramidites have been applied include:

1. Diagnostic probe development including occasions where multiple biotin molecules may be introduced into a probe to enhance sensitivity of ultimate detection.
 2. Introduction of biotin in the sequence and at the 5'-terminus of a primer prior to PCR amplification and trapping of the derived biotinylated DNA using streptavidin magnetic beads.
 3. Introduction of biotin at the 3'-terminus of a probe capable of blocking chain extension in a PCR experiment. This is achieved through Biotin-CPG (see page 30).
- Protection of the N-1 position of biotin with a lipophilic group induces higher solubility. It should be noted that we have found these products to be highly susceptible to deactivation by moisture in the diluent acetonitrile.

3'-End Labeling with Biotin BB CPG Solid Supports

"Biotin BB" CPG is used for synthesis of 3'-Biotin oligomers. The *tert*-butyl-benzoyl protection prevents biotin chromophore unwanted side reactions. Also available from ChemGenes are the corresponding prepacked "Biotin BB" CPG columns listed above.

Biotin BB is a trademark of ChemGenes Corporation. The starting biotin for all biotin derivatives is Biotin-D(+).

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Branching Phosphoramidites & Supports

Symmetrical-branching Phosphoramidite


Catalog#
CLP-5215
Pricing
\$90.00 / 100 μ mole
\$225.00 / 250 mg
\$405.00 / 500 mg
\$730.00 / 1 g
Purity: 98% +

Asymmetrical-branching Phosphoramidite

Catalog#
CLP-7169
Pricing
\$110.00 / 100 μ mole
\$315.00 / 250 mg
\$505.00 / 500 mg
\$810.00 / 1 g
Purity: 98% +


Asymmetrical-branching Support

N-7170-05/10



Symmetrical-branching Support

N-5216-05/10




NPPOC-DMTr Asymmetrical-branching Phosphoramidite

Catalog#
CLP-7178
Pricing
\$130.00 / 100 μ mole
\$360.00 / 250 mg
\$640.00 / 500 mg
\$1150.00 / 1 g
Purity: 98% +

Symmetrical Branching Polymeric Support

N-7173-05



Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-5216-05	Symmetrical-branching	500Å	\$115	\$970	\$110	\$170	\$220	\$340
N-5216-10	Icaa CPG	1000Å						
N-7170-05	Asymmetrical-branching	500Å	\$115	\$970	\$110	\$170	\$220	\$340
N-7170-10	Icaa CPG	1000Å						
N-7173-05	Symmetrical-branching Polymeric Support	500Å	\$115	\$970	\$110	\$170	\$220	\$340

Branching phosphoramidites and solid supports:

The branching phosphoramidites incorporate branching sites into an oligonucleotide via automated DNA synthesis directly. Branched oligonucleotides are synthesized from the incorporated glycerol backbone, which possesses two protected hydroxyl groups for chain elongation. For example, branched oligonucleotides have been used effectively for signal amplification by introducing networks of labels or probing sites (Horn *et al.* 1989; Chang *et al.* 1991; Foldesi *et al.* 1991).

Symmetric branching phosphoramidites:

This reagent allows simultaneous extension from the glycerol branch point because both hydroxyl groups are protected by DMTr groups and are thus removed at the same time, resulting in two identical branches. Several cycles of incorporation of this amidite will result in a tree-like structure of 2 branched oligonucleotide arms. Since reporter molecules, such as biotin or fluorescein, can be attached to each arm, this exponential branching can amplify and thus improve the sensitivity of these reporter molecules.

Asymmetric branching phosphoramidites:

This reagent uses DMTr to protect one hydroxyl of the glycerol backbone and a levulinyl group to protect the other. The DMTr group is removed during the normal deblock step and routine chain elongation can continue from this branch. Subsequent removal of the levulinyl protecting group with hydrazine permits the elongation from the other, resulting in asymmetrical branching. The branches can differ in sequence, reporter molecules, or both.

Levulinyl Deprotection Solution


Catalog#	Pricing
CLP-7171	\$44.00 / 5 ml
	\$72.00 / 10 ml

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Carboxyl Generating reagents

5'-Carboxyl Group Generating Reagent

(Thymidine-succinyl-hexamide CEP)



Catalog#
CLP-2244

Pricing

\$85.00 / 100 μmole
\$200.00 / 250 mg
\$360.00 / 500 mg
\$645.00 / 1 g


Purity: 98% +

C₅₀H₆₆N₅O₁₁P
Mol. Wt.: 944.06

For oligos requiring a 5'-carboxylic group, this is an excellent reagent. This ligand is introduced to the oligo via attachment to a C-6 spacer at the 5'-end of the DNA or RNA oligo.

C5 Carboxyl Introducing Phosphoramidite

(*5'-O-DMT-C5-Methylacrylate-2'-deoxyuridine CEP)



Catalog#
CLP-2842


Pricing

\$85.00 / 100 μmole
\$230.00 / 250 mg
\$410.00 / 500 mg
\$735.00 / 1 g

Purity: 98% +

C₄₃H₅₁N₄O₁₀P
Mol. Wt.: 814.86

Undecanoic acid Phosphoramidite



Catalog#
CLP-8146


Pricing

\$265.00 / 100 μmole
\$600.00 / 250 mg
\$960.00 / 500 mg
\$1550.00 / 1 g

Purity: 98% +

C₂₁H₄₁N₂O₄P
Mol. Wt.: 416.54

Hexyl-(C6)-amido (p-benzaldehyde)-1-Phosphoramidite



Catalog#
CLP-2243

Pricing


\$265.00 / 100 μmole
\$600.00 / 250 mg
\$960.00 / 500 mg
\$1550.00 / 1 g

Purity: 98% +

C₂₃H₃₆N₃O₄P
Mol. Wt.: 449.52

(+)-a-Tocopherol-Phosphoramidite

(Vitamin E Phosphoramidite)



Catalog#
CLP-2706

Pricing

\$150.00 / 50 μmole
\$275.00 / 100 μmole
\$550.00 / 250 mg
\$990.00 / 500 mg
\$1780.00 / 1 g

Purity: 98% +

C₆₈H₁₀₃N₂O₁₀P
Mol. Wt.: 1139.53

5'-Carboxyl Group Generating Reagent

Several carboxyl group generating reagents are available from ChemGenes Corporation. Primarily the carboxy modified oligonucleotides can be used for immobilization to various amino modified surfaces or further oligonucleotide labeling with corresponding reporter molecules having primary alkyamino group.

Hexyl-(C6)-amido (p-benzaldehyde)-1-Phosphoramidite

Aldehyde and ketone modified oligonucleotides can be used for immobilization to various hydrazide or aminoxy modified surfaces or further oligonucleotide labeling with corresponding reporter molecules having hydrazide or aminoxy group.^{1,2}


- 1.Dey, S.; Sheppard, T. L. *Org. Lett.* **2001**, 3, 3983.
- 2.Defrancq, E.; Lhomme, J. *Bioorg. Med. Chem. Lett.* **2001**, 11, 931.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Cholesterol Labelling

Cholesterol TEG (Tetra Ethylene Glycol) H-Phosphonate

TEG Cholesterol (Tetra Ethylene Glycol) -H- Phosphonate TEA Salt



Catalog#
CLP-2705

Pricing

\$140.00 / 50 µmole

\$265.00 / 100 µmole

\$720.00 / 250 mg

\$1150.00 / 500 mg


\$1840.00 / 1 g

Purity: 98% +


$C_{44}H_{84}N_3O_8P$
Mol. Wt. 830.14 with TEA Salt

$C_{39}H_{79}N_3O_8P$
Mol. Wt. 727.94 without TEA Salt

Cholesterol TEG Icaa CPG



Cholesterol (Plant source) TEG Phosphoramidite



Catalog#
CLP-2795

Pricing

\$140.00 / 50 µmole

\$265.00 / 100 µmole

\$650.00 / 250 mg


\$1100.00 / 500 mg

\$1760.00 / 1 g

Purity: 98% +


$C_{48}H_{86}N_3O_8P$
Mol. Wt.: 864.19

Cholesterol (8 atom spacer) Icaa CPG



DMTr-Cholesterol TEG Phosphoramidite


(Generates DMTr color) (Plant source)



$C_{70}H_{106}N_3O_{11}P$
Mol. Wt.: 1196.58

Catalog#	Pricing
CLP-2703	\$150.00 / 50 µmole
	\$275.00 / 100 µmole
	\$525.00 / 250 mg
	\$945.00 / 500 mg
Purity: 98%+	\$1700.00 / 1 g

Cholesterol TEG (Synthetic) Phosphoramidite



$C_{48}H_{86}N_3O_8P$
Mol. Wt.: 864.19

Catalog#	Pricing
CLP-2704	\$140.00 / 50 µmole
	\$265.00 / 100 µmole
	\$650.00 / 250 mg
	\$1100.00 / 500 mg
Purity: 98%+	\$1760.00 / 1 g

Cholesterol Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 µmole	1.0 µmole	0.2 µmole	1.0 µmole
N-9166-05	3'-Cholesterol-TEG-Icaa CPG	500Å	\$115	\$970	\$110	\$175	\$220	\$350
N-9267-05	Cholesterol-C4-Icaa CPG	500Å	\$115	\$970	\$110	\$175	\$220	\$350


Cholesterol TEG phosphoramidite and solid supports:

Potential therapeutic oligonucleotides must permeate the cell membrane for optimal activity. The addition of lipophilic groups to an oligonucleotide would be expected to enhance activity. The use of cholesteryl oligos and the consequent improvement in activity has been described. Cholesterol phosphoramidite is designed with branched tetraethyleneglycol (TEG) spacer for maximum solubility in acetonitrile as well as for applications requiring multiple labels.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Dabcyl Labelling

Dabcyl CEP




Chemical structure of Dabcyl CEP phosphoramidite. The molecule consists of a 4-dimethylaminophenyl group linked via an azo group to a 4-aminobenzoyl group, which is further linked via an amide bond to a 3'-O-(4,4'-dimethoxytrityl) ribose derivative. The ribose is attached to a phosphoramidite group.

$C_{51}H_{63}N_6O_7P$
Mol. Wt.: 903.06

Catalog#	Pricing
CLP-1522	\$110.00 / 50 μ mole
	\$265.00 / 100 μ mole
	\$600.00 / 250 mg
	\$960.00 / 500 mg
Purity: 98%+	\$1550.00 / 1 g

Thymidine-C5-dabcyl CEP



Chemical structure of Thymidine-C5-dabcyl CEP phosphoramidite. The molecule features a thymidine sugar linked to a C5-dabcyl group, which is further linked to a phosphoramidite group.

$C_{63}H_{76}N_9O_{10}P$
Mol. Wt.: 1150.31

Catalog#	Pricing
CLP-9906	\$165.00 / 50 μ mole
	\$300.00 / 100 μ mole
	\$580.00 / 250 mg
	\$1040.00 / 500 mg
Purity: 98%+	\$1870.00 / 1 g

Dabcyl phosphoramidites and solid supports:

A molecular beacon probe has its natural fluorescence quenched in solution unless it is hybridized to the target sequence. Consequently, the design of a molecular beacon requires a fluorophore to be in one part of the sequence and the quencher molecule to be in another, with both molecules being separated from the oligonucleotide by a hydrocarbon spacer. The Dabcyl group has been found to be a universal quencher. Dabcyl CPGs and Dabcyl amidites are used to prepare probes with the quencher blocking the 3'-terminus.


5'-Dabcyl phosphoramidite locates the quencher at the 5'-terminus and Dabcyl-dT places it within the sequence, leaving the 3'-terminus available for polymerase extension.

Dabcyl Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9756-05	Dabcyl-Icaa-CPG	500Å	\$110	\$940	\$110	\$175	\$220	\$350
N-9756-10		1000Å						
N-9756-PF	Dabcyl-succinyl-Polymeric Support	500Å	\$110	\$940	\$110	\$175	\$220	\$350

DNP-TEG CEP

CAS No. 1027512-01-1



Chemical structure of DNP-TEG CEP phosphoramidite. The molecule consists of a 2,4-dinitrophenyl group linked via an amine group to a TEG spacer, which is further linked to a phosphoramidite group.

$C_{48}H_{64}N_5O_{13}P$
Mol. Wt.: 950.02


Catalog#	Pricing
CLP-9907	\$150.00 / 50 μ mole
	\$280.00 / 100 μ mole
	\$660.00 / 250 mg
	\$1120.00 / 500 mg
Purity: 98%+	\$1900.00 / 1 g

DNP-TEG Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9127-05	DNP-TEG-Icaa-CPG	500Å	\$115	\$960	\$110	\$185	\$220	\$370

DNP Labelling

Naphthyl Red (D-Threoninol linker) phosphoramidite



Chemical structure of Naphthyl Red (D-Threoninol linker) phosphoramidite. The molecule features a naphthyl group linked via a D-threoninol linker to a phosphoramidite group.


$C_{53}H_{61}N_5O_6P$
Mol. Wt.: 909.06

Catalog#	Pricing
CLP-6643	\$95.00 / 50 μ mole
	\$185.00 / 100 μ mole
	\$460.00 / 250 mg
	\$820.00 / 500 mg
	\$1390.00 / 1 g
Purity: 98% +	

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Fluorescein Labelling

Etheno-deoxy-adenosine CEP




Catalog#
CLP-9181

Pricing
\$95.00 / 100 μ mole
\$240.00 / 250 mg
\$400.00 / 500 mg
\$680.00 / 1 g

Purity: 98% +

$C_{42}H_{48}N_7O_6P$
 Mol. Wt.: 777.85

Etheno-deoxy-cytidine CEP



Catalog#
CLP-9182


Pricing
\$95.00 / 100 μ mole
\$240.00 / 250 mg
\$400.00 / 500 mg
\$680.00 / 1 g

Purity: 98% +

$C_{41}H_{48}N_5O_7P$
 Mol. Wt.: 753.8

Etheno-adenosine CEP

(Etheno-2'-O-TBDMS-adenosine CEP)



Catalog#
CLP-9191


Pricing
\$190.00 / 100 μ mole
\$470.00 / 250 mg
\$846.00 / 500 mg
\$1500.00 / 1 g

Purity: 98% +

$C_{48}H_{62}N_7O_7PSi$
 Mol. Wt.: 908.11

Etheno-cytidine CEP

(Etheno-2'-O-TBDMS-cytidine CEP)



Catalog#
CLP-9192

Pricing
\$190.00 / 100 μ mole
\$470.00 / 250 mg
\$846.00 / 500 mg
\$1500.00 / 1 g

Purity: 98% +

$C_{47}H_{62}N_5O_8PSi$
 Mol. Wt.: 884.08

Etheno Adenosine & Etheno Cytidine

Etheno-Nucleosides have high fluorescent intensity, especially etheno cytidine. They have been used for various applications such as: extremely low detection probes, selective introduction in synthetic DNA/RNA, and nucleic acid structure function & determination. Primers with etheno modification undergo PCR and are amplified. These fluorescent nucleosides are base sensitive and should be deprotected using mild conditions. (Srivastava, S. C.; Raza, S. K.; Misra, R. *Nucl. Acids Res.* **1994**, 22, 1296-1304)

Etheno Adenosine; Detection Limit: 10^{-9} , Excitation : 260nm, Emission : 430nm
 Etheno Cytidine; Detection Limit: 10^{-7}

Etheno Succinyl Icaa Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9113-05	Etheno-deoxy-adenosine-	500Å	\$70	\$550	\$80	\$110	\$160	\$240
N-9113-10	3'-Icaa CPG	1000Å						
N-9114-05	Etheno-deoxy-cytidine-	500Å	\$60	\$500	\$50	\$95	\$100	\$190
N-9114-10	3'-Icaa CPG	1000Å						
N-9191-05	Etheno-adenosine-	500Å	\$110	\$910	\$100	\$135	\$200	\$270
N-9191-10	2'-TBDMS 3'-Icaa CPG	1000Å						
N-9192-05	Etheno-cytidine-	500Å	\$110	\$910	\$100	\$135	\$200	\$270
N-9192-10	2'-TBDMS 3'-Icaa CPG	1000Å						
N-9091-05	Etheno-adenosine-	500Å	\$110	\$910	\$100	\$135	\$200	\$270
N-9091-10	2'/3'-Icaa CPG	1000Å						
N-9092-05	Etheno-cytidine-	500Å	\$110	\$910	\$100	\$135	\$200	\$270
N-9092-10	2'/3'-Icaa CPG	1000Å						

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Fluorescein Labelling

Tetrachloro-fluorescein (TET)Phosphoramidite

Catalog#
CLP-9779

Pricing
\$175.00 / 50 μ mole
\$350.00 / 100 μ mole
\$850.00 / 250 mg
\$1550.00 / 500 mg

Purity: 98% +

$C_{46}H_{54}Cl_4N_3O_{10}P$
Mol. Wt.: 981.72

Hexachloro-fluorescein (HEX) Phosphoramidite

Catalog#
CLP-9778

Pricing
\$175.00 / 50 μ mole
\$350.00 / 100 μ mole
\$850.00 / 250 mg
\$1550.00 / 500 mg

Purity: 98% +

$C_{46}H_{52}Cl_6N_3O_{10}P$
Mol. Wt.: 1050.61

CAS No. 1360547-55-2

Tetrachloro-fluorescein-cyclohexyl CEP

Catalog#
CLP-1526

Pricing
\$148.00 / 50 μ mole
\$292.00 / 100 μ mole
\$540.00 / 250 mg
\$1050.00 / 500 mg

Purity: 98% +

$C_{69}H_{74}Cl_4N_3O_{13}P$
Mol. Wt.: 1326.12

Hexachloro-fluorescein-cyclohexyl CEP

Catalog#
CLP-1527

Pricing
\$148.00 / 50 μ mole
\$292.00 / 100 μ mole
\$540.00 / 250 mg
\$1050.00 / 500 mg

Purity: 98% +

$C_{69}H_{72}Cl_6N_3O_{13}P$
Mol. Wt.: 1395.01

6-FAM Phosphoramidite

CAS No. 204697-37-0

Catalog#
CLP-9777

Pricing
\$98.00 / 50 μ mole
\$184.00 / 100 μ mole
\$490.00 / 250 mg
\$880.00 / 500 mg

Purity: 98% +

$C_{46}H_{58}N_3O_{10}P$
Mol. Wt.: 843.94

TET, HEX, 6-FAM

These fluorescein derivatives have been used for non-isotopic fluorescent sequencing, hybridization, and PCR product quantitation. They either are used for antibody binding or as a fluorophore for fluorescent signal generation. Each has their own excitation and emission wavelengths: 6-FAM (ABS=492nm & EM=515nm), HEX (ABS=535nm & EM=556 nm), TET (ABS=521nm & EM=536nm). The fluorescence and absorbance of fluorescein is very pH sensitive with both being the greatest at pH 8-9.

These fluorescent labels are generally added to the 5' end. Purification of the oligo is recommended either by HPLC or PAGE.

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Fluorescein Labelling

5-Fluorescein CEP

$C_{67}H_{77}N_4O_{13}PS$
Mol. Wt. : 1209.40

Catalog#	Pricing
CLP-4282	\$155.00 / 50 μ mole
	\$275.00 / 100 μ mole
	\$550.00 / 250 mg
	\$990.00 / 500 mg

Purity: 98% +

Fluorescein-dT CEP

$C_{79}H_{89}N_6O_{17}P$
Mol. Wt.: 1425.56

Catalog#	Pricing
CLP-9905	\$180.00 / 50 μ mole
	\$325.00 / 100 μ mole
	\$560.00 / 250 mg
	\$1100.00 / 500 mg

Purity: 98% +

Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-5122-05	Fluorescein-dT-Icaa CPG	500Å	\$120	\$995	\$120	\$200	\$240	\$400
N-9979-05	Fluorescein-Icaa CPG	500Å	\$110	\$970	\$110	\$180	\$220	\$360
N-9986-05	6-FAM-Icaa CPG (DMT)	500Å	\$110	\$970	\$110	\$180	\$220	\$360

CLP-4282, CLP-9905 fluorescein amidites generate DMTr-color after oligo coupling.


Oligo Synthesis Products

Remove Watermark Now


Phosphoramidites and Supports for Introducing Chromophores & Ligands

Fluorescein Labelling


DMTr-6-FAM Phosphoramidite




DMTr-5-FAM Phosphoramidite



6-FAM CPG



5-FAM CPG



5 & 6 FAM Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9985-05	DMT-6-FAM Icaa CPG	500Å	\$110	\$970	\$110	\$180	\$220	\$360
N-9969-05	DMT-5-FAM Icaa CPG	500Å	\$104	\$832	\$104	\$168	\$208	\$375


Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Rodamine (Tamra) Labelling


N⁴-6-TAMRA-cytidine-3'- lcaa CPG




Cocktail for TAMRA

Catalog#	Pricing
RN-8561	\$50.00 / 5 ml


5'-TAMRA CEP



Rox Supports & Columns



6-TAMRA Supports & Columns



TAMRA Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μmole	1.0 μmole	0.2 μmole	1.0 μmole
N-2145-05	N ⁴ -6-TAMRA-Cytidine-3'-lcaa CPG	500Å	\$104	\$832	\$104	\$168	\$208	\$375
N-2246-05	Rox-Icaa CPG	500Å	\$120	\$880	\$120	\$220	\$224	\$392
N-2255-05	TAMRA-Icaa CPG	500Å	\$104	\$832	\$104	\$168	\$208	\$375

TAMRA & Rox

Like Fluorescein, Tetra-methyl Rhodamine (TAMRA) conjugates are usually a mix of two isomers. ChemGenes supplies 5'-TAMRA as amidites with both two isomers having the same spectral properties. They both excite at λ 540 nm and emit at λ 570 nm. They are much less pH sensitive. We offer the CPG columns for the 3'-TAMRA labeling and also TAMRA NHS Esters for labeling amino-modified oligonucleotides.

These fluorescent labels are generally added to the 5' end. Purification of the oligo is recommended either by HPLC or PAGE.

Note: Price includes TAMRA Cocktail

Oligo Synthesis Products


Remove Watermark Now

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Psoralen Labelling

Psoralen CEP

(Generates DMTr color)




$C_{48}H_{55}N_2O_9P$
Mol. Wt.: 834.93

Catalog#	Pricing
CLP-6644	\$115.00 / 50 μ mole
	\$185.00 / 100 μ mole
	\$495.00 / 250 mg
	\$890.00 / 500 mg

Purity: 98% +

Psoralen-C2 spacer CEP




$C_{26}H_{35}N_2O_6P$
Mol. Wt.: 502.5

Catalog#	Pricing
CLP-6647	\$190.00 / 100 μ mole
	\$660.00 / 250 mg
	\$1056.00 / 500 mg

Purity: 98% + CAS No. 126221-83-8

Psoralen-C4 spacer CEP




$C_{28}H_{39}N_2O_6P$
Mol. Wt.: 530.59

Catalog#	Pricing
CLP-6648	\$195.00 / 100 μ mole
	\$630.00 / 250 mg
	\$1010.00 / 500 mg

Purity: 98% +

Psoralen- C6 spacer CEP



$C_{30}H_{43}N_2O_6P$
Mol. Wt.: 558.65

Catalog#	Pricing
CLP-6641	\$170.00 / 100 μ mole
	\$645.00 / 250 mg
	\$1030.00 / 500 mg

Purity: 98% + CAS No. 518046-08-7

Please Indicate Synthesizer when Ordering


ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Psoralen Labelling

Psoralen-hexaethyleneglycol-CEP

(18 atom spacer)



$C_{36}H_{55}N_2O_{11}P$
Mol. Wt.: 722.80


Catalog#

Pricing

CLP-6642	\$187.00 / 100 μ mole
	\$570.00 / 250 mg
	\$1037.00 / 500 mg

Purity: 98% +

Psoralen CPG



N-9375-05

Psoralen Supports & Columns

Catalog #	Product Name	Pore Size	Bulk CPG		pack of 4 cols.		pack of 10 cols.	
			100 mg	1 g	0.2 μ mole	1.0 μ mole	0.2 μ mole	1.0 μ mole
N-9375-05	Psoralen CPG	500Å	\$115	\$970	\$110	\$170	\$220	\$340
N-9081-05	Psoralen-C4	500Å	\$140	\$970	\$110	\$170	\$220	\$340
N-9081-10	Icaa CPG	1000Å						

Psoralens are a class of naturally occurring compounds which have been used for centuries to treat skin and tumor diseases. Psoralen binds to DNA non-specifically. Psoralen modified oligonucleotides are expected to be superior than Psoralen itself as they will hydrolyze to target oligonucleotides having complementary sequences. Psoralen derived oligonucleotides have been synthesized and found to recognize complementary target DNA sequences. The double stranded DNA fragments were found to be covalently cross-linked upon irradiation at 35 nm. (Pieles, U.; English, U. *Nucl. Acids Res.* **1989**, 17, 285; Pieles, U.; Sproat, B. S.; Neuner, P.; Cramer, F. *Nucl. Acids. Res.* **1989**, 17, 8967).

Psoralen attached oligonucleotides have also been hybridized with complementary target sites on RNA followed by cross-linking after photo reaction. (Teare, J.; Wollenzien, P. *Nucl. Acids Res.* **1989**, 17, 3559). Photoinduced cross-linking has also been achieved on a double-stranded DNA by forming a triple helix. (Takasugi, M.; Guendouz, A.; Chassignol, M.; Decont, J. L.; Lhomme, J.; Thuong, N. T.; Helene, C. *Proc. Natl. Acad. Sci. USA*, **1991**, 88, 5602). Furthermore, Psoralen derived oligonucleotide methylphosphates have been shown to cross-link in a sequence specific manner to single-dependant antiviral activity in cultured cells infected with herpes simplex virus type-1 (HSV-1) (Kulka, M.; Smith, C.; Aurelian, L.; Fishelich, R.; Meade, K.; Miller, P.; Ts'O, P.O.P. *Proc. Natl. Acad. Sci. USA*, **1989**, 86, 6868).


The psoralen support is a 16 atom spacer between Psoralen and the oligo chain (3'-end).

Please Indicate Synthesizer when Ordering

ABI	ABI 3900	Expedite	MerMade	PolyPlex	Akta Oligopilot
AB30	AB39	EX	MR	PX	AK

Phosphoramidites and Supports for Introducing Chromophores & Ligands

Deoxy Nucleosides




B	Catalog#	CAS No.
A	DN-1001	958-09-8
C	DN-1002	3992-42-5
G	DN-1003	312693-72-4
T	DN-1004	50-89-5
C	DN-1002fb	

Catalog#	Product Name	1g	5g	25g	100g	500g
DN-1001	2'-β-D-Deoxyadenosine Monohydrate <i>M.W. 269.26</i>	\$6.00	\$17.00	\$68.00	\$218.00	\$354.00
DN-1002	2'-β-D-Deoxycytidine Monohydrochloride <i>M.W. 263.68</i>	\$6.00	\$17.00	\$68.00	\$218.00	\$354.00
DN-1003	2'-β-D-Deoxyguanosine Monohydrate <i>M.W. 285.26</i>	\$6.00	\$17.00	\$68.00	\$218.00	\$354.00
DN-1004	β-D-Thymidine <i>M.W. 242.23</i>	\$6.00	\$17.00	\$68.00	\$218.00	\$354.00
DN-1002fb	2'-β-D-Deoxycytidine (Free Base) <i>M.W. 227.18</i>	\$6.00	\$19.00	\$73.00	\$250.00	\$1,000.00

Purity: (1) All the above produced have a purity of 99% +
(2) α anomer undetected

Unprotected Nucleosides

Dideoxy Nucleosides



B	Catalog#	CAS No.
A	DDN-1844	4097-22-7
C	DDN-1868	7481-89-2
G	DDN-1882	
T	DDN-1883	3416-05-5
U	DDN-1892	5983-09-5
I	DDN-1893	69655-05-6

Catalog#	Product Name	100mg	500mg	1g	5g
DDN-1844	2',3'-β-D-Dideoxyadenosine <i>M.W. 235.24</i>	\$80.00	\$210.00	\$480.00	\$1,680.00
DDN-1868	2',3'-β-D-Dideoxycytidine <i>M.W. 211.22</i>	\$80.00	\$210.00	\$480.00	\$1,680.00
DDN-1882	2',3'-β-D-Dideoxyguanosine <i>M.W. 251.24</i>	\$80.00	\$210.00	\$480.00	\$1,680.00
DDN-1883	3'-β-D-Deoxythymidine <i>M.W. 226.23</i>	\$80.00	\$210.00	\$480.00	\$1,680.00
DDN-1892	2',3'-β-D-Dideoxyuridine <i>M.W. 212.20</i>	\$80.00	\$210.00	\$480.00	\$1,680.00
DDN-1893	2',3'-β-D-Dideoxyinosine <i>M.W. 236.23</i>	\$80.00	\$210.00	\$480.00	\$1,680.00

Purity: (1) All the above produced have a purity of 98% + (2) α anomer undetected

7-Deaza-

C11H13IN4O3

Catalog#
DDN-3818

Pricing
\$388.00 / 100 mg
\$740.00 / 250 mg
\$1650.00 / 500 mg
\$2800.00 / 1 g

Purity: 98% +

7-Deaza-7-Iodo-2'-3'-β-D-dideoxyguanosine

C11H13IN4O3
Mol. Wt.: 376.15

Catalog#
DDN-3819

Pricing
\$388.00 / 100 mg
\$740.00 / 250 mg
\$1650.00 / 500 mg
\$2800.00 / 1 g

Purity: 98% +

5-Iodo-2'-3'-β-D-dideoxycytidine

C9H11IN2O3

Catalog#
DDN-1731

Pricing
\$220.00 / 100 mg
\$440.00 / 250 mg
\$700.00 / 500 mg
\$1120.00 / 1 g

Purity: 98% +

5-Iodo-2'-3'-β-D-dideoxyuridine

C9H11IN2O4
Mol. Wt.: 338.1

Catalog#
DDN-1884

Pricing
\$170.00 / 100 mg
\$340.00 / 250 mg
\$540.00 / 500 mg
\$860.00 / 1 g

Purity: 98% +
CAS No. 105784-83-6

7-Deaza-2',3'-β-D-dideoxyadenosine

C11H14N4O2
Mol. Wt.: 234.25

Catalog#
DDN-3864

Pricing
\$360.00 / 100 mg
\$720.00 / 250 mg
\$1152.00 / 500 mg
\$1844.00 / 1 g

Purity: 98% +

7-Deaza-2,3-β-D-dideoxyguanosine

C11H14N4O3
Mol. Wt.: 250.25

Catalog#
DDN-1863


Pricing
\$360.00 / 100 mg
\$720.00 / 250 mg
\$1152.00 / 500 mg
\$1844.00 / 1 g

Purity: 98% +


Unprotected Nucleosides

Modified Deoxy Nucleosides


2'-β-D-Deoxyuridine

 $C_9H_{12}N_2O_5$ Mol. Wt.: 228.	Catalog#
	DN-6373
	Pricing
	\$ 17.00 / 1 g
	\$ 75.00 / 5 g
	\$ 135.00 / 10 g
	\$ 320.00 / 25 g
	\$1,120.00 / 100 g
	Purity: 98% +
CAS No. 951-78-0	


2'-β-D-Deoxyinosine

 $C_{10}H_{12}N_4O_4$ Mol. Wt.: 252.23	Catalog#
	DN-4002
	Pricing
	\$ 19.00 / 1 g
	\$ 83.00 / 5 g
	\$155.00 / 10 g
	\$350.00 / 25 g
	\$1,197.00 / 100 g
	Purity: 98% +
CAS No. 890-38-0	


8-Oxo-2'-deoxyguanosine

 $C_{10}H_{13}N_5O_5$ Mol. Wt.: 283.24	Catalog#
	DN-1205
	Pricing
	\$ 160.00 / 250 mg
	\$ 280.00 / 500 mg
	\$ 500.00 / 1 g
	\$2,215.00 / 5g
	Purity: 98% +
CAS No. 88847-89-6	


5-Methyl-2'-deoxycytidine

 $C_{10}H_{15}N_3O_4$ Mol. Wt.: 241.2	Catalog#
	DN-2013
	Pricing
	\$ 60.00 / 250 mg
	\$110.00 / 500 mg
	\$195.00 / 1 g
	\$780.00 / 5g
	Purity: 98% +
CAS No. 838-07-3	

Etheno-2'-deoxycytidine

 $C_{11}H_{13}N_3O_4$ Mol. Wt.: 251.	Catalog#
	DN-4252
	Pricing
	\$50.00 / 25 mg
	\$160.00 / 100 mg
	\$320.00 / 250 mg
	\$510.00 / 500 mg
	Purity: 98% +
CAS No. 68498-26-0	


Etheno-2'-deoxyadenosine

 $C_{12}H_{13}N_5O_3$ Mol. Wt.: 275.26	Catalog#
	DN-4895
	Pricing
	\$50.00 / 25 mg
	\$160.00 / 100 mg
	\$320.00 / 250 mg
	\$510.00 / 500 mg
	Purity: 98% +
CAS No. 68498-25-9	


Unprotected Nucleosides

Modified Deoxy Nucleosides

5-Bromo-2'-deoxyuridine


 $C_9H_{11}BrN_2O_5$ Mol. Wt.: 307.	Catalog#
	DN-1136
	Pricing
	\$20.00 / 1 g
	\$90.00 / 5 g
	\$160.00 / 10 g
	\$290.00 / 25 g
	Purity: 98% +

8-Bromo-2'-deoxyguanosine

 $C_{10}H_{12}BrN_5O_4$ Mol. Wt.: 346.14	Catalog#
	DN-1203
	Pricing
	\$80.00 / 1 g
	\$320.00 / 5 g
	\$512.00 / 10 g
	\$1,020.00 / 25 g
	Purity: 98% +


CAS No. 13389-03-2

5-Bromo-2'-deoxycytidine

 $C_9H_{12}BrN_3O_4$ Mol. Wt.: 306	Catalog#
	DN-6496
	Pricing
	\$80.00 / 1 g
	\$320.00 / 5 g
	\$512.00 / 10 g
	\$1,020.00 / 25 g
	Purity: 98% +


CAS No. 1022-79-3

5-Iodo-2'-deoxyuridine

 $C_9H_{11}IN_2O_5$ Mol. Wt.: 354	Catalog#
	DN-1180
	Pricing
	\$48.00 / 1 g
	\$192.00 / 5 g
	\$308.00 / 10 g
	\$616.00 / 25 g
	Purity: 98% +


CAS No. 54-42-2

5-Iodo-2'-deoxycytidine

 $C_9H_{12}IN_3O_4$ Mol. Wt.: 353	Catalog#
	DN-1181
	Pricing
	\$50.00 / 1 g
	\$225.00 / 5 g
	\$385.00 / 10 g
	\$770.00 / 25 g
	Purity: 98% +

CAS No. 611-53-0

8-Bromo-2'-deoxyadenosine


 $C_{10}H_{12}BrN_5O_3$ Mol. Wt.: 330.	Catalog#
	DN-1182
	Pricing
	\$90.00 / 1 g
	\$380.00 / 5 g
	\$646.00 / 10 g
	\$1,290.00 / 25 g
	Purity: 98% +

CAS No. 14985-44-5


Unprotected Nucleosides

Modified Deoxy Nucleosides


*N*³-Methyl-thymidine

 <chem>C11H16N2O5</chem> Mol. Wt.: 256.26	Catalog#
	DN-1599
	Pricing
	\$ 42.00 / 25 mg \$135.00 / 100 mg \$540.00 / 500 mg Purity: 98% +


*N*³-Methyl-2'-deoxycytidine

 <chem>C10H15N3O4</chem> Mol. Wt.: 241.24	Catalog#
	DN-6493
	Pricing
	\$ 110.00 / 25 mg \$ 375.00 / 100 mg \$1,590.00 / 500 mg Purity: 98% +


*N*¹-Methyl-2'-deoxyadenosine

 <chem>C11H15N5O3</chem> Mol. Wt.: 265.27	Catalog#
	DN-1597
	Pricing
	\$ 120.00 / 25 mg \$ 382.00 / 100 mg \$1,528.00 / 500 mg Purity: 98% +


*N*³-Methyl-2'-deoxyuridine

 <chem>C10H14N2O5</chem> Mol. Wt.: 242.23	Catalog#
	DN-6495
	Pricing
	\$ 80.00 / 25 mg \$275.00 / 100 mg \$1,100.00 / 500 mg Purity: 98% +

*N*¹-Methyl-2'-deoxyguanosine

 <chem>C11H15N5O4</chem> Mol. Wt.: 281.27	Catalog#
	DN-1598
	Pricing
	\$ 120.00 / 25 mg \$382.00 / 100 mg \$1,528.00 / 500 mg Purity: 98% +


*N*⁴-Ethyl-2'-deoxycytidine

 <chem>C11H17N3O4</chem> Mol. Wt.: 255.27	Catalog#
	DN-7474
	Pricing
	\$ 88.00 / 1 g \$ 410.00 / 5 g \$ 640.00 / 10 g Purity: 98% +

*N*⁴-Methyl-2'-deoxycytidine

	Catalog#
	DN-2016
	Pricing
	\$88.00 / 1 g \$410.00 / 5 g \$640.00 / 10 g Purity: 98% +

*N*⁶-Methyl-2'-deoxyadenosine

	Catalog#
	DN-2015
	Pricing
	\$ 90.00 / 1 g \$410.00 / 5 g \$730.00 / 10 g Purity: 98% +

N-protected
NucleosidesDMT-protected
Nucleosides

Reagents

Triphosphates


Sugars

NHS Esters


Unprotected Nucleosides

Modified Deoxy Nucleosides


4-Thio-thymidine

 $C_{10}H_{14}N_2O_4S$ Mol. Wt.: 258.30 CAS No. 7236-57-9	Catalog#
	DN-1781
	Pricing
	\$45.00 / 50 mg
	\$75.00 / 100 mg
	\$210.00 / 250 mg
	Purity: 98% +


4-Thio-2'-deoxyuridine

 $C_9H_{12}N_2O_4S$ Mol. Wt.: 244.27	Catalog#
	DN-1263
	Pricing
	\$45.00 / 50 mg
	\$75.00 / 100 mg
	\$210.00 / 250 mg
	Purity: 98% +


6-Thio-2'-deoxyguanosine

 CAS No. 789-61-7	Catalog#
	DN-1269
	Pricing
	\$45.00 / 50 mg
	\$75.00 / 100 mg
	\$210.00 / 250 mg
	Purity: 98% +


O⁶-(Carboxymethyl)-2'-deoxyguanosine (Calcium Salt)

 $C_{12}H_{14}N_5O_6^-$ (Free carboxyl) Mol. Wt.: 324.27	Catalog#
	DN-2019
	Pricing
	\$ 80.00 / 25 mg
	\$275.00 / 100 mg
	\$690.00 / 250 mg
	Purity: 98% +

5-Propynyl-2'-deoxycytidine


 $C_{12}H_{15}N_3O_4$ Mol. Wt.: 265.27	Catalog#
	DN-1541
	Pricing
	\$115.00 / 10 mg
	\$225.00 / 25 mg
	\$380.00 / 100 mg
	Purity: 98% +

5-Propynyl-2'-deoxyuridine

 $C_{12}H_{14}N_2O_5$ Mol. Wt.: 266.2	Catalog#
	DN-1846
	Pricing
	\$ 75.00 / 10 mg
	\$160.00 / 25 mg
	\$300.00 / 100 mg
	Purity: 98% +

Unprotected Nucleosides


Modified Deoxy Nucleosides

2'-Deoxy- α -Nucleosides

B	Catalog#
A	DN-6351
C	DN-6352
G	DN-6353
T	DN-6354

Catalog#	Product Name	100mg	500mg	1g
DN-6351	α -D-2'-Deoxyadenosine <i>M.W. 251.24</i>	\$80.00	\$360.00	\$645.00
DN-6352	α -D-2'-Deoxycytidine <i>M.W. 227.22</i>	\$80.00	\$360.00	\$645.00
DN-6353	α -D-2'-Deoxyguanosine <i>M.W. 267.24</i>	\$80.00	\$360.00	\$645.00
DN-6354	α -D-Thymidine <i>M.W. 242.23</i>	\$80.00	\$360.00	\$645.00

Purity: All the above produced have a purity of 98% +

2'-Deoxy- β -L-Nucleosides

B	Catalog#
A	DN-8231
C	DN-8232
G	DN-8233
T	DN-8234
U	DN-8235

Catalog#	Product Name	100mg	500mg	1g
DN-8231	β -L-2'-Deoxyadenosine <i>M.W. 251.24</i>	\$55.00	\$195.00	\$325.00
DN-8232	β -L-2'-Deoxycytidine <i>M.W. 227.22</i>	\$55.00	\$195.00	\$325.00
DN-8233	β -L-2'-Deoxyguanosine <i>M.W. 267.24</i>	\$55.00	\$195.00	\$325.00
DN-8234	β -L-Thymidine <i>M.W. 242.23</i>	\$55.00	\$195.00	\$325.00
DN-8235	β -L-2'-Deoxyuridine <i>M.W. 228.20</i>	\$55.00	\$195.00	\$325.00

2'-Deoxy-2-Amino- β -L-adenosine

$C_{10}H_{16}N_6O_3$
Mol. Wt.: 268.27

Catalog#

DN-8331

Pricing

\$75.00 / 100 mg

\$300.00 / 500 mg

\$525.00 / 1 g


Purity: 98% +

Unprotected Nucleosides

Modified Deoxy Nucleosides

5-Aza-2'-deoxycytidine CAS No. 2353-33-5


(4-Amino-1-(2'-deoxy-β-D-ribofuranosyl)-1,3,5-triazin-2(1H)-one



2'-Deoxynebularine

(2'-deoxypurine-riboside)


CAS No. 4546-68-3




3'-Azido-3'-deoxythymidine; Azidothymidine (AZT)

Zidovudine; Retrovir


CAS No. 30516-87-1




3'-O-Levulinyl-2'-deoxyguanosine



2'-Amino-2'-deoxycytidine CAS No. 26889-42-9




2'-deoxy-isoguanosine




Unprotected Nucleosides

7-Deaza Deoxy Nucleosides


7-Deaza-2'-deoxyadenosine; 2'-Deoxytubercidin

 $C_{11}H_{14}N_4O_3$ Mol. Wt.: 250.25 CAS No. 60129-59-1	Catalog#
	DN-1143
	Pricing
	\$122.00 / 100 mg \$360.00 / 500 mg \$640.00 / 1 g
	Purity: 98% +


7-Deaza-2'-deoxyguanosine

 $C_{11}H_{14}N_4O_4$ Mol. Wt.: 266.25 CAS No. 86392-75-8	Catalog#
	DN-4567
	Pricing
	\$180.00 / 100 mg \$442.00 / 500 mg \$818.00 / 1 g
	Purity: 98% +


7-Deaza-7-iodo-2'-deoxyadenosine; (7-Iodo-2'-Deoxytubercidin)

 $C_{11}H_{13}IN_4O_3$ Mol. Wt.: 376.15 CAS No. 166247-63-8	Catalog#
	DN-2561
	Pricing
	\$75.00 / 10 mg \$160.00 / 25 mg \$342.00 / 100 mg
	Purity: 98% +


7-Deaza-7-iodo-2'-deoxyguanosine

 $C_{11}H_{13}IN_4O_4$ Mol. Wt.: 392.15 CAS No. 172163-62-1	Catalog#
	DN-2563
	Pricing
	\$75.00 / 10 mg \$160.00 / 25 mg \$386.00 / 100 mg
	Purity: 98% +


7-Deaza-2'-deoxyinosine

 $C_{11}H_{13}N_3O_4$ Mol. Wt.: 251.24 CAS No. 97224-58-3	Catalog#
	DN-1145
	Pricing
	\$180.00 / 100 mg \$442.00 / 500 mg \$818.00 / 1 g
	Purity: 98% +

7-Deaza-O⁶-methyl-2'-deoxyguanosine

 $C_{12}H_{16}N_4O_4$ Mol. Wt.: 280.28	Catalog#
	DN-1147
	Pricing
	\$165.00 / 100 mg \$388.00 / 500 mg \$710.00 / 1 g
	Purity: 98% +

Unprotected Nucleosides



Ribo Nucleosides


B	Catalog#	CAS No.
A	RP-1183	58-61-7
C	RP-1184	65-46-3
G	RP-1185	
U	RP-1186	58-96-8
I	RP-1187	58-63-9

Catalog#	Product Name	1g	5g	100g	1kg
RP-1183	Adenosine <i>M.W. 267.25</i>	\$4.00	\$12.00	\$96.00	\$700.00
RP-1184	Cytidine <i>M.W. 243.22</i>	\$4.00	\$12.00	\$96.00	\$700.00
RP-1185	Guanosine <i>M.W. 283.24</i>	\$4.00	\$12.00	\$96.00	\$700.00
RP-1186	Uridine <i>M.W. 244.20</i>	\$4.00	\$12.00	\$96.00	\$700.00
RP-1187	Inosine <i>M.W. 268.23</i>	\$4.00	\$12.00	\$96.00	\$700.00


Purity: All the above produced have a purity of 98% +

Modified Ribo Nucleosides


5-Methyl-cytidine CAS No. 2140-61-6




ribothymidine CAS No. 1463-10-1




N,N-Dimethyl-adenosine CAS No. 2620-62-4



Ara-5-methyl-cytidine




Uridine-arabinose



Unprotected Nucleosides

Modified Ribo Nucleosides



2'-Deoxy-2'-Fluoro Nucleosides

B	Catalog#
A	RP-1220
C	RP-1218
G	RP-1219
U	RP-1217

Catalog#	Product Name	500mg	1g	5g	10g
RP-1220	2'-Fluoro-2'-deoxyadenosine <i>M.W. 269.23</i>	\$48.00	\$88.00	\$240.0	\$405.00
RP-1218	2'-Fluoro-2'-deoxycytidine <i>M.W. 245.21</i>	\$48.00	\$88.00	\$240.0	\$405.00
RP-1219	2'-Fluoro-2'-deoxyguanosine <i>M.W. 285.23</i>	\$48.00	\$88.00	\$240.0	\$405.00
RP-1217	2'-Fluoro-2'-deoxyuridine <i>M.W. 246.19</i>	\$42.00	\$76.00	\$220.0	\$375.00

4-Thio-uridine

Catalog#
 RP-2304

Pricing
 \$110.00 / 100 mg
 \$220.00 / 250 mg
 \$750.00 / 1 g

Purity: 98% +

CAS No. 13957-31-8

8-Thio-guanosine

Catalog#
 RP-1190

Pricing
 \$125.00 / 100mg
 \$280.00 / 250 mg
 \$1000.00 / 1 g

Purity: 98% +

CAS No. 26001-38-7

2-Amino-purine-riboside

Catalog#
 RP-8335

Pricing
 \$48.00 / 1 g
 \$225.00 / 5 g
 \$1,010.00 / 25 g

Purity: 98% +

CAS No. 4546-54-7

2,6-Diaminopurine-riboside

Catalog#
 RP-8334

Pricing
 \$28.00 / 1 g
 \$66.00 / 5 g
 \$224.00 / 25 g

Purity: 98% +

CAS No. 2096-10-8

6-Chloro-inosine; 6-Chloropurine-riboside

Catalog#
 RP-6649

Pricing
 \$48.00 / 1 g
 \$225.00 / 5 g
 \$1,010.00 / 25g


Purity: 98% +

CAS No. 5399-87-1

Unprotected Nucleosides

Modified Ribo Nucleosides


5-Bromo-cytidine

 $C_9H_{12}BrN_3O_5$ Mol. Wt.: 322.11	Catalog#
	RP-1215
	Pricing
	\$12.00 / 100 mg
	\$24.00 / 250 mg
CAS No. 17676-66-3	\$86.00 / 1 g
	\$380.00 / 5g
	Purity: 98% +


5-Bromo-uridine

 $C_9H_{11}BrN_2O_6$ Mol. Wt.: 323.10	Catalog#
	RP-1192
	Pricing
	\$10.00 / 100 mg
	\$20.00 / 250 mg
CAS No. 957-75-5	\$64.00 / 1 g
	\$256.00 / 5g
	Purity: 98% +


8-Bromo-adenosine

 $C_{10}H_{12}BrN_5O_4$ Mol. Wt.: 346.14	Catalog#
	RP-1214
	Pricing
	\$26.00 / 100 mg
	\$58.00 / 250 mg
CAS No. 2946-39-6	\$105.00 / 1 g
	\$426.00 / 5g
	Purity: 98% +


8-Bromo-guanosine

 $C_{10}H_{12}BrN_5O_5$ Mol. Wt.: 362.14	Catalog#
	RP-1216
	Pricing
	\$26.00 / 100 mg
	\$58.00 / 250 mg
CAS No. 4016-63-1	\$105.00 / 1 g
	\$426.00 / 5g
	Purity: 98% +

5-Iodo-cytidine

 $C_9H_{12}IN_3O_5$ Mol. Wt.: 369.11	Catalog#
	RP-1221
	Pricing
	\$43.00 / 100 mg
	\$96.00 / 250 mg
CAS No. 1147-23-5	\$348.00 / 1 g
	\$1,390.00 / 5g
	Purity: 98% +

5-Iodo-uridine


 $C_9H_{11}IN_2O_6$ Mol. Wt.: 370.10	Catalog#
	RP-1089
	Pricing
	\$20.00 / 100 mg
	\$40.00 / 250 mg
CAS No. 1024-99-3	\$120.00 / 1 g
	\$540.00 / 5g
	Purity: 98% +

Unprotected Nucleosides


Modified Ribo Nucleosides

Etheno-adenosine


CAS No. 39007-51-7

 $C_{12}H_{13}N_5O_4$ Mol. Wt.: 291.26	Catalog#
	RP-2310
	Pricing
	\$38.00 / 25 mg \$125.00 / 100 mg
	Purity: 98% +


Etheno-cytidine

 $C_{11}H_{13}N_3O_5$ Mol. Wt.: 267.24	Catalog#
	RP-2311
	Pricing
	\$34.00 / 25 mg \$105.00 / 100 mg
	Purity: 98% +

5-Propynyl-cytidine


 $C_{12}H_{15}N_3O_5$ Mol. Wt.: 281.	Catalog#
	RP-1546
	Pricing
	\$150.00 / 10 mg \$360.00 / 25 mg
	Purity: 98% +

5-Propynyl-uridine

 $C_{12}H_{14}N_2O_6$ Mol. Wt.: 282.2	Catalog#
	RP-1842
	Pricing
	\$162.00 / 100 mg \$720.00 / 1 g
	Purity: 98% +


N³-Methyl-cytidine

CAS No. 2140-64-9


 $C_{10}H_{15}N_3O_5$ Mol. Wt.: 257.24	Catalog#
	RP-2317
	Pricing
	\$115.00 / 25 mg \$380.00 / 100 mg
	Purity: 98% +

N³-Methyl-uridine

CAS No. 2140-69-4

 $C_{10}H_{14}N_2O_6$ Mol. Wt.: 258.23	Catalog#
	RP-1034
	Pricing
	\$65.00 / 25 mg \$180.00 / 100 mg
	Purity: 98% +

N⁶-Palmitoyl-adenosine


 $C_{26}H_{43}N_5O_5$ Mol. Wt.: 505.65	Catalog#
	RP-1041
	Pricing
	\$350.00 / 1 g \$748.00 / 5 g
	Purity: 98% +

Unprotected Nucleosides


Modified Ribo Nucleosides

2,2'-Anhydro-uridine


(β-D-2,2'-O-cyclouridine)

 $C_9H_{10}N_2O_5$ Mol. Wt.: 226	Catalog#
	RP-4807
	Pricing
	\$30.00 / 1 g \$125.00 / 5 g
	Purity: 98% +
	CAS No. 3736-77-4


2,2'-Anhydro-5-methyl-cytidine

 $C_{10}H_{13}N_3O_4$ Mol. Wt.: 239.1	Catalog#
	RP-4808
	Pricing
	\$50.00 / 1 g \$205.00 / 5 g
	Purity: 98% +

2,2'-Anhydro-cytidine.HCl; Ancitabine hydrochloride

 $C_9H_{12}ClN_3O_4$ Mol. Wt.: 261.1	Catalog#
	RP-3765
	Pricing
	\$40.00 / 1 g \$172.00 / 5 g
	Purity: 98% +
	CAS No. 10212-25-6

Unprotected Nucleosides

 β -L Ribo Nucleosides

B	Catalog#
A	RP-9031
C	RP-9032
G	RP-9033
U	RP-9034
T	RP-9035
I	RP-9036

Catalog#	Product Name	100mg	500mg	1g	5g
RP-9031	β -L-Adenosine <i>M.W. 267.24</i>	\$65.00	\$148.00	\$285.00	\$1,160.00
RP-9032	β -L-Cytidine <i>M.W. 243.22</i>	\$65.00	\$148.00	\$285.00	\$1,160.00
RP-9033	β -L-Guanosine <i>M.W. 283.24</i>	\$78.00	\$152.00	\$326.00	\$1,467.00
RP-9034	β -L-Uridine <i>M.W. 244.20</i>	\$65.00	\$148.00	\$285.00	\$1,160.00
RP-9035	β -L-ribo Thymidine <i>M.W. 258.23</i>	\$75.00	\$152.00	\$310.00	\$1,395.00
RP-9036	β -L-Inosine <i>M.W. 268.23</i>	\$78.00	\$152.00	\$326.00	\$1,467.00

7-Deaza Ribo Nucleosides

7-Deaza-adenosine; Tubercidin CAS No. 69-33-0

Catalog#
RP-2312

Pricing
\$132.00 / 100 mg
\$260.00 / 250 mg
\$830.00 / 1 g

Purity: 98% +

C₁₁H₁₄N₄O₄
Mol. Wt.: 266.25

7-Deaza-guanosine

CAS No. 62160-23-0

Catalog#
RP-2313

Pricing
\$112.00 / 100 mg
\$225.00 / 250 mg
\$720.00 / 1 g

Purity: 98% +

C₁₁H₁₄N₄O₅
Mol. Wt.: 282.25

7-Deaza-inosine

CAS No. 2862-16-0

Catalog#
RP-2314

Pricing
\$175.00 / 100 mg
\$330.00 / 250 mg
\$804.00 / 1 g

Purity: 98% +

C₁₁H₁₃N₃O₅
Mol. Wt.: 267.24

Ara-7-Deaza-guanosine

Catalog#
RP-4311

Pricing
\$175.00 / 100 mg
\$330.00 / 250 mg
\$804.00 / 1 g

Purity: 98% +

C₁₁H₁₄N₄O₅
Mol. Wt.: 282.25

7-Deaza-7-iodo-adenosine; 7-Iodo-tubercidin

Catalog#
RP-2316


Pricing
\$175.00 / 100 mg
\$350.00 / 250 mg
\$1,120.00 / 1 g

Purity: 98% +

C₁₁H₁₃IN₄O₄
Mol. Wt.: 392.15

Unprotected Nucleosides

2'-O-Methyl Ribo Nucleosides



2'-O-Methyl Ribo Nucleosides

B	Catalog#	CAS No.
A	RP-1901	2140-79-6
C	RP-1902	2140-72-9
G	RP-1903	2140-71-8
U	RP-1904	2140-76-3
I	RP-1906	3881-21-8
T	RP-1908	

Catalog#	Product Name	100mg	500mg	1g	5g	10g
RP-1901	2'-O-Methyl-adenosine <i>M.W. 281.27</i>	\$38.00	\$53.00	\$95.00	\$381.00	\$665.00
RP-1902	2'-O-Methyl-cytidine <i>M.W. 257.24</i>	\$38.00	\$53.00	\$95.00	\$381.00	\$665.00
RP-1903	2'-O-Methyl-guanosine <i>M.W. 297.27</i>	\$38.00	\$53.00	\$95.00	\$381.00	\$665.00
RP-1904	2'-O-Methyl-uridine <i>M.W. 258.23</i>	\$20.00	\$30.00	\$55.00	\$220.00	\$400.00
RP-1906	2'-O-Methyl-inosine <i>M.W. 282.25</i>	\$48.00	\$190.00	\$300.00	\$1,050.00	\$1,470.00
RP-1908	2'-O-Methyl-thymidine <i>M.W. 272.25</i>	\$42.00	\$165.00	\$260.00	\$1,005.00	\$1,400.00

2'-O-Methyl-5-iodo-uridine CAS No. 34218-84-3

Catalog#
 RP-1905

Pricing
 \$112.00 / 100 mg
 \$725.00 / 1 g

Purity: 98% +

$C_{10}H_{13}IN_2O_6$
 Mol. Wt.: 384.12

2'-O-Methyl-5-methyl-cytidine

Catalog#
 RP-1907

Pricing
 \$168.00 / 100 mg
 \$1345.00 / 1 g

Purity: 98% +

$C_{11}H_{17}N_3O_5$
 Mol. Wt.: 271.27

2'-O-Methyl-L-uridine

Catalog#
 RP-1909

Pricing
 \$112.00 / 100 mg
 \$725.00 / 1 g

Purity: 98% +

β -L-2'-O-Methyl-2-amino-adenosine

Catalog#
 RP-3902

Pricing
 \$112.00 / 100 mg
 \$725.00 / 1 g

Purity: 98% +


$C_{11}H_{16}N_6O_4$
 Mol. Wt.: 296.28

Note: For protected base please refer to page 160


Unprotected Nucleosides

2'-O-Methyl Ribo Nucleosides

2'-O-Methyl-5-propynyl-cytidine


 $C_{13}H_{17}N_3O_5$ Mol. Wt.: 295.29	Catalog#
	RP-1548
	Pricing
	\$210.00 / 10 mg \$1,365.00 / 100 mg
	Purity: 98% +

2'-O-Methyl-5-propynyl-uridine


 $C_{13}H_{16}N_2O_6$ Mol. Wt.: 296.28	Catalog#
	RP-1856
	Pricing
	\$108.00 / 10 mg \$750.00 / 100 mg
	Purity: 98% +

3'-O-Methyl Ribo Nucleosides

3'-O-Methyl-adenosine


 $C_{11}H_{15}N_5O_4$ Mol. Wt.: 281.27	Catalog#
	RP-2911
	Pricing
	\$50.00 / 10 mg \$350.00 / 100 mg
	Purity: 98% +

3'-O-Methyl-cytidine


 $C_{10}H_{15}N_3O_5$ Mol. Wt.: 257.24	Catalog#
	RP-2912
	Pricing
	\$44.00 / 10 mg \$305.00 / 100 mg
	Purity: 98% +

3'-O-Methyl-guanosine

CAS No. 10300-27-3


 $C_{11}H_{15}N_5O_5$ Mol. Wt.: 297.27	Catalog#
	RP-2913
	Pricing
	\$55.00 / 10 mg \$360.00 / 100 mg
	Purity: 98% +

3'-O-Methyl-uridine


 $C_{10}H_{14}N_2O_6$ Mol. Wt.: 258.23	Catalog#
	RP-2914
	Pricing
	\$32.00 / 10 mg \$250.00 / 100 mg
	Purity: 98% +

3'-O-Methyl-inosine

CAS No. 75479-64-0

 $C_{11}H_{14}N_4O_5$ Mol. Wt.: 282.25	Catalog#
	RP-2915
	Pricing
	\$60.00 / 10 mg \$420.00 / 100 mg
	Purity: 98% +


3'-O-Methyl-5-methyl-cytidine

 $C_{11}H_{19}N_3O_5$ Mol. Wt.: 273.29	Catalog#
	RP-2916
	Pricing
	\$70.00 / 10 mg \$555.00 / 100 mg
	Purity: 98% +


Unprotected Nucleosides

2'-O-Allyl Ribo Nucleosides

2'-O-Allyl-adenosine


 $C_{13}H_{17}N_5O_4$ Mol. Wt.: 307.31	Catalog#
	RP-3511 _____
	Pricing
	\$44.00 / 10 mg _____ \$308.00 / 100 mg _____ Purity: 98% + _____

2'-O-Allyl-cytidine

 $C_{12}H_{17}N_3O_5$ Mol. Wt.: 283.28	Catalog#
	RP-3512 _____
	Pricing
	\$44.00 / 10 mg _____ \$308.00 / 100 mg _____ Purity: 98% + _____


2'-O-Allyl-guanosine

CAS No. 133766-28-6

 $C_{13}H_{17}N_5O_5$ Mol. Wt.: 323.30	Catalog#
	RP-3513 _____
	Pricing
	\$44.00 / 10 mg _____ \$308.00 / 100 mg _____ Purity: 98% + _____

2'-O-Allyl-uridine

CAS No. 133766-24-2


 $C_{12}H_{16}N_2O_6$ Mol. Wt.: 284.27	Catalog#
	RP-3514 _____
	Pricing
	\$38.00 / 10 mg _____ \$266.00 / 100 mg _____ Purity: 98% + _____

3'-O-Allyl Ribo Nucleosides


3'-O-Allyl-adenosine

 $C_{13}H_{17}N_5O_4$ Mol. Wt.: 307.31	Catalog#
	RP-3111 _____
	Pricing
	\$48.00 / 10 mg _____ \$336.00 / 100 mg _____ Purity: 98% + _____


3'-O-Allyl-cytidine

 $C_{12}H_{17}N_3O_5$ Mol. Wt.: 283.28	Catalog#
	RP-3112 _____
	Pricing
	\$46.00 / 10 mg _____ \$322.00 / 100 mg _____ Purity: 98% + _____

3'-O-Allyl-guanosine

 $C_{13}H_{17}N_5O_5$ Mol. Wt.: 323.30	Catalog#
	RP-3113 _____
	Pricing
	\$52.00 / 10 mg _____ \$364.00 / 100 mg _____ Purity: 98% + _____


3'-O-Allyl-uridine

 $C_{12}H_{16}N_2O_6$ Mol. Wt.: 284.27	Catalog#
	RP-3114 _____
	Pricing
	\$46.00 / 10 mg _____ \$322.00 / 100 mg _____ Purity: 98% + _____


Unprotected Nucleosides

2'-O-Propargyl Ribo Nucleosides


2'-O-Propargyl-adenosine CAS No. 151390-97-5

 $C_{13}H_{15}N_5O_4$ Mol. Wt.: 305.29	Catalog#
	RP-3401
	Pricing
	\$60.00 / 10 mg \$420.00 / 100 mg Purity: 98% +


2'-O-Propargyl-cytidine

 $C_{12}H_{15}N_3O_5$ Mol. Wt.: 281.2	Catalog#
	RP-3402
	Pricing
	\$60.00 / 10 mg \$420.00 / 100 mg Purity: 98% +

2'-O-Propargyl-guanosine


 $C_{13}H_{15}N_5O_5$ Mol. Wt.: 321.29	Catalog#
	RP-3403
	Pricing
	\$60.00 / 10 mg \$420.00 / 100 mg Purity: 98% +

2'-O-Propargyl-uridine


 $C_{12}H_{14}N_2O_6$ Mol. Wt.: 282.25	Catalog#
	RP-3404
	Pricing
	\$50.00 / 10 mg \$350.00 / 100 mg Purity: 98% +

3'-O-Propargyl Ribo Nucleosides


3'-O-Propargyl-adenosine

 $C_{13}H_{15}N_5O_4$ Mol. Wt.: 305.29	Catalog#
	RP-3301
	Pricing
	\$48.00 / 10 mg \$336.00 / 100 mg Purity: 98% +


3'-O-Propargyl-cytidine

 $C_{12}H_{15}N_3O_5$ Mol. Wt.: 281.24	Catalog#
	RP-3302
	Pricing
	\$46.00 / 10 mg \$322.00 / 100 mg Purity: 98% +

3'-O-Propargyl-guanosine

 $C_{13}H_{15}N_5O_5$ Mol. Wt.: 321.29	Catalog#
	RP-3303
	Pricing
	\$52.00 / 10 mg \$364.00 / 100 mg Purity: 98% +

3'-O-Propargyl-uridine

 $C_{12}H_{14}N_2O_6$ Mol. Wt.: 282.25	Catalog#
	RP-3304
	Pricing
	\$46.00 / 10 mg \$322.00 / 100 mg Purity: 98% +

N-protected
Nucleosides

DMT-protected
Nucleosides

Reagents


Triphosphates

Sugars

NHS Esters

Unprotected Nucleosides

Bis-Silyl Ribo Nucleosides



Bis Silyl ribo Nucleosides


B	Catalog#
A	RP-8871
C	RP-8872
G	RP-8873
U	RP-8874

Catalog#	Product Name	100mg	1g	5g	10g
RP-8871	5',3'-Tetraisopropyl-disiloxane-adenosine <i>M.W. 509.75</i>	\$38.00	\$95.00	\$410.00	\$740.00
RP-8872	5',3'-Tetraisopropyl-disiloxane-cytidine <i>M.W. 484.73</i>	\$38.00	\$95.00	\$410.00	\$740.00
RP-8873	5',3'-Tetraisopropyl-disiloxane-guanosine <i>M.W. 525.75</i>	\$38.00	\$95.00	\$410.00	\$740.00
RP-8874	5',3'-Tetraisopropyl-disiloxane-uridine <i>M.W. 486.71</i>	\$24.00	\$55.00	\$220.00	\$400.00

For Nucleoside base protected Bis-Silyl ribonucleotides, please refer to page159

pdfelement

N-protected Nucleosides



Base Protected (Standard & Labile) deoxy Nucleosides

B	Protection	Catalog#	CAS No.
A	N-Bz	PM-1101	305808-19-9
C	N-Bz	PM-1102	4836-13-9
G	N-iBu	PM-1103	68892-42-2
C	N-iBu	PM-1104	
C	N-Ac	PM-1105	32909-05-0
A	N-PAC	PM-9996	
C	N-PAC	PM-9997	
G	N-PAC	PM-9998	
A	N-DMF	PM-1588	
G	N-DMF	PM-3183	

Catalog#	Product Name	1g	5g	10g
PM-1101	2'-Deoxyadenosine (N-Bz) <i>M.W. 355.35</i>	\$12.00	\$55.00	\$99.00
PM-1102	2'-Deoxycytidine (N-Bz) <i>M.W. 331.32</i>	\$12.00	\$55.00	\$99.00
PM-1103	2'-Deoxyguanosine (N-iBu) <i>M.W. 337.33</i>	\$15.00	\$60.00	\$108.00
PM-1104	2'-Deoxycytidine (N-iBu) <i>M.W. 297.31</i>	\$15.00	\$70.00	\$126.00
PM-1105	2'-Deoxycytidine (N-Ac) <i>M.W. 269.25</i>	\$18.00	\$85.00	\$153.00
PM-9996	2'-Deoxyadenosine (N-PAC) <i>M.W. 385.37</i>	\$22.00	\$82.00	\$148.00
PM-9997	2'-Deoxycytidine (N-PAC) <i>M.W. 361.35</i>	\$22.00	\$82.00	\$148.00
PM-9998	2'-Deoxyguanosine (N-PAC) <i>M.W. 401.37</i>	\$22.00	\$82.00	\$148.00
PM-1588	2'-Deoxyadenosine (N-DMF) <i>M.W. 306.32</i>	\$15.00	\$65.00	\$117.00
PM-3183	2'-Deoxyguanosine (N-DMF) <i>M.W. 322.32</i>	\$15.00	\$65.00	\$117.00

N-protected Nucleosides


DMT-protected Nucleosides

Reagents

Triphosphates

NHS Esters

N-protected Nucleosides



Base Protected (Standard & Labile) Ribo Nucleosides

B	Protection	Catalog#	CAS No.
A	N-Bz	PM-2101	4546-55-8
C	N-Bz	PM-2102	13089-48-0
G	N-iBu	PM-2103	64350-24-9
C	N-iBu	PM-2105	
C	N-Ac	PM-2106	3768-18-1
A	N-PAC	PM-6001	
C	N-PAC	PM-6002	
G	N-PAC	PM-6003	

Catalog#	Productname	1g	5g	10g
PM-2101	Adenosine (N-Bz) <i>M.W. 371.35</i>	\$27.00	\$125.00	\$200.00
PM-2102	Cytidine (N-Bz) <i>M.W. 347.32</i>	\$27.00	\$125.00	\$200.00
PM-2103	Guanosine (N-iBu) <i>M.W. 353.33</i>	\$33.00	\$130.00	\$210.00
PM-2105	Cytidine (N-iBu) <i>M.W. 313.31</i>	\$33.00	\$130.00	\$210.00
PM-2106	Cytidine (N-Ac) <i>M.W. 285.25</i>	\$37.00	\$155.00	\$245.00
PM-6001	Adenosine (N-PAC) <i>M.W. 401.37</i>	\$40.00	\$180.00	\$290.00
PM-6002	Cytidine (N-PAC) <i>M.W. 377.35</i>	\$40.00	\$180.00	\$290.00
PM-6003	Guanosine (N-PAC) <i>M.W. 417.37</i>	\$40.00	\$180.00	\$290.00

Purity : All the above products have a purity of 98% +

N-Phenylacetyl Guanosine

CAS No. 132628-16-1

Catalog#
PM-6004

Pricing
\$40.00 / 1 g
\$180.00 / 5 g

Purity: 98% +

C₁₈H₁₉N₅O₆
Mol. Wt.: 401.37

N-DBF Isoguanosine

Catalog#
PM-2643

Pricing
\$23.00 / 10 mg
\$165.00 / 100 mg
\$310.00 / 250 mg

Purity: 98% +

C₁₉H₃₀N₆O₅
Mol. Wt.: 422.48

5-Methyl-N-Benzoyl Cytidine

Catalog#
PM-4122

Pricing
\$32.00 / 25 mg
\$75.00 / 100 mg
\$455.00 / 1 g

Purity: 98% +

C₁₇H₁₉N₃O₆
Mol. Wt.: 361.35

N-Isopentyl Adenosine CAS No. 7724-76-7

Catalog#
PM-6005


Pricing
\$32.00 / 25 mg
\$75.00 / 100 mg
\$455.00 / 1 g

Purity: 98% +

C₁₅H₂₁N₅O₄
Mol. Wt.: 335.36

N-protected Nucleosides

Bis-Silyl ribo Nucleosides with Standard & Labile Base Protection



B	Protection	Catalog#
A	N- <i>i</i> Bu	PM-1921
A	N-PAC	PM-1922
A	N-Bz	PM-1928
C	N-Ac	PM-1923
C	N- <i>i</i> Bu	PM-1924
G	N-DMF	PM-1925
G	N-Ac	PM-1926
G	N- <i>i</i> Bu	PM-1927

Catalog#	Product Name	100mg	1g	5g	10g
PM-1921	5',3'-Tetraisopropyl-disiloxane-adenosine (N- <i>i</i> Bu) <i>M.W.</i> 579.84	\$44.00	\$98.00	\$405.00	\$892.00
PM-1922	5',3'-Tetraisopropyl-disiloxane-adenosine (N-PAC) <i>M.W.</i> 643.88	\$44.00	\$98.00	\$405.00	\$892.00
PM-1928	5',3'-Tetraisopropyl-disiloxane-adenosine (N-Bz) <i>M.W.</i> 613.85	\$44.00	\$98.00	\$405.00	\$892.00
PM-1923	5',3'-Tetraisopropyl-disiloxane-cytidine (N-Ac) <i>M.W.</i> 527.76	\$44.00	\$98.00	\$405.00	\$892.00
PM-1924	5',3'-Tetraisopropyl-disiloxane-cytidine (N- <i>i</i> Bu) <i>M.W.</i> 555.81	\$44.00	\$98.00	\$405.00	\$892.00
PM-1925	5',3'-Tetraisopropyl-disiloxane-guanosine (N-DMF) <i>M.W.</i> 580.82	\$44.00	\$98.00	\$405.00	\$892.00
PM-1926	5',3'-Tetraisopropyl-disiloxane-guanosine (N-Ac) <i>M.W.</i> 567.78	\$44.00	\$98.00	\$405.00	\$892.00
PM-1927	5',3'-Tetraisopropyl-disiloxane-guanosine (N- <i>i</i> Bu) <i>M.W.</i> 595.84	\$44.00	\$98.00	\$405.00	\$892.00

2',3'-Isopropylidene-guanosine (N-*i*Bu)

Catalog#
RP-4128

Pricing
\$48.00 / 5 g
\$152.00 / 25 g

Purity: 98% +

*C*₁₇*H*₂₃*N*₅*O*₆
Mol. Wt.: 393.39

2',3'-Isopropylidene-adenosine (N-Bz)

Catalog#
RP-4127

Pricing
\$48.00 / 5 g
\$152.00 / 25 g

Purity: 98% +

*C*₂₀*H*₂₁*N*₅*O*₅
Mol. Wt.: 411.41

2',3'-Isopropylidene-uridine CAS No. 362-43-6

Catalog#
RP-4129

Pricing
\$48.00 / 5 g
\$152.00 / 25 g

Purity: 98% +

*C*₁₂*H*₁₆*N*₂*O*₆
Mol. Wt.: 284.2

2',3'-Isopropylidene-cytidine

Catalog#
RP-4126


Pricing
\$48.00 / 5 g
\$152.00 / 25 g

Purity: 98% +

*C*₁₄*H*₁₉*N*₃*O*₆
Mol. Wt.: 325.32

N-protected Nucleosides

Protected Ribo Nucleosides



B	Protection	Catalog#
A	N-Bz	RP-2278
C	N-Bz	RP-2279
C	N-Ac	RP-2280
T	N/A	RP-2283
G	N-iBu	RP-2282
U	N/A	RP-2249

Catalog#	Product Name	1g	5g	10g
RP-2278	2',3'-O-Diacetyl-adenosine (N-Bz) <i>M.W. 455.42</i>	\$90.00	\$360.00	\$575.00
RP-2279	2',3'-O-Diacetyl-cytidine (N-Bz) <i>M.W. 431.40</i>	\$90.00	\$360.00	\$575.00
RP-2280	2',3'-O-Diacetyl-cytidine (N-Ac) <i>M.W. 369.33</i>	\$90.00	\$360.00	\$575.00
RP-2283	2',3'-O-Diacetyl-ribothymidine <i>M.W. 342.30</i>	\$90.00	\$360.00	\$575.00
RP-2282	2',3'-O-Diacetyl-guanosine (N-iBu) <i>M.W. 437.40</i>	\$90.00	\$360.00	\$575.00
RP-2249	2',3'-O-Diacetyl-uridine <i>M.W. 328.27</i>	\$65.00	\$260.00	\$410.00

Modified Ribo Nucleosides

N-Ethyl Adenosine

Catalog#

RP-1035

Pricing

\$32.00 / 25 mg

\$75.00 / 100 mg

\$455.00 / 1 g

Purity: 98% +

3'-O-Allyl-N-Benzoyl Cytidine

Catalog#

RP-3115

Pricing

\$32.00 / 25 mg

\$75.00 / 100 mg

\$455.00 / 1 g

Purity: 98% +

2,2'-Anhydro-5-Methyl-N-Benzoyl Cytidine

Catalog#

RP-4166

Pricing

\$32.00 / 25 mg

\$75.00 / 100 mg

\$455.00 / 1 g

Purity: 98% +

$C_{17}H_{17}N_3O_5$

Mol. Wt: 343.33

2'-O-Methyl-N,N'-dimethyl Adenosine

Catalog#

RP-3901

Pricing

\$168.00 / 100 mg


\$1345.00 / 1 g

Purity: 98% +


N-protected Nucleosides

5'-O-Levulinyl deoxy Nucleosides


5'-O-Levulinyl-2'-deoxyadenosine (N-Bz)




5'-O-Levulinyl-2'-deoxycytidine (N-Bz)



5'-O-Levulinyl-2'-deoxyguanosine (N-iBu)




5'-O-Levulinyl-thymidine




3'-O-Levulinyl deoxy Nucleosides


3'-O-Levulinyl-2'-deoxyadenosine (N-Bz)




3'-O-Levulinyl-2'-deoxycytidine (N-Bz)



3'-O-Levulinyl-2'-deoxyguanosine (N-iBu)




3'-O-Levulinyl-thymidine




N-protected Nucleosides

3'-O-Acetyl deoxy Nucleosides


3'-O-Acetyl-2'-deoxyadenosine (N-Bz)

 $C_{19}H_{19}N_5O_5$ Mol. Wt.: 397.38	Catalog#
	PM-6301
	Pricing
	\$90.00 / 1 g \$425.00 / 5 g
	Purity: 98% +


3'-O-Acetyl-2'-deoxycytidine (N-Bz)

 $C_{18}H_{19}N_3O_6$ Mol. Wt.: 373.36	Catalog#
	PM-6302
	Pricing
	\$90.00 / 1 g \$425.00 / 5 g
	Purity: 98% +

3'-O-Acetyl-2'-deoxyguanosine (N-iBu)


 $C_{16}H_{21}N_5O_6$ Mol. Wt.: 379.37	Catalog#
	PM-6303
	Pricing
	\$90.00 / 1 g \$425.00 / 5 g
	Purity: 98% +

3'-O-Acetyl-2'-deoxyuridine CAS No. 23197-88-8


 $C_{11}H_{14}N_2O_6$ Mol. Wt.: 270.24	Catalog#
	PM-6305
	Pricing
	\$45.00 / 1 g \$212.00 / 5 g
	Purity: 98% +

3'-O-Acetyl-thymidine

CAS No. 21090-30-2

 $C_{12}H_{16}N_2O_6$ Mol. Wt.: 284.27	Catalog#
	PM-6304
	Pricing
	\$45.00 / 1 g \$212.00 / 5 g
	Purity: 98% +

N-protected Nucleosides




DMT Protected and base Protected (Standard & Labile) deoxy Nucleosides

B	Protection	Catalog#	CAS No.
A	N-Bz	PM-1109	
C	N-Bz	PM-1110	
G	N-iBu	PM-1111	
T	N/A	PM-1112	40615-39-2
C	N-iBu	PM-1117	
C	N-Ac	PM-1118	
A	N-Ac	PM-3015	
A	N-PAC	PM-3101	
C	N-PAC	PM-3102	
G	N-PAC	PM-3103	
G	N-tBPAC	PM-1483	
G	N-iPrPAC	PM-1484	
I	N/A	PM-1119	
U	N/A	PM-1120	
A	N-tBPAC	PM-1481	
C	N-tBPAC	PM-1482	
A	N-iBu	PM-1487	
C	N-Cyanoethyl	PM-1489	
A	N-Fmoc	PM-4321	
C	N-Fmoc	PM-4322	
G	N-Fmoc	PM-4333	

Catalog#	Product Name	1g	5g	10g	100g
PM-1109	5'-O-DMTr-2'-deoxyadenosine (N-Bz) <i>M.W. 657.71</i>	\$18.00	\$80.00	\$145.00	\$1,200.00
PM-1110	5'-O-DMTr-2'-deoxycytidine (N-Bz) <i>M.W. 633.69</i>	\$18.00	\$80.00	\$145.00	\$1,200.00
PM-1111	5'-O-DMTr-2'-deoxyguanosine (N-iBu) <i>M.W. 639.70</i>	\$18.00	\$80.00	\$145.00	\$1,200.00
PM-1112	5'-O-DMTr-thymidine <i>M.W. 544.60</i>	\$12.00	\$52.00	\$92.00	\$850.00
PM-1117	5'-O-DMTr-2'-deoxycytidine (N-iBu) <i>M.W. 599.67</i>	\$18.00	\$80.00	\$145.00	\$1,200.00
PM-1118	5'-O-DMTr-2'-deoxycytidine (N-Ac) <i>M.W. 571.82</i>	\$18.00	\$80.00	\$145.00	\$1,200.00
PM-3015	5'-O-DMTr-2'-deoxyadenosine (N-Ac) <i>M.W. 595.65</i>	\$25.00	\$112.00	\$198.00	\$1,782.00
PM-3101	5'-O-DMTr-2'-deoxyadenosine (N-PAC) <i>M.W. 687.74</i>	\$25.00	\$112.00	\$198.00	\$1,782.00
PM-3102	5'-O-DMTr-2'-deoxycytidine (N-PAC) <i>M.W. 663.7</i>	\$25.00	\$112.00	\$198.00	\$1,782.00
PM-3103	5'-O-DMTr-2'-deoxyguanosine (N-PAC) <i>M.W. 703.74</i>	\$28.00	\$126.00	\$224.00	\$2,000.00
PM-1483	5'-O-DMTr-2'-deoxyguanosine (N-tBPAC) <i>M.W. 759.85</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1484	5'-O-DMTr-2'-deoxyguanosine (N-iPrPAC) <i>M.W. 745.82</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1119	5'-O-DMTr-2'-deoxyinosine <i>M.W. 554.59</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1120	5'-O-DMTr-2'-deoxyuridine <i>M.W. 530.57</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1481	5'-O-DMTr-2'-deoxyadenosine (N ⁶ -tBPAC) <i>M.W. 743.85</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1482	5'-O-DMTr-2'-deoxycytidine (N ⁴ -tButyl PAC) <i>M.W. 719.82</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1487	5'-O-DMTr-2'-deoxyadenosine (N-iBu) <i>M.W. 623.70</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-1489	5'-O-DMTr-2'-deoxycytidine (N-CNEt) <i>M.W. 582.65</i>	\$40.00	\$190.00	\$342.00	\$3,000.00
PM-4321	5'-O-DMTr-2'-deoxyadenosine (N-Fmoc) <i>M.W. 775.85</i>	\$25.00	\$112.00	\$198.00	\$1,782.00
PM-4322	5'-O-DMTr-2'-deoxycytidine (N-Fmoc) <i>M.W. 751.82</i>	\$25.00	\$112.00	\$198.00	\$1,782.00
PM-4333	5'-O-DMTr-2'-deoxyguanosine (N-Fmoc) <i>M.W. 791.85</i>	\$25.00	\$112.00	\$198.00	\$1,782.00

Purity: Ultrapure product: > 98.5% + by HPLC

DMT-protected Nucleosides



DMT Protected Standard & Labile Ribo Nucleosides


B	Protection	Catalog#	CAS No.
A	N-Bz	PM-2109	81246-82-4
C	N-Bz	PM-2110	
G	N-iBu	PM-2111	
U	N/A	PM-2112	
C	N-iBu	PM-2113	
C	N-Ac	PM-2114	
A	N-PAC	PM-2203	
C	N-PAC	PM-2204	
G	N-PAC	PM-2205	
T	N/A	PM-2115	
I	N/A	PM-2306	
G	N-iPrPAC	PM-2209	
G	N-Ac	PM-4003	
A	N-Fmoc	PM-4366	
C	N-Fmoc	PM-4367	
G	N-Fmoc	PM-4368	

Catalog#	Product Name	1g	5g	10g	100g
PM-2109	5'-O-DMTr-Adenosine (N-Bz) <i>M.W. 673.71</i>	\$33.00	\$142.00	\$256.00	\$2,170.00
PM-2110	5'-O-DMTr-Cytidine (N-Bz) <i>M.W. 649.69</i>	\$33.00	\$142.00	\$256.00	\$2,170.00
PM-2111	5'-O-DMTr-Guanosine (N-iBu) <i>M.W. 655.70</i>	\$35.00	\$148.00	\$265.00	\$2,250.00
PM-2112	5'-O-DMTr-Uridine <i>M.W. 546.57</i>	\$26.00	\$128.00	\$230.00	\$1,955.00
PM-2113	5'-O-DMTr-Cytidine (N-iBu) <i>M.W. 615.67</i>	\$40.00	\$142.00	\$333.00	\$2,830.00
PM-2114	5'-O-DMTr-Cytidine (N-Ac) <i>M.W. 587.82</i>	\$42.00	\$145.00	\$245.00	\$2,080.00
PM-2203	5'-O-DMTr-Adenosine (N-PAC) <i>M.W. 703.74</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-2204	5'-O-DMTr-Cytidine (N-PAC) <i>M.W. 679.72</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-2205	5'-O-DMTr-Guanosine (N-PAC) <i>M.W. 719.74</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-2115	5'-O-DMTr-riboThymidine <i>M.W. 560.59</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-2306	5'-O-DMTr-Inosine <i>M.W. 570.59</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-2209	5'-O-DMTr-Guanosine (N-iPrPAC) <i>M.W. 761.31</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-4003	5'-O-DMTr-Guanosine (N-Ac) <i>M.W. 627.64</i>	\$35.00	\$148.00	\$245.00	\$2,080.00
PM-4366	5'-O-DMTr-Adenosine (N-Fmoc) <i>M.W. 791.85</i>	\$25.00	\$112.00	\$198.00	\$1,680.00
PM-4367	5'-O-DMTr-Cytidine (N-Fmoc) <i>M.W. 767.82</i>	\$25.00	\$112.00	\$198.00	\$1,680.00
PM-4368	5'-O-DMTr-Guanosine (N-Fmoc) <i>M.W. 807.85</i>	\$25.00	\$112.00	\$198.00	\$1,680.00


Purity: All the above produced have a purity of 98.5% + by HPLC.

DMT-protected Nucleosides


5'-O-DMTr-5-propynyl-2'-deoxyuridine




5'-O-DMTr-5-propynyl-2'-deoxycytidine (N-Bz)




5'-O-DMTr-*N*³-methyl-thymidine




5'-O-DMTr-*N*⁶-methyl-2'-deoxyadenosine




5'-O-DMTr-2'-deoxy-isoguanosine (N-DBF)




5'-O-DMTr-5-methyl-2'-deoxycytidine (N-Bz)



5'-O-DMTr-2'-deoxycytidine (N-Cyanoethyl)



5'-O-DMTr-*N*³-cyanoethyl-thymidine



N-protected Nucleosides

DMT-protected Nucleosides

Reagents


Triphosphates

NHS Esters


DMT-protected Nucleosides

DMTr Protected Modified Deoxy Nucleosides


5'-O-DMTr-7-Deaza-2'-deoxyinosine

 $C_{32}H_{31}N_3O_6$ Mol. Wt.: 553.61	Catalog# PM-6434 _____ Pricing \$450.00 / 1 g _____ \$1,800.00 / 5 g _____ Purity: 98% + _____
--	--

5'-O-DMTr-7-Deaza-2'-deoxyguanosine (N-iBu)

 $C_{36}H_{38}N_4O_7$ Mol. Wt.: 638.72	Catalog# PM-6433 _____ Pricing \$450.00 / 1 g _____ \$1,800.00 / 5 g _____ Purity: 98% + _____
--	--


5'-O-DMTr-7-Deaza-2'-deoxyadenosine (N-Bz)

 $C_{39}H_{36}N_4O_6$ Mol. Wt.: 656.73	Catalog# PM-6431 _____ Pricing \$450.00 / 1 g _____ \$1,800.00 / 5 g _____ Purity: 98% + _____
---	--

DMT-protected Nucleosides

DMTr Protected Modified Deoxy Nucleosides

5'-O-DMTr-3'-Azido-7-deaza-7-propargyl-amino-(TFA)-2'-deoxyguanosine


 $\text{C}_{45}\text{H}_{39}\text{F}_3\text{N}_8\text{O}_8$ Mol. Wt.: 876.84	Catalog# PM-7307 Pricing \$315.00 / 100 μmole Purity: 98% +
--	---

pdfelement


DMT-protected Nucleosides

DMTr Protected Modified Deoxy Nucleosides


5'-O-DMTr-8-bromo-2'-deoxyadenosine (N-DBF)




5'-O-DMTr-8-bromo-2'-deoxyadenosine (N-Bz)




5'-O-DMTr-8-bromo-2'-deoxyguanosine (N-iBu)




5'-O-DMTr-5-bromo-2'-deoxyuridine



5'-O-DMTr-5-iodo-2'-deoxycytidine (N-DBF)




5'-O-DMTr-5-iodo-2'-deoxyuridine




DMT-protected Nucleosides

DMTr Protected Modified Ribo


5'-O-DMTr-8-bromo-adenosine (N-DBF)

 <chem>C40H47BrN6O6</chem> Mol. Wt.: 787.74	Catalog# PM-1834 Pricing \$160.00 / 1 g Purity: 98% +
---	---


5'-O-DMTr-5-methyl-cytidine (N-Bz)

 <chem>C38H37N3O8</chem> Mol. Wt.: 663	Catalog# PM-2647 Pricing \$134.00 / 1 g Purity: 98% +
--	---


5'-O-DMTr-5-propynyl-cytidine (N-Bz)

 <chem>C40H37N3O8</chem> Mol. Wt.: 687	Catalog# PM-1126 Pricing \$115.00 / 100 mg \$910.00 / 1 g Purity: 98% +
---	--


5'-O-DMTr-5-propynyl-uridine

 <chem>C33H32N2O8</chem> Mol. Wt.: 584	Catalog# PM-1024 Pricing \$180.00 / 100 mg \$1,260.00 / 1 g Purity: 98% +
---	--

5'-O-DMTr-2,6-diamino-purine-ribose (*N*⁶-DMF) (*N*²-iBu)

 <chem>C38H43N7O7</chem> Mol. Wt.: 709.79	Catalog# PM-2476 Pricing \$115.00 / 1 g Purity: 98% +
---	---

DMT-protected Nucleosides



DMTr Protected 2'-O-Methyl Nucleosides

B	Protection	Catalog#
A	N-Bz	PM-5731
C	N-Bz	PM-5732
G	N-iBu	PM-5733
U	N/A	PM-5734
C	N-Ac	PM-5735
A	N-PAC	PM-3701
C	N-PAC	PM-3702
G	N-PAC	PM-3703

Catalog#	Productname	500mg	1g	5g
PM-5731	5'-O-DMTr-2'-O-Methyl-adenosine (N-Bz) <i>M.W. 687.74</i>	\$180.00	\$340.00	\$1,530.00
PM-5732	5'-O-DMTr-2'-O-Methyl-cytidine (N-Bz) <i>M.W. 683.72</i>	\$150.00	\$280.00	\$1,260.00
PM-5733	5'-O-DMTr-2'-O-Methyl-guanosine (N-iBu) <i>M.W. 669.72</i>	\$180.00	\$340.00	\$1,530.00
PM-5734	5'-O-DMTr-2'-O-Methyl-uridine <i>M.W. 580.59</i>	\$150.00	\$280.00	\$1,260.00
PM-5735	5'-O-DMTr-2'-O-Methyl-cytidine (N-Ac) <i>M.W. 601.65</i>	\$180.00	\$340.00	\$1,530.00
PM-3701	5'-O-DMTr-2'-O-Methyl-adenosine (N-PAC) <i>M.W. 717.77</i>	\$195.00	\$355.00	\$1,590.00
PM-3702	5'-O-DMTr-2'-O-Methyl-cytidine (N-PAC) <i>M.W. 693.74</i>	\$165.00	\$310.00	\$1,395.00
PM-3703	5'-O-DMTr-2'-O-Methyl-guanosine (N-PAC) <i>M.W. 733.77</i>	\$195.00	\$355.00	\$1,590.00

Purity: Ultrapure products: Isomeric impurity undected by HPLC.

5'-O-DMTr-5-propynyl-2'-O-methyl-uridine

Catalog#
PM-1027

Pricing
\$375.00 / 100 mg

Purity: 98% +
Isomeric impurity
undected by HPLC.

$C_{34}H_{34}N_2O_8$
Mol. Wt.: 598

5'-O-DMTr-5-propynyl-2'-O-methyl-cytidine (N-Bz)

Catalog#
PM-1129

Pricing
\$485.00 / 100 mg

Purity: 98% +
Isomeric impurity
undected by HPLC.

$C_{41}H_{39}N_3O_8$
Mol. Wt.: 701

5'-O-DMTr-5-methyl-2'-(O-Methyl) uridine

Catalog#
PM-3706

Pricing
\$375.00 / 100 mg

Purity: 98% +
Isomeric impurity
undected by HPLC.

$C_{32}H_{34}N_2O_8$
Mol. Wt.: 574.6

5'-O-DMTr-5-methyl-2'-(O-methyl)-cytidine (N-Bz)


Catalog#
PM-3705

Pricing
\$485.00 / 100 mg

Purity: 98% +
Isomeric impurity
undected by HPLC.

$C_{39}H_{39}N_3O_8$
Mol. Wt.: 677.

DMT-protected Nucleosides




DMTr Protected 2'-O-TBDMS Ribo Nucleosides

B	Protection	Catalog#	CAS No.
A	N-Bz	PM-5851	81265-93-2
C	N-Bz	PM-5852	
G	N-iBu	PM-5853	
U	N/A	PM-5854	81246-80-2
I	N/A	PM-5855	
C	N-Ac	PM-5856	
A	N,N-diBz	PM-5857	
A	N-PAC	PM-3501	
C	N-PAC	PM-3502	
G	N-PAC	PM-3503	
G	N-DMF	PM-5859	
G	N-iPrPAC	PM-3504	
G	N-Ac	PM-5850	

Catalog#	Productname	1g	5g	10g
PM-5851	5'-O-DMTr-2'-O-TBDMS-Adenosine (N-Bz) <i>M.W. 787.97</i>	\$90.00	\$356.00	\$675.00
PM-5852	5'-O-DMTr-2'-O-TBDMS-Cytidine (N-Bz) <i>M.W. 763.95</i>	\$90.00	\$356.00	\$675.00
PM-5853	5'-O-DMTr-2'-O-TBDMS-Guanosine (N-iBu) <i>M.W. 769.96</i>	\$90.00	\$555.00	\$845.00
PM-5854	5'-O-DMTr-2'-O-TBDMS-Uridine <i>M.W. 660.83</i>	\$90.00	\$356.00	\$675.00
PM-5855	5'-O-DMTr-2'-O-TBDMS-Inosine <i>M.W. 684.85</i>	\$98.00	\$451.00	\$845.00
PM-5856	5'-O-DMTr-2'-O-TBDMS-Cytidine (N-Ac) <i>M.W. 701.88</i>	\$95.00	\$555.00	\$845.00
PM-5857	5'-O-DMTr-2'-O-TBDMS-Adenosine (N,N-diBz) <i>M.W. 892.08</i>	\$95.00	\$555.00	\$845.00
PM-3501	5'-O-DMTr-2'-O-TBDMS-Adenosine (N-PAC) <i>M.W. 818.00</i>	\$90.00	\$380.00	\$700.00
PM-3502	5'-O-DMTr-2'-O-TBDMS-Cytidine (N-PAC) <i>M.W. 793.98</i>	\$90.00	\$380.00	\$700.00
PM-3503	5'-O-DMTr-2'-O-TBDMS-Guanosine (N-PAC) <i>M.W. 834.00</i>	\$93.00	\$388.00	\$705.00
PM-5859	5'-O-DMTr-2'-O-TBDMS-Guanosine (N-DMF) <i>M.W. 754.95</i>	\$93.00	\$388.00	\$705.00
PM-3504	5'-O-DMTr-2'-O-TBDMS-Guanosine (N-iPrPAC) <i>M.W. 876.08</i>	\$93.00	\$388.00	\$705.00
PM-5850	5'-C-DMTr-2'-O-TBDMS-Guanosine (N-Ac) <i>M.W. 741.90</i>	\$93.00	\$388.00	\$705.00

Purity: 0% Isomeric Impurity. These are Ultrapure Products.

DMT-protected Nucleosides



DMTr Protected 3'-O-TBDMS Nucleosides

B	Protection	Catalog#
A	<i>N</i> -Bz	PM-5861
C	<i>N</i> -Bz	PM-5862
G	<i>N</i> - <i>i</i> Bu	PM-5863
U	N/A	PM-5864
C	<i>N</i> -Ac	PM-5866

Catalog#	Productname	250mg	500 mg	1g	5g
PM-5861	5'-O-DMTr-3'-O-TBDMS-Adenosine (<i>N</i> -Bz) <i>M.W.</i> 787.97	\$90.00	\$155.00	\$320.00	\$1,360.00
PM-5862	5'-O-DMTr-3'-O-TBDMS-Cytidine (<i>N</i> -Bz) <i>M.W.</i> 763.95	\$90.00	\$155.00	\$320.00	\$1,360.00
PM-5863	5'-O-DMTr-3'-O-TBDMS-Guanosine (<i>N</i> - <i>i</i> Bu) <i>M.W.</i> 769.96	\$126.00	\$210.00	\$450.00	\$1,910.00
PM-5864	5'-O-DMTr-3'-O-TBDMS-Uridine <i>M.W.</i> 660.83	\$90.00	\$155.00	\$320.00	\$1,360.00
PM-5866	5'-O-DMTr-3'-O-TBDMS-Cytidine (<i>N</i> -Ac) <i>M.W.</i> 701.88	\$90.00	\$155.00	\$320.00	\$1,360.00

Purity: Ultrapure Products. Isomeric impurity undected by HPLC. _____

Phosphoramidite Chemistry Reagents

Activation Reagents

1H-1,2,4-Triazole

CAS No. 288-88-0

 $C_2H_3N_3$ Mol. Wt.: 69	Catalog#	Pricing
	RN-1412	\$17.00 / 25 g
		\$60.00 / 100 g
		\$240.00 / 500 g


Dicyanoimidazole (DCI)

CAS No. 21122-28-7


 $C_5H_2N_4$ Mol. Wt.: 118	Catalog#	Pricing
	RN-1571	\$15.00 / 1 g
		\$65.00 / 5 g
		\$180.00 / 50 g
		\$320.00 / 100 g
		\$1,020.00 / 1 kg

Diisopropyl-ammonium-1H-tetrazolide

CAS No. 93183-36-9


 $C_7H_{17}N_5$ Mol. Wt.: 171	Catalog#	Pricing
	RN-1413	\$80.00 / 5 g
		\$240.00 / 50 g
		\$420.00 / 100 g
		\$1,050.00 / 1 kg

Mesitylene-sulphonyl-3-nitro-1H-1,2,4-Triazole (MSNT)

 $C_{11}H_{12}N_4O_4S$ Mol. Wt.: 296	Catalog#	Pricing
	RN-1403	\$36.00 / 1 g
		\$120.00 / 5 g
		\$198.00 / 10 g
		CAS No. 74257-00-4


5-Benzylthio-1H-tetrazole (BMT; BTT)

CAS No. 21871-47-6

 $C_8H_8N_4S$ Mol. Wt.: 192	Catalog#	Pricing
	RN-1415	\$18.00 / 1 g
		\$78.00 / 5 g
		\$216.00 / 50 g
		\$354.00 / 100 g
		\$1,020.00 / 1 kg

5-Ethylthio-1H-tetrazole (ETT)

CAS No. 89797-68-2

 $C_3H_6N_4S$ Mol. Wt.: 136	Catalog#	Pricing
	RN-6397	\$18.00 / 1 g
		\$78.00 / 5 g
		\$216.00 / 50 g
		\$354.00 / 100 g
		\$1,020.00 / 1 kg

Bulk Quantity Available:

Bulk quantities of Ultra Pure 5'-benzylthio tetrazole & 5-Ethylthio tetrazole are available in 10, 50 & 100 kg size. Please enquire for pricing.

5-Ethylthio-Tetrazole in RNA Synthesis

5-Ethylthio-tetrazole has been demonstrated to be a superior coupling reagent for RNA synthesis. This reagent increases the stepwise coupling efficiency by 2-3% as compared to the conventional activator 1-*H* Tetrazole¹. The overall yield and quality of oligonucleotide have been shown to increase dramatically when using 5-ethylthio-tetrazole. Perhaps the greater acidity and stability of 5-ethylthio-tetrazole accounts for its superior performance. This reagent is especially suitable for large scale RNA synthesis. Damha *et. al.* have utilized this reagent in RNA synthesis of natural linkage (3'-5') and unnatural linkage (2'-5') and observed coupling efficiencies were >99% with coupling time of 7.5 min².


1. Sproat, B.; Colonna, F.; Mullah, B.; Tsou, D.; Andrus, A.; Hampel, A.; Vinayak, R. *Nucleosides & Nucleotides* **1995**, 14, 255.
2. Wasner, M.; Ariohn, D.; Borkow, G.; Noronha, A.; Uddin, A.; Parniak, M.; Damha, M. *Biochemistry* **1998**, 37, 7478.

Phosphoramidite Chemistry Reagents

Bulk Quantities: DMTr Chloride & MMTr Chloride


DMTr-Chloride

CAS No. 40615-36-9




MMTr-Chloride

CAS No. 14470-28-1



TMTr-Chloride

CAS No. 49757-42-8



Bulk Quantity Available:

Bulk quantity of Ultra Pure DMTr-Chloride available in 5 kg, 10 kg, 50 kg & 100 kg size.
Please enquire for pricing.

DMTr Chloride: Typical Lot Analysis

Elemental Analysis: Chlorine analysis results within 1 g/mole of the theoretical value and < 0.4g variation per 100g.

Theoretical chlorine value: 35.44 g/mole

Observed chlorine value: 36.42 g/mole

Color: Off-white to faint pink, produces colorless DMTr-nucleosides.

Application: Protecting agent in polynucleotide synthesis.


Reactivity: 1.2 Equivalents reacts to produce colorless DMTr-deoxynucleosides quantitatively.

Phosphoramidite Chemistry Reagents

Sulfurizing Reagents

Phenylacetyl-disulfide (PADS)

CAS No. 15088-78-5



$C_{16}H_{14}O_2S_2$
 Mol. Wt.: 302.41

Catalog#	Pricing
RN-1496	\$26.50 / 5 g
	\$108.00 / 25 g


Silanized-Bottle (for Beaucage Reagent)

Catalog#	Pricing
BL-1536	\$8.00 / 100 ml
	\$8.00 / 250 ml
	\$8.00 / 500 ml

DDTT Sulfurizing reagent*

CAS No. 1192027-04-5

((Dimethylamino-methylidene)amino)-3H-1,2,4-dithiazoline-3-thione



$C_5H_7N_3S_3$
 Mol. Wt.: 205.


Catalog#
RN-1588

Pricing
\$30.00 / 1 g
\$150.00 / 5 g
\$550.00 / 25 g
\$1800.00 / 100 g
1 kg / Please inquire

Beaucage sulfurizing Reagent

CAS No. 66304-01-6

3H-1,2-Benzodithiol-3-one-1,1-dioxide



$C_7H_4O_3S_2$
 Mol. Wt.: 200

Catalog#
RN-1535

Pricing
\$15.00 / 100 mg
\$50.00 / 1 g
\$90.00 / 2 g

*DDTT [((Dimethylamino-methylidene)amino)-3H-1,2,4-dithiazoline-3-thione/Sulfurizing Reagent]¹: The use of DDTT²⁻⁴ in the sulfurization step of oligonucleotide synthesis results in a very high percentage of sulfurization. In DNA synthesis, less than 2% of PO linkages in mixed-base oligodeoxynucleotide phosphorothioates were observed. In RNA synthesis, most sulfuration agents including Beaucage Reagent are often inefficient. In contrast, the use of DDTT results typically only in 6-8% of the PO contents. It has further advantage of greater stability in the formulated solutions (upto six months). Recommended formulations are summarized in the table below (Table 1).

Table1: Recommended formulations for the synthesis of phosphorothioate oligonucleotides (DNA/RNA) & sulfurising in solution phase.

Conc. of DDTT	Solvent formulation v/v ⁵	Oxidation time (DNA)	Comments ⁶
0.05 M	Py/ACN – 3:7 Py/THF – 2:8	2.5 min	Formulation used in solid phase deoxy oligonucleotide (DNA) synthesis
0.1 M	Py Py/THF** – 4:6	2.0 min	Formulation used in solid phase deoxy oligonucleotide (DNA)synthesis
0.05 M	Pyr/ACN -4:6	2.0 min	Formulation used in solution phase deoxy oligonucleotide synthesis
0.05 M	Py/ ACN-3:7	Oxidation time (RNA) 4.0 min	Formulation used in solid phase RNA synthesis
0.1 M	Py/ACN-3:7	3 min	Formulation used in solid phase RNA synthesis

References:

- DDTT Sulfurizing solutions are listed on Ancillary Reagents Section, Page No. 19-25.
- Xu, Q.; Musier-Forsyth, K.; Hammer R. P.; Barany G. *Nucl. Acids Res.* **1996**, *24*, 1602.
- Xu, Q.; Barany G.; Hammer R. P.; Forsyth, M.K. *Nucl. Acids Res.* **1996**, *24*, 3643.
- Guzaev, A. P. *et. al.* U.S. Pat. Number 7,723,528.
- For use of THF, care must be taken to ensure peroxide free THF only.
- (>99%) to P-S and negligible amount of P-O formation occurred, as analyzed by ³¹P NMR.

Phosphoramidite Chemistry Reagents

Phosphorylating Reagents

Methyl dichlorophosphite

Methyl phosphorodichloridite

Chemical Structure	Catalog#	Pricing
	RN-1407	\$18.00 / 1 g
		\$30.00 / 5 g
		\$85.00 / 25 g
CH ₃ Cl ₂ OP Mol. Wt.: 132	CAS No. 3279-26-3	

2-Cyanoethyl *N,N*-diisopropylchlorophosphoramidite

CAS No. 89992-70-1

Chemical Structure	Catalog#	Pricing
	RN-1505	\$13.50 / 1 g
		\$55.50 / 5 g
		\$250.00 / 25 g
C ₉ H ₁₈ ClN ₂ OP Mol. Wt.: 236.6		\$700.00 / 100 g

Bis(diisopropylamino)-chlorophosphine

Chemical Structure	Catalog#	Pricing
	RN-8882	\$15.00 / 1 g
		\$70.00 / 5 g
		\$900.00 / 100 g
C ₁₂ H ₂₈ ClN ₂ P Mol. Wt.: 266	CAS No. 56183-63-2	

2-Cyanoethyl dichlorophosphite

Chemical Structure	Catalog#	Pricing
	RN-8883	\$16.00 / 1 g
		\$75.00 / 5 g
C ₃ H ₄ Cl ₂ NOP Mol. Wt.: 171.95		
	CAS No. 76101-30-9	

Methyl *N,N,N',N'*-tetraisopropylphosphordiamidite

Chemical Structure	Catalog#	Pricing
	RN-8881	\$20.00 / 1 g
		\$95.00 / 5 g
C ₁₃ H ₃₁ N ₂ OP Mol. Wt.: 262	CAS No. 92611-10-4	

2-Cyanoethyl *N,N,N',N'*-tetraisopropylphosphordiamidite

Chemical Structure	Catalog#	Pricing
	RN-1545	\$12.00 / 1 g
		\$40.00 / 5 g
		\$550.00 / 100 g
C ₁₅ H ₃₂ N ₃ OP Mol. Wt.: 301.41	CAS No. 102691-36-1	

Chloro-*N,N*-diisopropyl-1-methylphosphinamine

Chemical Structure	Catalog#	Pricing
	RN-1510	\$265.00 / 5 g
		\$2,120.00 / 50 g
C ₇ H ₁₇ ClNP Mol. Wt.: 181		

Diethyl diisopropylphosphoramidite

Chemical Structure	Catalog#	Pricing
	RN-1410	\$90.00 / 5 g
C ₁₀ H ₂₄ NO ₂ P Mol. Wt.: 221	CAS No. 42053-26-9	

Ethylene-glycol-morpholino phosphoramidite

(4-(1,3,2-dioxaphospholan-2-yl)morpholine)

Chemical Structure	Catalog#	Pricing
	RN-1516	\$20.00 / 1 g
		\$95.00 / 5 g
C ₆ H ₁₂ NO ₃ P Mol. Wt.: 177		

diethyl diisopropylphosphoramidite (RN-1410): A stable capping Reagent

This reagent is utilized for capping directly during oligodeoxynucleotide synthesis by phosphoramidite method and avoids preparation of the commonly used, and rather unstable, Diethylphosphotriazolidine capping reagent.

Ethylene-glycol-morpholino phosphoramidite (RN-1516)

Ethylene-glycol-morpholino phosphoramidite an excellent capping reagent.


Phosphoramidite Chemistry Reagents

Remove Watermark Now


Phosphoramidite Chemistry Reagents

Phosphorylating Reagents & Bis-Silyloxy Reagents


Methyl *N,N'*-diisopropylchlorophosphoramidite

 $C_7H_{17}ClNOP$ Mol. Wt.: 191	Catalog#	Pricing
	RN-1409	\$17.00 / 1 g
		\$60.00 / 5 g
		\$264.00 / 25 g
		\$816.00 / 100 g
	CAS No. 86030-43-5	


2-Chlorophenyl-phosphorodichloridate

 $C_6H_4Cl_3O_2P$ Mol. Wt.: 241	Catalog#	Pricing
	RN-1421	\$18.50 / 5 g
		\$74.00 / 25 g
	CAS No. 15074-54-1	

Ethyl *N,N'*-diisopropylchlorophosphoramidite


 $C_8H_{19}ClNOP$ Mol. Wt.: 211	Catalog#	Pricing
	RN-4137	\$40.00 / 1 g
		\$190.00 / 5 g

Diethyl phosphorochloridite


 $C_4H_{10}ClO_2P$ Mol. Wt.: 154	Catalog#	Pricing
	RN-1408	\$30.00 / 5 g
		\$99.00 / 25 g
	CAS No. 589-57-1	

Nucleoside synthesis Reagents

4-Isopropyl-phenoxy-acetylchloride (iPrPAC-Cl)

 $C_{11}H_{13}ClO_2$ Mol. Wt.: 212	Catalog#	Pricing
	RN-1705	\$15.00 / 1 g
		\$70.00 / 5 g
	CAS No. 223128-33-4	

Bis-silylating Reagent; TIPS chloride (1,3-Dichloro-1,1,3,3-tetraisopropylidisiloxane)

 $C_{12}H_{28}Cl_2OSi_2$ Mol. Wt.: 314	Catalog#	Pricing
	RN-1521	\$40.00 / 1 g
		\$80.00 / 5 g
		\$210.00 / 50 g
	CAS No. 69304-37-6	

Unprotected Nucleosides

N-protected Nucleosides

DMT-protected Nucleosides

Reagents


Sugars

NHS Esters


Phosphoramidite Chemistry Reagents

Sugars, Purines & Pyrimidines


2,3,5-Tri-O-benzoyl-β-D-ribofuranosyl-1-Acetate

 $C_{28}H_{24}O_9$ Mol. Wt.: 504	Catalog#	Pricing
	RN-4131	\$32.00 / 5 g \$122.00 / 25 g
	CAS No. 6974-32-9	


1-α-chloro-3,5-ditoluoyl-2-deoxy-D-ribose

 $C_{21}H_{21}O_5$ Mol. Wt.: 388.	Catalog#	Pricing
	RN-4130	\$45.00 / 1 g \$200.00 / 5 g
	CAS No. 4330-21-6	

6-Chloro-purine


 $C_5H_3ClN_4$ Mol. Wt.: 154	Catalog#	Pricing
	RN-1030	\$20.00 / 1 g \$68.00 / 5 g
	CAS No. 87-42-3	

6-Chloro-guanine

 $C_5H_4ClN_5$ Mol. Wt.: 165	Catalog#	Pricing
	RN-1051	\$40.00 / 1 g \$190.00 / 5 g
	CAS No. 10310-21-1	


6-Chloro-7-deaza-guanine

CAS No. 84955-31-7

 $C_6H_5ClN_4$ Mol. Wt.: 168.1	Catalog#	Pricing
	BS-1011	\$138.00 / 1 g
	Purity: 98% +	


6-Chloro-7-deaza-purine

CAS No. 3680-69-1

 $C_6H_4ClN_3$ Mol. Wt.: 155	Catalog#	Pricing
	RP-1021	\$138.00 / 1 g
	Purity: 98% +	


2-Deoxy-D-ribose

CAS No. 533-67-5


 $C_5H_{10}O_4$ Mol. Wt.: 134	Catalog#	Pricing
	RN-1061	\$16.00 / 1 g \$52.00 / 5 g
	Purity: 98% +	

2-Deoxy-β-L-ribose


CAS No. 18546-37-7

 $C_5H_{10}O_4$ Mol. Wt.: 134	Catalog#	Pricing
	RP-1062	\$16.00 / 1 g \$52.00 / 5 g
	Purity: 98% +	


1,3,5-O-Triacetyl 2-deoxy-α/β-D-ribose

 $C_{11}H_{16}O_7$ Mol. Wt.: 260.2	Catalog#	Pricing
	RN-1064	\$44.00 / 5 g \$150.00 / 25 g
	CAS No. 4594-52-9	

1,3,5-O-Triacetyl 2-deoxy-α/β-L-ribose

 $C_{11}H_{16}O_7$ Mol. Wt.: 260.24	Catalog#	Pricing
	RN-1065	\$45.00 / 1 g \$200.00 / 5 g

1-Methoxy-2,3,5-O-tribenzoyl-α/β-D-ribose

 $C_{27}H_{24}O_8$ Mol. Wt.: 476.4	Catalog#	Pricing
	RN-1031	\$20.00 / 1 g \$80.00 / 5 g

5 & 6 Fluorescein NHS Esters

N-protected Nucleosides

DMT-protected Nucleosides


Reagents

Sugars

NHS Esters

NHS Esters: Fluoresceins

6-Fluorescein-dipivalate NHS Ester (6-FAM-Dipivalate NHS Ester)



$C_{35}H_{31}NO_{11}$
Mol. Wt.: 641.62

Catalog#

RN-9651

Pricing


\$67.00 / 10 mg

\$303.75 / 50 mg

\$545.00 / 100 mg

Purity: 98% +

5-Fluorescein-dipivalate NHS Ester (5-FAM-Dipivalate NHS Ester)



$C_{35}H_{31}NO_{11}$
Mol. Wt.: 641.62

Catalog#

RN-9652

Pricing

\$74.25 / 10 mg


\$334.00 / 50 mg

\$601.00 / 100 mg

Purity: 98% +

6-Fluorescein NHS Ester (6-FAM NHS Ester)

CAS No. 92557-81-8



$C_{25}H_{15}NO_9$
Mol. Wt.: 473.39

Catalog#

RN-9661

Pricing

\$22.00 / 10 mg


\$144.00 / 100 mg

\$1,296.00 / 1 g

Purity: 98% +

5-Fluorescein NHS Ester (5-FAM NHS Ester)

CAS No. 92557-80-7



$C_{25}H_{15}NO_9$
Mol. Wt.: 473.3

Catalog#

RN-9662

Pricing

\$24.75 / 10 mg

\$178.50 / 100 mg

\$1,606.00 / 1 g

Purity: 98% +


Biotin NHS Esters

Sugars & Purines for Synthesis

NHS Esters: Biotin


(+) Biotin-Amido-hexanoic acid NHS ester

CAS No. 72040-63-2


 $C_{20}H_{30}N_4O_6S$ Mol. Wt.: 454.54	Catalog#	Pricing
	RN-1449	\$56.00 / 25 mg
		\$168.00 / 100 mg
		\$348.00 / 250 mg

(+) Biotin *N*-hydroxysuccinimido ester; d-Biotin NHS-ester

CAS No. 35013-72-0


 $C_{14}H_{19}N_3O_5S$ Mol. Wt.: 341	Catalog#	Pricing
	RN-1500	\$68.00 / 100 mg
		\$186.00 / 250 mg
		\$426.00 / 1 g

(+) Biotin-X-Y-SSE (Biotinamido-hexanoyl-amidobutanoyl Succinimidyl ester)

 $C_{24}H_{39}N_5O_7S$ Mol. Wt.: 539.65	Catalog#	Pricing
	RN-1508	\$30.00 / 100 mg


Monophosphates

2'-O-Methyl-cytidine-5'-monophosphate (Sodium salt)


 $C_{10}H_{16}N_3O_8P$ (Free Monophosphate) Mol. Wt.: 337.22	Catalog#	Pricing
	NMP-8311	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$667.00 / 5 mg
	Purity: 98% +	

2'-O-Methyl-guanosine-5'-monophosphate (Sodium salt)


CAS No. 24121-01-5

 $C_{11}H_{16}N_5O_8P$ (Free Monophosphate) Mol. Wt.: 377.25	Catalog#	Pricing
	NMP-8312	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$667.00 / 5 mg
	Purity: 98% +	


2'-O-Methyl-N⁶-benzyl-adenosine-5'-monophosphate (Sodium salt)

 $C_{18}H_{22}N_5O_7P$ (Free Monophosphate) Mol. Wt.: 451.37	Catalog#	Pricing
	NMP-8313	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$667.00 / 5 mg
	Purity: 98% +	

β-L-Adenosine-5'-monophosphate (Sodium salt)


 $C_{10}H_{14}N_5O_7P$ (Free Monophosphate) Mol. Wt.: 347.22	Catalog#	Pricing
	NMP-8314	\$200.00 / 1 mg
		\$360.00 / 2 mg
		\$810.00 / 5 mg
	Purity: 98% +	

β-L-Uridine-5'-monophosphate (Sodium salt)

 $C_9H_{13}N_2O_9P$ (Free Monophosphate) Mol. Wt.: 324.18	Catalog#	Pricing
	NMP-8315	\$200.00 / 1 mg
		\$360.00 / 2 mg
		\$810.00 / 5 mg
	Purity: 98% +	

Monophosphates

3'-Amino-guanosine-5'-monophosphate




$C_{10}H_{15}N_6O_7P$ (Free Monophosphate)
Mol. Wt.: 362.24

Catalog# Pricing

NMP-8316	\$200.00 / 1 mg
	\$360.00 / 2 mg
	\$810.00 / 5 mg

Purity: 98% +

Ethano-cytidine-5'-monophosphate




$C_{11}H_{14}N_3O_8P$ (Free Monophosphate)
Mol. Wt.: 347.22

Catalog# Pricing

NMP-8317	\$200.00 / 1 mg
	\$360.00 / 2 mg
	\$810.00 / 5 mg

Purity: 98% +

Iso-guanosine - 5'-monophosphate




$C_{14}H_{20}N_5O_9P$ (Free Monophosphate)
Mol. Wt.: 433.31

Catalog# Pricing

NMP-8318	\$200.00 / 1 mg
	\$360.00 / 2 mg
	\$810.00 / 5 mg

Purity: 98% +

3'-Methyl-guanosine-5'-monophosphate




$C_{11}H_{16}N_5O_8P$ (Free Monophosphate)
Mol. Wt.: 377.25

Catalog# Pricing

NMP-8319	\$165.00 / 1 mg
	\$297.00 / 2 mg
	\$669.00 / 5 mg

Purity: 98% +

Ribo-Thymidine-5'-monophosphate



$C_{10}H_{15}N_2O_9P$ (Free Monophosphate)
Mol. Wt.: 338.21


Catalog# Pricing

NMP-8319	\$165.00 / 1 mg
	\$297.00 / 2 mg
	\$669.00 / 5 mg


Purity: 98% +

Monophosphates


N¹-Methyl-2'-deoxyadenosine-5'-monophosphate (Sodium salt)

 $C_{11}H_{16}N_5O_6P$ (Free Monophosphate) Mol. Wt.: 345.25	Catalog#	Pricing
	NMP-8431	\$165.00 / 1 mg \$297.00 / 2 mg \$669.00 / 5 mg
	Purity: 98% +	


N³-Methyl-2'-deoxycytidine-5'-monophosphate (Sodium salt)

 $C_{10}H_{16}N_3O_7P$ (Free Monophosphate) Mol. Wt.: 321.22	Catalog#	Pricing
	NMP-8432	\$165.00 / 1 mg \$297.00 / 2 mg \$669.00 / 5 mg
	Purity: 98% +	


N⁶-Methyl-2'-deoxyadenosine-5'-monophosphate (Sodium salt)

 $C_{11}H_{16}N_5O_6P$ (Free Monophosphate) Mol. Wt.: 345.25	Catalog#	Pricing
	NMP-8433	\$165.00 / 1 mg \$297.00 / 2 mg \$669.00 / 5 mg
	Purity: 98% +	

Ethano-2'-deoxycytidine-5'-monophosphate (Sodium salt)


 $C_{11}H_{14}N_3O_7P$ (Free Monophosphate) Mol. Wt.: 331.22	Catalog#	Pricing
	NMP-8434	\$165.00 / 1 mg \$297.00 / 2 mg \$669.00 / 5 mg
	Purity: 98% +	

7-Deaza-2'-deoxyadenosine-5'-monophosphate; 2'-Deoxytubercidin-5'-monophosphate (Sodium salt)


 $C_{11}H_{15}N_4O_6P$ (Free Monophosphate) Mol. Wt.: 330.23	Catalog#	Pricing
	NMP-8435	\$200.00 / 1 mg \$360.00 / 2 mg \$810.00 / 5 mg
	Purity: 98% +	

3',5'-Diphosphates and 5'-diphosphates


2'-O-Methyl-adenosine-3',5'-diphosphate (Sodium salt)

 $C_{11}H_{16}N_5O_{10}P_2$ (Free diphospha Mol. Wt.: 441.23	Catalog#	Pricing
	NDP-7311	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$669.00 / 5 mg
Purity: 98% +		


2'-O-Methyl-cytidine-3',5'-Diphosphate (Sodium salt)

 $C_{10}H_{17}N_3O_{11}P_2$ (Free diphospha Mol. Wt.: 417.20	Catalog#	Pricing
	NDP-7312	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$669.00 / 5 mg
Purity: 98% +		


2'-O-Methyl-guanosine-3',5'-Diphosphate (Sodium salt)

 $C_{11}H_{17}N_5O_{11}P_2$ (Free disphosphat Mol. Wt.: 457.22	Catalog#	Pricing
	NDP-7313	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$669.00 / 5 mg
Purity: 98% +		

2'-O-Methyl-uridine-3',5'-Diphosphate (Sodium salt)

 $C_{10}H_{16}N_2O_{12}P_2$ (Free disphosph Mol. Wt.: 418.19	Catalog#	Pricing
	NDP-7314	\$165.00 / 1 mg
		\$297.00 / 2 mg
		\$669.00 / 5 mg
Purity: 98% +		


Uridine-5'-diphosphate (Sodium salt) [NDP-7315] CAS No. 21931-53-3

 $C_9H_{14}N_2O_{12}P_2$ (Free Diphospha Mol. Wt.: 404.16	Catalog#	Pricing
	NDP-7315	\$165.00 / 1 mg
	NDP-7316	\$297.00 / 2 mg
		\$669.00 / 5 mg
Purity: 98% +		


Uridine 5'-diphosphate (Sodium salt) Hydrate [NDP-7316]

Triphosphates


2'-O-Methyl-adenosine-5'-triphosphate (Sodium salt)

 $C_{11}H_{18}N_5O_{13}P_3$ (Free Triphosphate) Mol. Wt.: 521.21	Catalog#	Pricing
	NTP-3386	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
Purity: 98% +		


2'-O-Methyl-cytidine-5'-triphosphate (Sodium salt)

 $C_{10}H_{18}N_3O_{14}P_3$ (Free Triphosphate) Mol. Wt.: 497.18	Catalog#	Pricing
	NTP-3387	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
Purity: 98% +		


2'-O-Methyl-guanosine-5'-triphosphate (Sodium salt)

 $C_{11}H_{18}N_5O_{14}P_3$ (Free Triphosphate) Mol. Wt.: 537.21	Catalog#	Pricing
	NTP-3388	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
Purity: 98% +		

2'-O-Methyl-uridine-5'-triphosphate (Sodium salt)


 $C_{10}H_{17}N_2O_{15}P_3$ (Free Triphosphate) Mol. Wt.: 498.17	Catalog#	Pricing
	NTP-3389	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
Purity: 98% +		

Iso-guanosine-5'-triphosphate (Sodium salt)


 $C_{10}H_{16}N_5O_{14}P_3$ (Free Triphosphate) Mol. Wt.: 523.18	Catalog#	Pricing
	NTP-4348	\$280.00 / 1 mg \$500.00 / 2 mg \$1125.00 / 5 mg
Purity: 98% +		

Triphosphates


Etheno-2'-deoxyadenosine-5'-triphosphate (Sodium salt)

	Catalog#	Pricing
	NTP-4344	\$280.00 / 1 mg \$500.00 / 2 mg \$1125.00 / 5 mg
$C_{12}H_{16}N_5O_{12}P_3$ (Free Triphosphate) Mol. Wt.: 515.20		Purity: 98% +

Etheno-2'-deoxycytidine-5'-triphosphate (Sodium salt)


	Catalog#	Pricing
	NTP-4346	\$280.00 / 1 mg \$500.00 / 2 mg \$1125.00 / 5 mg
$C_{11}H_{16}N_3O_{13}P_3$ (Free Triphosphate) Mol. Wt.: 491.18		Purity: 98% +

7-Deaza-2'-deoxyadenosine-5'-triphosphate (Sodium salt)


	Catalog#	Pricing
	NTP-4384	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
$C_{11}H_{17}N_4O_{12}P_3$ (Free Triphosphate) Mol. Wt.: 490.19		Purity: 98% +

CAS No. 101515-08-6


7-Deaza-2'-deoxyguanosine-5'-triphosphate (Sodium salt)

	Catalog#	Pricing
	NTP-4386	\$240.00 / 1 mg \$430.00 / 2 mg \$970.00 / 5 mg
$C_{11}H_{17}N_4O_{13}P_3$ (Free Triphosphate) Mol. Wt.: 506.19		Purity: 98% +

Iso-2'-deoxyguanosine-5'-triphosphate (Sodium salt)

	Catalog#	Pricing
	NTP-4396	\$280.00 / 1 mg \$500.00 / 2 mg \$1125.00 / 5 mg
$C_{10}H_{16}N_5O_{13}P_3$ (Free Triphosphate) Molecular Weight: 507.18		Purity: 98% +

Triphosphates




Ara Triphosphate (Sodium salt)

5'	B	Catalog#
Triphosphate	A	NTP-5411
Triphosphate	C	NTP-5412
Triphosphate	G	NTP-5413
Triphosphate	U	NTP-5414

Catalog#	Product Name	1mg	2mg	5mg
NTP-5411	Ara-adenosine <i>M.W. 551.14</i>	\$300.00	\$540.00	\$1,215.00
NTP-5412	Ara-cytidine <i>M.W. 527.12</i>	\$300.00	\$540.00	\$1,215.00
NTP-5413	Ara-guanosine <i>M.W. 567.14</i>	\$300.00	\$540.00	\$1,215.00
NTP-5414	Ara-uridine <i>M.W. 528.10</i>	\$300.00	\$540.00	\$1,215.00

Purity: All the above produced have a purity of 98% +



Ara 2'-O-Methyl Triphosphate (Sodium salt)

5'	B	Catalog#
Triphosphate	A	NTP-5311
Triphosphate	C	NTP-5312
Triphosphate	G	NTP-5313
Triphosphate	U	NTP-5314

Catalog#	Product Name	1mg	2mg	5mg
NTP-5311	Ara-(2'-O-Methyl)-adenosine <i>M.W. 565.17</i>	\$350.00	\$630.00	\$1,410.00
NTP-5312	Ara-(2'-O-Methyl)-cytidine <i>M.W. 541.15</i>	\$350.00	\$630.00	\$1,410.00
NTP-5313	Ara-(2'-O-Methyl)-guanosine <i>M.W. 581.17</i>	\$350.00	\$630.00	\$1,410.00
NTP-5314	Ara-(2'-O-Methyl)-uridine <i>M.W. 542.13</i>	\$350.00	\$630.00	\$1,410.00


Purity: All the above produced have a purity of 98% +

Triphosphates

7-Deaza-7-propargylamine-2',3'-dideoxyadenosine-5'-triphosphate-(NTP-6311)

7-Deaza-7-propargylamine-2',3'-dideoxyadenosine-5'-triphosphate (Sodium salt) (NTP-6312)


Catalog#	Pricing
NTP-6311	\$300.00 / 1 mg
NTP-6312	\$540.00 / 2 mg
	\$1,215.00 / 5 mg
Purity: 98% +	



$C_{14}H_{20}N_5O_{11}P_3$ (Free Triphosphate)
Mol. Wt.: 527.26

7-Deaza-7-propargylamine-2',3'-dideoxyguanosine-5'-triphosphate (Sodium salt)

Catalog#	Pricing
NTP-6313	\$300.00 / 1 mg
	\$540.00 / 2 mg
	\$1,215.00 / 5 mg
Purity: 98% +	




$C_{14}H_{20}N_5O_{12}P_3$ (Free Triphosphate)
Mol. Wt.: 543.26

2',3'-Dideoxyguanosine-5'-triphosphate (Sodium salt)

CAS No. 68726-28-3

Catalog#	Pricing
NTP-6316	\$280.00 / 1 mg
	\$500.00 / 2 mg
	\$1,125.00 / 5 mg
Purity: 98% +	




$C_{10}H_{16}N_5O_{12}P_3$ (Free Triphosphate)
Mol. Wt.: 491.18

5-Propargylamine-2',3'-dideoxycytidine-5'-triphosphate (Sodium salt) (NTP-5316)

5-Propargylamine-2',3'-dideoxycytidine-5'-triphosphate (NTP-5318)


Catalog#	Pricing
NTP-5316	\$300.00 / 1 mg
NTP-5318	\$540.00 / 2 mg
	\$1,215.00 / 5 mg
Purity: 98% +	



$C_{12}H_{19}N_4O_{12}P_3$ (Free Triphosphate)
Mol. Wt.: 504.22

5-Propargylamine-2',3'-dideoxy-uridine-5'-triphosphate (Sodium salt)

Catalog#	Pricing
NTP-5317	\$300.00 / 1 mg
	\$540.00 / 2 mg
	\$1,215.00 / 5 mg
Purity: 98% +	




$C_{12}H_{18}N_3O_{13}P_3$ (Free Triphosphate)
Mol. Wt.: 505.20


Common Abbreviations

Remove Watermark Now


Ac
Acetyl




Bz
Benzoyl




CE
Cyanoethyl




DBF
Di-N-butylformamidyl




DMF
Dimethylformamidyl




iBu
isobutyryl




TBDMS
tertbutyldimethylsilyl




NPPOC
2-(2-Nitrophenyl) propoxycarbonyl




TEA
triethylammonium




TFA
Trifluoroacetyl




TOM
[(triisopropylsilyl)oxy]methyl




iPrPAC
Isopropyl-phenoxyacetyl




ALE
Acetal Levuliny ester




Pivom
Pivaloyloxymethyl




Ph-Ac
Phenyl Acetyl




Bis Silyl
Tetra-isopropyl-disiloxane




DMTr
Dimethoxytrityl




MMTr
Monoimethoxytrityl




TMTTr
Trimethoxytrityl




Fmoc
Fluorenylmethoxycarbonyl




PAC
Phenoxyacetyl




tBPAC
tert-butylphenoxyacetyl



CEP
Cyanoethyl *N,N'*-diisopropyl phosphoramidite



Levulinyl



THF=tetrahydrofuran
lcaa= long chain alkylamino
CPG=Control Pore Glass
AMA=ammonium methyl amine(aq)

DNA Synthesis

Product Name	Catalog#	Page#
DNA Synthesis		
A: CE Phosphoramidites		
(1)-Std base protection (DNA Synthesis)		
Deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-5551	3
Deoxyadenosine (<i>N</i> -Bz)-MMTr-3'-CEP	ANP-5556	3
Deoxycytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-5560	3
Deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-5552	3
Deoxycytidine (<i>N</i> -Bz)-MMTr-3'-CEP	ANP-5558	3
Deoxycytidine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-5559	3
Deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-5553	3
Deoxyguanosine (<i>N</i> -iBu)-MMTr-3'-CEP	ANP-5557	
Mix bases (equimolar) (dA+dC+dG+dT)	ANP-1070	3
Thymidine-DMTr-3'-CEP	ANP-5554	3
Thymidine-MMTr-3'-CEP	ANP-5561	3
(2)-Mild base protection (DNA Synthesis)		
Deoxyadenosine (<i>N</i> ⁶ -diBz)-DMTr-3'-CEP	ANP-6767	5
Deoxyadenosine (<i>N</i> ⁶ -DMA)-DMTr-3'-CEP	ANP-6565	5
Deoxyadenosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6661	5
Deoxyadenosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-5116	5
Deoxyadenosine (<i>N</i> -tBPAC)-DMTr-3'-CEP	ANP-5569	5
Deoxycytidine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6662	5
Deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-6769	5
Deoxyguanosine (<i>N</i> -iPr-PAC)-DMTr-3'-CEP	ANP-5568	5
Deoxyguanosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-5118	5
Deoxyguanosine (<i>N</i> -phenyl acetyl)-DMTr-3'-CEP	ANP-5518	5
Deoxyguanosine (<i>N</i> -tBPAC)-DMTr-3'-CEP	ANP-5668	5
Deoxyguanosine (<i>N</i> -tBPAC)-MMTr-3'-CEP	ANP-5117	5
Thymidine-DMTr-3'-CEP	ANP-5554	5
(3)-Fast base protection (DNA Synthesis)		
Deoxyadenosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6661	7
Deoxycytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-5560	7
Deoxyguanosine (<i>N</i> -tBPAC)-DMTr-3'-CEP	ANP-5668	7
Thymidine-DMTr-3'-CEP	ANP-5554	7
(4)-Base unprotected Phosphoramidites (DNA Synthesis)		
Deoxyadenosine-DMTr-3'-CEP	ANP-7771	7
Deoxycytidine-DMTr-3'-CEP	ANP-7772	7
Deoxyguanosine-DMTr-3'-CEP	ANP-7773	7
(5)-5'-O-Levulinyl Phosphoramidites (DNA Synthesis)		
5'-O-Levulinyl-deoxyadenosine (<i>N</i> -Bz)-3'-CEP	ANP-5001	12
5'-O-Levulinyl-deoxycytidine (<i>N</i> -Bz)-3'-CEP	ANP-5002	12
5'-O-Levulinyl-deoxyguanosine (<i>N</i> -iBu)-3'-CEP	ANP-5003	12
5'-O-Levulinyl-Thymidine-3'-CEP	ANP-5004	12
B: Supports		
(1)-3'-CPG (std base protection) (DNA Synthesis)		
Deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-5101-05/10/20	4
Deoxycytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-5212-05/10/20	4

DNA Synthesis

Product Name	Catalog#	Page#
Deoxycytidine (N-Bz)-DMTr-3'-Icaa CPG	N-5102-05/10/20	4
Deoxycytidine (N-iBu)-DMTr-3'-Icaa CPG	N-5112-05/10/20	4
Deoxyguanosine (N-DMF)-DMTr-3'-Icaa CPG	N-9898-05/10/20	4
Deoxyguanosine (N-iBu)-DMTr-3'-Icaa CPG	N-5103-05/10/20	4
Thymidine-DMTr-3'-Icaa CPG	N-5104-05/10/20	4
(2)-3'-CPG (Mild base protection)(DNA Synthesis)		
Deoxyadenosine (N-PAC)-DMTr-3'-Icaa CPG	N-P5101-05/10/20	6
Deoxycytidine (N-PAC)-DMTr-3'-Icaa CPG	N-P5102-05/10/20	6
Deoxyguanosine (N-iPrPAC)-DMTr-3'-Icaa CPG	N-P5106-05/10/20	6
Deoxyguanosine (N-PAC)-DMTr-3'-Icaa CPG	N-P5103-05/10/20	6
Thymidine-DMTr-3'-Icaa CPG	N-P5104-05/10/20	6
(3)-3'-Polystyrene (DNA Synthesis)		
Deoxyadenosine (N-Bz)-DMTr-3'-succinyl Polystyrene Support	N-7511-03	15
Deoxycytidine (N-Ac)-DMTr-3'-succinyl Polystyrene Support	N-7515-03	15
Deoxycytidine (N-Bz)-DMTr-3'-succinyl Polystyrene Support	N-7512-03	15
Deoxyguanosine (N-iBu)-DMTr-3'-succinyl PolystyreneSupport	N-7513-03	15
Thymidine-DMTr-3'-succinyl Polystyrene Support	N-7514-03	15
(4)-3'-Non-cleavable long chain spacer (DNA Synthesis)		
Deoxyadenosine (N-Bz)-DMTr-3'-non-cleavable long chain spacer	N-7521-15/60/10-60	16
Deoxycytidine (N-Bz)-DMTr-3'-non-cleavable long chain spacer	N-7522-15/60/10-60	16
Deoxyguanosine (N-iBu)-DMTr-3'-non-cleavable long chain spacer	N-7523-15/60/10-60	16
Polystyrene non Cleavable Spacer	N-4545-03/10	16
Thymidine-DMTr-3'-non-cleavable long chain spacer	N-7524-15/60/10-60	16
(5)-3'-Oxalyl CPG (Mild base protection) (DNA Synthesis)		
Deoxyadenosine (N-PAC)-DMTr-3'-oxalyl Icaa CPG	N-5131-05	104
Deoxycytidine (N-PAC)-DMTr-3'-oxalyl Icaa CPG	N-5132-05	104
Deoxyguanosine (N-PAC)-DMTr-3'-oxalyl Icaa CPG	N-5133-05	104
Thymidine-DMTr-3'-oxalyl Icaa CPG	N-5134-05	104
(6)-Amino CPG (DNA Synthesis)		
Amino Icaa CPG Support 500Å	N-5100-05/10	18
(7)-UnyLinker CPG (DNA Synthesis)		
UnyLinker Icaa CPG	N-4000-05/10/20	17
UnyLinker Microarray Slides	N-4501	17
UnyLinker Polymeric Support	N-4000-03	17
DNA:5'→ 3' Synthesis		
A: CE Phosphoramidites (5'→ 3' DNA Synthesis)		
(1)-5'-CE Phosphoramidite		
Deoxyadenosine (N-Bz)-DMTr-5'-CEP	ANP-4671	10
Deoxyadenosine (N-PAC)-DMTr-5'-CEP	ANP-4681	10
Deoxycytidine (N-Ac)-DMTr-5'-CEP	ANP-4675	10
Deoxycytidine (N-Bz)-DMTr-5'-CEP	ANP-4672	10
Deoxyguanosine (N-DMF)-DMTr-5'-CEP	ANP-4678	10
Deoxyguanosine (N-iBu)-DMTr-5'-CEP	ANP-4673	10
Thymidine-DMTr-5'-CEP	ANP-4674	10

DNA Synthesis

Product Name	Catalog#	Page#
B: Supports (5'→ 3' DNA Synthesis)		
(1)-5'-CPG		
Deoxyadenosine (N-Bz)-DMTr-5'-Icaa CPG	N-3351-05/10/20	10
Deoxycytidine (N-Bz)-DMTr-5'-Icaa CPG	N-3352-05/10/20	10
Deoxyguanosine (N-iBu)-DMTr-5'-Icaa CPG	N-3353-05/10/20	10
Thymidine-DMTr-5'-Icaa CPG	N-3354-05/10	10
(2)-5'-succinyl polymeric support		
Deoxyadenosine (N-Bz)-DMTr-5'-succinyl Polymeric Support	N-7518-03	11
Deoxycytidine (N-Bz)-DMTr-5'-succinyl Polymeric Support	N-7519-03	11
DNA:Backbone modification		
A: Benzyl Phosphoramidites (DNA Synthesis)		
P-O-Benzyl-deoxyadenosine (N-Bz)-DMTr-3'-CEP	ANP-6731	9
P-O-Benzyl-deoxycytidine (N-Bz)-DMTr-3'-CEP	ANP-6732	9
P-O-Benzyl-deoxyguanosine (N-iBu)-DMTr-3'-CEP	ANP-6733	9
P-O-Benzyl-thymidine-DMTr-3'-CEP	ANP-6734	9
B: Ethyl Phosphoramidites (DNA Synthesis)		
P-O-Ethyl-deoxyadenosine (N-Bz)-DMTr-3'-CEP	ANP-6541	103
P-O-Ethoxy-deoxycytidine (N-PAC)-DMTr-3'-CEP	ANP-5542	103
P-O-Ethyl-deoxyadenosine (N-PAC)-DMTr-3'-CEP	ANP-5541	103
P-O-Ethyl-deoxycytidine (N-Bz)-DMTr-3'-CEP	ANP-6542	103
P-O-Ethyl-deoxyguanosine (N-iBu)-DMTr-3'-CEP	ANP-6543	103
P-O-Ethyl-deoxyguanosine (N-PAC)-DMTr-3'-CEP	ANP-5543	103
P-O-Ethyl-thymidine-DMTr-3'-CEP	ANP-6544	103
C: H-Phosphonate monomers (DNA Synthesis)		
Deoxyadenosine (N-Bz)-DMTr-3'-(H)-phosphonate TEA salt	ANP-3410	14
Deoxycytidine (N-Ac)-DMTr-3'-(H)-phosphonate TEA salt	ANP-3414	14
Deoxycytidine (N-Bz)-DMTr-3'-(H)-phosphonate TEA salt	ANP-3411	14
Deoxyguanosine (N-iBu)-DMTr-3'-(H)-phosphonate TEA salt	ANP-3412	14
Thymidine-DMTr-3'-(H)-phosphonate TEA salt	ANP-3413	14
D: Isopropyl Phosphoramidites (DNA Synthesis)		
P-O-Isopropyl-deoxyadenosine (N-Bz)-DMTr-3'-CEP	ANP-6901	107
P-O-Isopropyl-deoxycytidine (N-Bz)-DMTr-3'-CEP	ANP-6902	107
P-O-Isopropyl-deoxyguanosine (N-iBu)-DMTr-3'-CEP	ANP-6903	107
P-O-Isopropyl-thymidine-DMTr-3'-CEP	ANP-6904	107
E: Methyl Phosphonamidites (DNA Synthesis)		
P-Methyl-deoxyadenosine (N-Bz)-DMTr-3'-CEP	ANP-7551	105
P-Methyl-deoxycytidine (N-iBu)-DMTr-3'-CEP	ANP-7556	105
P-Methyl-deoxyguanosine (N-iBu)-DMTr-3'-CEP	ANP-7553	105
P-Methyl-deoxyinosine-DMTr-3'-CEP	ANP-7558	105
P-Methyl-deoxyuridine-DMT-3'-CEP	ANP-7557	105
P-Methyl-thymidine-DMTr-3'-CEP	ANP-7554	105
F: Methyl Phosphonamidites (mild base protection) (DNA Synthesis)		
P-Methyl-deoxyadenosine (N-PAC)-DMTr-3'-CEP	ANP-5531	107
P-Methyl-deoxyadenosine(N-PAC)-MMTr-3'-CEP	ANP-5536	107
P-Methyl-deoxycytidine (N-PAC)-DMTr-3'-CEP	ANP-5532	107

DNA Synthesis

Product Name	Catalog#	Page#
<i>P</i> -Methyl-deoxyguanosine (<i>N</i> -tBPAC)-MMTr-3'-CEP	ANP-5537	107
<i>P</i> -Methyl-deoxyguanosine (<i>N</i> -tBPAC)-DMTr-3'-CEP	ANP-5533	107
G: Methyl Phosphoramidites (DNA Synthesis)		
<i>P</i> -O-Methyl-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-3761	8
<i>P</i> -O-Methyl-deoxyadenosine (<i>N</i> -Bz)-MMTr-3'-CEP	ANP-3766	8
<i>P</i> -O-Methyl-deoxycytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-3769	8
<i>P</i> -O-Methyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-3762	8
<i>P</i> -O-Methyl-deoxyguanosine (<i>N</i> -DMA)-DMTr-3'-CEP	ANP-3768	8
<i>P</i> -O-Methyl-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-3763	8
<i>P</i> -O-Methyl-deoxyguanosine (<i>N</i> -iBu)-MMTr-3'-CEP	ANP-3767	8
<i>P</i> -O-Methyl-thymidine-DMTr-3'-CEP	ANP-3764	8
DNA: Duplex Stabilization		
A: DNA Bases affecting Duplex Stability		
5-Methyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-6421	28
5-Methyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-1353-05/10/20	28
5-Methyl-deoxycytidine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-6422	28
5-Methyl-deoxycytidine (<i>N</i> -DMF)-DMTr-3'-Icaa CPG	N-1355-05/10/20	28
DNA: PCR/Sequence Utility		
A: DNA Chain Terminator		
2',3'-Dideoxyadenosine (<i>N</i> -Bz)-DMTr-5'-CEP	DDN-7051	48
2',3'-Dideoxyadenosine (<i>N</i> -Bz)-DMTr- <i>N</i> -succinyl-Icaa CPG	N-7368-05	48
2',3'-Dideoxycytidine (<i>N</i> -Bz)-DMTr-5'-CEP	DDN-7052	48
2',3'-Dideoxycytidine (<i>N</i> -Bz)-DMTr- <i>N</i> -succinyl-Icaa CPG	N-7369-05	48
2',3'-Dideoxyguanosine (<i>N</i> -iBu)-DMTr-5'-CEP	DDN-7053	48
2',3'-Dideoxythymidine-DMTr-5'-CEP	DDN-7054	48
2'-O-Trifluoroacetamidopropyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-7116	31
2'-O-Trifluoroacetamidopropyl-deoxyuridine-DMTr-3'-CEP	ANP-7115	31
3'-Amino(MMTr)-thymidine-5'-CEP	ANP-8454	31
3'-Amino(TFA)- deoxycytidine (<i>N</i> -Bz)-5'-CEP	ANP-1242	31
3'-Amino(TFA)-deoxyuridine-5'-CEP	ANP-1245	31
5'-Amino(MMTr)-Thymidine-3'-CEP	ANP-9402	31
5'-Amino-thymidine 3'-Icaa CPG	N-9506-05/10	31
5'-O-Methyl Oligonucleotides		
5'-O-Methyl-deoxyadenosine (<i>N</i> -Bz)-3'-CEP	ANP-5511	49
5'-O-Methyl-deoxycytidine (<i>N</i> -Bz)-3'-CEP	ANP-5512	49
5'-O-Methyl-deoxyguanosine (<i>N</i> -iBu)-3'-CEP	ANP-5513	49
5'-O-Methyl-thymidine-DMTr-3'-CEP	ANP-5514	49
B: DNA Duplex Effect		
Deoxyinosine-DMTr-3'-CEP	ANP-6411	28
Deoxyinosine-DMTr-3'-Icaa CPG	N-5108-05/10/20	28
Deoxynabularine (Deoxypurine-DMTr-3'-CEP)	ANP-7601	42
Deoxynabularine-3'-Icaa CPG; Deoxypurine-DMTr-3'-Icaa CPG	N-9503-05/10	42
Deoxyuridine-DMTr-3'-CEP	ANP-6131	28
Deoxyuridine-DMTr-3'-Icaa CPG	N-5107-05/10/20	28
Iso-deoxycytidine (<i>N</i> -DBF)-DMTr-3'-CEP	ANP-4269	43

DNA Synthesis

Product Name	Catalog#	Page#
Iso-deoxycytidine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-9929-05/10	43
Iso-deoxyguanosine (<i>N</i> -DBF)-DMTr-3'-CEP	ANP-4268	43
Iso-deoxyguanosine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-9927-05/10	43
DNA:Structural Studies		
A: DNA Structure/activity Relationship		
6-Chloro-deoxypurine-DMTr-3'-CEP	ANP-7706	42
2,6-Diamino-deoxypurine (<i>N</i> ² , <i>N</i> ⁶ -PAC)-DMT-3'-CEP; 2-Amino-deoxyadenosine (<i>N</i> ² , <i>N</i> ⁶ -PAC)--DMTr-3'-CEP	ANP-9316-DI	42
2,6-Diamino-deoxypurine (<i>N</i> ² , <i>N</i> ⁶ -PAC)-DMT-3'-Icaa CPG; 2-Amino-deoxyadenosine (<i>N</i> ² , <i>N</i> ⁶ -PAC)--DMTr-3'-Icaa CPG	N-9512-05-DI/10-DI	42
2-Amino-deoxyadenosine(<i>N</i> ² , <i>N</i> ⁶ -PAC)--DMTr-3'-CEP	ANP-9316-DI	42
2-Amino-deoxypurine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-9315-2	42
2-Amino-deoxypurine (<i>N</i> -DMF)-DMTr-3'-Icaa CPG	N-9511-05/10	42
2-Amino-2'-deoxypurine-ribose 3'-Icaa CPG	N-9519-05/10	42
2-Thio-deoxyuridine-DMTr-3'-CEP	ANP-9214	27
2-Thio-deoxyuridine-DMTr-3'-Icaa CPG	N-9510-05/10	27
2-Thio-thymidine-DMTr-3'-CEP	ANP-9213	27
2-Thio-thymidine-DMTr-3'-Icaa CPG	N-9509-05/10	27
4-Thio-thymidine-DMTr-3'-CEP	ANP-6414	27
4-Thio-thymidine-DMTr-3'-Icaa CPG	N-9925-05/10	27
4-Thio-deoxyuridine-DMTr-3'-CEP	ANP-7624	27
4-Thio-deoxyuridine-DMTr-3'-Icaa CPG	N-9758-05/10	27
6-Thio-deoxyguanosine-DMTr-3'-CEP	ANP-7628	35
7-Deaza-7-iodo-deoxyadenosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-4586	34
7-Deaza-7-iodo-deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-4589	34
7-Deaza-7-propargyl-(Amino-TFA)-deoxyadenosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-1339	34
7-Deaza-7-propargyl-(Amino-TFA)-deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-1354	34
7-Deaza-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-4815	33
7-Deaza-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-8777-05/10	33
7-Deaza-deoxyguanosine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-4858	33
7-Deaza-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-4857	33
7-Deaza-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-8778-05/10	33
7-Deaza-deoxyguanosine (<i>N</i> -iBu)-DMTr-5'-CEP	ANP-4679	34
7-Deaza-deoxyinosine-DMTr-3'-CEP	ANP-1146	33
7-Deaza-deoxyinosine-DMTr-3'-Icaa CPG	N-8779-05/10	33
B: DNA Structure/activity Relationship		
3',5'-Bis-CEP-deoxyadenosine (<i>N</i> -Bz)	ANP-7761	49
3',5'-Bis-CEP-deoxycytidine (<i>N</i> -Ac)	ANP-7762	49
3',5'-Bis-CEP-deoxyguanosine (<i>N</i> -iBu)	ANP-7763	49
3',5'-Bis-CEP-thymidine	ANP-7764	49
3'-Bis-(diisopropylamino)-thymidine-phosphoramidite-5'-DMT	ANP-7766	49
C: DNA 2'-5' Linked Oligonucleotides		
Deoxyadenosine (<i>N</i> -Bz) DMTr 2'-CEP	ANP-9312	35
Deoxyadenosine (<i>N</i> -Bz)-DMTr-2'-Icaa CPG; Cardycepin	N-9502-05/10	35
D: DNA Convertible Nucleosides		
4-Triazolyl-deoxyuridine-DMTr-3'-CEP	ANP-9211	43
4-Triazolyl-thymidine-DMTr-3'-CEP	ANP-9212	43

INDEX-1: Common Name

[Remove Watermark Now](#)

DNA Synthesis

Product Name	Catalog#	Page#
E: DNA Damage/Repair		
8-Oxo-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-5300-05/10	47
8-Oxo-deoxyadenosine(<i>N</i> -Bz)-DMTr-3'-CEP	ANP-9301	47
8-Oxo-deoxyguanosine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-9400-05/10	47
8-Oxo-deoxyguanosine (<i>N</i> -DMF)-3'-CEP	ANP-9311-2	47
8-Oxo-deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-Icaa CPG	N-9501-05/10	47
Abasic CPG; 1,2-dideoxy-β-D-ribose-DMTr-3-Icaa CPG	N-1423-05/10	47
Abasic Phosphoramidites; 1,2-dideoxy-β-D-ribose- DMTr-3-CEP	ANP-7058	47
Abasic reverse CPG; 1,2-dideoxy-β-D-ribose-DMTr-5-Icaa CPG	N-1424-05/10	47
Abasic reverse Phosphoramidites; 1,2-dideoxy-β-D-ribose-DMTr-5-CEP	ANP-1422	47
F: DNA Halogenated Nucleosides		
2-Fluoro-O ⁶ -trimethylsilyl-ethoxy-deoxyinosine-DMTr-3'-CEP	ANP-7702	40
2-Fluoro-O ⁶ -trimethylsilyl-ethoxy-deoxyinosine-DMTr-3'-Icaa CPG)	N-9926-05/10	40
5-Bromo-deoxycytidine (<i>N</i> -Bz)-DMTr 3'-CEP	ANP-6141	36
5-Bromo-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7362-05/10	37
5-Bromo-deoxyuridine-DMTr-3'-CEP	ANP-6415	36
5-Bromo-deoxyuridine-DMTr-3'-Icaa CPG	N-1378-05/10	37
5-Fluoro-deoxyuridine-DMTr-3'-CEP	ANP-6151	36
5-Fluoro-deoxyuridine-DMTr-3'-Icaa CPG	N-7365-05/10	37
5-Iodo-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-4612-05/10	37
5-Iodo-deoxycytidine (<i>N</i> -DBF)-DMTr-3'-CEP	ANP-4591	36
5-Iodo-deoxycytidine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-7363-05/10	37
5-Iodo-deoxyuridine-DMTr-3'-CEP	ANP-4611	36
5-Iodo-deoxyuridine-DMTr-3'-Icaa CPG	N-7364-05/10	37
5-Iodo-thymidine-DMTr-3'-CEP	ANP-4613	36
8-Bromo-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-4703	37
8-Bromo-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-4705-05/10	37
8-Bromo-deoxyadenosine (<i>N</i> -DBF)-DMTr-3'-CEP	ANP-4702	37
8-Bromo-deoxyadenosine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-4704-05/10	37
8-Bromo-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-6152	37
8-Bromo-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-9921-05/10	37
G: DNA Mutagenesis		
8-Methyl-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-9274	41
8-Methyl-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-9924-05/10	41
<i>N</i> ¹ -Methyl-deoxyadenosine (<i>N</i> -Fmoc)-DMTr-3'-Icaa CPG	N-9980-05/10	39
<i>N</i> ¹ -Methyl-deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-CEP	ANP-6122	38
<i>N</i> ¹ -Methyl-deoxyadenosine (<i>N</i> -Fmoc)-DMTr-3'-CEP	ANP-6121	38
<i>N</i> ¹ -Methyl-deoxyguanosine (<i>N</i> -DMF)-DMTr-3'-Icaa CPG	N-9981-05/10	39
<i>N</i> ² -t-Butyldithiopropyl-O6-TMS-ethyl-deoxyinosine-DMTr-3'-CEP	ANP-6445	40
<i>N</i> ³ -Cyanoethyl-thymidine-DMTr-3'-CEP	ANP-3857	38
<i>N</i> ³ -Methyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-3851	38
<i>N</i> ³ -Methyl-thymidine-DMTr-3'-CEP	ANP-6153	38
<i>N</i> ³ -Ethyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-3856	39
<i>N</i> ³ -Methyl-thymidine-DMTr-3'-Icaa CPG	N-9922-05/10	39
<i>N</i> ⁴ -Ethyl-deoxycytidine-DMTr-3'-CEP	ANP-6444	39
<i>N</i> ⁴ -Ethyl-deoxycytidine-DMTr-3'-Icaa CPG	N-9923-05/10	39

DNA Synthesis

Product Name	Catalog#	Page#
<i>N</i> ⁶ -Methyl-deoxyadenosine-DMTr-3'-CEP	ANP-3855	39
<i>O</i> ⁶ -Diphenylcarbanoyl-deoxyguanosine (<i>N</i> ² -iBu)-DMTr-3'-CEP	ANP-9276	40
<i>O</i> ⁶ -diphenylcarbanoyl-deoxyguanosine (<i>N</i> ² -iBu)-DMTr-3'-P-O-Methyl-CEP	ANP-9277	40
DNA Dimer Phosphoramidites		
AA-P-CEP-3'-CEP Dimer	ANP-2501-CE	13
AC-P-CEP-3'-CEP Dimer	ANP-2502-CE	13
AG-P-CEP-3'-CEP Dimer	ANP-2503-CE	13
AT-P-CEP-3'-CEP Dimer	ANP-2504-CE	13
CA-P-CEP-3'-CEP Dimer	ANP-2505-CE	13
CC-P-CEP-3'-CEP Dimer	ANP-2506-CE	13
CG-P-CEP-3'-CEP Dimer	ANP-2507-CE	13
CT-P-CEP-3'-CEP Dimer	ANP-2508-CE	13
GA-P-CEP-3'-CEP Dimer	ANP-2509-CE	13
GC-P-CEP-3'-CEP Dimer	ANP-2510-CE	13
GG-P-CEP-3'-CEP Dimer	ANP-2511-CE	13
GT-P-CEP-3'-CEP Dimer	ANP-2512-CE	13
TA-P-CEP-3'-CEP Dimer	ANP-2513-CE	13
TC-P-CEP-3'-CEP Dimer	ANP-2514-CE	13
TG-P-CEP-3'-CEP Dimer	ANP-2515-CE	13
TT-P-CEP-3'-CEP Dimer	ANP-2516-CE	13
H: DNA Spiegelmers		
β -L-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-8031	44
β -L-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-3521-05/10	45
β -L-deoxycytidine (<i>N</i> -Bz)-DMTr-2'-Icaa CPG	N-4062-05/10	45
β -L-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-8032	44
β -L-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-3522-05/10	45
β -L-deoxycytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-8035	44
β -L-deoxycytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-3525-05/10	45
β -L-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-8033	44
β -L-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-3523-05/10	45
β -L-deoxyuridine-DMTr-3'-CEP	ANP-8036	44
β -L-Thymidine-DMTr-3'-CEP	ANP-8034	44
β -L-Thymidine-DMTr-3'-Icaa CPG	N-3524-05/10	45
I: Ara-amidites-DNA Therapeutic Applications		
Ara-(2'-O-Ac)-Adenosine (<i>N</i> -Bz)-DMTr-3'-CEP; Adenosine arabinose	ANP-1711	32
Ara-(2'-O-Ac)-Adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7366-05/10/20	32
Ara-(2'-O-Ac)-Cytidine (<i>N</i> -Bz)-DMTr-3'-CEP; Cytidine arabinose	ANP-1712	32
Ara-(2'-O-Ac)-Cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7367-05/10/20	32
Ara-(2'-O-Ac)-Cytidine (<i>N</i> -Ac)-DMTr-3'-CEP; Cytidine arabinose	ANP-1714	32
Ara-(2'-O-Ac)-Guanosine (<i>N</i> -iBu)-DMTr-3'-CEP; Guanosine arabinose	ANP-1713	32
Ara-(2'-O-Ac)-Guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-7421-05/10/20	32
Ara-(2'-O-Ac)-Uridine-DMTr-3'-CEP; Uridine arabinose	ANP-1715	32
Ara-(2'-O-Ac)-Uridine-DMTr-3'-Icaa CPG	N-7422-05/10/20	32
Ara-(2'-O-Me)-adenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-1716	111
Ara-(2'-O-Me)-adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7423-05/10	111
Ara-(2'-O-Me)-cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-1718	111

DNA Synthesis

Product Name	Catalog#	Page#
Ara-(2'-O-Me)-cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-7425-05/10	111
Ara-(2'-O-Me)-cytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-1717	111
Ara-(2'-O-Me)-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7424-05/10	111
Ara-(2'-O-Me)-guanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-1719	111
Ara-(2'-O-Me)-guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-7426-05/10	111
Ara-(2'-O-Me)-uridine-DMTr-3'-CEP	ANP-1721	111
Ara-(2'-O-Me)-uridine-DMTr-3'-Icaa CPG	N-7427-05/10	111
J: Alpha-deoxy amidites-DNA Diagnostic Applications		
Alpha-D-5-methyl-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	ANP-1756	29
Alpha-D-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-1651	29
Alpha-D-deoxyadenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-1751-05/10/20	30
Alpha-D-deoxycytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-4676	29
Alpha-D-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-1652	29
Alpha-D-deoxycytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-1752-05/10/20	30
Alpha-D-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-1653	29
Alpha-D-deoxyguanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-1753-05/10/20	30
Alpha-D-thymidine-DMTr-3'-CEP	ANP-1654	29
Alpha-D-thymidine-DMTr-3'-Icaa CPG	N-1754-05/10/20	30
Solvents/Reagents-DNA Synthesis		
A:PolyPlex Oligo-Synthesizer		
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), PolyPlex Oligonucleotide Synthesizer	RN-1447-S/M/L-PX	25
Acetonitrile Wash Grade, PolyPlex Oligonucleotide Synthesizer	RN-1448-M/L-PX	25
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1467-M-PX	25
Activation Reagent (0.25M 5-Ethylthio Tetrazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1466-M-PX	25
Activation Reagent (0.45M 5-Ethylthio Tetrazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1551-M/L-PX	25
Activation Reagent (BMT Solution) (0.3M Benzylthio Tetrazole/Acetonitrile) PolyPlex Oligonucleotide Synthesizer	RN-1452	25
AMA Reagent, PolyPlex Oligonucleotide Synthesizer	RN-1450-PX	25
CAP A (Acetic Anhydride/Pyridine/THF), PolyPlex Oligonucleotide Synthesizer	RN-1458-M-PX	25
CAP B (10% <i>N</i> -Methylimidazole/THF), PolyPlex Oligonucleotide Synthesizer	RN-1481-M-PX	25
CAP B (16% <i>N</i> -Methylimidazole/THF), PolyPlex Oligonucleotide Synthesizer	RN-7776-M-PX	25
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), PolyPlex Oligonucleotide Synthesizer	RN-1688	25
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), PolyPlex Oligonucleotide Synthesizer	RN-1689	25
DMTr Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), PolyPlex Oligonucleotide Synthesizer	RN-1468-M-PX	25
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), PolyPlex Oligonucleotide Synthesizer	RN-1462-L-PX	25
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), PolyPlex Oligonucleotide Synthesizer	RN-1455-L-PX	25
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), PolyPlex Oligonucleotide Synthesizer	RN-1456-M-PX	25
Silanized Bottles for Beaucage Reagent, PolyPlex Oligonucleotide Synthesizer	BL-1536-S/M/L-PX	25
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), PolyPlex Oligonucleotide Synthesizer	RN-1535-S/M/L-PX	25
Thiophenol/Triethylamine/Dioxane, PolyPlex Oligonucleotide Synthesizer	RN-1465-PX	25
B: MerMade Oligo-Synthesizer		
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), MerMade Oligonucleotide Synthesizer	RN-1447-S/M/L-MR	24
Acetonitrile Wash Grade, MerMade Oligonucleotide Synthesizer	RN-1448-M/L-MR	24
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1467-M/L-MR	24
Activation Reagent (0.25M 5-Ethylthio Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1466-M/L-MR	24
Activation Reagent (0.45M 5-Ethylthio Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1551-M/L-MR	24

DNA Synthesis

Product Name	Catalog#	Page#
Activation Reagent (BMT Solution) (0.3M Benzylthio Tetrazole/Acetonitrile) MerMade Oligonucleotide Synthesizer	RN-1452	24
AMA Reagent, MerMade Oligonucleotide Synthesizer	RN-1450-MR	24
CAP A (Acetic Anhydride/Pyridine/THF), MerMade Oligonucleotide Synthesizer	RN-1458-M/L-MR	24
CAP B (10% <i>N</i> -Methylimidazole/THF), MerMade Oligonucleotide Synthesizer	RN-1481-SS/S-MR	24
CAP B (16% <i>N</i> -Methylimidazole/THF), MerMade Oligonucleotide Synthesizer	RN-7776-SS/S-MR	24
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), MerMade Oligonucleotide Synthesizer	RN-1688	24
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), MerMade Oligonucleotide Synthesizer	RN-1689	24
DMTr Removal Reagent (2.5% Dichloroacetic Acid/Dichloromethane), MerMade Oligonucleotide Synthesizer	RN-1468-M/L-MR	24
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), MerMade Oligonucleotide Synthesizer	RN-1462-M/L-MR	24
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), MerMade Oligonucleotide Synthesizer	RN-1455-S/M-MR	24
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), MerMade Oligonucleotide Synthesizer	RN-1456-S/M-MR	24
Silanized Bottles for Beaucage Reagent, MerMade Oligonucleotide Synthesizer	BL-1536-S/M/L-MR	24
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), MerMade Oligonucleotide Synthesizer	RN-1535-S/M/L-MR	24
Thiophenol/Triethylamine/Dioxane, MerMade Oligonucleotide Synthesizer	RN-1465-MR	24
C:Expedite Oligo-Synthesizer		
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), Expedite Oligonucleotide Synthesizer	RN-1447-S/M/L-EX	23
Acetonitrile Wash Grade, Expedite Oligonucleotide Synthesizer	RN-1448-M/L-EX	23
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1467-SS/S/M/L-EX	23
Activation Reagent (0.25M 5-Ethylthio Tetrazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1466-SS/S/M/L-EX	23
Activation Reagent (0.45M 5-Ethylthio Tetrazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1551-SS/S/M/L-EX	23
Activation Reagent (BMT Solution) (0.3M Benzylthio Tetrazole/Acetonitrile) Expedite Oligonucleotide Synthesizer	RN-1452	23
AMA Reagent, Expedite Oligonucleotide Synthesizer	RN-1450-EX	23
CAP A (Acetic Anhydride/Pyridine/THF), Expedite Oligonucleotide Synthesizer	RN-1458-SS/S/M/L-EX	23
CAP B (10% <i>N</i> -Methylimidazole/THF), Expedite Oligonucleotide Synthesizer	RN-1481-SS/S/M/L-EX	23
CAP B (16% <i>N</i> -Methylimidazole/THF), Expedite Oligonucleotide Synthesizer	RN-7776-SS/S/M/L-EX	23
DMTr Removal Reagent (2.5% Dichloroacetic Acid/Dichloromethane), Expedite Oligonucleotide Synthesizer	RN-1468-M/L-EX	23
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), Expedite Oligonucleotide Synthesizer	RN-1462-M/L-EX	23
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), Expedite Oligonucleotide Synthesizer	RN-1455-S/M/L-EX	23
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), Expedite Oligonucleotide Synthesizer	RN-1456-S/M/L-EX	23
Silanized Bottles for Beaucage Reagent, Expedite Oligonucleotide Synthesizer	BL-1536-S/M/L-EX	23
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), Expedite Oligonucleotide Synthesizer	RN-1535-S/M/L-EX	23
Thiophenol/Triethylamine/Dioxane, Expedite Oligonucleotide Synthesizer	RN-1465-EX	23
D:Expedite Oligo-Synthesizer		
Activator (Benzyl thio tetrazole; 0.2M in acetonitrile) Akta Oligonucleotide Synthesizer	RN-2232-M-OP	22
Cap A (<i>N</i> -Methyl imidazole; 20% in Acetonitrile) Akta Oligonucleotide Synthesizer	RN-2202-M-OP	22
Cap B1 (Acetic Anhydride; 40% (v:v) in Acetonitrile) Akta Oligonucleotide Synthesizer	RN-2217-M-OP	22
Cap B2 (Symmetrical Collidine; 60% (v:v) in Acetonitrile, Akta Oligonucleotide Synthesizer	RN-2225-M-OP	22
Deblock (3% DCA in Toluene) Akta Oligonucleotide Synthesizer	RN-2242-M-OP	22
Oxidizer 4 Liter 50 mM Iodine in 10% Water/Pyridine) Akta Oligonucleotide Synthesizer	RN-2238-M-OP	22
E:ABI 3900 Oligo-Synthesizer		
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), ABI 3900 Oligonucleotide Synthesizer	RN-1447-L-AB39	21
Acetonitrile Wash Grade, ABI 3900 Oligonucleotide Synthesizer	RN-1448-M/L-AB39	21
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), ABI 3900 Oligonucleotide Synthesizer	RN-1467-M/L-AB39	21
Activation Reagent (0.25M 5-Ethylthio Tetrazole/Acetonitrile)	RN-1466-M/L-AB39	21
Activation Reagent (0.45M 5-Ethylthio Tetrazole/Acetonitrile), ABI 3900 Oligonucleotide Synthesizer	RN-1551-M/L-AB39	21

INDEX-1: Common Name

[Remove Watermark Now](#)

DNA Synthesis

Product Name	Catalog#	Page#
Activation Reagent (BMT Solution) (0.3M Benzylthio Tetrazole/Acetonitrile)	RN-1452	21
AMA Reagent, ABI 3900 Oligonucleotide Synthesizer	RN-1450-AB39	21
CAP A (Acetic Anhydride/Pyridine/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1458-M/L-AB39	21
CAP B (10% N-Methylimidazole/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1481-M/L-AB39	21
CAP B (16% N-Methylimidazole/THF), ABI 3900 Oligonucleotide Synthesizer	RN-7776-M/L-AB39	21
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), ABI 3900 Oligonucleotide Synthesizer	RN-1688	21
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), ABI 3900 Oligonucleotide Synthesizer	RN-1689	21
DMT Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), ABI 3900 Oligonucleotide Synthesizer	RN-1468-M/L-AB39	21
DMT Removal Reagent (3% Trichloroacetic Acid/Dichloromethane)	RN-1462-M/L-AB39	21
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1455-M/L-AB39	21
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1456-M/L-AB39	21
Silanized Bottles for Beaucage Reagent, ABI 3900 Oligonucleotide Synthesizer	BL-1536-S/M/L-AB39	21
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), ABI 3900 Oligonucleotide Synthesizer	RN-1535-L-AB39	21
Thiophenol/Triethylamine/Dioxane, ABI 3900 Oligonucleotide Synthesizer	RN-1465-AB39	21
F:ABI Oligo-Synthesizer		
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), ABI Oligonucleotide Synthesizer	RN-1447-S/M/L-AB30	20
Acetonitrile Wash Grade, ABI Oligonucleotide Synthesizer	RN-1448-M/L-AB30	20
Activation Reagent ((0.25M 5-Ethylthio Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1466-SS/S/M/L-AB30	20
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1467-SS/S/M/L-AB30	20
Activation Reagent (0.45M 5-Ethylthio Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1551-SS/S/M/L-AB30	20
Activation Reagent (BMT Solution) (0.3M Benzylthio Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1452	20
AMA Reagent, ABI Oligonucleotide Synthesizer	RN-1450-AB30	20
CAP A (Acetic Anhydride/Pyridine/THF), ABI Oligonucleotide Synthesizer	RN-1458-SS/S/M/L-AB30	20
CAP B (10% N-Methylimidazole/THF), ABI Oligonucleotide Synthesizer	RN-1481-SS/S/M/L-AB30	20
CAP B (16% N-Methylimidazole/THF), ABI Oligonucleotide Synthesizer	RN-7776-SS/S/M/L-AB30	20
DMT Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), ABI Oligonucleotide Synthesizer	RN-1468-M/L-AB30	20
DMT Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), ABI Oligonucleotide Synthesizer	RN-1462-M/L-AB30	20
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), ABI Oligonucleotide Synthesizer	RN-1455-S/M/L-AB30	20
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), ABI Oligonucleotide Synthesizer	RN-1456-S/M/L-AB30	20
Silanized Bottles for Beaucage Reagent, ABI Oligonucleotide Synthesizer	BL-1536-S/M/L-AB30	20
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), ABI Oligonucleotide Synthesizer	RN-1535-L-AB30	20
Thiophenol/Triethylamine/Dioxane, ABI Oligonucleotide Synthesizer	RN-1465-AB30	20
G: Solvents/Reagents For H-phosphonate Chemistry		
Acetonitrile/Pyridine (50:50), Anhydrous (Diluent for Monomers)	RN-4523-P	19
Acetonitrile/Pyridine (95:5), Anhydrous (Diluent for Activator)	RN-1356-P2	19
Acetonitrile/Pyridine (wash solvent)	RN-7684-AP	19
Activator for monomers and Capping Reagent (Adamantane carbonyl chloride)	RN-6664	19
Capping for ABI Synthesizers (Isopropyl Phosphite/Acetonitrile/Pyridine)	RN-6645-IP	19
Dipentafluorophenyl Carbonate (Reagent for H-phosphonate)	RN-6464	19
Oxidation Solution 1 (Iodine in Pyridine/H ₂ O/THF)	RN-1210-PHT	19
Oxidation Solution 2 (THF/H ₂ O/TEA)	RN-1220-THF	19
H: Deprotection solution for DNA Synthesis		
Ammonia Free Oligo Deprotection Solution	RN-1435	59
Deprotection solution for Levulinyl	CLP-7171	12, 129

DNA Synthesis / RNA Synthesis

Product Name	Catalog#	Page#
Empty Columns & Filters-DNA Synthesis		
A: Empty Columns & Filters		
Empty Column, Aluminium Caps, ABI 392/394	E-1007-AB30	18
Empty Column, Aluminium Caps, ABI 392/394	E-1007-15-AB30	18
Empty Synthesis Column, Aluminium Caps, Expedite Style	E-1007-02-EX	18
Empty Synthesis Column, Aluminium Caps, Expedite Style	E-1007-10-EX	18
Empty Synthesis Column, Aluminium Caps, Expedite Style	E-1007-100-EX	18
Empty Synthesis Column, mermade style,	E-1007-AB39	18
Replacement filters	EPC-1008	18
DNA purification		
B: DNA purification Barrels		
Barrel-4 ml	CSS-3940-S	54
Barrel-4 ml	CSS-3940-M	54
Barrel-4 ml	CSS-3940-L	54
Barrel-8 ml	CSS-3960-S	54
Barrel-8 ml	CSS-3960-M	54
Barrel-8 ml	CSS-3960-L	54
C: DNA purification Cartridges		
Cartridge-L	CSS-3920-L	54
Cartridge-M	CSS-3920-M	54
Cartridge-S	CSS-3920-S	54
D: DNA purification Plates		
DNA Purification, 96 Well Collection Plate (Pack of 12)	GS-3280	51
DNA Purification, 96 Well Oligonucleotide Synthesis plate	GS-8361	51
DNA Purification, Puri-Pak Plate™ (Not Shown)	GS-1154	51
DNA Purification, 96 Well Collection Plate (1 Plate)	GS-3280	51
DNA Purification, Genesys Manifold for 96-well Format GeneSys-1	GS-8366	51
DNA Purification, Genesys-24 (Not Shown)	GS-1158	51
DNA Purification, Puri-Pak Plate™	GS-3249	51
E: DNA purification Traps		
Drying Traps, Extra Large	DMT-1972	52
Drying Traps, Large	DMT-1973	52
Drying Traps, Medium	DMT-1974	52
Drying Traps, Small	DMT-1975	52
RNA Synthesis		
A: CE Phosphoramidites: TBDMS Protected (RNA synthesis)		
(1)-TBDMS Protected (RNA synthesis)		
Adenosine (N-Ac)-DMTr-3'-CEP	ANP-4546	57
Adenosine (N-Bz)-DMTr-3'-CEP	ANP-5671	57
Adenosine (N-Bz)-MMTr-3'-CEP	ANP-5676	57
Cytidine (N-Ac)-DMTr-3'-CEP	ANP-6676	57
Cytidine (N-Bz)-DMTr-3'-CEP	ANP-5672	57
Cytidine (N-Bz)-MMTr-3'-CEP	ANP-5685	57
Guanosine (N-Ac)-DMTr-3'-CEP	ANP-4547	57
Guanosine (N-DMF)-DMTr-3'-CEP	ANP-5678	57
Guanosine (N-iBu)-DMTr-3'-CEP	ANP-5673	57

RNA Synthesis

Product Name	Catalog#	Page#
Guanosine (<i>N</i> -iBu)-MMTr-3'-CEP	ANP-5677	57
Uridine-DMTr-3'-CEP	ANP-5674	57
Uridine-MMTr-3'-CEP	ANP-5688	57
(2)-TBDMS Protected (Ultramild base protection) (RNA synthesis)		
Adenosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6671	59
Adenosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-6678	59
Cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-6676	59
Cytidine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6672	59
Cytidine (<i>N</i> -tBPAC)-MMTr-3'-CEP	ANP-6680	59
Guanosine (<i>N</i> -iprPAC)-DMTr-3'-CEP	ANP-6679	59
Guanosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-6673	59
Guanosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-6677	59
Guanosine (<i>N</i> -Phenyl-Ac)-DMTr-3'-CEP	ANP-5679	59
(3)-TOM Protected (RNA synthesis)		
2'-TOM-Adenosine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-3201	69
2'-TOM-Cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-3202	69
2'-TOM-Guanosine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-3203	69
2'-TOM-Uridine-DMTr-3'-CEP	ANP-3204	69
(4)-Acetal levulinyl ester Protected (RNA synthesis)		
2'-ALE-Adenosine (<i>N</i> -Pac)-5'-NPPOC-3'-CEP	ANP-3211	62
2'-ALE-Cytidine (<i>N</i> -iBu)-5'-NPPOC-3'-CEP	ANP-3212	62
2'-ALE-Guanosine (<i>N</i> -Pac)-5'-NPPOC-3'-CEP	ANP-3213	62
2'-ALE-Uridine-5'-NPPOC-3'-CEP	ANP-3214	62
(5)-Pivaloyloxymethyl Protected (RNA synthesis)		
2'-Pivom-Adenosine (<i>N</i> -Pac)-DMTr-3'-CEP	ANP-3216	63
2'-Pivom-Cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-3217	63
2'-Pivom-Guanosine (<i>N</i> -iPrPAC)-DMTr-3'-CEP	ANP-3218	63
2'-Pivom-Uridine-DMTr-3'-CEP	ANP-3219	63
B: Supports (RNA synthesis)		
(1)-TBDMS Protected 3'-CPG (RNA synthesis)		
Adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-6101-05/10/20	58
Cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-6106-05/10/20	58
Cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-6102-05/10/20	58
Guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-6103-05/10/20	58
Uridine-DMTr-3'-Icaa CPG	N-6104-05/10/20	58
(2)-TBDMS protected 3'-CPG (Ultramild base protection) (RNA synthesis)		
Adenosine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P6101-05/10	60
Adenosine (<i>N</i> -tBPAC)-DMTr- 3'-Icaa CPG	N-6207-05/10	60
Cytidine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P6102-05/10	60
Guanosine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P6103-05/10	60
Guanosine (<i>N</i> -tBPAC)-DMTr-3'-Icaa CPG	N-6208-05/10	60
Uridine-DMTr-3'-Icaa CPG	N-P6104-05/10	60
(3)-TBDMS protected 3'-Oxalyl CPG (RNA synthesis)		
Adenosine (<i>N</i> -PAC)-DMTr-3'-oxalyl Icaa-CPG	N-5141-05	61
Ammonia Free Oligo Deprotection Solution	RN-1435	61
Cytidine (<i>N</i> -PAC)-DMTr-3'-oxalyl Icaa CPG	N-5142-05	61

RNA Synthesis

Product Name	Catalog#	Page#
Guanosine (<i>N</i> -iBu)-DMTr-3'-oxalyl Icaa CPG	N-5166-05	61
Guanosine (<i>N</i> -PAC)-DMTr-3'-oxalyl Icaa CPG	N-5143-05	61
Uridine-DMTr-3'-oxalyl Icaa CPG	N-5144-05	61
(4)-TBDMS protected 3'-Polymeric Support (RNA Synthesis)		
Adenosine (<i>N</i> -Bz)-DMTr-3'-succinyl Polystyrene	N-6211-03	64
Cytidine (<i>N</i> -Ac)-DMTr-3'-succinyl Polystyrene	N-6216-03	64
Cytidine (<i>N</i> -Bz)-DMTr-3'-succinyl Polystyrene	N-6212-03	64
Guanosine (<i>N</i> -iBu)-DMTr-3'-succinyl Polystyrene	N-6213-03	64
Uridine-DMTr-3'-succinyl Polystyrene	N-6214-03	64
(6)-TOM protected 3'-CPG (RNA Synthesis)		
2'-TOM-Adenosine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-3201-05/10	69
2'-TOM-Cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-3202-05/10	69
2'-TOM-Guanosine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-3203-05/10	69
2'-TOM-Uridine-DMTr-3'-Icaa CPG	N-3205-05/10	69
B: Backbone modification:Methyl Phosphoramidite (RNA Synthesis)		
<i>P</i> -O-Methyl-adenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-5691	65
<i>P</i> -O-Methyl-adenosine (<i>N</i> -Bz)-MMTr-3'-CEP	ANP-5696	65
<i>P</i> -O-Methyl-adenosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-3861	66
<i>P</i> -O-Methyl-adenosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-3866	66
<i>P</i> -O-Methyl-cytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-5692	65
<i>P</i> -O-Methyl-cytidine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-3862	66
<i>P</i> -O-Methyl-guanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-5693	65
<i>P</i> -O-Methyl-guanosine (<i>N</i> -iBu)-MMTr-3'-CEP	ANP-5697	65
<i>P</i> -O-Methyl-guanosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-3863	66
<i>P</i> -O-Methyl-guanosine (<i>N</i> -PAC)-MMTr-3'-CEP	ANP-3867	66
<i>P</i> -O-Methyl-uridine-DMTr-3'-CEP	ANP-5694	65
RNA:5'→ 3' Synthesis		
A: CE Phosphoramidites: TBDMS Protected (RNA Synthesis)		
Adenosine (<i>N</i> -Bz)-DMTr-5'-CEP	ANP-3401	67
Cytidine (<i>N</i> -Ac)-DMTr-5'-CEP	ANP-3405	67
Cytidine (<i>N</i> -Bz)-DMTr-5'-CEP	ANP-3402	67
Guanosine (<i>N</i> -iBu)-DMTr-5'-CEP	ANP-3403	67
Guanosine (<i>N</i> -iprPAC)-DMTr-5'-CEP	ANP-3406	67
Uridine-DMTr-5'-CEP	ANP-3404	67
B: Supports-TBDMS protected 5'-CPG (RNA Synthesis)		
Adenosine (<i>N</i> -Bz)-DMTr-5'-Icaa CPG	N-6201-05/10	67
Cytidine (<i>N</i> -Ac)-DMTr-5'-Icaa CPG	N-6206-05/10	67
Cytidine (<i>N</i> -Bz)-DMTr-5'-Icaa CPG	N-6202-05/10	67
Guanosine (<i>N</i> -iBu)-DMTr-5'-Icaa CPG	N-6203-05/10	67
Uridine-DMTr-5'-Icaa CPG	N-6204-05/10	67

O-Alkyl & Antisenses Oligonucleotide Modifications

Product Name	Catalog#	Page#
2'-O-Methyl-RNA Synthesis		
A: CE Phosphoramidites (RNA synthesis)		
(1)-2'-O-Me RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-adenosine (N-Bz)-DMTr-3'-CEP	ANP-5751	93
2'-O-Methyl-adenosine (N-Bz)-MMTr-3'-CEP	ANP-5756	93
2'-O-Methyl-cytidine (N-Ac)-DMTr-3'-CEP	ANP-6756	93
2'-O-Methyl-cytidine (N-Bz)-DMTr-3'-CEP	ANP-5752	93
2'-O-Methyl-guanosine (N-iBu)-DMTr-3'-CEP	ANP-5753	93
2'-O-Methyl-guanosine (N-iBu)-MMTr-3'-CEP	ANP-5757	93
2'-O-Methyl-uridine-DMTr-3'-CEP	ANP-5754	93
(2)-2'-O-Me RNA Phosphoramidites (mild protection) (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-adenosine (N-PAC)-DMTr-3'-CEP	ANP-6751	95
2'-O-Methyl-cytidine (N-Ac)-DMTr-3'-CEP	ANP-6756	95
2'-O-Methyl-cytidine (N-PAC)-DMTr-3'-CEP	ANP-6752	95
2'-O-Methyl-guanosine (N-DMF)-DMTr-3'-CEP	ANP-6759	95
2'-O-Methyl-guanosine (N-iPrPAC)-DMTr-3'-CEP	ANP-5761	95
2'-O-Methyl-guanosine (N-PAC)-DMTr-3'-CEP	ANP-6753	95
2'-O-Methyl-uridine-DMTr-3'-CEP	ANP-5754	95
B: Minor 2'-O-Me-RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-5-propynyl-uridine-DMTr-3'-CEP	ANP-1347	97
2'-O-Methyl-uridine (C-6)-DMTr-3'-CEP (Amino Modifier)"	ANP-2581	97
2'-O-Methyl-2,6-diamino-purine (N2,N6-diPAC)-DMTr-3'-CEP	ANP-8519	96
2'-O-Methyl-4-triazolyl-uridine-DMTr-3'-CEP	ANP-5604	97
2'-O-Methyl-5-bromo-uridine-DMTr-3'-CEP	ANP-5760	98
2'-O-Methyl-5-iodo-uridine-DMTr-3'-CEP	ANP-5759	98
2'-O-Methyl-5-methyl-cytidine (N-Ac)-DMTr-3'-CEP	ANP-6555	96
2'-O-Methyl-5-methyl-cytidine (N-Bz)-DMTr-3'-CEP	ANP-6556	96
2'-O-Methyl-5-methyl-cytidine (N-DMF)-DMTr-3'-CEP	ANP-6554	96
2'-O-Methyl-5-methyl-uridine (Ribo Thymidine)-DMTr-3'-CEP	ANP-5600	96
2'-O-Methyl-5-propynyl-cytidine (N-Bz)-DMTr-3'-CE	ANP-1874	97
2'-O-Methyl-7-deaza 7-iodo-adenosine (N-Bz)-DMTr-3'-CEP	ANP-9171	96
2'-O-Methyl-7-deaza 7-iodo-guanosine (N-iBu)-DMTr-3'-CEP	ANP-9173	99
2'-O-Methyl-7-deaza-7-propargyl (Amino- TFA)-guanosine (N-iBu)-DMTr-3'-CEP	ANP-9178	99
2'-O-Methyl-7-deaza-7-propargyl(Amino-TFA)-adenosine (N-Bz)-DMTr-3'-CEP	ANP-9176	99
2'-O-Methyl-7-deaza-adenosine (N-Bz)-DMTr-3'-CEP	ANP-5951	99
2'-O-Methyl-7-deaza-guanosine (N-iBu)-DMTr-3'-CEP	ANP-5953	99
2'-O-Methyl-cytidine (N-DMF)-DMTr-3'-CEP (Amino Modifier)	ANP-2583	97
2'-O-Methyl-Inosine-DMTr-3'-CEP	ANP-5758	96
C-Backbone 2'-O-Me-RNA modifications (O-Alkyl & Antisenses Oligonucleotide Modifications)		
(1)-P-O-Ethyl Phosphoramidites		
2'-O-Methyl-P-O-ethyl-adenosine (N-Bz)-DMTr-3'-CEP	ANP-7221	100
2'-O-Methyl-P-O-ethyl-adenosine (N-PAC)-DMTr-3'-CEP	ANP-7227	101
2'-O-Methyl-P-O-ethyl-cytidine (N-Bz)-DMTr-3'-CEP	ANP-7222	100
2'-O-Methyl-P-O-ethyl-cytidine (N-PAC)-DMTr-3'-CEP	ANP-7228	101
2'-O-Methyl-P-O-ethyl-guanosine (N-iBu)-DMTr-3'-CEP	ANP-7223	100
2'-O-Methyl-P-O-ethyl-guanosine (N-PAC)-DMTr-3'-CEP	ANP-7226	101

O-Alkyl & Antisenses Oligonucleotide Modifications

Product Name	Catalog#	Page#
2'-O-Methyl- <i>P</i> -O-ethyl-thymidine-DMTr-3'-CEP	ANP-7224	100
2'-O-Methyl- <i>P</i> -O-ethyl-uridine-DMTr-3'-CEP	ANP-7225	100
(2)-Methyl RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl- <i>P</i> -methyl-adenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-8551	106
2'-O-Methyl- <i>P</i> -methyl-cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-8556	106
2'-O-Methyl- <i>P</i> -methyl-cytidine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-8552	106
2'-O-Methyl- <i>P</i> -methyl-guanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-8553	106
2'-O-Methyl- <i>P</i> -methyl-uridine-DMTr-3'-CEP	ANP-8554	106
D: Supports For 2'-OME RNA Synthesis (O-Alkyl & Antisenses Oligonucleotide Modifications)		
(1)-2'-OME-RNA 3'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7910-05/10	94
2'-O-Methyl-cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-7905-05/10	94
2'-O-Methyl-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-7911-05/10	94
2'-O-Methyl-guanosine (<i>N</i> -DMF)-MMTr-3'-Icaa CPG	N-7914-05/10	94
2'-O-Methyl-guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-7912-05/10	94
2'-O-Methyl-uridine-DMTr-3'-Icaa CPG	N-7904-05/10	94
(2)-2'-OME-RNA 3'-CPG (mild protection) (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-adenosine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P7901-05/10	95
2'-O-Methyl-cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-7905-05/10	95
2'-O-Methyl-cytidine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P7902-05/10	95
2'-O-Methyl-guanosine (<i>N</i> -PAC)-DMTr-3'-Icaa CPG	N-P7903-05/10	95
(3)-Minor 2'-OME-RNA 3'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-5-methyl-cytidine (<i>N</i> -DMF)-DMTr-3'-Icaa CPG	N-1613-05/10	98
2'-O-Methyl-5-bromo-uridine-DMTr-3'-Icaa CPG	N-9011-05/10	98
2'-O-Methyl-5-iodo-uridine-DMTr-3'-Icaa CPG	N-9012-05/10	98
2'-O-Methyl-5-methyl-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-1613Bz-05/10	98
2'-O-Methyl-inosine-DMTr-3'-Icaa CPG	N-9013-05/10	98
2'-O-Methyl-thymidine-DMTr-3'-Icaa CPG	N-5601-05/10	98
2'-O-Me 5'→3' RNA Synthesis (O-Alkyl & Antisenses Oligonucleotide Modifications)		
A: 2'-O-Me 5'-CE RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-adenosine (<i>N</i> -Bz)-DMTr-5'-CEP	ANP-1012	109
2'-O-Methyl 5-methyl-uridine-DMTr-5'-CEP	ANP-1017	109
2'-O-Methyl-5-methyl-cytidine (<i>N</i> -Bz)-DMTr-5'-CEP	ANP-1016	109
2'-O-Methyl-cytidine (<i>N</i> -Ac)-DMTr-5'-CEP	ANP-1019	109
2'-O-Methyl-cytidine (<i>N</i> -Bz)-DMTr-5'-CEP	ANP-1013	109
2'-O-Methyl-guanosine (<i>N</i> -iBu)-DMTr-5'-CEP	ANP-1014	109
2'-O-Methyl-uridine-DMTr-5'-CEP	ANP-1015	109
B: Support:2'-O-Me 5'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Methyl-5-methyl-cytidine (<i>N</i> -Bz)-DMTr-5'-Icaa CPG	N-9916-05/10	110
2'-O-Methyl-5-methyl-uridine-DMTr-5'-Icaa CPG	N-9917-05/10	110
2'-O-Methyl-adenosine (<i>N</i> -Bz)-DMTr-5'-Icaa CPG	N-9912-05/10	110
2'-O-Methyl-cytidine (<i>N</i> -Ac)-DMTr-5'-Icaa CPG	N-9919-05/10	110
2'-O-Methyl-cytidine (<i>N</i> -Bz)-DMTr-5'-Icaa CPG	N-9913-05/10	110
2'-O-Methyl-guanosine (<i>N</i> -iBu)-DMTr-5'-Icaa CPG	N-9914-05/10	110
2'-O-Methyl-uridine-DMTr-5'-Icaa CPG	N-9915-05/10	110

O-Alkyl & Antisenses Oligonucleotide Modifications/Combiclick Chemistry

Product Name	Catalog#	Page#
2'-F RNA Synthesis (O-Alkyl & Antisenses Oligonucleotide Modifications)		
A: CE Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
(1)-2'-F-RNA Monomers (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-Fluoro-2'-deoxyadenosine (N-DMF)-DMTr-3'-CEP	ANP-9157	78
2'-Fluoro-2'-deoxyadenosine (N-Bz)-DMTr-3'-CEP	ANP-9151	78
2'-Fluoro-2'-deoxycytidine (N-Ac)-DMTr-3'-CEP	ANP-9152	78
2'-Fluoro-2'-deoxyguanosine (N-DMF)-DMTr-3'-CEP	ANP-9159	78
2'-Fluoro-2'-deoxyguanosine (N-iBu)-DMTr-3'-CEP	ANP-9153	78
2'-Fluoro-2'-deoxyuridine-DMTr-3'-CEP	ANP-9154	78
(2)-2'-F-RNA Monomers (Ultramild) (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-Fluoro-2'-deoxyadenosine (N-PAC)-DMTr-3'-CEP	ANP-9131	79
2'-Fluoro-2'-deoxycytidine (N-Ac)-DMTr-5'-CEP	ANP-8192	79
2'-Fluoro-2'-deoxyguanosine (N-iPrPAC)-DMTr-3'-CEP	ANP-9134	79
2'-Fluoro-2'-deoxyuridine-DMTr-5'-CEP	ANP-8194	79
B: Minor 2'-F-RNA Monomers (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-Fluoro-2'-deoxyinosine-DMTr-3'-CEP	ANP-9234	80
2'-Fluoro-5-iodo-2'-deoxyuridine-DMTr-3'-CEP	ANP-9235	80
2'-Fluoro-5-methyl-2'-deoxycytidine (N-Ac)-DMTr-3'-CEP	ANP-9231	80
2'-Fluoro-5-methyl-2'-deoxycytidine (N-Bz)-DMTr-3'-CEP	ANP-9232	80
2'-Fluoro-5-methyl-2'-deoxyuridine-DMTr-3'-CEP	ANP-9233	80
C: Supports (O-Alkyl & Antisenses Oligonucleotide Modifications)		
(1)-Support-3'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-Fluoro-2'-deoxyadenosine (N-DMF)-DMTr-3'-Icaa CPG	N-1067-05	78
2'-Fluoro-2'-deoxyadenosine (N-Bz)-DMTr-3'-Icaa CPG	N-1058-05	78
2'-Fluoro-2'-deoxycytidine (N-Ac)-DMTr-3'-Icaa CPG	N-1057-05	78
2'-Fluoro-2'-deoxyguanosine (N-DMF)-DMTr-3'-Icaa CPG	N-1069-05	78
2'-Fluoro-2'-deoxyguanosine (N-iBu)-DMTr-3'-Icaa CPG	N-1055-05	78
2'-Fluoro-2'-deoxyuridine-DMTr-3'-Icaa CPG	N-1056-05	78
2'-O-Butyne RNA Synthesis		
A: 2'-O-Butyne-RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Butyne-adenosine (N-Bz)-DMTr 3'-CEP	ANP-7621	108
2'-O-Butyne-cytidine (N-Bz)-DMTr-3'-CEP	ANP-7622	108
2'-O-Butyne-guanosine (N-iBu)-DMTr-3'-CEP	ANP-7623	108
2'-O-Butyne-uridine-DMTr-3'-CEP	ANP-7625	108
B: Supports:2'-O-Butyne-RNA 3'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
2'-O-Butyne-adenosine (N-Bz)-DMTr-3'-Icaa CPG	N-9611-05/10	108
2'-O-Butyne-cytidine (N-Bz)-DMTr-3'-Icaa CPG	N-9612-05/10	108
2'-O-Butyne-guanosine (N-iBu)-DMTr-3'-Icaa CPG	N-9613-05/10	108
2'-O-Butyne-uridine-DMTr-3'-Icaa CPG	N-9614-05/10	108
RNA:2'-O-Propargyl RNA Synthesis (Combiclick™ Chemistry)		
A: 2'-O-Propargyl RNA Phosphoramidites (Combiclick™ Chemistry)		
2'-O-Propargyl-adenosine (N-Bz)-DMTr-3'-CEP	ANP-7751	112
2'-O-Propargyl-cytidine (N-Ac)-DMTr-3'-CEP	ANP-7756	112
2'-O-Propargyl-cytidine (N-Bz)-DMTr-3'-CEP	ANP-7752	112
2'-O-Propargyl-guanosine (N-iBu)-DMTr-3'-CEP	ANP-7753	112
2'-O-Propargyl-inosine-DMTr-3'-CEP	ANP-6191	112
2'-O-Propargyl-uridine-DMTr-3'-CEP	ANP-7754	112

O-Alkyl & Antisenses Oligonucleotide Modifications/Combiclick Chemistry

Product Name	Catalog#	Page#
B: 2'-O-Propargyl RNA:Minor Phosphoramidites (Combiclick™ Chemistry)		
2'-O-Propargyl-abasic-DMTr-3'-CEP; 2'-O-Propargyl-1,1 dihydro-β-D-ribose-DMTr-3'-CEP	ANP-9782	114
2'-O-Propargyl-abasic-DMTr-3'-Icaa CPG	N-9784-05/10	114
Ara-Propargyl-inosine-DMTr-3'-CEP	ANP-9851	114
C: Supports-2'-O-Propargyl RNA 3'-CPG (Combiclick™ Chemistry)		
2'-O-Propargyl-adenosine (N-Bz) DMTr 3'-Icaa CPG	N-8910-05/10	112
2'-O-Propargyl-cytidine (N-Ac) DMTr 3'-Icaa CPG	N-8960-05/10	112
2'-O-Propargyl-cytidine (N-Bz) DMTr 3'-Icaa CPG	N-8920-05/10	112
2'-O-Propargyl-guanosine (N-iBu) DMTr 3'-Icaa CPG	N-8930-05/10	112
2'-O-Propargyl-inosine DMTr 3'-Icaa CPG	N-8970-05/10	112
2'-O-Propargyl-uridine DMTr 3'-Icaa CPG	N-8940-05/10	112
RNA:2'-O-Hexyne RNA Synthesis (Combiclick™ Chemistry)		
A: 2'-O-Hexyne RNA Phosphoramidites (Combiclick™ Chemistry)		
2'-O-Hexyne-inosine-DMTr-3'-CEP	ANP-9852	112
2'-O-Hexyne-1,1 dihydro-β-D-ribose-DMTr-3'-CEP	ANP-9781	112
RNA:3'-O-Alkyl RNA Synthesis		
A: 3'-O-Alkyl RNA phosphoramidites		
(1)-3'-O-Methyl-RNA Phosphoramidites (O-Alkyl & Antisenses Oligonucleotide Modifications)		
3'-O-Methyl-adenosine (N-Bz)-DMTr-2'-CEP	ANP-2901	102
3'-O-Methyl-cytidine (N-Ac)-DMTr-2'-CEP	ANP-2906	102
3'-O-Methyl-cytidine (N-Bz)-DMTr-2'-CEP	ANP-2902	102
3'-O-Methyl-guanosine (N-iBu)-DMTr-2'-CEP	ANP-2903	102
3'-O-Methyl-inosine-DMTr-2'-CEP	ANP-2905	102
3'-O-Methyl-thymidine-DMTr-2'-CEP	ANP-2907	102
3'-O-Methyl-uridine-DMTr-2'-CEP	ANP-2904	102
(2)-3'-O-Propargyl RNA Phosphoramidites (Combiclick™ Chemistry)		
3'-O-Propargyl-cytidine (N-Ac)-DMTr-2'-CEP	ANP-9759	113
3'-O-Propargyl-adenosine (N-Bz)-DMTr-2'-CEP	ANP-9751	113
3'-O-Propargyl-cytidine (N-Bz)-DMTr-2'-CEP	ANP-9752	113
3'-O-Propargyl-guanosine (N-iBu)-DMTr-2'-CEP	ANP-9753	113
3'-O-Propargyl-uridine-DMTr-2'-CEP	ANP-9754	113
B:3'-O-Alkyl RNA Supports		
(1)-Supports:3'-O-ME-RNA 2'-CPG (O-Alkyl & Antisenses Oligonucleotide Modifications)		
3'-O-Methyl-adenosine (N-Bz)-DMTr-2'-Icaa CPG	N-8810-05/10	102
3'-O-Methyl-cytidine (N-Bz)-DMTr-2'-Icaa CPG	N-8811-05/10	102
3'-O-Methyl-guanosine (N-iBu)-DMTr-2'-Icaa CPG	N-8812-05/10	102
3'-O-Methyl-inosine-DMTr-2'-Icaa CPG	N-8814-05/10	102
3'-O-Methyl-uridine-DMTr-2'-Icaa CPG	N-8813-05/10	102
(2)-Supports:3'-O-Propargyl RNA 2'-CPG (Combiclick™ Chemistry)		
3'-O-Propargyl-adenosine (N-Bz)-DMTr-2'-Icaa CPG	N-9881-05/10	113
3'-O-Propargyl-cytidine (N-Ac)-DMTr-2'-Icaa CPG	N-9889-05/10	113
3'-O-Propargyl-cytidine (N-Bz)-DMTr-2'-Icaa CPG	N-9882-05/10	113
3'-O-Propargyl-guanosine (N-iBu)-DMTr-2'-Icaa CPG	N-9883-05/10	113
3'-O-Propargyl-uridine-DMTr-2'-Icaa CPG	N-9884-05/10	113

INDEX-1: Common Name

[Remove Watermark Now](#)

RNA Synthesis

Product Name	Catalog#	Page#
Minor RNA Bases		
A: Minor RNA Phosphoramidites		
(1)-TBDMS Protected RNA Phosphoramidites		
2,2'-Anhydro-uridine-DMTr-3'-CEP	ANP-4876	74
2-Amino-adenosine-DMTr-3'-CEP; (2,6-Diamino Purine DMTr-3'-CEP)	ANP-8613	81
2-Amino-purine (N-DMF)-DMTr-3'-CEP	ANP-8619	81
2-Amino-purine (N-iBu)-DMTr-3'-CEP	ANP-8617	81
2-One-pyridine-DMTr-3'-CEP; Zebularine CEP	ANP-8611	76
4-Triazolyl-uridine-DMTr-3'-CEP	ANP-9167	76
4-Thio-uridine-DMTr-3'-CEP	ANP-8101	76
2-Thio-uridine-DMTr-3'-CEP	ANP-9216	76
5-Bromo-cytidine (N-Bz)-DMTr-3'-CEP	ANP-5648	84
5-Bromo-uridine-DMTr-3'-CEP	ANP-7411	84
5-Fluoro-2'-deoxyuridine-DMTr-3'-CEP	ANP-6154	84
5-Iodo-cytidine (N-Bz)-DMTr-3'-CEP	ANP-7212	84
5-Iodo-uridine-DMTr-3'-CEP	ANP-7412	84
5-Methyl-cytidine (N-Bz)-DMTr-3'-CEP	ANP-5675	74
8-Bromo-adenosine (N-DBF)-DMTr-3'-CEP	ANP-7111	85
8-Bromo-adenosine (N-DMF)-DMTr-3'-CEP	ANP-7112	85
8-Bromo-guanosine (N-DMF)-DMTr-3'-CEP	ANP-7113	85
8-methyl-guanosine (N-iBu)-DMTr-3'-CEP	ANP-6274	73
8-Oxo-7-allyl-guanosine (N-iBu)-DMTr-3'-CEP	ANP-9422	85
8-Oxo-guanosine (N-DMF)-DMTr-3'-CEP	ANP-9420	85
Inosine-DMTr-3'-CEP	ANP-5680	74
N ³ -Methyl-thymidine-DMTr-3'-CEP	ANP-7461	73
N ³ -Methyl-uridine-DMTr-3'-CEP	ANP-7451	73
N ³ -Thiobenzoyl-uridine-DMTr-3'-CEP	ANP-7441	73
N ⁶ , N ⁶ -Dimethyl-adenosine-5'-DMTr-3'-CEP	ANP-8626	75
N ⁶ -Benzyl-adenosine-DMTr-3'-CEP	ANP-8614	75
N ⁶ -isopentenyl-adenosine-DMTr-3'-CEP	ANP-8615	75
N ⁴ -Ethyl-cytidine-DMTr-3'-CEP	ANP-4165	75
Purine-riboside-DMTr-3'-CEP; Nebularine CEP	ANP-8616	81
Thymidine-DMTr-3'-CEP	ANP-7511	74
5,6-Dihydro-uridine-DMTr-3'-CEP	ANP-6066	87
7-Deaza-7-cyano-adenosine (N-Bz)-DMTr-3'-CEP	ANP-7306	83
7-Deaza-adenosine (N-Bz)-DMTr-3'-CEP; Tubercidin	ANP-7101	83
7-Deaza-guanosine (N-Ac)-DMTr-3'-CEP	ANP-7302	83
7-Deaza-guanosine (N-iBu)-DMTr-3'-CEP	ANP-7301	83
7-Deaza-guanosine (N-iBu)-DMTr-5'-CEP	ANP-7102	83
Iso-cytidine (N-DBF)-DMTr-3'-CEP	ANP-7715	86
Iso-guanosine (N-DBF)-DMTr-3'-CEP	ANP-5988	86
Adenosine (N-Bz)-DMTr-2'-CEP	ANP-5681	72
Cytidine (N-Ac)-DMTr-2'-CEP	ANP-5686	72
Cytidine (N-Bz)-DMTr-2'-CEP	ANP-5682	72
Guanosine (N-iBu)-DMTr-2'-CEP	ANP-5683	72
Inosine-DMTr-2'-CEP	ANP-5687	72
Uridine-DMTr-2'-CEP	ANP-5684	72

211

RNA Synthesis

Product Name	Catalog#	Page#
<i>P</i> -O-Ethyl-adenosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-4131	89
<i>P</i> -O-Ethyl-cytidine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-4132	89
<i>P</i> -O-Ethyl-guanosine (<i>N</i> -PAC)-DMTr-3'-CEP	ANP-4133	89
<i>P</i> -O-Ethyl-uridine-DMTr-3'-CEP	ANP-4134	89
Pseudo-uridine-DMTr-3'-CEP	ANP-8612	76
β-L-RNA-Spiegelmers		
β-L-Adenosine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-4841	88
β-L-Cytidine (<i>N</i> -Ac)-DMTr-3'-CEP	ANP-4846	88
β-L-Cytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-4842	88
β-L-Guanosine (<i>N</i> -iBu)-DMTr-3'-CEP	ANP-4843	88
β-L-Thymidine-DMTr-3'-CEP	ANP-4844	88
β-L-Uridine-DMTr-3'-CEP	ANP-4845	85
(2)Amino TFA Protected RNA Phosphoramidites		
2'-Amino(TFA)-cytidine (<i>N</i> -Bz)-DMTr-3'-CEP	ANP-5322	82
2-Amino-2'-Amino (TFA)-uridine-DMTr-3'-CEP	ANP-9403	82
5'-Amino (TFA)-cytidine (<i>N</i> -Ac)-3'-CEP	ANP-9405	82
(3)Acetyl Protected RNA Phosphoramidites		
2',3'-Diacetyl-guanosine (<i>N</i> -iBu)-5'-CEP	ANP-6156	87
2',3'-Diacetyl-uridine-5'-CEP	ANP-6155	87
B: Supports-Minor-RNA-TBDMS Protected 3'-CPG		
(1)-TBDMS Protected RNA 3'-CPG		
2,2'-Anhydro-uridine-DMTr-3'-Icaa CPG	N-9810-05/10	74
2-Amino-adenosine-DMTr-3'-Icaa CPG	N-9040-05/10	81
2-Amino-purine-DMTr-3'-Icaa CPG	N-9070-05/10	81
2-One-pyridine-DMTr-3'-Icaa CPG; Zebularine CPG	N-9020-05/10	76
5-Bromo-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-9844-05/10	85
5-Bromo-uridine-DMTr-3'-Icaa CPG	N-9818-05/10	85
5-Fluoro-uridine-DMTr-3'-Icaa CPG	N-9832-05/10	85
5-Iodo-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-9893-05/10	85
5-Iodo-uridine-DMTr-3'-Icaa CPG	N-9809-05/10	85
5-Methyl-cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-9822-05/10	74
7-Deaza-adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG; Tubercidin CPG	N-9897-05/10	83
7-Deaza-guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-9895-05/10	83
8-Bromo-adenosine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-9812-05/10	85
8-Methyl-guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-9909-05/10	73
Adenosine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-6681-05/10/20	58
Adenosine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-6101-05/10/20	58
Cytidine (<i>N</i> -Ac)-DMTr-3'-Icaa CPG	N-6106-05/10/20	58
Cytidine (<i>N</i> -Bz)-DMTr-3'-Icaa CPG	N-6102-05/10/20	58
Guanosine (<i>N</i> -iBu)-DMTr-3'-Icaa CPG	N-6103-05/10/20	58
Inosine-DMTr-3'-Icaa CPG	N-8370-05/10	74
Iso-Cytidine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-9712-05/10	86
Iso-Guanosine (<i>N</i> -DBF)-DMTr-3'-Icaa CPG	N-9827-05/10	86
<i>N</i> ³ -Methyl-thymidine-DMTr-3'-Icaa CPG	N-9816-05/10	73

INDEX-1: Common Name

[Remove Watermark Now](#)

RNA Synthesis/Modifiers & Labelling

Product Name	Catalog#	Page#
N ³ -Methyl-uridine-DMTr-3'-Icaa CPG	N-9814-05/10	73
N ³ -Thiobenzoyl-uridine-DMTr-3'-Icaa CPG	N-9828-05/10	73
N ⁴ -Ethyl-cytidine-DMTr-3'-Icaa CPG	N-9824-05/10	75
N ⁶ -Benzyl-adenosine-DMTr-3'-Icaa CPG	N-9050-05/10	75
N ⁶ -Isopentenyl-adenosine-DMTr-3'-Icaa CPG	N-9060-05/10	75
Pseudo-uridine-DMTr-3'-Icaa CPG	N-4617-05	76-77
Purine-riboside-DMTr-3'-Icaa CPG	N-9080-05/10	81
Thymidine-DMTr-3'-Icaa CPG	N-8477-05/10	74
Uridine-DMTr-3'-Icaa CPG	N-6104-05/10/20	58
β-L- Uridine -DMTr-3'-Icaa CPG	N-4694-05/10	88
β-L-Adenosine (N-Bz)-DMTr 3'-Icaa CPG	N-4691-05/10	88
β-L-Cytidine (N-Ac)-DMTr 3'-Icaa CPG	N-4696-05/10	88
β-L-Cytidine (N-Bz)-DMTr 3'-Icaa CPG	N-4692-05/10	88
β-L-Guanosine (N-iBu)-DMTr 3'-Icaa CPG	N-4693-05/10	88
β-L-Thymidine-DMTr 3'-Icaa CPG	N-4695-05/10	88
(2)-Amino (TFA) Protected RNA 3'-CPG		
2-Amino-2'-amino (TFA)-uridine-DMTr-3'-Icaa CPG	N-9010-05/10	82
2'-Amino (TFA)-cytidine (N-Bz) CPG	N-9015-05/10	82
Puromycin Supports		
3'-L-O-Methyl-tyrosine-puromycin-2'- Icaa CPG	N-1976-05/10	74
Puromycin 2'-succinyl Icaa CPG	N-1971-05/10	74
RNA Synthesis: Purification Kit		
Anhydrous Ammonia in Ethanol Solution (20% ammonia by wt in absolute ethanol)	CSS-3268	91
Fluoride Ion Removal Solution	CSS-6634	91
RNA Purification Cartridges	CSS-5272-02	91
RNA Purification Cartridges	CSS-5272-10	91
RNA Purification Kit	CSS-5232-02	91
RNA Purification Kit	CSS-5232-10	91
RNA Purification Kit	CSS-3268	91
RNA Purification Kit	CSS-5272	91
RNA Purification Kit	CSS-6634	91
RNA Purification Kit	CSS-5232	91
Tetra butyl Ammonium Fluoride (1 M Sol in THF)	CSS-4356	91
Levulinyl Deprotection Solution		
Levulinyl Deprotection Solution	CLP-7171	12, 129
Modifiers		
A: Chemical Phosphorylation and Supports		
5'- Phosphorylation; Bis-cyanoethyl-N,N-diisopropyl CEP	CLP-1454	118
3'-Phosphate-ON Icaa CPG	N-9977-05/10/20	118
5-Phosphorylation (generates DMTr color)-(5-Phosphate-ON Reagent)	CLP-1544	118
B: Amino Modifiers and Supports		
3'-Amino (Fmoc)-modifier DMTr CEP	CLP-1661	122
2,7-di-tert-butyl-(Fmoc)-amino-butyrylglyceryl- Phosphoramidite	CLP-1666	121
3'-Amino (Fmoc)-modifier-C3 CPG	N-9750-05/10	122
3'-Amino (Fmoc)-modifier-C7 CPG	N-1005-05/10	123
3'-Amino (TFA)-modifier-spacer 6 Polymeric Support	N-1004-13	122
3'-Amino (TFA)-modifier-spacer 7-Icaa CPG	N-1004-05/10	122

Modifiers & Labelling

Product Name	Catalog#	Page#
3'-Amino (trityl)-modifier-dT CPG	N-8024-05/10	122
3'-Amino-modifier-C6-phthalamido CPG	N-8217-05/10	123
5'-Amino (Fmoc)-modifier-C6 CEP	CLP-1586	121
5'-Amino (Fmoc)-modifier-C7 CEP	CLP-1662	121
5'-Amino (MMTr)-modifiers-C6 CEP	CLP-1563	119
5'-Amino (TFA)-modifier-C12 CEP	CLP-1575	121
5'-Amino (TFA)-modifiers-C4 CEP	CLP-1453	119
5'-Amino (TFA)-modifiers-C5 CEP	CLP-1357	119
5'-Amino (TFA)-modifiers-C6 CEP	CLP-1553	119
5'-Amino(MMT)-modifier-C12 CEP	CLP-1585	121
Amino-modifier-13-dC CE; deoxy Cytidine N4 Amino Linker CEP	CLP-1329	120
Amino-modifier-13-dC CPG	N-6052-05/10	122
Amino-modifier-C6-dT CPG	N-6054-05/10	122
Amino-modifier-C6-phthalamido CEP	CLP-1328	123
Amino-modifiers-C6-dT CEP	CLP-1501	122
DMT-free Amine C-7 Icaa CPG	N-1577-05/10	119
ssR-Me Amino Linker	CLP-1131	120
ssR-H Amino Linker	CLP-1132	120
C: Spacer Modifiers and Supports		
Butyl CPG (for 3'-Butanol Spacer)	N-7178-05/10	124
DMTr-Butane-diol phosphoramidite; C4 Spacer	CLP-9775	124
DMTr-Butanol Polymeric Support	N-9168-05/10	124
DMTr-C3 Icaa CPG	N-1089-05/10	124
DMTr-Dodecane-diol phosphoramidite; C12 Spacer	CLP-1114	124
DMTr-Ethane-diol phosphoramidite; C2 Spacer	CLP-2250	124
DMTr-Hexa-Ethoxy-glycol phosphoramidite; Spacer 18	CLP-9765	125
DMTr-Hexane-diol phosphoramidite; C6 Spacer	CLP-1120	124
DMTr-Nonane-diol phosphoramidite; C9 Spacer	CLP-9009	124
DMTr-Propane-diol phosphoramidite; C3 Spacer	CLP-9908	124
DMTr-Tetraethoxy-glycol phosphoramidite; Spacer 12	CLP-1368	125
DMTr-Triethoxy-glycol phosphoramidite; Spacer 9	CLP-1113	125
Glyceryl CPG; 1-DMTr-2-OAc-Glyceryl Succinate attached to Icaa CPG	N-7175-05/10	124
Palmitoyl Polymeric Support	N-9821-03	125
Pentane diol; C5 Spacer	CLP-9901	126
Polyethyleneglycol 2000 CEP	CLP-2119	125
Polyethyleneglycol 4500 CEP, (Avg. M.W.~4500)	CLP-3118	125
Polyethyleneglycol 4500 CEP, (Avg. M.W.~4500)	CLP-3119	125
TOM C6 CEP	CLP-8508	125
D: Thiol Modifiers and Supports		
3'-Thiol-modifiers-C3-S-S CPG	N-9976-05/10	126
5'-Thiol (trityl)-modifiers-C6 CEP, 5'-Thiol (trityl)-modifiers-C6 CPG	CLP-5888, N-9978-05/10	126
5'-Thiol (trityl)-modifiers-dC (N-Ac) CEP	CLP-8509	127
5'-Thiol C3 SS modifier	CLP-8409	127
5'-Thiol-modifiers C6 CEP; 1-Thiobenzoyl-hexanol-6 Cyanoethyl CEP	CLP-9773	127
Thiol-modifiers-C6-S-S CEP	CLP-8506	126
Thiol-modifiers-C6-S-S CPG; DMTr-C6-Disulfide Solid Support	N-9987-05/10	126
Cyclic Dithiolane Disulfide Phosphoramidite, Cyclic Dithiolane Disulfide Icaa CPG	CLP-8407, N-8408-05/10	127

INDEX-1: Common Name

[Remove Watermark Now](#)

Modifiers & Labelling

Product Name	Catalog#	Page#
E: Branching phosphoramidites and Supports		
Asymmetrical Branching CEP	CLP-7169	129
Asymmetrical Branching Icaa CPG	N-7170-05/10	129
NPPOC-DMT Asymmetrical Branching CEP	CLP-7178	129
Symmetrical Branching CEP	CLP-5215	129
Symmetrical Branching Polymeric Support	N-7173-05	129
Symmetrical Branching Support Icaa CPG	N-5216-05/10	129
Labelling		
A: Biotin Labelling		
Biotin (BB) -TEG CEP	CLP-1518	128
Biotin (BB)TM CEP	CLP-1517	128
Biotin (BB)TM CPG; D-(+) Biotin Icaa CPG	N-9162-05	128
Biotin dT CEP	CLP-1502	128
Biotin TEG Icaa CPG	N-1506-05	128
B: Psoralen labelling		
Psoralen C-18 Hexaethyloxyglycol CEP	CLP-6642	139
Psoralen C-2 CEP	CLP-6647	138
Psoralen C-4 CEP	CLP-6648	138
Psoralen C-4 Icaa CPG	N-9081-05/10	139
Psoralen C-6 CEP	CLP-6641	138
Psoralen CEP	CLP-6644	138
Psoralen Support	N-9375-05	139
C: Fluorescein Labelling		
3'-Fluorescein-dT CPG	N-5122-05	135
3'-Fluorescein-Icaa CPG	N-9979-05	135
5-FAM CPG	N-9969-05	136
5-Fluorescein CEP	CLP-4282	135
5'-Fluorescein CPG, 6-FAM Icaa CPG (DMTr)	N-9986-05	135
5'-Fluorescein-phosphoramidite; 6-FAM	CLP-9777	134
5'-Hexachloro-fluorescein Phosphoramidite	CLP-9778	134
5'-Tetrachloro-fluorescein Phosphoramidite	CLP-9779	134
6-FAM CPG	N-9985-05	136
DMTr-5-FAM Phosphoramidite	CLP-9789	136
DMTr-6-FAM Phosphoramidite	CLP-9780	136
Etheno-adenosine 2'/3'-Icaa CPG	N-9091-05/10	133
Etheno-adenosine 2'-TBDMS 3'-Icaa CPG	N-9191-05/10	133
Etheno-adenosine CEP; Etheno-2'-O-TBDMS Adenosine CEP	CLP-9191	133
Etheno-cytidine 2'/3'-Icaa CPG	N-9092-05/10	133
Etheno-cytidine 2'-TBDMS 3'-Icaa CPG	N-9192-05/10	133
Etheno-cytidine CEP; Etheno-2'-O-TBDMS Cytidine CEP	CLP-9192	133
Etheno-deoxyadenosine 3'-Icaa CPG	N-9113-05/10	133
Etheno-deoxyadenosine CEP	CLP-9181	133
Etheno-deoxycytidine 3'-Icaa CPG	N-9114-05/10	133
Etheno-deoxycytidine CEP	CLP-9182	133
Fluorescein dT CEP	CLP-9905	135
Hexachloro-fluorescein Cyclohexyl CEP	CLP-1527	134
Tetrachloro-fluorescein Cyclohexyl CEP	CLP-1526	134

Modifiers & Labelling/Nucleosides

Product Name	Catalog#	Page#
D: DNP Labelling		
DNP-TEG CEP	CLP-9907	132
DNP-TEG-Icaa-CPG	N-9127-05	132
Naphthyl Red phosphoramidite	CLP-6643	132
E: Rhodamine (Tamra) labelling		
5'-TAMRA CEP	CLP-9066	137
6-TAMRA Supports & Columns	N-2255-05	137
Cocktail for TAMRA	RN-8561	137
M4-6-TAMRA Cytidine-3'-Icaa CPG	N-2145-05	137
Rox Supports & Columns	N-2246-05	137
F: Dabcyl Labelling		
3'-Dabcyl CEP	CLP-1522	132
3'-Dabcyl CPG	N-9756-05/10	132
Dabcyl Succinyl diamido Polymeric Support	N-9756-PF	132
Dabsyl-dT CEP	CLP-9906	132
G: Cholesterol		
Cholesterol (Plant) TEG CEP	CLP-2795	131
Cholesterol (TEG) CEP (Will Generate DMT color)	CLP-2703	131
Cholesterol C4 Icaa CPG	N-9267-05	131
Cholesterol TEG Icaa CPG	N-9166-05	131
TEG Cholesterol (Tetra Ethylene Glycol) CEP	CLP-2704	131
TEG Cholesterol (Tetra Ethylene Glycol) Phosphonate TEG Cholesterol (Tetra Ethylene Glycol) -H- Phosphonate TEA Salt"	CLP-2705	131
H: Tocopherol		
(+)-a-Tocopherol-Phosphoramidite	CLP-2706	130
I: Carboxyl Generating reagents		
5'-Carboxyl Group Generating Reagent; Thymidine-Succinyl Hexamide CEP	CLP-2244	130
C-5 Carboxy Introducing Amidite; Deoxy Uridine 5-Methylacrylate CEP	CLP-2842	130
Hexane-6-Carboxyamido (p-benzaldehyde)- 1-ol CEP	CLP-2243	130
Undecanoic CEP	CLP-8146	130
J: Puromycin Labelling		
Puromycin-2'-Succinyl Icaa CPG	N-1971-05/10	76
Nucleoside		
Unprotected mononucleosides		
I-Unprotected deoxy mononucleosides		
A: Deoxy Nucleosides		
2'-β-D-Deoxyadenosine Monohydrate	DN-1001	140
2'-β-D-Deoxycytidine (Free Base)	DN-1002fb	140
2'-β-D-Deoxycytidine Monohydrate	DN-1002	140
2'-β-D-Deoxyguanosine Monohydrate	DN-1003	140
2'-β-D-Deoxyinosine	DN-4002	142
2'-β-D-Deoxyuridine	DN-6373	142
Thymidine Monohydrate	DN-1004	140
B: Dideoxy nucleosides		
2',3'-β-D-Dideoxyadenosine	DDN-1844	141
2',3'-β-D-Dideoxycytidine	DDN-1868	141

INDEX-1: Common Name

[Remove Watermark Now](#)

Nucleosides

Product Name	Catalog#	Page#
2',3'- β -D-Dideoxyguanosine	DDN-1882	141
2',3'- β -D-Dideoxyinosine	DDN-1893	141
2',3'- β -D-Dideoxyuridine	DDN-1892	141
3'- β -D-Deoxythymidine	DDN-1883	141
C: Alpha deoxy nucleosides		
Alpha-D-2'-deoxyadenosine	DN-6351	146
Alpha-D-2'-deoxycytidine	DN-6352	146
Alpha-D-2'-deoxyguanosine	DN-6353	146
Alpha-D-thymidine	DN-6354	146
D: L-deoxy nucleosides		
2-Amino- β -L-2'-deoxyadenosine	DN-8331	146
β -L-2'-deoxycytidine	DN-8232	146
β -L-2'-deoxyadenosine	DN-8231	146
β -L-2'-deoxyguanosine	DN-8233	146
β -L-2'-deoxyuridine	DN-8235	146
β -L-thymidine	DN-8234	146
E: 7-deaza deoxy Nucleosides		
7-Deaza-2'-deoxyadenosine	DN-1143	148
7-Deaza-2'-deoxyguanosine	DN-4567	148
7-Deaza-2'-deoxyinosine	DN-1145	148
F: N-Alkylated Nucleosides		
N ¹ -Methyl-2'-deoxyadenosine	DN-1597	144
N ¹ -Methyl-2'-deoxyguanosine	DN-1598	144
N ³ -Methyl-2'-deoxycytidine	DN-6493	144
N ³ -Methyl-2'-deoxyuridine	DN-6495	144
N ³ -Methyl-thymidine	DN-1599	144
N ⁴ -Ethyl-2'-deoxycytidine	DN-7474	144
N ⁴ -Methyl-2'-deoxycytidine	DN-2016	144
N ⁶ -Methyl-2'-deoxyadenosine	DN-2015	144
G: Halogenated Nucleosides		
5-Bromo-2'-deoxyuridine	DN-1136	143
5-Bromo-2'-deoxycytidine	Dn-6496	143
5-Iodo-2'-deoxycytidine	DN-1181	143
5-Iodo-2'-deoxyuridine	DN-1180	143
7-Iodo-7-deaza-2'-deoxyadenosine	DN-2561	143
7-Iodo-7-deaza-2'-deoxyguanosine	DN-2563	143
8-Bromo-2'-deoxyadenosine	DN-1182	143
8-Bromo-2'-deoxyguanosine	Dn-1203	143
H: Etheno Nucleosides		
Etheno-2'-deoxyadenosine	DN-4895	142
Etheno-2'-deoxycytidine	DN-4252	142
I: Thio Nucleosides		
4-Thio-2'-deoxyuridine	DN-1263	145
4-Thio-thymidine	DN-1781	145
6-Thio-2'-deoxyguanosine	DN-1269	145

Nucleosides

Product Name	Catalog#	Page#
J: 5-Alkyl Nucleosides		
5-Methyl-2'-deoxycytidine	DN-2013	142
5-Propynyl-2'-deoxycytidine	DN-1541	145
5-Propynyl-2'-deoxyuridine	DN-1846	145
K: Modified Base Nucleosides		
2'-Deoxynebularine; 2'-deoxy purine riboside	DN-1266	147
5-Aza-2'-deoxycytidine; 4-Amino-1-(2-deoxy-β-D-ribofuranosyl)-1,3,5-triazin-2(1H)-one	DN-1771	147
L: Halogenated and deaza halogenated dideoxy Nucleosides		
5-Iodo 2',3'-dideoxycytidine	DDN-1731	141
5-Iodo-2',3'-dideoxyuridine	DDN-1884	141
7-Deaza-2',3'-dideoxyadenosine	DDN-3864	141
7-Deaza-2',3'-dideoxyguanosine	DDN-1863	141
7-Iodo-7-deaza-2',3'-dideoxyadenosine	DDN-3818	141
7-Iodo-7-deaza-2',3'-dideoxyguanosine	DDN-3819	141
M: 8-Oxo & O⁶ substituted Guanosine		
7-Deaza-O ⁶ -methyl-2'-deoxyguanosine	DN-1147	148
8-Oxo-2'-deoxyguanosine	DN-1205	142
O ⁶ -(Carboxymethyl)-2'-deoxyguanosine (Calcium Salt)	DN-2019	145
N: 3'-Levulinyl Nucleoside		
3'-Levulinyl-2'-deoxyguanosine	DN-1267	147
O: 2'-Amino Nucleoside		
2'-Amino-2'-deoxycytidine	DN-1265	147
P: Azido deoxy Nucleoside		
3'-Azido-3'-deoxythymidine; Zidovudine; Retrovir	DN-1774	147
II-Unprotected ribo mononucleosides		
A: Ribo Nucleosides		
Adenosine	RP-1183	149
Cytidine	RP-1184	149
Guanosine	RP-1185	149
Inosine	RP-1187	149
Ribothymidine, 5-Methyl-ribouridine	RP-1188	149
Uridine	RP-1186	149
B: 2'-Fluoro deoxy nucleosides		
2'-Fluoro-2'-deoxyadenosine	RP-1220	150
2'-Fluoro-2'-deoxycytidine	RP-1218	150
2'-Fluoro-2'-deoxyguanosine	RP-1219	150
2'-Fluoro-2'-deoxyuridine	RP-1217	150
C: L-ribo nucleosides		
β-L-Adenosine	RP-9031	154
β-L-Cytidine	RP-9032	154
β-L-Guanosine	RP-9033	154
β-L-Inosine	RP-9036	154
β-L-Thymidine	RP-9035	154
β-L-Uridine	RP-9034	154

Nucleosides

Product Name	Catalog#	Page#
D: 7-Deaza ribo Nucleosides		
7-Deaza-adenosine (Tubercidin)	RP-2312	154
7-Deaza-guanosine	RP-2313	154
7-Deaza-inosine	RP-2314	154
E: 2'-O-Methyl ribo nucleosides		
2'-O-Methyl-adenosine	RP-1901	155
2'-O-Methyl-cytidine	RP-1902	155
2'-O-Methyl-guanosine	RP-1903	155
2'-O-Methyl-inosine	RP-1906	155
2'-O-Methyl-thymidine	RP-1908	155
2'-O-Methyl-uridine	RP-1904	155
F: 2'-O-Allyl ribo Nucleosides		
2'-O-Allyl-adenosine	RP-3511	157
2'-O-Allyl-cytidine	RP-3512	157
2'-O-Allyl-guanosine	RP-3513	157
2'-O-Allyl-uridine	RP-3514	157
G: 2'-O-Propargyl ribo Nucleosides		
2'-O-Propargyl-adenosine	RP-3401	158
2'-O-Propargyl-cytidine	RP-3402	158
2'-O-Propargyl-guanosine	RP-3403	158
2'-O-Propargyl-uridine	RP-3404	158
H: 3'-O-Methyl ribo Nucleosides		
3'-O-Methyl-5-methyl-cytidine	RP-2916	156
3'-O-Methyl-adenosine	RP-2911	156
3'-O-Methyl-cytidine	RP-2912	156
3'-O-Methyl-guanosine	RP-2913	156
3'-O-Methyl-inosine	RP-2915	156
3'-O-Methyl-uridine	RP-2914	156
I: 3'-O-Allyl ribo Nucleosides		
3'-O-Allyl-adenosine	RP-3111	157
3'-O-Allyl-cytidine	RP-3112	157
3'-O-Allyl-guanosine	RP-3113	157
3'-O-Allyl-uridine	RP-3114	157
J: 3'-O-Propargyl ribo Nucleosides		
3'-O-Propargyl-adenosine	RP-3301	158
3'-O-Propargyl-cytidine	RP-3302	158
3'-O-Propargyl-guanosine	RP-3303	158
3'-O-Propargyl-uridine	RP-3304	158
K: 5',3'-Tetraisopropyl disiloxane ribo Nucleoside		
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Adenosine	RP-8871	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Cytidine	RP-8872	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Guanosine	RP-8873	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Uridine	RP-8874	159

Nucleosides

Product Name	Catalog#	Page#
L: Modified Base ribo Nucleosides		
2,6-Diamino-Purine-riboside	RP-8334	150
2-Amino-Purine-riboside	RP-8335	150
M: 2,2'-Anhydro ribo Nucleosides		
2,2'-O-Anhydro-5-methyl-cytidine	RP-4808	153
2,2'-O-Anhydro-cytidine (HCl Salt), (Beta-D-O-2,2'-Cyclocytidine Ancitabine)	RP-3765	153
2,2'-O-Anhydro-uridine (HCl Salt), (Beta-D-O-2,2'-Cyclouridine)	RP-4807	153
N: Etheno ribo nucleosides		
Etheno-adenosine	RP-2310	152
Etheno-cytidine	RP-2311	152
O: N-alkylated ribo nucleosides		
N ³ -Methyl-cytidine	RP-2317	152
N ³ -Methyl-uridine	RP-1034	152
N ⁶ -Dimethyl-adenosine	RP-2017	149
N ⁶ -Palmitoy-adenosine	RP-1041	152
P: 5-Alkyl ribo nucleosides		
5-Methyl-cytidine	RP-1832	149
5-Propynyl-cytidine	RP-1546	152
5-Propynyl-uridine	RP-1842	152
Q: Sustituted Ara Nucleosides		
Ara-5-methyl-cytidine	RP-1835	149
Ara-7-deaza-guanosine	RP-4311	154
Uridine-arabinose	RP-2325	149
R: Thio Ribo Nucleosides		
4'-Thio-uridine	RP-2304	150
8-Thio-guanosine	RP-1190	150
S: Halogenated ribo nucleosides		
6-Chloro-inosine; 6-Chloropurine-riboside	RP-6649	150
5-Bromo-cytidine	RP-1215	151
5-Bromo-uridine	RP-1192	151
5-Iodo-cytidine	RP-1221	151
5-Iodo-uridine	RP-1089	151
7-Iodo-7-deaza-adenosine	RP-2316	154
8-Bromo-adenosine	RP-1214	151
8-Bromo-guanosine	RP-1216	151
T: Sustituted 2'-O-Methyl ribo nucleoside		
2'-O-Methyl-5-iodo-uridine	RP-1905	155
2'-O-Methyl-5-methyl-cytidine	RP-1907	155
2'-O-Methyl-5-propynyl-cytidine	RP-1548	156
2'-O-Methyl-5-propynyl-uridine	RP-1856	156
2'-O-Methyl-N ⁶ -dimethyl-adenosine	RP-3901	163
β -L-2'-O-Methyl-2-amino-adenosine	RP-3902	155
β -L-2'-O-methyl-uridine	RP-1909	155
U: Sustituted 3'-O-Methyl ribo nucleoside		
3'-O-Methyl-5-methyl-cytidine	RP-2916	156

Nucleosides

Product Name	Catalog#	Page#
V: Iso ribo nucleoside		
Iso-2'-deoxyguanosine	DN-1266	147
Base (N-protected) mononucleosides		
I-Base (N-protected) deoxy mononucleosides		
A: Standard and Labile deoxy nucleosides		
2'-Deoxyadenosine (N-Bz)	PM-1101	160
2'-Deoxyadenosine (N-DMF)	PM-1588	160
2'-Deoxyadenosine (N-PAC)	PM-9996	160
2'-Deoxycytidine (N-Ac)	PM-1105	160
2'-Deoxycytidine (N-Bz)	PM-1102	160
2'-Deoxycytidine (N-iBu)	PM-1104	160
2'-Deoxycytidine (N-PAC)	PM-9997	160
2'-Deoxyguanosine (N-DMF)	PM-3183	160
2'-Deoxyguanosine (N-iBu)	PM-1103	160
2'-Deoxyguanosine (N-PAC)	PM-9998	160
B: 5'-Levulinyl deoxy Nucleoside		
5'-Levulinyl-2'-deoxyadenosine (N-Bz)	DN-6601	164
5'-Levulinyl-2'-deoxycytidine (N-Bz)	DN-6602	164
5'-Levulinyl-2'-deoxyguanosine (N-iBu)	DN-6603	164
5'-Levulinyl-2'-deoxythymidine	DN-6604	164
C: 3'-Levulinyl deoxy Nucleosides		
3'-Levulinyl-2'-deoxyadenosine (N-Bz)	PM-6611	160
3'-Levulinyl-2'-deoxycytidine (N-Bz)	PM-6612	160
3'-Levulinyl-2'-deoxyguanosine (N-iBu)	PM-6613	160
3'-Levulinyl-2'-deoxythymidine	PM-6614	160
D: 3'-O-Acetyl deoxy Nucleosides		
3'-O-Acetyl-2'-deoxyadenosine (N-Bz)	PM-6301	164
3'-O-Acetyl-2'-deoxycytidine (N-Bz)	PM-6302	164
3'-O-Acetyl-2'-deoxyguanosine (N-iBu)	PM-6303	164
3'-O-Acetyl-2'-deoxyuridine	PM-6305	164
3'-O-Acetyl-2'-thymidine	PM-6304	164
II-Base (N-protected) ribo mononucleosides		
A: Standard and Labile ribo nucleosides		
Adenosine (N-isopentyl)	PM-6005	161
Adenosine (N-Bz)	PM-2101	161
Adenosine (N-PAC)	PM-6001	161
Cytidine (N-Ac)	PM-2106	161
Cytidine (N-Bz)	PM-2102	161
Cytidine (N-iBu)	PM-2105	161
Cytidine (N-PAC)	PM-6002	161
Guanosine (N-iBu)	PM-2103	161
Guanosine (N-PAC)	PM-6003	161
Guanosine (N-phenyl acetyl)	PM-6004	161
B: 5',3'-Tetraisopropyl disiloxane ribo Nucleoside		
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Adenosine (N-Bz)	PM-1928	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediy)-Adenosine (N-iBu)	PM-1921	162

Nucleosides

Product Name	Catalog#	Page#
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Cytidine (<i>N</i> -Ac)	PM-1923	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Cytidine (<i>N</i> -iBu)	PM-1924	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Adenosine (<i>N</i> -PAC)	PM-1922	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Guanosine (<i>N</i> -Ac)	PM-1926	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Guanosine (<i>N</i> -iBu)	PM-1927	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-Guanosine (<i>N</i> -DMF)	PM-1925	162
C: 2', 3'-isopropylene ribo nucleosides		
2',3'-Isopropylidene-guanosine (<i>N</i> -iBu)	RP-4128	162

pdfelement

Nucleosides

Product Name	Catalog#	Page#
B: 7-Deaza deoxy nucleosides		
7-Deaza-5'-O-DMTr-deoxyadenosine (<i>N</i> -Bz)	PM-6431	169
7-Deaza-5'-O-DMTr-deoxyguanosine (<i>N</i> -iBu)	PM-6433	169
7-Deaza-5'-O-DMTr-deoxyinosine	PM-6434	169
C: Halogenated deoxy nucleosides		
5-Bromo-5'-O-DMTr-deoxyuridine	PM-2808	171
5-Iodo-5'-O-DMTr-deoxycytidine (<i>N</i> -DBF)	PM-1979	171
5-Iodo-5'-O-DMTr-deoxyuridine	PM-2864	171
8-Bromo-5'-O-DMTr-deoxyadenosine (<i>N</i> -Bz)	PM-7210	171
8-Bromo-5'-O-DMTr-deoxyadenosine (<i>N</i> -DBF)	PM-4791	171
8-Bromo-5'-O-DMTr-deoxyguanosine (<i>N</i> -iBu)	PM-7211	171
D: 5-Alkylated deoxy nucleosides		
5-Methyl-5'-O-DMTr-deoxycytidine (<i>N</i> -Bz)	PM-1967	168
5-Propynyl-5'-O-DMTr-deoxycytidine (<i>N</i> -Bz)	PM-1124	168
5-Propynyl-5'-O-DMTr-deoxyuridine	PM-1022	168
E: <i>N</i>-Alkylated deoxy Modified Nucleosides		
<i>N</i> ³ -Methyl-5'-O-DMTr-thymidine	PM-1591	168
<i>N</i> ⁶ -Methyl-5'-O-DMTr-deoxyadenosine	PM-1107	168
<i>N</i> -Cyanoethyl-5'-O-DMTr-deoxycytidine	PM-1489	168
<i>N</i> ³ -Cyanoethyl-5'-O-DMTr-thymidine	PM-1490	168
G: Iso deoxy modified nucleoside		
Iso-5'-O-DMTr-deoxyguanosine (<i>N</i> -DBF)	PM-1643	168
F: 3'-substituted deoxy modified nucleosides		
3'-Azido-5'-O-DMTr-7-deaza-7-propargylamino (TFA)-2'-deoxyguanosine (<i>N</i> -PAC)	PM-7307	170
II-DMT Protected ribo Mononucleosides		
A: ribo mononucleosides with Standard and Labile protection		
5'-O-DMTr-Adenosine (<i>N</i> -Bz)	PM-2109	167
5'-O-DMTr-Adenosine (<i>N</i> -Fmoc)	PM-4366	167
5'-O-DMTr-Adenosine (<i>N</i> -PAC)	PM-2203	167
5'-O-DMTr-Cytidine (<i>N</i> -Ac)	PM-2114	167
5'-O-DMTr-Cytidine (<i>N</i> -Bz)	PM-2110	167
5'-O-DMTr-Cytidine (<i>N</i> -Fmoc)	PM-4367	167
5'-O-DMTr-Cytidine (<i>N</i> -iBu)	PM-2113	167
5'-O-DMTr-Cytidine (<i>N</i> -PAC)	PM-2204	167
5'-O-DMTr-Guanosine (<i>N</i> -Ac)	PM-4003	167
5'-O-DMTr-Guanosine (<i>N</i> -Fmoc)	PM-4368	167
5'-O-DMTr-Guanosine (<i>N</i> -iBu)	PM-2111	167
5'-O-DMTr-Guanosine (<i>N</i> -isopropyl-PAC)	PM-2209	167
5'-O-DMTr-Guanosine (<i>N</i> -PAC)	PM-2205	167
5'-O-DMTr-Inosine	PM-2306	167
5'-O-DMTr-Thymidine	PM-2115	167
5'-O-DMTr-Uridine	PM-2112	167

Nucleosides

Product Name	Catalog#	Page#
B: 2'-O-Methyl ribo nucleosides		
2'-O-Methyl-5'-O-DMTr-adenosine (<i>N</i> -Bz)	PM-5731	173
2'-O-Methyl-5'-O-DMTr-adenosine (<i>N</i> -PAC)	PM-3701	173
2'-O-Methyl-5'-O-DMTr-cytidine (<i>N</i> -Ac)	PM-5735	173
2'-O-Methyl-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-5732	173
2'-O-Methyl-5'-O-DMTr-cytidine (<i>N</i> -PAC)	PM-3702	173
2'-O-Methyl-5'-O-DMTr-guanosine (<i>N</i> -iBu)	PM-5733	173
2'-O-Methyl-5'-O-DMTr-guanosine (<i>N</i> -PAC)	PM-3703	173
2'-O-Methyl-5'-O-DMTr-uridine	PM-5734	173
C: 2'-O-TBDMS ribo modified nucleosides		
2'-O-TBDMS-5'-O-DMTr-adenosine (<i>N</i> -diBz)	PM-5857	174
2'-O-TBDMS-5'-O-DMTr-adenosine (<i>N</i> -Bz)	PM-5851	174
2'-O-TBDMS-5'-O-DMTr-adenosine (<i>N</i> -PAC)	PM-3501	174
2'-O-TBDMS-5'-O-DMTr-cytidine (<i>N</i> -Ac)	PM-5856	174
2'-O-TBDMS-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-5852	174
2'-O-TBDMS-5'-O-DMTr-cytidine (<i>N</i> -PAC)	PM-3502	174
2'-O-TBDMS-5'-O-DMTr-guanosine (<i>N</i> -DMF)	PM-5859	174
2'-O-TBDMS-5'-O-DMTr-guanosine (<i>N</i> -iBu)	PM-5853	174
2'-O-TBDMS-5'-O-DMTr-guanosine (<i>N</i> -iPrPAC)	PM-3504	174
2'-O-TBDMS-5'-O-DMTr-guanosine (<i>N</i> -PAC)	PM-3503	174
2'-O-TBDMS-5'-O-DMTr-inosine	PM-5855	174
2'-O-TBDMS-5'-O-DMTr-uridine	PM-5854	174
D: 3'-O-TBDMS ribo modified nucleosides		
3'-O-TBDMS-5'-O-DMTr-Adenosine (<i>N</i> -Bz)	PM-5861	175
3'-O-TBDMS-5'-O-DMTr-Cytidine (<i>N</i> -Bz)	PM-5862	175
3'-O-TBDMS-5'-O-DMTr-Guanosine (<i>N</i> -iBu)	PM-5863	175
3'-O-TBDMS-5'-O-DMTr-Uridine	PM-5864	175
3'-O-TBDMS-5'-O-DMTr-Cytidine (<i>N</i> -Ac)	PM-5866	175
E: 2'-O-Methyl-5-Alkylated ribo nucleosides		
2'-O-Methyl-5-methyl-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-3705	173
2'-O-Methyl-5-methyl-5'-O-DMTr-uridine	PM-3706	173
2'-O-Methyl-5-propynyl-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-1129	173
2'-O-Methyl-5-propynyl-5'-O-DMTr-uridine	PM-1027	173
F: 5-Alkylated ribo modified nucleosides		
5-Methyl-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-2647	172
5-Propynyl-5'-O-DMTr-cytidine (<i>N</i> -Bz)	PM-1126	172
5-Propynyl-5'-O-DMTr-uridine	PM-1024	172
G: Modified purine ribo nucleosides		
5'-O-DMTr-Purine-riboside (<i>N</i> ⁶ -DMF) (<i>N</i> ² -iBu)	PM-2476	172
H: Halogenated ribo nucleosides		
8-Bromo-5'-O-DMTr-adenosine (<i>N</i> -DBF)	PM-1834	172

INDEX-1: Common Name

[Remove Watermark Now](#)

Reagents for Nucleic acid Chemistry

Product Name	Catalog#	Page#
Reagents for nucleic acid chemistry		
A: Activation Reagents		
1 <i>H</i> -1,2,4-Triazole, (1,2,4-Triazole)	RN-1412	176
1 <i>H</i> -Imidazole-4,5-dicarbonitrile, (Dicyanoimidazole (DCI))	RN-1571	176
5-Benzyl-thio-1- <i>H</i> -tetrazole (BMT)	RN-1415	176
5-Ethyl-thio-1- <i>H</i> -tetrazole (ETT)	RN-6397	176
Diisopropyl-ammonium-1 <i>H</i> -tetrazolide	RN-1413	176
Dimethoxytrityl-Chloride; DMTr-Chloride	RN-1401	177
Mesitylene Sulphonyl-3-Nitro-1,2,4-Triazole (MSNT))	RN-1403	176
Monoimethoxytrityl-Chloride; MMTr-Chloride	RN-1574	177
Trimethoxytrityl-Chloride; TMTr-Chloride	RN-1491	177
B: Beaucage Reagents & Sulfurizing reagents		
Phenylacetyl-Disulfide (PADS)	RN-1496	178
Silanized Bottle (for Beaucage Reagent)	BL-1536	178
DDTT ((Dimethylamino-methylidene)amino)-3 <i>H</i> -1,2,4-dithiazoline-3-thione / Sulfurizing Reagent **	RN-1588	178
3 <i>H</i> -1,2-Benzodithiol-3-one-1,1-dioxide/ Sulfurizing Reagent / Sulfurizing Reagent (Beaucage Reagent)"	RN-1535	178
C: Phosphorylating Reagents		
Dichloromethoxy-phosphite	RN-1407	179
2-Cyanoethyl- <i>N,N,N,N</i> -teraisopropylphosphane	RN-1545	179
Bis (diisopropylamino)-chlorophosphine	RN-8882	179
Cyanoethyl-dichlorophosphite	RN-8883	179
Diethoxy- <i>N,N</i> -diisopropyl-phosphoramidite	RN-1410	179
Diethyl-phosphorochloride	RN-1408	180
Ethylene-glycol-morpholino phosphoramidite	RN-1516	179
Methoxy- <i>N,N,N,N</i> -teraisopropylphosphane	RN-8881	179
<i>N,N</i> -Diisopropylamino-Cyanoethyl phosphonamidic-chloride"	RN-1505	179
<i>N,N</i> -Diisopropylamino-methyl-phosphonamidic-chloride	RN-1510	179
<i>N,N</i> -Diisopropyl-methoxy-phosphonamidic-Cl	RN-1409	180
<i>O</i> -Chlorophenyl-phosphorodichloridate	RN-1421	180
<i>P</i> -Ethoxy-Chloro-Reagent	RN-4137	180
D: Nucleoside Synthesis Reagents		
4-Isopropyl-Phenoxy-Acetyl-Chloride	RN-1705	180
Bis-Silyating Reagent	RN-1521	180
E: Sugars, Purines & Pyrimidines		
1,3,5-Tri – <i>O</i> -acetyl-2-deoxy- β -L-ribose	RN-1065	181
1,3,5-Tri– <i>O</i> -acetyl-2-deoxy- β -D-ribose	RN-1064	181
1-Alpha-Chloro-3,5-ditoluoyl-2-deoxy- β -D-ribose	RN-4130	181
1- <i>O</i> -Methyl-2,3,5-tri- <i>O</i> -benzoyl- β -D-ribose	RN-1031	181
2,3,5- <i>O</i> -Tribenzoyl- β -D-Ribofuranosyl-1-Acetate	RN-4131	181
2-Deoxy- β -D-ribose	RN-1061	181
2-Deoxy- β -L-ribose	RP-1062	181
6-Chloro-7-deaza-Guanine	BS-1011	181
6-Chloro-7-deaza-Purine	RP-1021	181
6-Chloro-Guanine	RN-1051	181
6-Chloro-Purine	RN-1030	181

NHS ester/Monophosphate/Diphosphate

Product Name	Catalog#	Page#
NHS esters		
A: Fluorescein		
5-Fluorescein-Dipivalate-NHS Ester (5-FAM Dipivalate NHS Ester)"	RN-9652	182
5-Fluorescein-NHS Ester (5-FAM NHS Este"	RN-9662	182
6-Fluorescein-Dipivalate-NHS Ester (6-FAM Dipivalate NHS Ester)"	RN-9651	182
6-Fluorescein-NHS Ester (6-FAM NHS Ester)"	RN-9661	182
B: Biotin		
Biotin-Amido-Caproate- <i>N</i> -Hydroxy	RN-1449	183
Biotin-Ester (<i>N</i> -Hydroxysuccinimide)	RN-1500	183
Biotin-X-Y-SSE (Biotinamidohexanoyl-amidobutanoyl Succinimidyl ester)	RN-1508	183
Monophosphates		
A: Deoxy <i>N</i>-Alkylated monophosphates		
<i>N</i> ¹ -Methyl-deoxyadenosine-5'-monophosphate	NMP-8431	186
<i>N</i> ³ -Methyl-deoxycytidine-5'-monophosphate	NMP-8432	186
<i>N</i> ⁶ -Methyl-deoxyadenosine-5'-monophosphate	NMP-8433	186
B: Etheno deoxy & ribo monophosphates		
Etheno-deoxycytidine-5'-monophosphate	NMP-8434	186
Etheno-ribocytidine-5'-monophosphate	NMP-8317	185
C: 7-Deaza deoxymonophosphate		
7-Deaza-deoxyadenosine-5'-monophosphate	NMP-8435	186
D: 2'-O-Methyl-ribo monophosphates		
2'-O-Methyl-adenosine (<i>N</i> ⁶ -Benzyl)-5'-monophosphate	NMP-8313	184
2'-O-Methyl-cytidine-5'-monophosphate	NMP-8311	184
2'-O-Methyl-guanosine-5'-monophosphate	NMP-8312	184
E: β-L-ribo monophosphates		
β-L-Adenosine-5'-monophosphate sodium salt	NMP-8314	184
β-L-Uridine-5'-monophosphate sodium salt	NMP-8315	184
F: 3'-Substituted-ribo monophosphates		
3'-Amino-guanosine-5'-monophosphate	NMP-8316	185
3'-Methyl-guanosine-5'-monophosphate	NMP-8319	185
G: ribo monophosphate		
Thymidine-5'-monophosphate	NMP-8310	185
H: Iso ribo monophosphate		
Iso-guanosine (<i>N</i> -iBu)-5'-monophosphate	NMP-8318	185
Diphosphates		
A: 2'-O-Methyl ribo 3',5'-diphosphates		
2'-O-Methyl-adenosine-3',5'-diphosphate disodium salt	NDP-7311	187
2'-O-Methyl-cytidine-3',5'-diphosphate disodium salt	NDP-7312	187
2'-O-Methyl-guanosine-3',5'-diphosphate disodium salt	NDP-7313	187
2'-O-Methyl-uridine-3',5'-diphosphate disodium salt	NDP-7314	187
B: Ribo U 5'-diphosphates		
Uridine-5'-diphosphate	NDP-7316	187
Uridine-5'-diphosphate disodium salt	NDP-7315	187

[Remove Watermark Now](#)

227

Product Name	Catalog#	Page#
A		
1-O-Acetyl-2,3,5-O-tribenzoyl-β-D-ribose	RN-4131	181
2-Amino-2'-deoxy-β-L-adenosine	DN-8331	146
2-Amino-2'-O-methyl-β-L-adenosine	RP-3902	155
2'-O-Acetyl-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-ara-uridine	ANP-1715	32
2'-O-Acetyl-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-acetyl-ara-cytidine	ANP-1714	32
2'-O-Acetyl-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-ara-adenosine	ANP-1711	32
2'-O-Acetyl-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-ara-cytidine	ANP-1712	32
2'-O-Acetyl-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-isobutyryl-ara-guanosine	ANP-1713	32
2'-O-Acetyl-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-ara-uridine	N-7422-05/10/20	32
2'-O-Acetyl-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-benzoyl-ara-adenosine	N-7366-05/10/20	32
2'-O-Acetyl-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-benzoyl-ara-cytidine	N-7367-05/10/20	32
2'-O-Acetyl-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-isobutyryl-ara-guanosine	N-7421-05/10/20	32
3'-Amino(trityl)-3'-deoxy-5'-O-succinyl(lcaa-CPG)-thymidine	N-8024-05/10	122
3'-Amino-3'-deoxy-guanosine-5'-monophosphate	NMP-8316	185
3'-Azido-2',3'-dideoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-7-(trifluoroacetamidopropargyl)-N-(phenoxyacetyl)guanosine	PM-7307	170
3'-Azido-3'-deoxythymidine	DN-1774	147
3'-O-Allyl-adenosine	RP-3111	157
3'-O-Allyl-cytidine	RP-3112	157
3'-O-Allyl-guanosine	RP-3113	157
3'-O-Allyl-uridine	RP-3114	157
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings) , ABI Oligonucleotide Synthesizer	RN-1447	20
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), ABI 3900 Oligonucleotide Synthesizer	RN-1447	21
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), Expedite Oligonucleotide Synthesizer	RN-1447	23
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), MerMade Oligonucleotide Synthesizer	RN-1447	24
Acetonitrile Anhydrous (Phosphoramidite Diluent & Washings), PolyPlex Oligonucleotide Synthesizer	RN-1447	25
Acetonitrile Wash Grade, ABI 3900 Oligonucleotide Synthesizer	RN-1448	21
Acetonitrile Wash Grade, ABI Oligonucleotide Synthesizer	RN-1448	20
Acetonitrile Wash Grade, Expedite Oligonucleotide Synthesizer	RN-1448	23
Acetonitrile Wash Grade, MerMade Oligonucleotide Synthesizer	RN-1448	24
Acetonitrile Wash Grade,PolyPlex Oligonucleotide Synthesizer	RN-1448	25
Acetonitrile/Pyridine (50:50), Anhydrous (Diluent for Monomers)	RN-4523-P	19
Acetonitrile/Pyridine (95:5), Anhydrous (Diluent for Activator)	RN-1356-P2	19
Acetonitrile/Pyridine (wash solvent)	RN-7684-AP	19
Activation Reagent ((0.25M 5-Ethylthio Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1466	20
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), ABI 3900 Oligonucleotide Synthesizer	RN-1467	21
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1467	20
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1467	23
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1467	24
Activation Reagent (0.25M 4,5-Dicyanoimidazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1467	25
Activation Reagent (0.25M 5-Ethylthio-1H-Tetrazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1466	23
Activation Reagent (0.25M 5-Ethylthio-1H-Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1466	21
Activation Reagent (0.25M 5-Ethylthio-1H-Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1551	24
Activation Reagent (0.25M 5-Ethylthio-1H-Tetrazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1466	25
Activation Reagent (0.45M 5-Ethylthio-1H-Tetrazole/Acetonitrile), ABI 3900 Oligonucleotide Synthesizer	RN-1551	21

Product Name	Catalog#	Page#
Activation Reagent (0.45M 5-Ethylthio-1H-Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1551	20
Activation Reagent (0.45M 5-Ethylthio-1H-Tetrazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1551	23
Activation Reagent (0.45M 5-Ethylthio-1H-Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1551	24
Activation Reagent (0.45M 5-Ethylthio-1H-Tetrazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1551	25
Activation Reagent (BMT Solution) (0.3M Benzylthio-1H-Tetrazole/Acetonitrile)	RN-1452	21
Activation Reagent (BMT Solution) (0.3M Benzylthio-1H-Tetrazole/Acetonitrile), ABI Oligonucleotide Synthesizer	RN-1452	20
Activation Reagent (BMT Solution) (0.3M Benzylthio-1H-Tetrazole/Acetonitrile), Expedite Oligonucleotide Synthesizer	RN-1452	23
Activation Reagent (BMT Solution) (0.3M Benzylthio-1H-Tetrazole/Acetonitrile), MerMade Oligonucleotide Synthesizer	RN-1452	24
Activation Reagent (BMT Solution) (0.3M Benzylthio-1H-Tetrazole/Acetonitrile), PolyPlex Oligonucleotide Synthesizer	RN-1452	25
Activator (Benzyl thio-1H-tetrazole; 0.2M in acetonitrile), Akta Oligonucleotide Synthesizer	RN-2232	22
Activator for monomers and Capping Reagent (Adamantane catbonyl chloride)	RN-6664	19
Adenosine	RP-1183	149
AMA Reagent, ABI 3900 Oligonucleotide Synthesizer	RN-1450	21
AMA Reagent, ABI Oligonucleotide Synthesizers	RN-1450	20
AMA Reagent, Expedite Oligonucleotide Synthesizer	RN-1450	23
AMA Reagent, MerMade Oligonucleotide Synthesizer	RN-1450	24
AMA Reagent, PolyPlex Oligonucleotide Synthesizer	RN-1450	25
Amino Icaa CPG Support 1000A	N-5100-10	18
Amino Icaa CPG Support 500A	N-5100-05	18
Amino Modifier-C6-2'-O-Methyl-cytidine (N-DMF)-5'-O-DMT-3'-CEP; Amino Modifier	ANP-2583	94
Amino Modifier-C6-2'-O-Methyl-ruridine-5'-O-DMT-3'-CEP; Amino Modifier	ANP-2581	94
Amino-(Spacer-7) Icaa CPG	N-1577-05/10	119
Amino-modifier-C6-dT CEP	CLP-1501	122
Amino-modifier-C6-dT CPG; Amino-dT (C6) Icaa CPG	N-6054-05/10	122
Amino-modifier-C6-Phthalamido CEP; Phthalamido C6 Amino Linker CEP	CLP-1328	123
Amino-modifier-Spacer-13-dC CEP; Deoxycytidine-N4-Amino Linker CEP	CLP-1329	120
Amino-modifier-Spacer-13-dC CPG; Deoxycytidine-N4-Amino Linker Icaa CPG	N-6052-05/10	119
Ammonia Free Oligo Deprotection Solution	RN-1435	61
Ammonia Free Oligo Deprotection Solution	RN-1435	104
Anhydrous Ammonia in Ethanol Solution (20% ammonia by wt in absolute ethanol)	CSS-3268	91
Ara-5-methyl-cytidine	RP-1835	149
Ara-7-deaza-guanosine	RP-4311	154
Ara-adenosine-5'-triphosphate	NTP-5411	190
Ara-cytidine-5'-triphosphate	NTP-5412	190
Ara-guanosine-5'-triphosphate	NTP-5413	190
Ara-uridine	RP-2325	149
Ara-uridine-5'-triphosphate	NTP-5414	190

Product Name	Catalog#	Page#
2'-O-Butyne-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-adenosine	ANP-7621	108
2'-O-Butyne-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-cytidine	ANP-7622	108
2'-O-Butyne-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-isobutyryl-guanosine	ANP-7623	108
2'-O-Butyne-3'-O-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-uridine	ANP-7625	108
2'-O-Butyne-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-9611-05/10	108
2'-O-Butyne-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-benzoyl-cytidine	N-9612-05/10	108
2'-O-Butyne-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-isobutyryl-guanosine	N-9613-05/05,	108
2'-O-Butyne-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-uridine	N-9614-05/10	108
3H-1,2-Benzodithiole-3-one-1,1-dioxide/ Sulfurizing Reagent / Sulfurizing Reagent (Beaucage Reagent)	RN-1535	178
4-(Bis(4-methoxyphenyl)(phenyl)methoxy)-3-((2-cyanoethoxy)(diisopropylamino)phosphinoxy)butyl 4-oxopentanoate	CLP-7169	129
4-(Bis(4-methoxyphenyl)(phenyl)methoxy)-3-O-succinyl(lcaa-CPG)butyl 4-oxopentanoate	N-7170-05/10	129
5-Benzyl-thio-1-H-tetrazole (BMT)	RN-1415	176
5-Bromo-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-uridine	PM-2808	171
5-Bromo-2'-deoxy-cytidine	DN-6496	143
5-Bromo-2'-deoxy-uridine	DN-1136	143
5-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzyl-cytidine	ANP-5648	84
5-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-7411	84
5-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-cytidine	ANP-6141	36
5-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-uridine	ANP-6415	36
5-Bromo-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	N-9818-05/10	85
5-Bromo-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-cytidine	N-9844-05/10	85
5-Bromo-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-deoxy-N-benzoyl-cytidine	N-7362-05/10	37
5-Bromo-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-deoxy-uridine	N-1378-05/10	37
5-Bromo-cytidine	RP-1215	151
5-Bromo-uridine	RP-1192	151
8-Bromo-2'-deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-adenosine	ANP-4703	37
8-Bromo-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-adenosine	PM-7210	171
8-Bromo-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-4705-05/10	37
8-Bromo-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-isobutyryl-guanosine	N-9921-05/10	37
8-Bromo-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-3-O-succinyl(lcaa-CPG)-N-(N,N-dibutylformamidine)-adenosine	N-4704-05/10	37
8-Bromo-2'-deoxy-adenosine	DN-1182	143
8-Bromo-2'-deoxy-guanosine	DN-1203	143
8-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyryl-guanosine	ANP-6152	37
8-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-(N,N-dibutylformamidine)-adenosine	ANP-4702	37
8-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N-dibutylformamidine)-adenosine	ANP-7111	85
8-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N-dimethylformamidine)-adenosine	ANP-7112	85
8-Bromo-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N-dimethylformamidine)-guanosine	ANP-7113	85
8-Bromo-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N-dibutylformamidine)-adenosine	N-9812-05/10	85
8-Bromo-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-(isobutyryl)-guanosine	PM-7211	171
8-Bromo-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-(N,N-dibutylformamidine)-adenosine	PM-4791	171
8-Bromo-5'-O-(4,4'-dimethoxytrityl)-N-(N,N-dibutylformamidine)-adenosine	PM-1834	171

Product Name	Catalog#	Page#
8-Bromo-adenosine	RP-1214	151
8-Bromo-guanosine	RP-1216	151
Barrel-4 ml for DNA purification	CSS-3940-S	52
Barrel-4 ml for DNA purification	CSS-3940-M	52
Barrel-4 ml for DNA purification	CSS-3940-L	52
Barrel-8 ml for DNA purification	CSS-3960-S	52
Barrel-8 ml for DNA purification	CSS-3960-M	52
Barrel-8 ml for DNA purification	CSS-3960-L	52
Biotin (BB)-TM (2-cyanoethyl diisopropylphosphoramidite)	CLP-1517	128
Biotin (BB)-TM CPG; (D-+) Biotin Icaa CPG	N-9162-05	128
Biotin (BB)TM-(2-cyanoethyl diisopropylphosphoramidite)	CLP-1518	128
Biotin-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-thymidine	CLP-1502	128
Biotin-amido-hexanoic acid NHS ester	RN-1449	128
Biotin-Ester (N-Hydroxysuccinimide) (NHS-Ester)	RN-1500	183
Biotin-TEG Icaa CPG	N-1506-05	128
Biotin-X-Y-SSE (Biotinamidohexanoyl-amidobutanoyl Succinimidyl ester) (NHS-Ester)	RN-1508	183
Bis(diisopropylamino)-chlorophosphine	RN-8882	179
C		
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-isobutryl-guanosine	ANP-5683	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-inosine	ANP-5687	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-cytidine	ANP-5686	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-adenosine	ANP-5681	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-cytidine	ANP-5682	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-5684	72
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-inosine	ANP-2905	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-N-(isobutryl)-guanosine	ANP-2903	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-N-acetyl-cytidine	ANP-2906	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-N-benzoyl-adenosine	ANP-2901	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-N-benzoyl-cytidine	ANP-2902	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-thymidine	ANP-2907	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-methyl-uridine	ANP-2904	102
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-propargyl-N-acetyl-cytidine	ANP-9759	113
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-propargyl-N-benzoyl-adenosine	ANP-9751	113
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-propargyl-N-benzoyl-cytidine	ANP-9752	113
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-propargyl-N-isobutryl-guanosine	ANP-9753	113
2'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-3'-O-propargyl-uridine	ANP-9754	113
2-Cyanoethyl 12-((4-methoxyphenyl)diphenylmethylamino)dodecyl diisopropylphosphoramidite	CLP-1585	121
2-Cyanoethyl 12-(2,2,2-trifluoroacetamido)dodecyl diisopropylphosphoramidite	CLP-1575	121

Product Name	Catalog#	Page#
2-Cyanoethyl 4-(2,2,2-trifluoroacetamido)butyl diisopropylphosphoramidite	CLP-1453	119
2-Cyanoethyl 5-(2,2,2-trifluoroacetamido)pentyl diisopropylphosphoramidite	CLP-1357	119
2-Cyanoethyl 6-((4-methoxyphenyl)diphenylmethylamino)hexyl diisopropylphosphoramidite	CLP-1563	119
2-Cyanoethyl 6-(2,2,2-trifluoroacetamido)hexyl diisopropylphosphoramidite	CLP-1553	119
2-Cyanoethyl-N,N,N,N-teraisopropyl phosphane	RN-1545	179
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2',5-dideoxy 5-iodo-thymidine	ANP-4613	36
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-β-L-cytidine	ANP-8032	44
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2-thio-uridine	ANP-9214	27
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-β-L-uridine	ANP-8036	44
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-methyl-N-benzoyl-cytidine	ANP-6556	96
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-ara-inosine	ANP-9851	114
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-((4,4'-dimethoxytrityl)-N-acetyl-α-D-cytidine	ANP-4676	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-((4,4'-dimethoxytrityl)-N-benzoyl-α-D-adenosine	ANP-1651	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-((4,4'-dimethoxytrityl)-N-benzoyl-α-D-cytidine	ANP-1652	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-((4,4'-dimethoxytrityl)-N-isobutyl-α-D-guanosine	ANP-1653	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-5-methyl-uridine	ANP-9233	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-inosine	ANP-9234	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-(isobutyl)-guanosine	ANP-9153	78
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-(isopropyl phenoxyacetyl)-guanosine	ANP-9134	79
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-(N,N'-dimethylformamidine)-adenosine	ANP-9157	78
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-(N,N'-dimethylformamidine)-guanosine	ANP-9159	78
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-acetyl-5-methyl-cytidine	ANP-9231	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-acetyl-cytidine	ANP-9152	
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-benzoyl-5-methyl-cytidine	ANP-9232	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-benzoyl-adenosine	ANP-9151	
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-phenoxyacetyl-adenosine	ANP-9131	79
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-uridine	ANP-9154	
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-uridine	ANP-9235	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-5-fluoro-uridine	ANP-6151	36
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-5-iodo-uridine	ANP-4611	36
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-7-trifluoroacetamidopropargyl-N-(N,N'-dimethylformamidine)-guanosine	ANP-1354	34
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-7-iodo-N-(N,N'-dimethylformamidine)-adenosine	ANP-4586	34
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-7-iodo-N-(N,N'-dimethylformamidine)-guanosine	ANP-4589	34
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-7-trifluoroacetamidopropargyl-N-(N,N'-dimethylformamidine)-adenosine	ANP-1339	34
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-inosine	ANP-1146	33
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-N-isobutyl-guanosine	ANP-4857	33
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-N-acetyl-guanosine	ANP-4858	33
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-N-benzoyl-adenosine	ANP-4815	33
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-8-methyl-N-isobutyl-guanosine	ANP-9274	41
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-8-oxo-N-(N,N'-dimethylformamidine)-guanosine	ANP-9311-2	46
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-8-oxo-N-benzoyl-adenosine	ANP-9301	46

Product Name	Catalog#	Page#
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-cytidine	ANP-7772	7
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-(N,N'-dibutylformamidine)-iso-cytidine	ANP-4269	43
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-(N,N'-dibutylformamidine)-iso-guanosine	ANP-4268	43
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N3-methyl-N-benzoyl-cytidine	ANP-3851	38
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutryl-cytidine	ANP-5559	3
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-methyl-adenosine	ANP-3855	39
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-phenoxyacetyl-cytidine	ANP-6662	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-O6-trimethylsilylethyl-2-fluoro-inosine	ANP-7702	40
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-6-chloropurine-riboside	ANP-7706	42
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-adenosine	ANP-7771	7
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-(tert-butyl phenoxy acetyl)-adenosine	ANP-5569	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-acetyl-β-L-cytidine	ANP-8035	45
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutryl-β-L-guanosine	ANP-8033	45
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N-phenoxy acetyl-adenosine	ANP-6661	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4-methoxytrityl)-N- benzoyl-cytidine	ANP-5558	3
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4-methoxytrityl)-N-phenoxy acetyl-adenosine	ANP-5116	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-levulinyl-N-benzoyl-adenosine	ANP-5001	12
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-levulinyl-N-benzoyl-cytosine	ANP-5002	12
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-levulinyl-N-isobutryl-guanosine	ANP-5003	12
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-levulinyl-thymidine	ANP-5004	12
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-methyl-N-benzoyl-adenosine	ANP-5511	49
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-methyl-N-benzoyl-cytidine	ANP-5512	49
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-methyl-N-isobutryl-guanosine	ANP-5513	49
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-(4'-monomethoxytrityl)amino-thymidine	ANP-9402	31
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-(trifluoroacetamido)-2'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-cytidine	ANP-9405	82
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-ribothymidine	ANP-7511	74
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-6-cyanoethylthio-N-acetyl-guanosine	ANP-7628	35
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-inosine	ANP-5680	
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-8-oxo-7-allyl-N-isobutryl-guanosine	ANP-9422	85
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-5-fluoro-uridine	ANP-6154	84
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-5-iodo-N-benzoyl-cytidine	ANP-7212	84
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-5-iodo-uridine	ANP-7412	84
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-5-methyl-N-benzoyl-cytidine	ANP-5675	74
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-acetyl-guanosine	ANP-7302	83
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-benzoyl-adenosine (Tubercidin CEP)	ANP-7101	83
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-8-methyl-N-isobutryl-guanosine	ANP-6274	73
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-8-oxo-N-(N,N'-dimethylformamidine)-guanosine	ANP-9420	85
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N'-dibutylformamidine)-iso-guanosine	ANP-5988	86
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N,N'-dimethyl-adenosine	ANP-8626	76

Product Name	Catalog#	Page#
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N,N'-dimethyl-adenosine	ANP-8626	75
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N3-benzothioethyl-uridine	ANP-7441	73
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isopentenyl-adenosine	ANP-8615	75
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-methyl-ribo-thymidine	ANP-7461	73
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-methyl-uridine	ANP-7451	73
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-Phenyl-acetyl-guanosine	ANP-5679	59
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-purine-riboside Nebularine CEP	ANP-8616	80
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-pyridine-2-one-riboside; Zebularine CEP	ANP-8611	76
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-5674	57
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-2'-deoxy-4-cyanoethylthio-uridine	ANP-7624	27
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-4-triazoyl-uridine	ANP-9211	43
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-5-Iodo-N-(N,N'-dibutylformamidine)-cytidine	ANP-4591	36
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-O6-diphenylcarbonyl-N-isobutryl-guanosine	ANP-9276	40
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(tert-butyl(methoxy)dimethylsilane)-4-cyano-ethylthio-uridine	ANP-8101	76
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(tert-butyl(methoxy)dimethylsilane)-4-triazoyl-uridine	ANP-9167	76
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(triisopropyl-siloxymethyl)-N-acetyl-adenosine	ANP-3201	69
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(triisopropyl-siloxymethyl)-N-acetyl-cytidine	ANP-3202	69
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(triisopropyl-siloxymethyl)-N-acetyl-guanosine	ANP-3203	69
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-(triisopropyl-siloxymethyl)-uridine	ANP-3204	69
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-hexynyl-1,1-dihydro-ribose	ANP-9781	115
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-hexynyl-inosine	ANP-9852	115
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl N-(isobutryl)-guanosine	ANP-5753	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl N-(phenoxyacetyl)-guanosine	ANP-6753	95
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-Methyl- N-phenoxyacetyl-adenosine	ANP-6751	95
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-2,6-bis-(phenoxyacetyl)-amino-purine-riboside	ANP-8519	96
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-4-triazolyl-uridine	ANP-5604	97
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-bromo-uridine	ANP-5760	98
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-iodo-uridine	ANP-5759	98
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-methyl- N-(N,N'-dimethylformamidine)cytidine	ANP-6554	96
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-methyl-N-acetyl-cytidine	ANP-6555	96
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-propynyl-N-benzoyl-cytidine	ANP-1874	97
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-propynyl-uridine	ANP-1347	97
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-7-iodo-N-benzoyl-adenosine	ANP-9171	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-7-iodo-N-isobutryl-guanosine	ANP-9173	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-7-trifluoroacetamidopropargyl-N-benzoyl-adenosine	ANP-9176	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-7-trifluoroacetamidopropargyl-N-isobutryl-guanosine	ANP-9178	99

Product Name	Catalog#	Page#
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-7-trifluoroacetamidopropargyl-N-isobutyryl-guanosine	ANP-9178	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-N-benzoyl-adenosine	ANP-5951	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-7-deaza-N-isobutyryl-guanosine	ANP-5953	99
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-inosine	ANP-5758	96
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-(isopropylphenoxyacetyl)-guanosine	ANP-5761	95
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-(N,N'-dimethylformamide)-guanosine	ANP-6759	95
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-acetyl-cytidine	ANP-6756	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-adenosine	ANP-5751	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-cytidine	ANP-5752	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-phenoxyacetyl-cytidine	ANP-6752	95
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-uridine	ANP-5754	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-pivaloyloxymethyl-N-acetyl-cytidine	ANP-3217	63
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-pivaloyloxymethyl-N-isopropylphenoxy-acetyl-guanosine	ANP-3218	63
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-pivaloyloxymethyl-N-phenoxyacetyl-adenosine	ANP-3216	63
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-pivaloyloxymethyl-uridine	ANP-3219	63
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-1,1-dihydro-ribose (2'-O-Propargyl-abasic-cyanoethyl phosphoramidite)	ANP-9782	114
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-inosine	ANP-6191	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-N-acetyl-cytidine	ANP-7756	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-N-benzoyl-adenosine	ANP-7751	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-N-benzoyl-cytidine	ANP-7752	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-N-isobutyryl-guanosine	ANP-7753	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-propargyl-uridine	ANP-7754	112
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-trifluoroacetamidopropyl-N-benzoyl-cytidine	ANP-7116	31
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-trifluoroacetamidopropyl-uridine	ANP-7115	31
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-4-cyanoethylthio-thymidine	ANP-6414	27
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-4-triazoyl-thymidine	ANP-9212	43
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-methyl-thymidine	ANP-6153	38
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-thymidine	ANP-5554	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-β-L-cytidine	ANP-4846	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-β-L-adenosine	ANP-4841	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-β-L-cytidine	ANP-4842	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzyl-adenosine	ANP-8614	76
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isobutyryl-β-L-guanosine	ANP-4843	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-β-L-ribothymidine	ANP-4844	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-β-L-uridine	ANP-4845	88
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy- N-(N,N'-dimethylformamide)-guanosine	ANP-6769	5
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-acetyl-cytidine.	ANP-5560	3
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-5-methyl-α-D-cytidine	ANP-1756	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-cytidine	ANP-5552	3
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-ara-uridine(mistake catalogue)	ANP-1721	111

INDEX-2: IUPAC Name, C

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-acetyl-ara-cytidine	ANP-1718	111
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-ara-adenosine	ANP-1716	111
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-ara-cytidine	ANP-1717	111
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-isobutryl-ara-guanosine	ANP-1719	111
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-cyanoethyl-thymidine	ANP-3857	38
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)- α -D-thymidine	ANP-1654	29
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)- β -L-thymidine	ANP-8034	44
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4-Methoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-guanosine	ANP-6677	59
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4-methoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-5688	57
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4-methoxytrityl)-2'-O-methyl N-(isobutryl)-guanosine	ANP-5757	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4-methoxytrityl)-2'-O-methyl-N-benzoyl-adenosine	ANP-5756	93
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-methyl-thymidine	ANP-5514	49
3',5'-Bis(2-cyanoethyl diisopropylphosphoramidite)-2'-deoxy-N-acetyl-cytidine	ANP-7762	49
3',5'-Bis(2-cyanoethyl diisopropylphosphoramidite)-2'-deoxy-N-benzoyl-adenosine	ANP-7761	49
3',5'-Bis(2-cyanoethyl diisopropylphosphoramidite)-2'-deoxy-N-isobutryl-guanosine	ANP-7763	49
3',5'-Bis(2-cyanoethyl diisopropylphosphoramidite)-thymidine	ANP-7764	49
3'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-5'-O-(4,4'-dimethoxytrityl)-N2-(tert-butylidithiopropyl)-O6-trimethylsilylethyl-guanosine	ANP-6445	40
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-7-cyano-N-benzoyl-adenosine	ANP-7306	83
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-isobutryl-guanosine	ANP-7301	83
3'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-methyl-uridine	ANP-5600	96
5'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-3'-O-(4,4'-dimethoxytrityl)-2'-fluoro-uridine	ANP-8194	79
5'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-3'-O-(4,4'-dimethoxytrityl)-7-deaza-N-isobutryl-guanosine	ANP-4679	34
5'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-3'-O-(4,4'-dimethoxytrityl)-N-benzoyl-cytidine	ANP-4672	10
5'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-3'-O-(4,4'-dimethoxytrityl)-N-phenoxy acetyl-adenosine	ANP-4681	10
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-isobutryl-guanosine	ANP-7102	83
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-3404	68
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl N-(isobutryl)-guanosine	ANP-1014	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-methyl-N-benzoyl-cytidine	ANP-1016	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5-methyl-uridine	ANP-1017	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-acetyl-cytidine	ANP-1019	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-adenosine	ANP-1012	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-N-benzoyl-cytidine	ANP-1013	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-uridine	ANP-1015	109
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-thymidine	ANP-4674	10
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-(N,N'-dimethylformamide)-guanosine	ANP-4678	10
5'-(2-Cyanoethyl diisopropylphosphoramidite)-3'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-acetyl-cytidine.	ANP-4675	10
5'-(2-Cyanoethyl diisopropylphosphoramidite)-5'-O-(4-monomethoxytrityl)-thymidine	ANP-5561	3
5'-(2-Cyanoethyl diisopropylphosphoramidite)-2'-deoxy-3'-O-(4,4'-dimethoxytrityl)-2'-fluoro-N-acetyl-cytidine	ANP-8192	79
6-(2 Cyanoethyl diisopropylphosphoramidite-5'-O-(4,4'-dimethoxytrityl)-3'-O-(succinylamido)hexan-thymidine	CLP-2244	130
6-Chloro-7-deaza-guanine	BS-1011	181
6-Chloro-7-deaza-purine	RP-1021	181
6-Chloro-guanine	RN-1051	181
6-Chloro-purine	RN-1030	181

Product Name	Catalog#	Page#
6-Chloro-purine-ribose	RP-6649	150
C12 Spacer CE phosphoramidite; DMTr-Dodecane-diol Phosphoramidite	CLP-1114	124
C12 Spacer CE phosphoramidite; DMTr-Tetraethyloxy-glycol Phosphoramidite	CLP-1368	125
C18 Spacer CE phosphoramidite; DMTr-Hexa-ethyloxy-glycol Phosphoramidite	CLP-9765	125
C2 Spacer CE phosphoramidite; DMTr-Ethane-diol Phosphoramidite	CLP-2250	124
C3 Spacer CE phosphoramidite; DMTr-Propane-diol Phosphoramidite	CLP-9908	124
C4 Spacer CE phosphoramidite; DMTr-Butane-diol Phosphoramidite	CLP-9775	124
C4 Spacer polystyrene; DMTr-Butanol Polymeric Support	N-9168-05/10	124
C5 Spacer CE phosphoramidite; DMTr-pentane-Diol Phosphoramidite	CLP-9901	126
C6 Spacer CE phosphoramidite; DMTr-Hexane-Diol Phosphoramidite	CLP-1120	124
C9 Spacer CE phosphoramidite; DMTr-Nonane-Diol Phosphoramidite	CLP-9009	124
C9 Spacer CE phosphoramidite; DMTr-Triethyloxy-Glycol Phosphoramidite	CLP-1113	125
CAP A (Acetic Anhydride/Pyridine/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1458	21
CAP A (Acetic Anhydride/Pyridine/THF), ABI Oligonucleotide Synthesizers	RN-1458	20
CAP A (Acetic Anhydride/Pyridine/THF), Expedite Oligonucleotide Synthesizer	RN-1458	23
CAP A (Acetic Anhydride/Pyridine/THF),MerMade Oligonucleotide Synthesizer	RN-1458	24
CAP A (Acetic Anhydride/Pyridine/THF),PolyPlex Oligonucleotide Synthesizer	RN-1458	25
Cap A (N-Methyl imidazole; 20% in Acetonitrile) Akta Oligonucleotide Synthesizer	RN-2202	22
CAP B (10% N-Methylimidazole/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1481	21
CAP B (10% N-Methylimidazole/THF), ABI Oligonucleotide Synthesizer	RN-1481	20
CAP B (10% N-Methylimidazole/THF), Expedite Oligonucleotide Synthesizer	RN-1481	23
CAP B (10% N-Methylimidazole/THF), MerMade Oligonucleotide Synthesizer	RN-1481	24
CAP B (10% N-Methylimidazole/THF),PolyPlex Oligonucleotide Synthesizer	RN-1481	25
CAP B (16% N-Methylimidazole/THF), ABI 3900 Oligonucleotide Synthesizer	RN-7776	21
CAP B (16% N-Methylimidazole/THF), ABI Oligonucleotide Synthesizer	RN-7776	20
CAP B (16% N-Methylimidazole/THF), Expedite Oligonucleotide Synthesizer	RN-7776	23
CAP B (16% N-Methylimidazole/THF), MerMade Oligonucleotide Synthesizer	RN-7776	24
CAP B (16% N-Methylimidazole/THF), PolyPlex Oligonucleotide Synthesizer	RN-7776	25
Cap B1 (Acetic Anhydride; 40% (v:v) in Acetonitrile) Akta Oligonucleotide Synthesizer	RN-2217	22
Cap B2 (Symmetrical Collidine; 60% (v:v) in Acetonitrile, Akta Oligonucleotide Synthesizer	RN-2225	22
Capping Reagent for ABI Synthesizers (Isopropyl Phosphite/Acetonitrile/Pyridine)	RN-6645-IP	19
Carboxy-dT CEP, C-5 Carboxy Introducing Amidite; Deoxy-uridine-5-Methylacrylate CEP	CLP-2842	130
Carboxyl generating Reagent: Undecanoic CEP	CLP-8146	130
Cartridge-L (Puri-PakTM) for DNA purification	CSS-3920-L	54
Cartridge-M (Puri-PakTM) for DNA purification	CSS-3920-M	54
Cartridge-S (Puri-PakTM), for DNA purification	CSS-3920-S	54
Cartridges for RNA Purification	CSS-5272-02	91
Cholesterol (Plant) TEG CEP	CLP-2795	131
Cholesterol (TEG) CEP (Generates DMT color)	CLP-2703	131
Cholesterol C4 Icaa CPG	N-9267-05	131
Cholesterol Icaa CPG	N-9166-05	131
Cocktail for tetramethylrhodamine (TAMRA)	RN-8561	137
Cyanoethyl-dichlorophosphite	RN-8883	179
Cytidine	RP-1184	149
Cyclic Dithiolane Disulfide Phosphoramidite	CLP-8407	127
Cyclic Dithiolane Disulfide Icaa CPG	N-8408-05/10	127

INDEX-2: IUPAC Name, D

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
1,3-Dichloro-1,1,3,3-tetraisopropylidisiloxane	RN-1521	180
2-(6-O-(4,4'-dimethoxytrityl)hexyl)-1,3-dioxoisindoline-5-carboxyl(lcaa-CPG)	N-8217-05/10	123
2',3'-Dideoxy-5-iodo-cytidine	DDN-1731	141
2',3'-Dideoxy-5-iodo-uridine	DDN-1884	141
2',3'-Dideoxy-5-propargylamine-cytidine-5'-triphosphate	NTP-5318	191
2',3'-Dideoxy-5-propargylamine-cytidine-5'-triphosphate (sodium salt)	NTP-5316	191
2',3'-Dideoxy-5-propargylamine-uridine-5'-triphosphate (sodium salt)	NTP-5317	191
2',3'-Dideoxy-7-deaza-7-iodo-adenosine	DDN-3818	141
2',3'-Dideoxy-7-deaza-7-iodo-guanosine	DDN-3819	141
2',3'-Dideoxy-7-deaza-7-propargylamine-adenosine-5'-triphosphate	NTP-6311	191
2',3'-Dideoxy-7-deaza-7-propargylamine-adenosine-5'-triphosphate (sodium salt)	NTP-6312	191
2',3'-Dideoxy-7-deaza-7-propargylamine-guanosine-5'-triphosphate (sodium salt)	NTP-6313	191
2'-Deoxy-5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-adenosine	N-5131-05	104
2'-Deoxy-5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-cytidine	N-5132-05	104
2'-Deoxy-5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-guanosine	N-5133-05	104
2'-Deoxy-5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-thymidine	N-5134-05	104
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-5-iodo-uridine	PM-2864	171
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-5-methyl-N-benzoyl-cytidine	PM-1967	168
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-5-propynyl-N-benzoyl-cytidine	PM-1124	168
2'-Deoxy-5'-O-(4,4'-Dimethoxytrityl)-5-propynyl-uridine	PM-1022	168
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza- N-isobutyl-guanosine	PM-6433	169
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-inosine	PM-6434	169
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-7-deaza-N-benzoyl-adenosine	PM-6431	169
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-(N,N'-dibutylformamidine)-iso-guanosine	PM-1643	168
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-methyl-adenosine	PM-1107	168
2'-Deoxy-7-deaza-adenosine-5'-monophosphate	NMP-8435	186
2'-Deoxy-7-deaza-adenosine-5'-triphosphate (sodium salt)	NTP-4384	189
2'-Deoxy-N1-methyl-adenosine-5'-monophosphate	NMP-8431	186
2'-Deoxy-N3-methyl-cytidine-5'-monophosphate	NMP-8432	186
2'-Deoxy-N-methyl-adenosine-5'-monophosphate	NMP-8433	186
2'-Deoxy -5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-cytidine-3'-O-{P(=O)(CNET)}-O-5''-3''-(2-cyanoethyl diisopropylphosphoramidite)-2''-deoxy-N-benzoyl-cytidine (Dimer)	ANP-2506-CE	13
2'-Deoxy- β-L-guanosine	DN-8233	146
2'-Deoxy-2'-fluoro-adenosine	RP-1220	150
2'-Deoxy-2'-fluoro-cytidine	RP-1218	150
2'-Deoxy-2'-fluoro-guanosine	RP-1219	150
2'-Deoxy-2'-fluoro-uridine	RP-1217	150
2'-Deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-5-methyl-N-(N,N'-dimethylformamidine)-cytidine	ANP-6422	28
2'-Deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-5-methyl-N-benzoyl-cytidine	ANP-6421	28
2'-Deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N1-methyl-N-(N,N'-dimethylformamidine)-guanosine	ANP-6122	38
2'-Deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N6-fluorenylmethyloxycarbonyl-N1-methyl-adenosine	ANP-6121	38
2'-Deoxy-3'-(2-cyanoethyl diisopropylphosphoramidite)-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-β-L-adenosine	ANP-8031	44
2'-Deoxy-3'-O-levulinyl-N-benzoyl-adenosine	PM-6611	164
2'-Deoxy-3'-O-levulinyl-N-benzoyl-cytidine	PM-6612	164

Product Name	Catalog#	Page#
2'-Deoxy-3'-O-levulinyl-N-isobutyl-ribose	PM-6613	164
2'-Deoxy-3'-O-(4,4'-dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-N-benzoyl-cytidine	N-3352-05/10	10
2'-Deoxy-3'-O-(4,4'-dimethoxytrityl)-5'-O-succinyl(spacer-polystyrene)-N-benzoyl-cytidine	N-7519-03	11
2'-Deoxy-3'-O-levulinyl-guanosine	DN-1267	147
2'-Deoxy-4-thiouridine	DN-1263	145
2'-Deoxy-5'-O-levulinyl-N-benzoyl-adenosine	DN-6601	164
2'-Deoxy-5'-O-levulinyl-N-benzoyl-cytidine	DN-6602	164
2'-Deoxy-5-aza-cytidine	DN-1771	147
2'-Deoxy-5-iodo-cytidine	DN-1181	143
2'-Deoxy-5-iodo-uridine	DN-1180	143
2'-Deoxy-5-methyl-cytidine	DN-2013	132
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)- 3'-O-succinyl(lcaa-CPG)-8-oxo-N-(N,N'-dimethylformamide)-guanosine	N-9501-05/10	47
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-cytidine-3'-O-{P(=O)(CNEt)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-2"-deoxy-N-benzoyl-adenosine (Dimer)	ANP-2505-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-cytidine-3'-O-{P(=O)(CNEt)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-2"-deoxy-N-isobutyl-ribose (Dimer)	ANP-2507-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-deoxy-N-benzoyl-cytidine-3'-O-{P(=O)(CNEt)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-thymidine (Dimer)	ANP-2508-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-N-(isobutyl)-guanosine	N-1055-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-N-(N,N'-dimethylformamide)-adenosine	N-1067-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-N-(N,N'-dimethylformamide)-guanosine	N-1069-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-N-acetyl-cytidine	N-1057-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-1058-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-fluoro-3'-O-succinyl(lcaa-CPG)-uridine	N-1056-05	78
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(2-ethyl diisopropylphosphoramidite)-N-benzoyl-adenosine	ANP-6541	103
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-6-O-(N,N-diphenylcarbonyl)-N-isobutyl-ribose	ANP-9277	40
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-(tertbutylphenoxyacetyl)-guanosine	ANP-5533	107
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-acetyl-cytidine	ANP-3769	8
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-benzoyl adenosine	ANP-3761	8
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-benzoyl-cytidine	ANP-3762	8
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-dimethylacetamide-guanosine	ANP-3768	8
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-isobutyl-ribose	ANP-3763	8
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-phenoxyacetyl-adenosine	ANP-5531	107
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-phenoxyacetyl-cytidine	ANP-5532	107
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-H-phosphonate-N- isobutyl-ribose (TEA salt)	ANP-3412	14
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-H-phosphonate-N-acetyl-cytidine (TEA salt)	ANP-3414	14
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-H-phosphonate-N-benzoyl-adenosine (TEA salt)	ANP-3410	14
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-H-phosphonate-N-benzoyl-cytidine (TEA salt)	ANP-3411	14
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-inosine	ANP-7558	105
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-N-benzoyl-adenosine	ANP-7551	105
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-N-isobutyl-ribose	ANP-7556	105
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-N-isobutyl-guanosine	ANP-7553	105
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-uridine	ANP-7557	105
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2-fluoro-O6-trimethylsilyl-inosine	N-9926-05/10	40
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-5-fluoro-uridine	N-7365-05/10	37
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-5-Iodo-N-(N,N'-dibutylformamide)-cytidine	N-7363-05/10	37

INDEX-2: IUPAC Name, D

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-5-iodo-N-benzoyl-cytidine	N-4612-05/10	37
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-5-iodo-uridine	N-7364-01/10	37
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-5-methyl-N-(N,N'-dimethylformamide)-cytidine	N-1355-05/10/20	28
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-5-methyl-N-benzoyl-cytidine	N-1353-05/10/20	28
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-7-deaza-inosine	N-8779-05/10	33
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-7-deaza-N-benzoyl-adenosine	N-8777-05/10	33
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-7-deaza-N-isobutyl-ribose	N-8778-05/10	33
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-8-methyl-N-isobutyl-ribose	N-9924-05/10	41
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-8-oxo-N-acetyl-guanosine	N-9400-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-8-oxo-N-benzoyl-adenosine	N-5300-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-(N,N'-dibutylformamide)-iso-cytidine	N-9929-05/10	43
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-(N,N'-dibutylformamide)-iso-guanosine	N-9927-05/10	43
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-(N,N'-dimethylformamide)-guanosine	N-9898-05/10/20	4
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N1-methyl-N-(N,N'-dimethylformamide)-guanosine	N-9981-05/10	39
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N6-fluorenylmethyloxycarbonyl-N1-methyl-adenosine	N-9980-05/10	39
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-isobutyl-ribose	N-5112-05/10/20	4
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-phenoxyacetyl-cytidine	N-P5102-05/10/20	6
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-inosine	PM-1119	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-benzoyl-cytidine	PM-1110	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-cyanoethyl-cytidine	PM-1489	168
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-fluorenylmethyloxycarbonyl-cytidine	PM-4322	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-fluorenylmethyloxycarbonyl-guanosine	PM-4333	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyl-ribose	PM-1117	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyl-ribose	PM-1111	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyl-ribose-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-N-benzoyl-adenosine (Dimer)	ANP-2509-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyl-ribose-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-N-isobutyl-ribose (Dimer)	ANP-2511-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isobutyl-ribose-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-thymidine (Dimer)	ANP-2512-CE	13
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-isopropylphenoxyacetyl-guanosine	PM-1484	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-phenoxyacetyl-cytidine	PM-3102	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-phenoxyacetyl-guanosine	PM-3103	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-N-tertbutylphenoxyacetyl-guanosine	PM-1483	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-uridine	PM-1120	166
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-benzoyl-β-L-adenosine	N-3521-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-acetyl-β-L-cytidine	N-3525-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-benzoyl-β-L-cytidine	N-3522-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-isobutyl-β-L-guanosine	N-3523-05/10	46
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-phenoxy acetyl-adenosine	N-P5101-05/10/20	6
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-benzoyl-cytidine	N-5102-05/10/20	4
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-benzoyl-α-D-adenosine	N-1751-05/10/20	30
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-benzoyl-α-D-cytidine	N-1752-05/10/20	30
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(Icaa-CPG)-N-isobutyl-α-D-guanosine	N-1753-05/10/20	30
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(non-cleavable spacer inert support)-N-benzoyl-cytidine	N-7522-15/60/10-60	16
2'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(spacer-polystyrene)-N-benzoyl-cytidine	N-7512-03	15
2'-Deoxy-5'-O-(4-methoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-(tertbutylphenoxyacetyl)-guanosine	ANP-5537	107

Product Name	Catalog#	Page#
2'-Deoxy-5'-O-(4-methoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-benzoyl adenosine	ANP-3766	8
2'-Deoxy-5'-O-(4-methoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-isobutyryl-guanosine	ANP-3767	8
2'-Deoxy-5'-O-(4-methoxytrityl)-3'-(methyl diisopropylphosphoramidite)-N-phenoxyacetyl-adenosine	ANP-5536	107
2'-Deoxy-5-propynyl-cytidine	DN-1541	145
2'-Deoxy-5-propynyl-uridine	DN-1846	145
2'-Deoxy-6-thio-guanosine	DN-1269	145
2'-Deoxy-7-deaza-7-iodo-guanosine	DN-2563	148
2-Deoxy-7-deaza-guanosine-5'-triphosphate (sodium salt)	NTP-4386	189
2'-Deoxy-7-deaza-O6-methyl-guanosine	DN-1147	148
2'-Deoxy-8-oxo-guanosine	DN-1205	142
2'-Deoxy-adenosine (Monohydrate)	DN-1001	140
2'-Deoxyadenosine (N-PAC)-5'-O-DMTr-3'-CEP (repeated)	ANP-6661	7
2'-Deoxy-cytidine (Free Base)	DN-1002fb	140
2'-Deoxycytidine (N-Ac)-5'-O-DMTr-3'-CEP (repeated)	ANP-5560	7
2'-Deoxy-cytidine monohydrate	DN-1002	140
2'-Deoxy-iso-guanosine	DN-1268	147
2'-Deoxy-N-(N,N'-dimethylformamidine)-guanosine	PM-3183	160
2'-Deoxy-N1-methyl-adenosine	DN-1597	144
2'-Deoxy-N1-methyl-guanosine	DN-1598	144
2'-Deoxy-N3-methyl-cytidine	DN-6493	144
2'-Deoxy-N-benzoyl-cytidine	PM-1102	160
2'-Deoxy-N-isobutyryl-cytidine	PM-1104	160
2'-Deoxy-N-isobutyryl-guanosine	PM-1103	157
2'-Deoxy-N-methyl-adenosine	DN-2015	144
2'-Deoxy-N-methyl-cytidine	DN-2016	144
2'-Deoxy-N-methyl-uridine	DN-6495	144
2'-Deoxy-N-phenoxy acetyl-adenosine	PM-9996	160
2'-Deoxy-N-phenoxyacetyl-cytidine	PM-9997	160
2'-Deoxy-O6-carboxymethyl-guanosine (calcium Salt)	DN-2019	145
2'-Deoxy-α-D-adenosine	DN-6351	146
2'-Deoxy-α-D-cytidine	DN-6352	146
2'-deoxy-α-D-guanosine	DN-6353	146
2'-Deoxy-β-L-adenosine	DN-8231	146
2'-Deoxy-β-L-cytidine	DN-8232	146
2'-Deoxy-β-L-uridine	DN-8235	146
2'-Dideoxy-7-deaza-7-iodo-adenosine	DN-2561	148
3'-Deoxy-5'-O-(4,4'-dimethoxytrityl)-2'-O-succinyl(lcaa-CPG)-N-benzoyl-β-L-cytidine	N-4062-05/10	46
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-benzoyl-cytidine	N-9913-05/10	110
3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5'-O-succinyl(lcaa-CPG)-uridine	N-9915-05/10	110
3'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-5'-O-succinyl(lcaa-CPG)-5-methyl-uridine	N-9917-05/10	110
3'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5'-O-succinyl(lcaa-CPG)-N-(isobutyryl)-guanosine	N-9914-05/10	110
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa)-thymidine	N-3354-05/10	10
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	N-6204-05/10	67
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-2'-O-methyl-5-methyl-N-benzoyl-cytidine	N-9916-05/10	110
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-acetyl-cytidine	N-9919-05/10	110

INDEX-2: IUPAC Name, D

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
3'-O-(4,4'-Dimethoxytrityl)-5'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-benzoyl-adenosine	N-9912-05/10	110
5'-O-(4,4'-Dimethoxytrityl)- 3'-(Non-cleavable long chain spacer)-thymidine	N-7524-15/60/10-60	16
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N- phenoxyacetyl-guanosine	N-5143-05	61
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-adenosine	N-5141-05	61
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-cytidine	N-5142-05	61
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-oxalyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	N-5144-05	61
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-succinyl(lcaa)-thymidine	N-5104-05/10/20	4
5'-O-(4,4'-Dimethoxytrityl)- 3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-5-methyl-N-benzoyl-cytidine	N-9822-05/10	75
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N'-dimethylformamidine)-guanosine	PM-5859	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N,N'-dibenzoyl-adenosine	PM-5857	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-cytidine	PM-5856	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-adenosine	PM-5851	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-cytidine	PM-5852	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isobutryl-guanosine	PM-5853	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-adenosine	PM-3501	174
5'-O-(4,4'-Dimethoxytrityl)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-cytidine	PM-3502	174
5'-O-(4,4'-Dimethoxytrityl)-2'-deoxy-5-iodo-N-(N,N'-diethylformamidine)-cytidine	PM-1979	171
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl- N-phenoxyacetyl-guanosine	PM-3703	172
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-(ethyl diisopropylphosphoramidite)-N-isobutryl-guanosine	ANP-7223	100
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-(ethyl diisopropylphosphoramidite)-N-phenoxyacetyl-adenosine	ANP-7227	101
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-(ethyl diisopropylphosphoramidite)-N-phenoxyacetyl-guanosine	ANP-7226	101
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-(ethyl diisopropylphosphoramidite)-thymidine	ANP-7224	100
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-(ethyl diisopropylphosphoramidite)-uridine	ANP-7225	100
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-5-bromo-uridine	N-9011-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-5-iodo-uridine	N-9012-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-5-methyl-N-(N,N'-dimethylformamidine)-cytidine	N-1613-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-5-methyl-N-benzoyl-cytidine	N-1613Bz-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-(isobutryl)-guanosine	N-7912-05/10	94
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-(N,N'-dimethylformamidine)-guanosine	N-7914-05/10	94
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-(phenoxyacetyl)guanosine	N-P7903-05/10	95
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-uridine	N-7904-05/10	94
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-methyl-N-benzoyl-cytidine	PM-3705	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-methyl-uridine	PM-3706	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-propynyl-N-benzoyl-cytidine	PM-1129	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-5-propynyl-uridine	PM-1027	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-acetyl-cytidine	PM-5735	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-benzoyl-adenosine	PM-5731	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-benzoyl-cytidine	PM-5732	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-isobutryl-guanosine	PM-5733	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-phenoxyacetyl-adenosine	PM-3701	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-N-phenoxyacetyl-cytidine	PM-3702	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-methyl-uridine	PM-5734	173
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-1,1-dihydro-ribose	N-9784-05/10	114

Product Name	Catalog#	Page#
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-inosine	N-8970-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-N-acetyl-cytidine	N-8960-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-8910-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-N-benzoyl-cytidine	N-8920-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-N-isobutyl-adenosine	N-8930-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-2'-O-propargyl-3'-O-succinyl(lcaa-CPG)-uridine	N-8940-05/10	112
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-ethyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-adenosine	ANP-4131	89
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-ethyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-cytidine	ANP-4132	89
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-ethyl diisopropylphosphoramidite)-2'-O-methyl-N-benzoyl-cytidine	ANP-7222	100
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-ethyl diisopropylphosphoramidite)-2'-O-methyl-N-phenoxyacetyl-cytidine	ANP-7228	101
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-isopropyl diisopropylphosphoramidite)-2'-deoxy-N-benzoyl-adenosine	ANP-6901	107
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-isopropyl diisopropylphosphoramidite)-2'-deoxy-N-benzoyl-cytidine	ANP-6902	107
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-isopropyl diisopropylphosphoramidite)-2'-deoxy-N-isobutyl-adenosine	ANP-6903	107
5'-O-(4,4'-Dimethoxytrityl)-3'-(2-isopropyl diisopropylphosphoramidite)-hymidine	ANP-6904	107
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl adenosine	ANP-5691	65
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-cytidine	ANP-5692	65
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isobutyl-adenosine	ANP-5693	65
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl adenosine	ANP-3861	66
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-cytidine	ANP-3862	66
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-N-phenoxyacetyl-guanosine	ANP-3863	66
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	ANP-5694	64
5'-O-(4,4'-Dimethoxytrityl)-3'-(methyl diisopropylphosphoramidite)-thymidine	ANP-3764	8
5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-cytosine	PM-5866	175
5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-adenosine	PM-5861	175
5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-cytidine	PM-5862	175
5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-N-isobutyl-adenosine	PM-5863	175
5'-O-(4,4'-Dimethoxytrityl)-3'-(tert-butyl(methoxy)dimethylsilane)-uridine	PM-5864	175
5'-O-(4,4'-Dimethoxytrityl)-3'-H-phosphonate-thymidine (TEA salt)	ANP-3413	14
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-N-acetyl-cytidine	ANP-8556	106
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-N-benzoyl-adenosine	ANP-8551	106
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-N-benzoyl-adenosine	ANP-7221	100
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-N-isobutyl-adenosine	ANP-8552	106
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-N-isobutyl-adenosine	ANP-8553	106
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-2'-O-methyl-uridine	ANP-8554	106
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N'-diisopropyl-1-methylphosphinamine)-thymidine	ANP-7554	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-methyl-2'-O-succinyl(lcaa-CPG)-inosine	N-8814-05/10	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-methyl-2'-O-succinyl(lcaa-CPG)-N-(isobutyl)-adenosine	N-8812-05/10	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-methyl-2'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-8810-05/10	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-methyl-2'-O-succinyl(lcaa-CPG)-N-benzoyl-cytidine	N-8811-05/10	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-methyl-2'-O-succinyl(lcaa-CPG)-uridine	N-8813-05/10	102
5'-O-(4,4'-Dimethoxytrityl)-3'-O-propargyl-2'-O-succinyl(lcaa-CPG)-N-acetyl-cytidine	N-9889-05/10	113
5'-O-(4,4'-Dimethoxytrityl)-3'-O-propargyl-2'-O-succinyl(lcaa-CPG)-N-benzoyl-adenosine	N-9881-05/10	113

Product Name :	Catalog#	Page#
5'-O-(4,4'-Dimethoxytrityl)-3'-O-propargyl-2'-O-succinyl(lcaa-CPG)-N-benzoyl-cytidine	N-9882-05/10	113
5'-O-(4,4'-Dimethoxytrityl)-3'-O-propargyl-2'-O-succinyl(lcaa-CPG)-N-isobutyryl-guanosine	N-9883-05/10	113
5'-O-(4,4'-Dimethoxytrityl)-3'-O-propargyl-2'-O-succinyl(lcaa-CPG)-uridine	N-9884-05/10	113
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl (spacer-polystyrene)-2'-(tert-butyl(methoxy)dimethylsilane-uridine	N-6214-03	64
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane inosine	N-8370-05/10	75
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-(N-tertbutylphenoxyacetyl)-guanosine	N-6208-05/10	60
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-5-fluoro uridine	N-9832-05/10	85
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-5-iodo-N-benzoyl-cytidine	N-9893-05/10	85
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-5-iodo-uridine	N-9809-05/10	85
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-benzoyl-adenosine; (Tubercidin Supports)	N-9897-05/10	83
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-7-deaza-N-isobutyryl-guanosine	N-9895-05/10	83
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-8-methyl-N-isobutyryl-guanosine	N-9909-05/10	73
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-(N,N'-dibutylformamide)-iso-guanosine	N-9827-05/10	86
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N3-benzothioethyl-uridine	N-9828-05/10	73
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isopentenyl-adenosine	N-9060-05/10	75
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-methyl-ribo-thymidine	N-9816-05/10	73
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-methyl-uridine	N-9814-05/10	73
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-purine-riboside Nebularine CPG	N-9080-05/10	79
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-pyridine-2-one-riboside; Zebularine CPG	N-9020-05/10	76
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-ribothymidine	N-8477-05/10	74
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	N-6104-05/10/20	58
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-uridine	N-P6104-05/10	60
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-(triisopropyl-siloxymethyl)- N-acetyl-guanosine	N-3203-05/10	69
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-(triisopropyl-siloxymethyl)-N-acetyl-adenosine	N-3201-05/10	69
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-(triisopropyl-siloxymethyl)-N-acetyl-cytidine	N-3202-05/10	69
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-(triisopropyl-siloxymethyl)-uridine	N-3205-05/10	69
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-deoxy-4-thio-uridine	N-9758-05/10	27
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-inosine	N-9013-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-acetyl-cytidine	N-7905-05/10	94
5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-benzoyl-adenosine	N-7910-05/10	94
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-benzoyl-cytidine	N-7911-05/10	94
5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-phenoxyacetyl-adenosine	N-P7901-05/10	95
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-N-phenoxyacetyl-cytidine	N-P7902-05/10	95
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-O-methyl-ribothymidine	N-5601-05/10	98
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-4-thio-thymidine	N-9925-05/10	27
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-N-methyl-thymidine	N-9922-05/10	39
5'-O-(4,4'-Dimethoxytrityl)-5-methyl-N-benzoyl-cytidine	PM-2647	172
5'-O-(4,4'-Dimethoxytrityl)-5-propynyl-N-benzoyl-cytidine	PM-1126	172
5'-O-(4,4'-Dimethoxytrityl)-5-propynyl-uridine	PM-1024	172
5'-O-(4,4'-Dimethoxytrityl)-inosine	PM-2306	167
5'-O-(4,4'-Dimethoxytrityl)-N-acetyl-cytidine	PM-2114	167
5'-O-(4,4'-Dimethoxytrityl)-N-acetyl-guanosine	PM-4003	167
5'-O-(4,4'-Dimethoxytrityl)-N-benzoyl-adenosine	PM-2109	167

Product Name	Catalog#	Page#
5'-O-(4,4'-Dimethoxytrityl)-N-benzoyl-cytidine	PM-2110	167
5'-O-(4,4'-Dimethoxytrityl)-N-fluorenylmethyloxycarbonyl-adenosine	PM-4366	167
5'-O-(4,4'-Dimethoxytrityl)-N-fluorenylmethyloxycarbonyl-cytidine	PM-4367	167
5'-O-(4,4'-Dimethoxytrityl)-N-fluorenylmethyloxycarbonyl-guanosine	PM-4368	167
5'-O-(4,4'-Dimethoxytrityl)-N-isobutryl-cytidine	PM-2113	167
5'-O-(4,4'-Dimethoxytrityl)-N-isobutryl-guanosine	PM-2111	167
5'-O-(4,4'-Dimethoxytrityl)-N-isopropyl-phenoxyacetyl-guanosine	PM-2209	167
5'-O-(4,4'-Dimethoxytrityl)-N-methyl-thymidine	PM-1591	168
5'-O-(4,4'-Dimethoxytrityl)-N-phenoxyacetyl guanosine	PM-2205	167
5'-O-(4,4'-Dimethoxytrityl)-N-phenoxyacetyl-adenosine	PM-2203	167
5'-O-(4,4'-Dimethoxytrityl)-N-phenoxyacetyl-cytidine	PM-2204	167
5'-O-(4,4'-Dimethoxytrityl)-ribothymidine	PM-2115	167
5'-O-(4,4'-Dimethoxytrityl)-thymidine	PM-1112	166
5'-O-(4,4'-Dimethoxytrityl)-thymidine-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-2"-deoxy-N-benzoyl-adenine (Dimer)	ANP-2513-CE	13
5'-O-(4,4'-Dimethoxytrityl)-thymidine-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-2"-deoxy-N-benzoyl-cytidine (Dimer)	ANP-2514-CE	13
5'-O-(4,4'-Dimethoxytrityl)-thymidine-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-2"-deoxy-N-isobutryl-guanosine (Dimer)	ANP-2515-CE	13
5'-O-(4,4'-Dimethoxytrityl)-thymidine-3'-O-{P(=O)(cyanoethyl)}-O-5"-3"-(2-cyanoethyl diisopropylphosphoramidite)-thymidine (Dimer)	ANP-2516-CE	13
5'-O-(4,4'-Dimethoxytrityl)-uridine	PM-2112	167
5'-O-(4,4'-dimethoxytrityl)- 2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-acetyl-ara-cytidine	N-7425-05/10	111
5'-O-(4,4'-dimethoxytrityl)- 2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-benzoyl-ara-adenosine	N-7423-05/10	111
5'-O-(4,4'-dimethoxytrityl)- 2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-benzoyl-ara-cytidine	N-7424-05/10	111
5'-O-(4,4'-Dimethoxytrityl)-2'-deoxy-3'-O-succinyl(lcaa-CPG)-N-acetyl-cytidine	N-5212-05/10/20	4
5'-O-(4,4'-Dimethoxytrityl)-2'-deoxy-3'-O-succinyl(spacer-polystyrene)-N-acetyl-cytidine	N-7515-03	15
5'-O-(4,4'-Dimethoxytrityl)-2'-deoxy-3'-O-succinyl(spacer-polystyrene)-thymidine	N-7514-03	15
5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-ara-uridine	N-7427-05/10	111
5'-O-(4,4'-dimethoxytrityl)-2'-O-methyl-3'-O-succinyl(lcaa-CPG)-N-isobutryl-ara-guanosine	N-7426-05/10	111
5'-O-(4,4'-dimethoxytrityl)-3'-O-(benzyl diisopropylphosphoramidite)-2'-deoxy-N-benzyl-adenosine	ANP-6731	9
5'-O-(4,4'-dimethoxytrityl)-3'-O-(benzyl diisopropylphosphoramidite)-2'-deoxy-N-benzyl-cytidine	ANP-6732	9
5'-O-(4,4'-dimethoxytrityl)-3'-O-(benzyl diisopropylphosphoramidite)-2'-deoxy-N-isobutryl-guanosine	ANP-6733	9
5'-O-(4,4'-dimethoxytrityl)-3'-O-(benzyl diisopropylphosphoramidite)-thymidine	ANP-6734	9
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-acetyl-β-L-cytidine	N-4696-05/10	88
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-β-L-adenosine	N-4691-05/10	88
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzoyl-β-L-cytidine	N-4692-05/10	88
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-benzyl-adenosine	N-9050-05/10	73
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-N-isobutryl-β-L-guanosine	N-4693-05/10	88
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-β-L-ribothymidine	N-4695-05/10	88
5'-O-(4,4'-dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-2'-(tert-butyl(methoxy)dimethylsilane)-β-L-uridine	N-4694-05/10	88
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-β-L-thymidine	N-3524-05/10	45
5'-O-(4,4'-Dimethoxytrityl)-3'-O-(N,N,N',N'-tetraisopropylphosphinediamine)-thymidine	ANP-7766	45
5'-O-(4,4'-Dimethoxytrityl)-3'-O-succinyl(lcaa-CPG)-α-D-thymidine	N-1754-05/10/20	30
5'-O-(4,4'-Dimethoxytrityl)-N-Cyanoethyl-thymidine	PM-1490	168
7-Deaza-2',3'-dideoxy-adenosine	DDN-3864	141
7-Deaza-2',3'-dideoxy-guanosine	DDN-1863	141
7-Deaza-2'-deoxy-adenosine	DN-1143	148

Product Name	Catalog#	Page#
7-Deaza-2'-deoxy-guanosine	DN-4567	145
7-Deaza-2'-deoxy-inosine	DN-1145	148
7-Deaza-7-iodo-adenosine	RP-2316	148
7-Deaza-adenosine; Tubercidin	RP-2312	154
7-Deaza-guanosine	RP-2313	154
7-Deaza-inosine	RP-2314	154
Dabcyl-dT CEP; Thymidine-C5-dabcyl CEP	CLP-9906	132
Dabcyl-Icaa-CPG	N-9756-05/10	132
Dabcyl-succinyl -Polymeric Support	N-9756-PF	132
DDTT ((Dimethylamino-methylidene)amino)-3H-1,2,4-dithiazoline-3-thione / Sulfurizing Reagent	RN-1588	178
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), ABI 3900 Oligonucleotide Synthesizers	RN-1688	21
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), MerMade Oligonucleotide Synthesizers	RN-1688	24
DDTT Solution 1 [0.05M] (Sulfurizing Reagent), PolyPlex Oligonucleotide Synthesizers	RN-1688	25
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), ABI 3900 Oligonucleotide Synthesizers	RN-1689	21
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), MerMade Oligonucleotide Synthesizers	RN-1689	24
DDTT Solution 1 [0.10M] (Sulfurizing Reagent), PolyPlex Oligonucleotide Synthesizers	RN-1689	25
Deprotection solution for Levulinyl Removal	CLP-7171	12, 129
Dichloromethoxy-phosphite	RN-1407	179
Diethoxy-N,N-Diisopropyl-phosphoramidite	RN-1410	179
Diethyl-phosphorochloride	RN-1408	180
Diisopropyl-ammonium-1H-tetrazolide	RN-1413	176
Dimethoxytrityl-chloride, (DMTr-Chloride)	RN-1401	177
DMTr Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), ABI Oligonucleotide Synthesizer	RN-1468	20
DMTr Removal Reagent (2.5% Dichloroacetic Acid/Dichloromethane), Expedite Oligonucleotide Synthesizer	RN-1468	23
DMTr Removal Reagent (2.5% Dichloroacetic Acid/Dichloromethane), MerMade Oligonucleotide Synthesizer	RN-1468	24
DMTr Removal Reagent (3% DCA in Toluene) Akta Oligonucleotide Synthesizer	RN-2242	22
DMTr Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), ABI 3900 Oligonucleotide Synthesizer	RN-1468	21
DMTr Removal Reagent (3% Dichloroacetic Acid/Dichloromethane), PolyPlex Oligonucleotide Synthesizer	RN-1468	25
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane)	RN-1462	21
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), ABI Oligonucleotide Synthesizer	RN-1462	20
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), Expedite Oligonucleotide Synthesizer	RN-1462	23
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), MerMade Oligonucleotide Synthesizer	RN-1462	24
DMTr Removal Reagent (3% Trichloroacetic Acid/Dichloromethane), PolyPlex Oligonucleotide Synthesizer	RN-1462	25
DMTr-5-FAM-Phosphoramidite	CLP-9789	136
DMTr-6-FAM-Phosphoramidite	CLP-9780	136
DMTr-Butane-diol Phosphoramidite; C4 Spacer CE phosphoramidite	CLP-9775	124
DMTr-Butanol Polymeric Support; C4 Spacer Polymeric Support	N-9168-05/10	124
DMTr-Dodecane-diol Phosphoramidite; C12 Spacer CE phosphoramidite	CLP-1114	124
DMTr-Ethane-diol Phosphoramidite; C2 Spacer CE phosphoramidite	CLP-2250	124
DMTr-Hexa-ethyloxy-glycol Phosphoramidite; C18 Spacer CE phosphoramidite	CLP-9765	125
DMTr-Hexane-diol Phosphoramidite; C6 Spacer CE phosphoramidite	CLP-1120	124
DMTr-Nonane-diol Phosphoramidite; C9 Spacer CE phosphoramidite	CLP-9009	124
DMTr-Polyethyleneglycol 2000 CEP; (PEG 2000 CEP)	CLP-2119	125
DMTr-Polyethyleneglycol 4500 CEP; PEG 4500 CEP (Avg. M.W.~4500)	CLP-3118	125
DMTr-Propane-diol Phosphoramidite, (C3 Spacer CE phosphoramidite)	CLP-9908	124

Product Name	Catalog#	Page#
DMTr-Tetraethyloxy-glycol Phosphoramidite; C12 Spacer CE phosphoramidite	CLP-1368	125
DMTr-Triethyloxy-glycol Phosphoramidite, (C9 Spacer CE phosphoramidite)	CLP-1113	125
DNA Purification, 96 Well Collection Plate (Pack of 12)	GS-3280	51
DNA Purification, 96 Well Oligonucleotide Synthesis plate	GS-8361	51
DNA Purification, Puri-Pak Plate™ (Not Shown)	GS-1154	51
DNA Purification, 96 Well Collection Plate (1 Plate)	GS-3280	51
DNA Purification, Genesys Manifold for 96-well Format GeneSys-1	GS-8366	51
DNA Purification, Genesys-24 (Not Shown)	GS-1158	51
DNA Purification, Puri-Pak Plate™	GS-3249	51
DNP-TEG CEP	CLP-9907	132
DNP-TEG-Icaa-CPG	N-9127-05	132
E		
F		
5-FAM CPG	N-9969-05	136
5-Fluorescein CEP; Fluorescein Phosphoramidite	CLP-4282	135
5-Fluorescein-dipivalate-NHS Ester; 5-FAM Dipivalate NHS Ester	RN-9652	182
5-Fluorescein-NHS Ester; 5-FAM NHS Ester	RN-9662	182
6-FAM CPG	N-9985-05	136
6-FAM-Icaa CPG (DMT); 5'-Fluorescein CPG	N-9986-05	135
6-FAM-Phosphoramidite	CLP-9777	134
6-Fluorescein-dipivalate- NHS Ester; 6-FAM Dipivalate NHS Ester	RN-9651	182
6-Fluorescein-NHS Ester; 6-FAM NHS Ester	RN-9661	182
Filters (Replacement Filters)	EPC-1008	18
Fluorescein CPG; 3'-Fluorescein CPG	N-9979-05	135
Fluorescein-dT CEP	CLP-9905	135
Fluorescein-dT CPG; 3'-Fluorescein-dT CPG	N-5122-05	135
Fluoride Ion Removal Solution	CSS-6634	91
G		
Guanosine	RP-1185	149
H		
Hexachloro-fluorescein-cyanoethyl phosphoramidite,	CLP-9778	134
Hexachloro-fluorescein-cyclohexyl cyanoethyl phosphoramidite	CLP-1527	134
Hexane-6-carboxyamido (p-benzaldehyde)-1-ol cyanoethyl phosphoramidite	CLP-2243	130
H-Phosphonate activation reagent (Dipentafluorophenyl Carbonate)	RN-6464	19
I		
1H-Imidazole-4,5-dicarbonitrile; Dicyanoimidazole (DCI)	RN-1571	176
2',3'-Isopropylidene-N-benzoyl-adenosine	RP-4127	162
2',3'-Isopropylidene-N-isobutyryl-guanosine	RP-4128	162
2',3'-Isopropylidene-uridine	RP-4129	162
2',3'-Isopropylidene-cytidine (N-Ac)	RP-4126	162

INDEX-2: IUPAC Name, I, L,M

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
4-Isopropyl-phenoxy-cetylchloride	RN-1705	180
5-Iodo-cytidine	RP-1221	151
5-Iodo-uridine	RP-1089	151
Inosine	RP-1187	149
Iso-guanosine-5'-triphosphate (sodium salt)	NTP-4396	189
Iso-guanosine-5'-triphosphate (sodium salt)	NTP-4348	188
N-isobutyryl-cytidine	PM-2105	161
N-Isobutyryl-guanosine	PM-2103	161
N-Isobutyryl-iso-guanosine-5'-monophosphate	NMP-8318	185
N-Isopentyl-adenosine	PM-6005	161
L		
3'-O-Levulinyl-thymidine	PM-6614	164
5'-O-Levulinyl-N-isobutyryl-guanosine	DN-6603	164
5'-O-Levulinyl-thymidine	DN-6604	164
Levulinyl Deprotection Solution	CLP-7171	121,129
β -L-Adenosine	RP-9031	154
β -L-Adenosine-5'-monophosphate	NMP-8314	184
β -L-Cytidine	RP-9032	154
β -L-Guanosine	RP-9033	154
β -L-Inosine	RP-9036	154
β -L-Ribothymidine	RP-9035	154
β -L-Ribouridine-5'-monophosphate	NMP-8315	184
β -L-Thymidine	DN-8234	146
β -L-Uridine	RP-9034	154
M		
2'-O-Methyl-cytidine-5'-monophosphate	NMP-8311	184
2'-O-Methyl-guanosine-5'-monophosphate	NMP-8312	184
2'-O-Methyl-N,N'-dimethyl-adenosine	RP-3901	163
2'-O-Methyl-N-benzyl-adenosine 5'-monophosphate	NMP-8313	184
2'-O-Methyl- β -L-uridine	RP-1909	155
2'-O-Methyl-5-iodo-uridine	RP-1905	155
2'-O-Methyl-5-methyl-cytidine	RP-1907	155
2'-O-Methyl-5-propynyl-cytidine	RP-1548	156
2'-O-Methyl-5-propynyl-uridine	RP-1856	156
2'-O-Methyl-adenosine	RP-1901	155
2'-O-Methyl-adenosine-3',5'-bis-monophosphate (sodium salt)	NDP-7311	187
2'-O-Methyl-adenosine-5'-triphosphate (sodium salt)	NTP-3386	188
2'-O-Methyl-ara-adenosine-5'-triphosphate	NTP-5311	190
2'-O-Methyl-ara-cytidine-5'-triphosphate	NTP-5312	190
2'-O-Methyl-ara-guanosine-5'-triphosphate	NTP-5313	190
2'-O-Methyl-ara-uridine-5'-triphosphate	NTP-5314	190
2'-O-Methyl-cytidine	RP-1902	155
2'-O-Methyl-cytidine 5'-triphosphate (sodium salt)	NTP-3387	188
2'-O-Methyl-cytidine-3',5'-bis(monophosphate) (sodium salt)	NDP-7312	187
2'-O-Methyl-guanosine	RP-1903	155
2'-O-Methyl-guanosine-3',5'-bis(monophosphate) (sodium salt)	NDP-7313	187
2'-O-Methyl-guanosine-5'-triphosphate (sodium salt)	NTP-3388	188

Product Name	Catalog#	Page#
2'-O-Methyl-guanosine	RP-1903	155
2'-O-Methyl-guanosine-3',5'-bis(monophosphate) (sodium salt)	NDP-7313	187
2'-O-Methyl-guanosine-5'-triphosphate (sodium salt)	NTP-3388	188
2'-O-Methyl-inosine	RP-1906	155
2'-O-Methyl-N,N'-dimethyl-adenosine	RP-3901	163
2'-O-Methyl-ribothymidine	RP-1908	155
2'-O-Methyl-ribouridine-5'-O-DMT-3'-CEP (repeated)	ANP-5754	95
2'-O-Methyl-uridine	RP-1904	155
2'-O-Methyl-uridine-3',5'-bis(monophosphate) (sodium salt)	NDP-7314	187
2'-O-Methyl-uridine-5'-triphosphate (sodium salt)	NTP-3389	188
3'-O-Methyl-5-methyl-cytidine	RP-2916	156
3'-O-Methyl-adenosine	RP-2911	156
3'-O-Methyl-cytidine	RP-2912	156
3'-O-Methyl-guanosine	RP-2913	156
3'-O-Methyl-guanosine-5'-monophosphate	NMP-8319	185
3'-O-Methyl-inosine	RP-2915	156
3'-O-Methyl-uridine	RP-2914	156
Mesitylene-sulphonyl-3-nitro-1,2,4-triazole (MSNT); 2,4,6-Trimethylphenyl; 3-nitro-1,2,4-triazol-1-yl-sulfone		
Methoxy-N,N,N-tetraisopropylphosphane		
Mix base phosphoramidites (equimolar) (dA+dC+dG+dT)		
Monomethoxytrityl-chloride, (MMTr-Chloride)		
O		
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF) (ABI Oligonucleotide Synthesizer)	RN-1455	20
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1455	21
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), Expedite Oligonucleotide Synthesizer	RN-1455	23
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), MerMade Oligonucleotide Synthesizer	RN-1455	24
Oxidation Solution (0.02M Iodine/Pyridine/H ₂ O/THF), PolyPlex Oligonucleotide Synthesizer	RN-1455	25
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF) (ABI Oligonucleotide Synthesizer)	RN-1456	20
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), ABI 3900 Oligonucleotide Synthesizer	RN-1456	21
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), Expedite Oligonucleotide Synthesizer	RN-1456	23
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), MerMade Oligonucleotide Synthesizer	RN-1456	24
Oxidation Solution (0.1M Iodine/Pyridine/H ₂ O/THF), PolyPlex Oligonucleotide Synthesizer	RN-1456	25
Oxidation Solution 1 (Iodine in Pyridine/H ₂ O/THF)	RN-1210	19
P		
2'-O-Pivaloyloxymethyl-riboadenosine (N-PAC)-5'-O-DMTr-3'-CEP	ANP-3216	63
2'-O-Pivaloyloxymethyl-ribocytidine (N-Ac)-5'-O-DMTr-3'-CEP	ANP-3217	63
2'-O-Pivaloyloxymethyl-riboguanosine (N-iPrPAC)-5'-O-DMTr-3'-CEP	ANP-3218	63
2'-O-Pivaloyloxymethyl-ribouridine-5'-O-DMTr-3'-CEP	ANP-3219	63
2'-O-Propargyl-1,1-dihydro- β -D-ribose-5'-O-DMT-3'-CEP; 2'-O-Propargyl-abasic-5'-O-DMTr-3'-CEP	ANP-9782	114
2'-O-Propargyl-abasic-5'-O-DMTr-3'-Icaa CPG	N-9784-05/10	114
2'-O-Propargyl-riboadenosine	RP-3401	158
2'-O-Propargyl-riboadenosine (N-Bz)-5'-O-DMTr-3'-CEP	ANP-7751	112
2'-O-Propargyl-riboadenosine (N-Bz)-5'-O-DMTr-3'-Icaa CPG	N-8910-05/10	112
2'-O-Propargyl-ribocytidine	RP-3402	158

Product Name	Catalog#	Page#
2'-O-Propargyl-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-7756	112
2'-O-Propargyl-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-Icaa CPG	N-8960-05/10	112
2'-O-Propargyl-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-CEP	ANP-7752	112
2'-O-Propargyl-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-Icaa CPG	N-8920-05/10	112
2'-O-Propargyl-riboguanosine	RP-3403	158
2'-O-Propargyl-riboguanosine (<i>N</i> -iBu)-5'-O-DMTr-3'-CEP	ANP-7753	112
2'-O-Propargyl-riboguanosine (<i>N</i> -iBu)-5'-O-DMTr-3'-Icaa CPG	N-8930-05/10	112
2'-O-Propargyl-riboinosine-5'-O-DMTr-3'-CEP	ANP-6191	112
2'-O-Propargyl-riboinosine-5'-O-DMTr-3'-Icaa CPG	N-8970-05/10	112
2'-O-Propargyl-ribouridine	RP-3404	158
2'-O-Propargyl-ribouridine-5'-O-DMTr-3'-CEP	ANP-7754	113
2'-O-Propargyl-ribouridine-5'-O-DMTr-3'-Icaa CPG	N-8940-05/10	113
3'-(<i>H</i>)-Phosphonate-2'-deoxyadenosine (<i>N</i> -Bz)-5'-O-DMTr TEA salt	ANP-3410	14
3'-(<i>H</i>)-Phosphonate-2'-deoxycytidine (<i>N</i> -Ac)-5'-O-DMTr TEA salt	ANP-3414	14
3'-(<i>H</i>)-Phosphonate-2'-deoxycytidine (<i>N</i> -Bz)-5'-O-DMTr TEA salt	ANP-3411	14
3'-(<i>H</i>)-Phosphonate-2'-deoxyguanosine (<i>N</i> -iBu)-5'-O-DMTr TEA salt	ANP-3412	14
3'-O-Propargyl-riboadenosine	RP-3301	158
3'-O-Propargyl-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-2'-CEP	ANP-9751	113
3'-O-Propargyl-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-2'-Icaa CPG	N-9881-05/10	113
3'-O-Propargyl-ribocytidine	RP-3302	158
3'-O-Propargyl-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-2'-CEP	ANP-9759	113
3'-O-Propargyl-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-2'-Icaa CPG	N-9889-05/10	113
3'-O-Propargyl-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-2'-CEP	ANP-9752	113
3'-O-Propargyl-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-2'-Icaa CPG	N-9882-05/10	113
3'-O-Propargyl-riboguanosine	RP-3303	158
3'-O-Propargyl-riboguanosine (<i>N</i> -iBu)-5'-O-DMTr-2'-CEP	ANP-9753	113
3'-O-Propargyl-riboguanosine (<i>N</i> -iBu)-5'-O-DMTr-2'-Icaa CPG	N-9883-05/10	113
3'-O-Propargyl-ribouridine	RP-3304	158
3'-O-Propargyl-ribouridine-5'-O-DMTr-2'-CEP	ANP-9754	113
3'-O-Propargyl-ribouridine-5'-O-DMTr-2'-Icaa CPG	N-9884-05/10	113
3'-Phosphate-ON Icaa CPG	N-9977-05/10/20	118
5'-Phosphorylation (Bis-cyanoethyl- <i>N,N</i> -diisopropyl CEP)	CLP-1454	118
5-Phosphorylation (generates DMTr color); 5-Phosphate-ON Reagent	CLP-1544	118
5-Propargylamine-2',3'-dideoxycytidine-5'-triphosphate	NTP-5318	191
5-Propargylamine-2',3'-dideoxycytidine-5'-triphosphate disodium salt	NTP-5316	191
5-Propargylamine-2',3'-dideoxyuridine-5'-triphosphate disodium salt	NTP-5317	191
5-Propynyl-2'-deoxycytidine	DN-1541	145
5-Propynyl-2'-deoxyuridine	DN-1846	145
5-Propynyl-2'-O-methyl-5'-O-DMTr-ribocytidine (<i>N</i> -Bz)	PM-1129	173
5-Propynyl-2'-O-methyl-5'-O-DMTr-ribouridine	PM-1027	173
5-Propynyl-2'-O-methyl-ribocytidine	RP-1548	156
5-Propynyl-2'-O-methyl-ribouridine	RP-1856	156
5-Propynyl-5'-O-DMTr-deoxycytidine (<i>N</i> -Bz)	PM-1124	168
5-Propynyl-5'-O-DMTr-deoxyuridine	PM-1022	168
5-Propynyl-5'-O-DMTr-ribocytidine (<i>N</i> -Bz)	PM-1126	172

Product Name	Catalog#	Page#
5-Propynyl-5'-O-DMTr-ribouridine	PM-1024	172
5-Propynyl-ribocytidine	RP-1546	152
5-Propynyl-ribouridine	RP-1842	152
H-phosphonate activation reagent (Dipentafluorophenyl Carbonate)	RN-6464	19
N ⁶ -Palmitoy-riboadenosine	RP-1041	152
Palmitoyl Polymeric Support	N-9821-03	125
Pentane diol; C5 Spacer	CLP-9901	126
Phenylacetyl-disulfide (PADS)	RN-1496	178
Polyethylenglycol 4500 CEP (Avg. M.W.~4500)	CLP-3119	125
Polystyrene non Cleavable Spacer	N-4545-03/10	16
Psoralen C18 Hexaethoxyglycol CEP	CLP-6642	139
Psoralen C2 CEP	CLP-6647	138
Psoralen C4 CEP	CLP-6648	138
Psoralen C4 Icaa CPG	N-9081-05/10	139
Psoralen C6 CEP	CLP-6641	138
Psoralen CEP	CLP-6644	138
Psoralen Support	N-9375-05	139
Puromycin-2'-Succinyl Icaa CPG	N-1971-05/10	76
R		
Riboadenosine	RP-1183	149
Riboadenosine (N-Bz)	PM-2101	161
Riboadenosine (N-Ethyl)	RP-1035	163
Riboadenosine (N-isopentyl)	PM-6005	161
Riboadenosine (N-PAC)	PM-6001	161
Ribocytidine	RP-1184	149
Ribocytidine (N-Ac)	PM-2106	161
Ribocytidine (N-Bz)	PM-2102	161
Ribocytidine (N-iBu)	PM-2105	161
Ribocytidine (N-PAC)	PM-6002	161
Riboguanosine	RP-1185	149
Riboguanosine (N-iBu)	PM-2103	149
Riboguanosine (N-PAC)	PM-6003	161
Riboguanosine (N-phenyl acetyl)	PM-6004	161
Riboinosine	RP-1187	149
Ribothymidine; 5-Methyl-ribouridine	RP-1188	149
Ribothymidine-5'-monophosphate	NMP-8310	185
Ribouridine	RP-1186	149
Ribouridine-5'-diphosphate	NDP-7316	187
Ribouridine-5'-diphosphate disodium salt	NDP-7315	187
Ribouridine-rabinose	RP-2325	149
RNA Purification Kit	CSS-5232-02	91
RNA Purification Kit	CSS-5232-10	91
RNA Purification Kit	CSS-3268	91
RNA Purification Kit	CSS-5272	91
RNA Purification Kit	CSS-6634	91
RNA Purification Kit	CSS-5232	91
Rox Supports & Columns	N-2246-05	137

INDEX-2: IUPAC Name, S-T

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
S		
3'-Spacer C4 CPG; Butyl CPG (for 3'-Butanol Spacer)	N-7178-05/10	129
C12 Spacer CE phosphoramidite; DMTr-Dodecane-diol Phosphoramidite	CLP-1114	124
C12 Spacer CE phosphoramidite; DMTr-Tetraethyloxy-glycol Phosphoramidite	CLP-1368	125
C18 Spacer CE phosphoramidite; DMTr-Hexa-ethyloxy-glycol Phosphoramidite	CLP-9765	125
C2 Spacer CE phosphoramidite; DMTr-Ethane-diol Phosphoramidite	CLP-2250	124
C3 Spacer CE phosphoramidite; DMTr-Propane-diol Phosphoramidite	CLP-9908	124
C4 Spacer CE phosphoramidite; DMTr-Butane-diol Phosphoramidite	CLP-9775	124
C4 Spacer polystyrene; DMTr-Butanol Polymeric Support	N-9168-05/10	124
C5 Spacer CE phosphoramidite; DMTr-pentane-Diol Phosphoramidite	CLP-9901	126
C6 Spacer CE phosphoramidite; DMTr-Hexane-Diol Phosphoramidite	CLP-1120	124
C9 Spacer CE phosphoramidite; DMTr-Nonane-Diol Phosphoramidite	CLP-9009	124
C9 Spacer CE phosphoramidite; DMTr-Triethyloxy-Glycol Phosphoramidite	CLP-1113	125
Silanized Bottle (for Beaucage Reagent)	BL-1536	178
Silanized Bottles for Beaucage Reagent, ABI Oligonucleotide Synthesizer	BL-1536	20
Silanized Bottles for Beaucage Reagent, ABI 3900 Oligonucleotide Synthesizer	BL-1536	21
Silanized Bottles for Beaucage Reagent, Expedite Oligonucleotide Synthesizer	BL-1536	23
Silanized Bottles for Beaucage Reagent, MerMade Oligonucleotide Synthesizer	BL-1536	24
Silanized Bottles for Beaucage Reagent, PolyPlex Oligonucleotide Synthesizer	BL-1536	25
Spacer-DMT-Polyethyleneglycol 2000 CEP	CLP-2119	125
Spacer-DMT-Polyethyleneglycol 2000 CEP	CLP-3118	125
ssR-Me Amino linker	CLP-1131	120
ssR-H Amino linker	CLP-1132	120
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), ABI Oligonucleotide Synthesizer	RN-1535	20
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), ABI 3900 Oligonucleotide Synthesizer	RN-1535	21
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), Expedite Oligonucleotide Synthesizer	RN-1535	23
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), MerMade Oligonucleotide Synthesizer	RN-1535	24
Sulfurizing Reagent (Beaucage Reagent) for Introduction of Phosphorothioate (S-oligonucleotide), PolyPlex Oligonucleotide Synthesizer	RN-1535	25
Symmetrical Branching CEP	CLP-5215	129
Symmetrical Branching Polymeric Support	N-7173-05	129
Symmetrical Branching Support Icaa CPG	N-5216-05/10	129
T		
1,3,5-Tri -O-acetyl-2-deoxy- β -L-ribose	RN-1065	181
1,3,5-Tri-O-acetyl-2-deoxy- β -D-ribose	RN-1064	181
1 <i>H</i> -1,2,4-Triazole; 1,2,4-Triazole	RN-1412	176
2,3,5-O-Tribenzoyl- β -D-ribofuranosyl-1-Acetate	RN-4131	181
2'-O-Methyl-ribocytidine 5'-triphosphate disodium salt	NTP-3387	188
2'-O-TBDMS-5'-O-DMTr-riboadenosine (<i>N,N</i> -diBz)	PM-5857	174
2'-O-TBDMS-5'-O-DMTr-riboadenosine (<i>N</i> -Bz)	PM-5851	174
2'-O-TBDMS-5'-O-DMTr-riboadenosine (<i>N</i> -PAC)	PM-3501	174
2'-O-TBDMS-5'-O-DMTr-ribocytidine (<i>N</i> -Ac)	PM-5856	174
2'-O-TBDMS-5'-O-DMTr-ribocytidine (<i>N</i> -Bz)	PM-5852	174
2'-O-TBDMS-5'-O-DMTr-ribocytidine (<i>N</i> -PAC)	PM-3502	174
2'-O-TBDMS-5'-O-DMTr-riboguanosine (<i>N</i> -DMF)	PM-5859	174
2'-O-TBDMS-5'-O-DMTr-riboguanosine (<i>N</i> -iBu)	PM-5853	174

INDEX-2: IUPAC Name, T

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
2'-O-TBDMS-5'-O-DMTr-riboinosine (<i>N</i> -iPrPAC)	PM-3504	174
2'-O-TBDMS-5'-O-DMTr-riboinosine (<i>N</i> -PAC)	PM-3503	174
2'-O-TBDMS-5'-O-DMTr-riboinosine	PM-5855	174
2'-O-TBDMS-5'-O-DMTr-riboiridine	PM-5854	174
2'-O-TBDMS-Isoribocytidine (<i>N</i> -DBF)-5'-O-DMTr-3'-CEP	ANP-7715	86
2'-O-TBDMS-Isoribocytidine (<i>N</i> -DBF)-5'-O-DMTr-3'-Icaa CPG	N-9712-05/10	86
2'-O-TBDMS-Pseudoribouridine-5'-O-DMTr-3'-CEP	ANP-8612	76
2'-O-TBDMS-Pseudoribouridine-5'-O-DMTr-3'-Icaa CPG	N-4617-05	76
2'-O-TBDMS-riboadenosine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-4546	57
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-3'-O-DMTr-5'-CEP	ANP-3401	67
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-3'-O-DMTr-5'-Icaa CPG	N-6201-05/10	67
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-3'-CEP	ANP-5671	57
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-3'-Icaa CPG	N-6101-05/10/20	58
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-3'-succinyl Polystyrene	N-6211-03	64
2'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-5'-O-MMTr-3'-CEP	ANP-5676	57
2'-O-TBDMS-riboadenosine (<i>N</i> -PAC)-5'-O-DMTr-3'-CEP	ANP-6671	59
2'-O-TBDMS-riboadenosine (<i>N</i> -PAC)-5'-O-DMTr-3'-Icaa CPG	N-P6101-05/10	60
2'-O-TBDMS-riboadenosine (<i>N</i> -PAC)-5'-O-MMTr-3'-CEP	ANP-6678	59
2'-O-TBDMS-riboadenosine (<i>N</i> -tBPAC)-5'-O-DMTr-3'-Icaa CPG	N-6207-05/10	60
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-3'-O-DMTr-5'-CEP	ANP-3405	67
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-3'-O-DMTr-5'-Icaa CPG	N-6206-05/10	67
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-6676	57
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-6676	59
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-Icaa CPG	N-6106-05/10/20	58
2'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-succinyl Polystyrene	N-6216-03	64
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-3'-O-DMTr-5'-CEP	ANP-3402	67
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-3'-O-DMTr-5'-Icaa CPG	N-6202-05/10	67
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-CEP	ANP-5672	57
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-Icaa CPG	N-6102-05/10/20	58
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-succinyl Polystyrene	N-6212-03	64
2'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-5'-O-MMTr-3'-CEP	ANP-5685	57
2'-O-TBDMS-ribocytidine (<i>N</i> -PAC)-5'-O-DMTr-3'-CEP	ANP-6672	59
2'-O-TBDMS-ribocytidine (<i>N</i> -PAC)-5'-O-DMTr-3'-Icaa CPG	N-P6102-05/10	60
2'-O-TBDMS-ribocytidine (<i>N</i> -tBPAC)-5'-O-MMTr-3'-CEP	ANP-6680	59
2'-O-TBDMS-riboinosine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-4547	57
2'-O-TBDMS-riboinosine (<i>N</i> -DMF)-5'-O-DMTr-3'-CEP	ANP-5678	57
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-3'-O-DMTr-5'-CEP	ANP-3403	67
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-3'-O-DMTr-5'-Icaa CPG	N-6203-05/10	67
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-5'-O-DMTr-3'- succinyl Polystyrene	N-6213-03	64
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-5'-O-DMTr-3'-CEP	ANP-5673	57
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-5'-O-DMTr-3'-Icaa CPG	N-6103-05/10/20	58
2'-O-TBDMS-riboinosine (<i>N</i> -iBu)-5'-O-MMTr-3'-CEP	ANP-5677	57
2'-O-TBDMS-riboinosine (<i>N</i> -iPrPAC)-3'-O-DMTr-5'-CEP	ANP-3406	67
2'-O-TBDMS-riboinosine-(<i>N</i> -iPrPAC) 5'-Icaa CPG	N-6209-05/10	67
2'-O-TBDMS-riboinosine (<i>N</i> -iPrPAC)-5'-O-DMTr-3'-CEP	ANP-6679	59
2'-O-TBDMS-riboinosine (<i>N</i> -PAC)-5'-O-DMTr-3'-CEP	ANP-6673	59
2'-O-TBDMS-riboinosine (<i>N</i> -PAC)-5'-O-DMTr-3'-Icaa CPG	N-P6103-05/10	60

INDEX-2: IUPAC Name, T

[Remove Watermark Now](#)

Product Name	Catalog#	Page#
2'-O-TBDMS-riboguanosine (<i>N</i> -PAC)-5'-O-MMTr-3'-CEP	ANP-6677	59
2'-O-TBDMS-riboguanosine (<i>N</i> -Phenyl-Ac)-5'-O-DMTr-3'-CEP	ANP-5679	59
2'-O-TBDMS-riboguanosine (<i>N</i> -IBPAC)-5'-O-DMTr-3'-Icaa CPG	N-6208-05/10	60
2'-O-TBDMS-riboinosine-5'-O-DMTr-3'-CEP	ANP-5680	74
2'-O-TBDMS-riboinosine-5'-O-DMTr-3'-Icaa CPG	N-8370-05/10	74
2'-O-TBDMS-ribopurine-riboside-5'-O-DMTr-3'-CEP; Nebularine CEP	ANP-8616	80
2'-O-TBDMS-ribopurine-riboside-5'-O-DMTr-3'-Icaa CPG; Nebularine CPG	N-9080-05/10	76
2'-O-TBDMS-ribopyridine-2-One-5'-O-DMTr-3'-CEP; Zebularine CEP	ANP-8611	76
2'-O-TBDMS-ribopyridine-2-One-5'-O-DMTr-3'-Icaa CPG; Zebularine CPG	N-9020-05/10	74
2'-O-TBDMS-ribothymidine-5'-O-DMTr-3'-CEP	ANP-7511	74
2'-O-TBDMS-ribothymidine-5'-O-DMTr-3'-Icaa CPG	N-8477-05/10	74
2'-O-TBDMS-ribouridine-3'-O-DMTr-5'-CEP	ANP-3404	67
2'-O-TBDMS-ribouridine-3'-O-DMTr-5'-Icaa CPG	N-6204-05/10	67
2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-CEP	ANP-5674	57
2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-Icaa CPG	N-6104-05/10/20	58
2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-Icaa CPG	N-P6104-05/10	60
2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-succinyl Polymeric Support	N-6214-03	64
2'-O-TBDMS-ribouridine-5'-O-MMTr-3'-CEP	ANP-5688	57
2'-O-TOM-riboadenosine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-3201	69
2'-O-TOM-riboadenosine (<i>N</i> -Ac)-5'-O-DMTr-3'-Icaa CPG	N-3201-05/10	69
2'-O-TOM-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-3202	69
2'-O-TOM-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-3'-Icaa CPG	N-3202-05/10	69
2'-O-TOM-riboguanosine (<i>N</i> -Ac)-5'-O-DMTr-3'-CEP	ANP-3203	69
2'-O-TOM-riboguanosine (<i>N</i> -Ac)-5'-O-DMTr-3'-Icaa CPG	N-3203-05/10	69
2'-O-TOM-ribouridine-5'-O-DMTr-3'-CEP	ANP-3204	69
2'-O-TOM-ribouridine-5'-O-DMTr-3'-Icaa CPG	N-3205-05/10	69
2'-O-Trifluoroacetamidopropyl-deoxycytidine (<i>N</i> -Bz)-5'-O-DMTr-3'-CEP	ANP-7116	31
2'-O-Trifluoroacetamidopropyl-deoxyuridine-5'-O-DMTr-3'-CEP	ANP-7115	31
2-Thio-2'-deoxyuridine-5'-O-DMTr-3'-CEP	ANP-9214	27
2-Thio-2'-deoxyuridine-5'-O-DMTr-3'-Icaa CPG	N-9510-05/10	27
2-Thio-thymidine-5'-O-DMTr-3'-CEP	ANP-9213	27
2-Thio-thymidine-5'-O-DMTr-3'-Icaa CPG	N-9509-05/10	27
2-Thio-2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-CEP	ANP-9216	76
2'-Thymidine-3'-O-{ <i>P</i> -(=O)(CNEt)}-(5'',3')-2''-deoxyadenosine (<i>N</i> -Bz)-5'-O-DMTr-3''-CEP Dimer	ANP-2513-CE	13
2'-Thymidine-3'-O-{ <i>P</i> -(=O)(CNEt)}-(5'',3')-2''-deoxycytidine (<i>N</i> -Bz)-5'-O-DMTr-3''-CEP Dimer	ANP-2514-CE	13
2'-Thymidine-3'-O-{ <i>P</i> -(=O)(CNEt)}-(5'',3')-2''-deoxyguanosine (<i>N</i> -Bz)-5'-O-DMTr-3''-CEP Dimer	ANP-2515-CE	13
2'-Thymidine-3'-O-{ <i>P</i> -(=O)(CNEt)}-(5'',3')-2''-thymidine-5'-O-DMTr-3''-CEP Dimer	ANP-2516-CE	13
3'-(<i>H</i>)-Thymidine-5'-O-DMTr-3'-phosphonate TEA salt	ANP-3413	14
3'-O-TBDMS-5'-O-DMTr-riboadenosine (<i>N</i> -Bz)	PM-5861	175
3'-O-TBDMS-5'-O-DMTr-ribocytidine (<i>N</i> -Bz)	PM-5862	175
3'-O-TBDMS-5'-O-DMTr-riboguanosine (<i>N</i> -iBu)	PM-5863	175
3'-O-TBDMS-5'-O-DMTr-ribouridine	PM-5864	175
3'-O-TBDMS-5'-O-DMTr-Cytidine (<i>N</i> -Ac)	PM-5866	175
3'-O-TBDMS-riboadenosine (<i>N</i> -Bz)-5'-O-DMTr-2'-CEP	ANP-5681	72
3'-O-TBDMS-ribocytidine (<i>N</i> -Ac)-5'-O-DMTr-2'-CEP	ANP-5686	72
3'-O-TBDMS-ribocytidine (<i>N</i> -Bz)-5'-O-DMTr-2'-CEP	ANP-5682	72
3'-O-TBDMS-riboguanosine (<i>N</i> -iBu)-5'-O-DMTr-2'-CEP	ANP-5683	72

Product Name :	Catalog#	Page#
3'-O-TBDMS-riboinosine-5'-O-DMTr-2'-CEP	ANP-5687	72
3'-O-TBDMS-ribouridine-5'-O-DMTr-2'-CEP	ANP-5684	72
3'-Thiol-modifiers-C3-S-S CPG; 3'-Thiol Modifier C3 Disulfide Icaa CPG	N-9976-05/10	126
4-Thio (cyanoethyl)-2'-deoxyuridine-5'-O-DMTr-3'-CEP	ANP-7624	27
4-Thio (cyanoethyl)-thymidine-5'-O-DMTr-3'-CEP	ANP-6414	27
4-Thio-2'-deoxyuridine	DN-1263	145
4-Thio-2'-deoxyuridine-5'-O-DMTr-3'-Icaa CPG	N-9758-05/10	27
4-Thio-2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-CEP	ANP-8101	76
4'-Thio-ribouridine	RP-2304	150
4-Thio-thymidine	DN-1781	145
4-Thio-thymidine-5'-O-DMTr-3'-Icaa CPG	N-9925-05/10	27
4-Triazolyl-2'-deoxyuridine-5'-O-DMTr-3'-CEP	ANP-9211	43
4-Triazolyl-2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-CEP	ANP-9167	76
4-Triazolyl-thymidine-5'-O-DMTr-3'-CEP	ANP-9212	43
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboadenosine	RP-8871	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboadenosine (<i>N</i> -Bz)	PM-1928	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboadenosine (<i>N</i> -iBu)	PM-1921	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboadenosine (<i>N</i> -PAC)	PM-1922	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-ribocytidine	RP-8872	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-ribocytidine (<i>N</i> -Ac)	PM-1923	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-ribocytidine (<i>N</i> -iBu)	PM-1924	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboguanosine	RP-8873	159
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboguanosine (<i>N</i> -Ac)	PM-1926	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboguanosine (<i>N</i> -iBu)	PM-1927	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-riboguanosine (<i>N</i> -DMF)	PM-1925	162
5',3'-O-(1,1,3,3-Tetraisopropyl-1,3-disiloxanediyl)-ribouridine	RP-8874	159
5'-Thiol-C3-S-S Modifier	CLP-8409	127
5'-Tetramethylrhodamine CEP; 5'-TAMRA CEP	CLP-9066	137
5'-Thiol (trityl)-modifier-C6 CEP; 5'-Thiol Modifier-Hexyl-6-CEP	CLP-5888	126
5'-Thiol (trityl)-modifier-C6 CPG; 3'-Thiol Modifier-S-Trityl Icaa CPG	N-9978-05/10	126
5'-Thiol (trityl)-modifier-dC (<i>N</i> -Ac) CEP; 5'-S-Trityl-2' deoxy Cytidine CEP	CLP-8509	127
5'-Thiol-modifiers-C6 CEP; 1-Thiobenzoyl-hexanol-6 Cyanoethyl CEP	CLP-9773	127
6-Tetramethylrhodamine Supports & Columns; 6-TAMRA Supports & Columns	N-2255-05	137
6-Thio (cyanoethyl)-2'-deoxyguanosine (<i>N</i> -Ac)-5'-O-DMT-3'-CEP	ANP-7628	35
6-Thio-2'-deoxyguanosine	DN-1269	145
8-Thio-riboguanosine	RP-1190	150
<i>N</i> ³ -Thiobenzoyl-2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-CEP	ANP-7441	73
<i>N</i> ³ -Thiobenzoyl-2'-O-TBDMS-ribouridine-5'-O-DMTr-3'-Icaa CPG	N-9828-05/10	73
<i>N</i> ⁴ -6-Tetramethylrhodamine-cytidine-3'- Icaa CPG; <i>N</i> ⁴ -6-TAMRA Cytidine-3'- Icaa CPG	N-2145-05	137
TEG Cholesterol (Tetra Ethylene Glycol) CEP	CLP-2704	131
TEG Cholesterol (Tetra Ethylene Glycol) Phosphonate TEG Cholesterol (Tetra Ethylene Glycol) - <i>H</i> - Phosphonate TEA Salt	CLP-2705	131
Tetra-butyl-Ammonium-Fluoride (1M Sol in THF)	CSS-4356	91
Tetrachloro-fluorescein-Cyclohexyl CEP	CLP-1526	134
Tetrachloro-fluorescein-Phosphoramidite (TET),	CLP-9779	134
Thiol-modifier-C6-S-S CEP; 5'-Thiol C-6 Disulfide Modifier CEP	CLP-8506	126

[Remove Watermark Now](#)

DMT-1975
RN-1491
N-4000-05/10/
N-4501
N-4000-03

[illegible]

33 Industrial Way
Wilmington, MA 01887 USA
Tel: 978-694-4500
Fax: 978-694-4502
Toll Free: 800-762-9323
Email: info@chemgenes.com

www.chemgenes.com



33 Industrial Way
Wilmington, MA 01887 USA

Tel: 978-694-4500
Fax: 978-694-4502
Toll Free: 800-762-9323
Email: info@chemgenes.com

www.chemgenes.com

ChemGenes Corporation is now ISO 9001:2008 Certified Company