

SPECIFICATION

Ethanol(95)

for Medicine Test

REQUIREMENT	SPECIFICATION
* Appearance	Colorless clear liquid
Assay (C ₂ H ₅ OH)(by density)	94.8~95.8vol%
Density (20°C)	0.808~0.812g/ml
Residue after evaporation	max.0.001%(mass/mass)
Acidity (as CH ₃ COOH)	max.0.002%(mass/mass)
Alkalinity (as NH ₃)	max.1ppm(mass/mass)
Heavy metals (as Pb)	max.1ppm(mass/mass)
Aldehydes and ketones (as CH ₃ COCH ₃)	max.0.001%(mass/mass)
1-Butanol [CH ₃ (CH ₂) ₂ CH ₂ OH](GC)	max.0.005%(mass/mass)
1-Propanol (CH ₃ CH ₂ CH ₂ OH) (GC)	max.0.005%(mass/mass)
2-Propanol [(CH ₃) ₂ CHOH] (GC)	max.0.01%(mass/mass)
Methanol (CH ₃ OH) (GC)	max.0.02%(mass/mass)
3-Methyl-1-butanol [(CH ₃) ₂ CHCH ₂ CH ₂ OH] (GC)	max.0.004%(mass/mass)
Substances darkened by sulfuric acid	to pass test
Assay (USP-NF method)	94.9~96.0vol%
Assay (EP method)	95.1~96.9vol%
Appearance (EP method)	to pass test
Acidity or alkalinity (EP method)	to pass test
Relative density (EP method)	0.805~0.812
Absorbance (EP method)	-
Absorbance (240nm) (EP method)	max.0.40
Absorbance (250~260nm) (EP method)	max.0.30
Absorbance (270~340nm) (EP method)	max.0.10
Volatile impurities (EP method)	to pass test
Residue on evaporation (EP method)	max.25ppm m/v

JIS K 8102-2012

*:Additional test performed by Wako but not required by JIS