

90 × 210mm サイズ

FUJIFILM

Wako

Code No. 010-25401 (100 μ L)

**Anti Phosphorylated GAP-43 S96, Monoclonal Antibody
(18-10H-9H)**

**抗りん酸化GAP-43 S96, モノクローナル抗体
(18-10H-9H)**

Background

GAP-43 is a factor expressed highly in neuronal growth cones during development and axonal regeneration after injury¹⁾. Therefore it's a marker for developmental and regrowth neurons. GAP-43 in the neuron is hyper-phosphorylated at Ser96. Anti Phosphorylated GAP-43 S96, Monoclonal Antibody specifically reacts with GAP-43 phosphorylated at Ser96. Neurons are immunostained well by using Clone No.18-10H-9H.

Description

[Reactivity]	Reacts with GAP-43 phosphorylated at Ser96
[Antigen]	Synthetic peptide (CDAAPATpSPKAEE)
[Species cross reactivity]	Rat and Mouse (No cross-reactivity with Human and Monkey) (other species have not been tested)
[Clone No.]	18-10H-9H
[Host]	Mouse
[Isotype]	IgG ₁
[Purification]	Purified from hybridoma supernatant using protein A agarose
[Concentration]	1.1 ± 0.1 mg/mL
[Formulation]	1 × TBS (pH7.4) aqueous solution with 50% glycerol containing 0.05% sodium azide.

Applications

Western blot	1 : 1,000
Immunohistochemistry	1 : 1,000

Storage

Store at -20 °C.

Package

100 μ L

Reference

- 1) Biewenga, J.E., Schrama, L.H., Gispen WH., Acta Biochim Pol. 43 (2), 327, (1996)

FUJIFILM Wako Pure Chemical Corporation

1-2, Doshomachi 3-Chome, Chuo-Ku, Osaka 540-8605, Japan
Telephone : + 81-6-6203-3741
Facsimile : + 81-6-6201-5964
<http://www.wako-chem.co.jp>

FUJIFILM Wako Chemicals U.S.A. Corporation

1600 Bellwood Road
Richmond, VA 23237
U.S.A.
Telephone : + 1-804-271-7677
Facsimile : + 1-804-271-7791
<http://www.wakousa.com>

FUJIFILM Wako Chemicals Europe GmbH

Fuggerstrasse 12
D-41468 Neuss
Germany
Telephone : + 49-2131-3111-0
Facsimile : + 49-2131-311100
<http://www.wako-chemicals.de>

1802KA1