

安全データシート

発行日 2026/07/09

1. 化学品及び会社情報

製品名	Lithium carbonate (99.999%-Li) PURATREM
製品コード (製造元)	03-0800
製品コード (販売元)	—

供給者 富士フイルム和光純薬株式会社
大阪市中央区道修町三丁目1番2号
電話:06-6203-3741 FAX番号:06-6203-2029

緊急連絡電話番号 試薬営業本部西日本営業部 06-6203-3741 試薬営業本部東日本営業部 03-3270-8571

推奨用途 試験研究用

使用上の制限 推奨用途以外で使用する場合は専門家の判断を仰ぐこと。

2~14章

製造元SDS(翻訳・次頁以降)による。

15. 適用法令

国内法規

毒物及び劇物取締法

—

労働安全衛生法

名称等を表示すべき危険物及び有害物(法第57条)
名称等を通知すべき危険物及び有害物(法第57条の2)

労働安全衛生法 濃度基準値

物質名	8時間濃度基準値	短時間濃度基準値
該当成分なし	—	—

化学物質排出把握管理促進法
(PRTR法)

第1種指定化学物質(法第2条第2項、施行令第1条別表第1) No.668

化学名	CASRN	含量	該当法令
炭酸リチウム	554-13-2	100%	安衛法 名称等を通知すべき危険物及び有害物(法第57条の2) PRTR 第1種指定化学物質(法第2条第2項、施行令第1条別表第1)

16. その他の情報

引用文献および参照ホームページ等 供給者および日本法規(毒物及び劇物取締法、労働安全衛生法 法第57条の2、化学物質排出把握管理促進法(PRTR法))について本頁に記載します。
製品の詳細については次頁より製造元SDSを翻訳したものを記載します。

免責事項

和文SDSは、製造元SDSを機械翻訳したものであり、不自然な表現が含まれることがあります。
より正確な情報に関しては製造元の原文SDSでご確認願います。
記載内容は通常の取扱を対象としたものであって他の物質と組み合わせるなど特殊な取扱いをする場合は使用環境に適した安全対策を実施の上ご利用ください。改訂日における最新の情報に基づいて作成されておりますが、すべての情報を網羅しているものではありませんので新たな情報を入手した場合には追加又は訂正されることがあります。また、安全な取扱い等に関する情報提供を目的としておりますので物性値や危険有害性情報などは製品規格書等とは異なりいかなる保証をなすものではありません。全ての製品にはまだ知られていない危険性を有する可能性がありますので取り扱いには十分ご注意ください。

以上

安全データシート
OSHA HCSに基づく

印刷日 2022年2月15日

2022年2月9日改訂

1 識別情報

- ・製品名
- ・商品名：炭酸リチウム（Li含有率99.999%）PURATREM
- ・品番：03-0800
- ・CAS番号：
554-13-2
- ・EC番号：
209-062-5
- ・安全データシートの供給者の詳細
- ・製造者／供給者：
Strem Chemicals, Inc.
7 Mulliken Way
ニューベリーポート、マサチューセッツ州 01950
米国
info@strem.com
- ・情報部門：技術部
- ・緊急連絡先：
緊急時：CHEMTREC：+1 (800) 424-9300
通常の営業時間中：+1 (978) 499-1600

2 危険有害性の要約

・物質又は混合物の分類



GHS07

急性毒性 4 H302 飲み込むと有害。
急性毒性 4 H332 吸入すると有害。
眼刺激性 2A H319 強い眼刺激を引き起こす。

・ラベル要素

・GHSラベル要素

この単一物質は、世界調和システム（GHS）に従って分類および表示されています。

・危険性絵表示



GHS07

・注意喚起語「警告」

・表示における危険性を決定する成分：

炭酸リチウム

・危険性表示

H302+H332 飲み込むと有害です。また、吸入した場合も有害です。 強い眼刺激。

・安全注意事項

P262 眼、皮膚、衣類につけないこと

P280 保護手袋、保護衣、保護眼鏡、保護面を着用すること

P305+P351+P338 眼に入った場合：水で数分間注意深く洗うこと。コンタクトレンズを着用している場合は、外してください、かつ容易に外せる場合は外してください。洗い流しを続けてください。

P304+P340 吸入した場合：新鮮な空気のある場所に移動させ、呼吸しやすい姿勢を保たせる。

(2ページに続く)

安全データシート OSHA HCSに基づく

作成日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（Li含有率99.999%）PURATREM

(1ページからの続き)

P403+P233 換気のよい場所で保管すること。容器を密閉しておくこと。
P501 内容物および容器は、地方・地域・国・国際的な
規制に従って処分すること。

・分類体系：
・NFPA 評価（0～4のスケール）



・HMIS評価（0～4の尺度）



・その他の危険性
・PBTおよびvPvB評価の結果
・PBT：該当なし。
・vPvB：該当なし。

3 組成及び成分情報

・化学的特性：単一物質
・CAS番号 説明
554-13-2 炭酸リチウム
・識別番号
・EC番号：209-062-5

4 応急措置

・応急措置の説明
・一般的な情報：
中毒の症状は数時間経ってから現れることもあるため、事故発生後少なくとも48時間は。
・吸入後の対応：
新鮮な空気を供給してください。必要に応じて、人工呼吸を行ってください。患者の体を温めてください。症状が続く場合は、医師に相談してください。
意識がない場合は、搬送のために患者を安定した横向き姿勢にさせてください。
・皮膚に付着した場合：一般的に、本製品は皮膚に刺激性はありません。
・眼に入った場合：
目を開けた状態で、流水の下で数分間洗い流してください。症状が続く場合は、医師に相談してください。
・誤飲した場合：直ちに医師に連絡してください。
・医師への情報：
・急性および遅発性の主な症状および影響 これ以外の関連情報は入手できません。
・直ちに医師の診察や特別な治療が必要となる場合の指針
これ以外の関連情報は入手できません。

5 火災時の措置

・消火剤
・適切な消火剤：周囲の状況に適した火災時の措置を使用してください。

(3ページに続く)

安全データシート OSHA HCSに基づく

印刷日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（Li含有率99.999%）PURATREM

(2ページからの続き)

- ・当該単一物質または混合物から生じる特別な危険性 これ以外の関連情報は入手できません。
- ・消防隊員への助言
- ・保護具：口用呼吸用保護具。

6 漏出時の措置

- ・人体に対する注意事項、保護具及び緊急時の対応：不要。
- ・環境に対する注意事項：特別な措置は不要。
- ・封じ込めおよび清掃の方法および資材：
汚染物質は、項目13に従って廃棄物として処分すること。
十分な換気を確保すること。
- ・他の項への参照
安全な取扱いに関する情報については、第7節を参照してください。
保護具に関する情報については、第8節を参照のこと。
廃棄に関する情報については、第13項を参照してください。
- ・化学物質に対する防護措置基準

・ PAC-1:	
	3.1 mg/m ³
・ PAC-2:	
	34 mg/m ³
・ PAC-3:	
	210 mg/m ³

7 取扱い及び保管上の注意

- ・取扱い：
・安全な取扱いに関する注意事項
徹底した除塵。
作業場では十分な換気・排気を確保すること。
- ・爆発および火災防止に関する情報：特別な措置は不要。
- ・安全な保管条件（不適合物質を含む）
- ・保管：
・保管室および容器の要件：特別な要件はない。
- ・共通の保管施設での保管に関する情報：食品から離して保管すること。
- ・保管条件に関する追加情報：容器を密閉して保管すること。
- ・特定の最終用途：これ以外の関連情報は入手できません。

8 ばく露防止及び保護措置

- ・技術システムの設計に関する追加情報： これ以外のデータはありません。項目7を参照してください
- ・制御パラメータ
- ・職場での監視が必要な限界値のある成分：不要。
- ・補足情報：作成時に有効であったリストを使用して作成されています。
- ・曝露管理
- ・保護具：
- ・一般的な保護および衛生対策：
食品、飲料、飼料から遠ざけてください。
汚れた衣服や汚染された衣服は直ちに脱ぐこと。

(4ページに続く)

印刷日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（Li含有率99.999%）PURATREM

（3ページからの続き）

休憩前および作業終了時には手を洗ってください。

目に入らないようにしてください。

目や皮膚への接触を避けてください。

・呼吸用保護具：29 CFR 1910.134 に準拠した NIOSH 認定の呼吸用保護具。

・手の保護具：



保護手袋

手袋の材質は、不浸透性であり、当該製品／単一物質／調剤に対して耐性があるものでなければならない。

試験結果が不足しているため、当該製品／製剤／

化学混合物について、推奨を行うことはできません。

浸透時間、拡散速度、および劣化を

・手袋の材質

適切な手袋の選定は、素材だけでなく、その他の品質指標にも依存し、

製造者ごとに異なります。

・手袋素材の貫通時間

正確な貫通時間は、保護手袋の製造者が特定し、かつ

遵守しなければなりません。

・眼の保護具：



密閉性の高いゴーグル

9 物理的及び化学的性質

・基本的な物理的及び化学的性質に関する情報

・一般情報

・性状：

物理状態： 粉末

色： 白

・臭い： 無臭

・臭い閾値： 未定。

・pH値： 該当なし。

・状態の変化

融点／融点範囲： 723 °C (1333 °F)

沸点／沸点範囲： 1,310 °C (34 °F)

・引火点： 該当なし。

・可燃性（固体、気体）： 未定。

・着火温度：

分解温度： 未定。

・自然発火性： 未確定。

・爆発の危険性： 本製品には爆発の危険性はありません。

・爆発限界：

下限： 未定。

（5ページに続く）

安全データシート
OSHA HCSに基づく

印刷日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（99.999% - Li）PURATREM

(4ページからの続き)

上限:	未定。
・蒸気圧:	該当なし。
・20 °C (68 °F) における密度:	2.11 g/cm ³ (17.60795 ポンド/ガロン)
・相対密度	未測定。
・蒸気密度	該当なし。
・蒸発速度	該当なし。
・水への溶解度/水との混和性 水への溶解度/水との混和性:	不溶。
・分配係数 (n-オクタノール/水):	未測定。
・粘度:	
動粘度:	該当なし。
動粘度:	該当なし。
・溶剤含有量:	
有機溶剤:	0.0 %
揮発性有機化合物含有量:	0.0 g/l / 0.00 lb/gl
固形分含有量:	100.0 %
・その他の情報	これ以外の関連情報はございません。

10 安定性及び反応性

- ・反応性 これ以外の関連情報は入手できません。
- ・化学的安定性
- ・熱分解/回避すべき条件: 仕様に従って使用すれば分解は起こらない。
- ・危険な反応の可能性: 危険な反応は知られていない。
- ・避けるべき条件: これ以外の関連情報は入手できません。
- ・不適合物質: これに関する情報は入手できません。
- ・危険な分解生成物: 危険な分解生成物は知られていない。

11 有害性情報

- ・毒性作用に関する情報
- ・急性毒性:

・分類に関連するLD/LC50値:
554-13-2 炭酸リチウム
経口LD50 525 mg/kg (ラット)

- ・一次刺激作用:
- ・皮膚に付着した場合: 無刺激。
- ・眼に対する影響: 刺激性あり。
- ・感作性: 感作作用は知られていない。
- ・その他の有害性情報:

- ・発がん性分類

・IARC (国際がん研究機関)
当該単一物質は未掲載。
・NTP (米国国立毒性学プログラム)
当該単一物質は未掲載。

(6ページに続く)

安全データシート OSHA HCSに基づく

印刷日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（Li含有率99.999%）PURATREM

(5ページからの続き)

・OSHA-Ca（労働安全衛生局）

当該単一物質はリストに記載されていません。

12 環境影響情報

- ・毒性
- ・水生毒性：これに関する追加情報は入手できません。
- ・残留性および分解性：関連する情報は入手できませんでした。
- ・環境系における挙動：
- ・生物蓄積性：関連する情報は入手できませんでした。
- ・土壌中での移動性：関連する情報は入手できませんでした。
- ・その他の環境影響情報：
- ・一般的な注意事項：水に対する有害性は確認されていない。
- ・PBTおよびvPvB評価の結果
- ・PBT：該当なし。
- ・vPvB：該当なし。
- ・その他の有害作用：これ以外の関連情報は入手できません。

13 廃棄上の注意

- ・廃棄物の処理方法
- ・推奨事項：
一般家庭ごみと一緒に廃棄してはなりません。製品が下水道に流入しないようにしてください。
- ・洗浄されていない梱包：
- ・推奨事項：公的規制に従って処分してください。

14 輸送上の注意

- | | |
|---|-------|
| ・国連番号 | |
| ・DOT、ADN(国際航空運送協会)、IMDG(海上)、IATA(航空) | 規制対象外 |
| ・国連正式品名 | |
| ・DOT、ADN、IMDG(海上)、IATA(航空) | 規制対象外 |
| ・輸送危険有害性クラス | |
| ・DOT、ADN(国際航空運送協会)、IMDG(海上)、IATA | |
| ・区分 | 規制対象外 |
| ・容器等級 | |
| ・DOT、IMDG(海上)、IATA(航空) | 規制対象外 |
| ・環境への危険性： | |
| ・海洋汚染物質： | なし |
| ・使用者への特別な注意事項 | 該当なし。 |
| ・MARPOL73/78の附属書IIおよび
MARPOL73/78およびIBCコードに基づくばら積み輸送 | 該当なし。 |
| ・国連「モデル規則」： | 規制対象外 |

米国

(7ページに続く)

安全データシート
OSHA HCSに基づく

作成日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（Li含有率99.999%）PURATREM

(6ページからの続き)

15 適用法令

・当該単一物質または混合物に固有の安全、健康および環境に関する規制／法令

・サラ

・第355条（極めて有害な単一物質）：

当該単一物質は収載されていない。

・第313条（特定の有毒化学物質の指定）：

当該単一物質はリストに掲載されています。

・TSCA（有害物質規制法）：

当該単一物質は指定されている。

・プロポジション65に関する警告。プロポジション65 - <https://www.p65warnings.ca.gov/>

・発がん性が確認されている化学物質：

当該単一物質は収載されていません。

・女性の生殖毒性を引き起こすことが知られている化学物質：

未収載の単一物質があります

・雄に対して生殖毒性を引き起こすことが知られている化学物質：

未収載の単一物質があります

・発毒性を引き起こすことが知られている化学物質：

当該単一物質はリストに掲載されています。

・発がん性分類

・EPA（環境保護庁）

当該単一物質はリストに掲載されていません。

・TLV（ACGIHが定めた許容濃度）

当該単一物質はリストに載っていません。

・NIOSH-Ca（米国労働安全衛生研究所）

当該単一物質は未収載です。

・GHSラベルの構成要素

当該単一物質は、世界調和システム（GHS）に基づき分類および表示されています。

・危険性絵表示



GHS07

・注意喚起語「警告」

・表示における危険性を決定する成分：

炭酸リチウム

・危険性表示

H302+H332 飲み込むと有害です。また、吸入した場合も有害です。

H319 強い眼刺激。

・予防措置

P262 眼、皮膚、衣類につけないこと

P280 保護手袋、保護衣、保護眼鏡、保護面を着用すること

P305+P351+P338 眼に入った場合：水で数分間注意深く洗うこと。コンタクトレンズを着用している場合は、取り外し、かつ容易に外せる場合は外す。洗い流しを続ける。

P304+P340 吸入した場合：新鮮な空気の場所へ移動させ、呼吸しやすい姿勢をとらせる。

(8ページに続く)

印刷日 2022年2月15日

2022年2月9日改訂

商品名：炭酸リチウム（99.999% - Li）PURATREM

（7ページの続き）

P403+P233 換気のよい場所で保管すること。容器を密閉しておくこと。
P501 内容物および容器は、地方・地域・国・国際の
規制に従って処分してください。
・化学物質安全性評価：化学物質安全性評価は実施されていません。

16 その他の情報

本情報は、当社の現時点での知見に基づいています。ただし、これは特定のものではありません。
特定の製品特性に対する保証を構成するものではなく、また、法的に有効な契約関係を成立させるものでもありません。

・SDSの発行部門：技術部。

・連絡先：技術部長

・作成日／最終改訂日 2022年2月15日／-

・略語および頭字語：

ADR：Accord européen sur le transport des marchandises dangereuses par Route（欧州道路危険物輸送協定

Carriage of Dangerous Goods by Road）

IMDG(海上)：国際海上危険物規則

DOT：米国運輸省

IATA(航空)：国際航空運送協会

ACGIH：米国政府産業衛生専門家会議

EINECS：欧州既存商業用単一物質目録

CAS：ケミカル・アブストラクツ・サービス（米国化学会の部門）

NFPA：全米防火協会（米国）

HMIS：有害物質識別システム（米国）

揮発性有機化合物：揮発性有機化合物（米国、EU）

LC50：致死濃度（50%）

LD50：致死量（50%）

PBT：難分解性、生物蓄積性、および毒性

vPvB：極めて難分解性かつ極めて生物蓄積性

NIOSH：国立労働安全衛生研究所

OSHA：労働安全衛生局

TLV：閾値限界値

PEL：許容ばく露限界

REL：推奨ばく露限界値

急性毒性 4：急性毒性－区分4

眼刺激性 2A：眼に対する重篤な損傷性／眼刺激性－区分2A

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

1 Identification

- **Product name**
- **Trade name:** Lithium carbonate (99.999%-Li) PURATREM
- **Item number:** 03-0800
- **CAS Number:**
554-13-2
- **EC number:**
209-062-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Strem Chemicals, Inc.
7 Mulliken Way
NEWBURYPORT, MA 01950
USA
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**
EMERGENCY: CHEMTREC: +1 (800) 424-9300
During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H332 Harmful if inhaled.
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
lithium carbonate
- **Hazard statements**
H302+H332 Harmful if swallowed or if inhaled.
H319 Causes serious eye irritation.
- **Precautionary statements**
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 1)

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *2

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

554-13-2 lithium carbonate

· **Identification number(s)**

· **EC number:** 209-062-5

4 First-aid measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Immediately call a doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 3)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

3.1 mg/m3

· **PAC-2:**

34 mg/m3

· **PAC-3:**

210 mg/m3

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Color: White

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: 723 °C (1333 °F)

Boiling point/Boiling range: 1.310 °C (34 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

(Contd. on page 5)

US

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 4)

Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.11 g/cm ³ (17.60795 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
· Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

554-13-2 lithium carbonate

Oral LD50 525 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

(Contd. on page 6)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 5)

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

US

(Contd. on page 7)

Safety Data Sheet
according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 6)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65 WARNING.** Proposition 65 - <https://www.p65warnings.ca.gov/>

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

lithium carbonate

· **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H319 Causes serious eye irritation.

· **Precautionary statements**

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 8)

Safety Data Sheet according to OSHA HCS

Printing date 02/15/2022

Reviewed on 02/09/2022

Trade name: Lithium carbonate (99.999%-Li) PURATREM

(Contd. of page 7)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department.

· **Contact:** Technical Director

· **Date of preparation / last revision** 02/15/2022 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A