



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 06-Jan-2023 Revision Number 2.03

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Acetyl Bromide
Product Code	014-00543,018-00546
Manufacturer	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741
	Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses and	For research use only
restrictions on use	

### Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure) Category 3 Respiratory irritation Acute aquatic toxicity Chronic aquatic toxicity

Category 2 Category 2 Category 2A Category 3

Category 3 Category 3

Pictograms



#### Signal word

Danger

#### Hazard statements

- H225 Highly flammable liquid and vapor
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H412 Harmful to aquatic life with long lasting effects
- H402 Harmful to aquatic life

#### **Precautionary statements-(Prevention)**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

- · Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

#### **Precautionary statements-(Response)**

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- · If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- · In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary statements-(Storage)

· Store in a well-ventilated place. Keep container tightly closed

- Store locked up
- **Precautionary statements-(Disposal)** 
  - · Dispose of contents/container to an approved waste disposal plant

### Others

Other hazards

Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

#### CH3COBr

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Acetyl bromide	98.0	122.95	(9)-17	*	506-96-7
Note on ISHL No.:	* in the	table means announ	ced chemical substa	inces.	·

\* in the table means announced chemical substances.

Impurities and/or Additives:

Not applicable

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Indestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Extinguishing powder, DRY sand

#### Unsuitable extinguishing media

#### Do not use straight streams

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

#### No information available

#### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

### No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Make a seal or plug immediately after use, as it decomposes by moisture. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions Storage conditions	Keep container protect from light and tightly closed in well ventilated cool place under 25°C Packed with an inert gas.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents, Water

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection General hygiene considerations gas mask for organic gas Impermeable protective gloves protective eyeglasses or chemical safety goggles Long-sleeved work clothes

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	Colorless - yellow brown
Turbidity	clear
Appearance	liquid
Odor	Pungent odor
Melting point/freezing point	-96.5 °C
Boiling point, initial boiling point and boiling range	76 °C
Flammability	Highly flammable liquid and vapor
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or	
explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	15 °C
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water , Alcohols : Decomposed by reacting violently . ether ,
	chloroform : miscible .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.65 g/m L (20 °C)
Vapour density	4.3(Air=1)
Particle characteristics	no data available

### Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

 Incompatible materials
 Strong oxidizing agents, Water

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Halides

### Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Acetyl bromide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, ,	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Acetyl bromide	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Acetyl bromide	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Acetyl bromide	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Acetyl bromide	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Acetyl bromide	Based on the NITE GHS classification results.	

### Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Acetyl bromide	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Acetyl bromide	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Acetyl bromide	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Acetyl bromide	Based on the NITE GHS classification results.

### Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetyl bromide	N/A	LC50 : Pimephales promelas	N/A
		40.6 mg/L 96 h	

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification results.

#### Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer

No information available No information available No information available No information available

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Section 14: TRANSPORT INFORMATION

#### ADR/RID

UN number	UN1716
Proper shipping name:	Acetyl bromide
UN classfication	8
Subsidiary hazard class	
Packing group	11
Marine pollutant	Not applicable
IMDG	
UN number	UN1716
Proper shipping name:	Acetyl bromide
UN classfication	8
Subsidiary hazard class	
Packing group	II
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
UN number	UN1716
Proper shipping name:	Acetyl bromide
UN classfication	8
Subsidiary hazard class	0
	Ш
Packing group	
Environmentally Hazardous	Not applicable
Substance	

## Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA	Listed Listed
<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law Industrial Safety and Health Ac	Category IV, Class I petroleums, dangerous grade 2 Not applicable tDangerous Substances - Flammable Substance (Enforcement Order Attached Table 1
Regulations for the carriage and storage of dangerous goods in ship	Item 4) Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (~2023.3.31)	Not applicable
Pollutant Release and Transfer Register Law (2023/4/1~)	Not applicable
Export Trade Control Order	Not applicable
Section 16: OTHER INFORMATION	
Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

#### End of Safety Data Sheet