



Allyl Acetate

SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 26-Jan-2023

Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Allyl Acetate
Product Code	011-01332
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964 **Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and

+81-6-6203-3741 / +81-3-3270-8571

For research use only

Section 2: HAZARDS IDENTIFICATION

GHS classification

restrictions on use

Classification of the substance or mixture

Self-reactive substances and mixturesType GFlammable liquidsCategory 2Acute toxicity - OralCategory 3Acute toxicity - Inhalation (Vapors)Category 2Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2Specific target organ toxicity (repeated exposure)Category 2

Category 2 bone marrow, lymph system

Pictograms



Hazard statements

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H301 - Toxic if swallowed

H330 - Fatal if inhaled

H373 - May cause damage to the following organs through prolonged or repeated exposure: bone marrow, lymph system

Precautionary statements-(Prevention)

- Do not eat, drink or smoke when using this product
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements-(Response)

- Get medical advice/attention if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3COOCH2CH:CH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Allyl acetate	97.0	100.12	(2)-759	*	591-87-7
			(2)-733		
			(2)-730		

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas Hand protection Impermeable protective gloves

protective eyeglasses or chemical safety goggles Eye protection

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color colorless **Turbidity** clear **Appearance** liquid

characteristic odor Odor

Melting point/freezing point -96 °C Boiling point, initial boiling point and boiling range 104 °C

Highly flammable liquid and vapor **Flammability**

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

no data available Upper: no data available Lower:

Flash point 14 °C

no data available **Auto-ignition temperature: Decomposition temperature:** no data available no data available pН no data available Viscosity (coefficient of viscosity)

Dynamic viscosity no data available

Solubilities Ethanol, acetone: freely soluble. water: practically

insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 0.927 - 0.932 g/mL 3.45 (air = 1)Vapour density

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

- to account of					
	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
	Allyl acetate	130 mg/kg (Rat)	1021 mg/kg (Rabbit)	1000 ppm (Rat) 1 h	

STOT -repeated exposure- source information

Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Allyl acetate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chemical Name Allyl acetate		source information	
	vapor- source information	source information Based on the NITE GHS	source information

Skin irritation/corrosion

Chemical Name Skin corrosion/irritation source inform		
Allyl acetate	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Allyl acetate	Based on the NITE GHS classification results.	
Respiratory or skin sensitization	·	
Chemical Name	Respiratory or Skin sensitization source information	
Allyl acetate	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity	•	
Chemical Name	germ cell mutagencity source information	
Allyl acetate	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Allyl acetate	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information		
Allyl acetate	Based on the NITE GHS classification results.		
STOT-single exposure			
Chamical Name	STOT single synastyne source information		
Chemical Name	STOT -single exposure- source information		
Allyl acetate	Based on the NITE GHS classification results.		

Chemical Name

Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Allyl acetate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Allyl acetate

Other data

Other	Other data			
	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
		aquatic environment source	aquatic environment source	
		information	information	
	Allyl acetate	Based on the NITE GHS classification	Based on the NITE GHS classification	
		results.	results.	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2333
Proper shipping name: Allyl acetate

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant Not applicable

IMDG

UN number UN2333
Proper shipping name: Allyl acetate

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2333
Proper shipping name: Allyl acetate

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage

and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

Not applicable

Register Law (2023/4/1~)

Export Trade Control Order

Not applicable

Section 16: OTHER INFORMATION

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN)

sources for data etc. http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet