



Pentyl Acetate

SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 08-May-2023

Revision Number 4.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Pentyl Acetate | |
|----------------------------|----------------------------------------------------------------------------|--|
| Product Code | 018-03623,012-03626 | |
| No. of the second | FILLIEU M.W. L. D Ol i I.O i' | |
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation | |
| | 1-2 Doshomachi 3-Chome | |
| | Chuo-ku, Osaka 540-8605, Japan | |
| | Phone: +81-6-6203-3741 | |
| | Fax: +81-6-6203-5964 | |
| Supplier | FUJIFILM Wako Pure Chemical Corporation | |
| • • | 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan | |
| | Phone: +81-6-6203-3741 | |
| | Fax: +81-6-6203-2029 | |
| Emergency telephone number | +81-6-6203-3741 / +81-3-3270-8571 | |
| Recommended uses | For research use only | |
| Restrictions on use | Seek expert judgment when using for purposes other than those recommended. | |

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 2

Serious eye damage/eye irritation

Category 2B

Specific target organ toxicity (single exposure)

Category 3

Category 3 Respiratory irritation, Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1

Category 1 optic nerve

Acute aquatic toxicity

Category 3

Pictograms







Signal word

Danger

Hazard statements

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

H372 - Causes damage to the following organs through prolonged or repeated exposure: optic nerve

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling

- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary statements-(Response)

- Get medical advice/attention if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3COO(CH2)4CH3

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|----------------|----------|------------------|---------|----------|----------|
| Pentyl acetate | 97.0 | 130.18 | (2)-733 | * | 628-63-7 |

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|----------------|----------------------------------|------------------|---------------|
| Pentyl acetate | Ceiling: 100 ppm | ISHL/ACL: 50 ppm | STEL: 100 ppm |
| 628-63-7 | Ceiling: 532.5 mg/m ³ | | TWA: 50 ppm |
| | TWA: 50 ppm OEL | | |
| | TWA: 266.3 mg/m ³ OEL | | |
| | ISHL/ACL: 50 ppm | | |

Personal protective equipment

gas mask for organic gas (JIS T 8152) Respiratory protection Hand protection chemical protective gloves (JIS T 8116) Eye protection protective eyeglasses or chemical safety goggles

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color colorless **Turbidity** clear **Appearance** liquid

Odor characteristic odor

Melting point/freezing point -71 °C Boiling point, initial boiling point and boiling range 148 °C

Flammability Flammable liquid and vapor

Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

7.5 vol% Upper: 1.1 vol% Lower: 45 °C Flash point 375 °C **Auto-ignition temperature:**

Decomposition temperature: no data available рΗ no data available no data available Viscosity (coefficient of viscosity) Dynamic viscosity no data available

Solubilities Ethanol: Very soluble. water: slightly soluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available Specific Gravity / Relative density 0.874 - 0.880 g/mL Vapour density 4.49 (Air=1)

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

| - | | | | | | | |
|---|--------|-----|-----|--------|----|--------|-----|
| Л | \sim | 111 | n 1 | \sim | VI | \sim | ίtν |
| _ | • | uu | 5 L | · | ΛI | u | LV |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------|--------------------|---------------------------|-----------------|
| Pentyl acetate | 6500 mg/kg (Rat) | 8359 mg/kg (Rabbit, male) | N/A |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|----------------|------------------------------------------|--------------------------------------------|-------------------------------------------------------|
| Pentyl acetate | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| · | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|-----------------|------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| . city, acctate | | | Based on the NITE GHS classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|--------------------------------|-----------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |
| Serious eve damage/ irritation | |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|----------------|--------------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|----------------|------------------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |
| | · |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|----------------|-----------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |
| | |

Carcinogenicity

| Chemical Name | Carcinogenicity source information |
|----------------|-----------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information | |
|----------------|-----------------------------------------------|--|
| Pentyl acetate | Based on the NITE GHS classification results. | |
| | | |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information |
|----------------|-----------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information |
|----------------|-----------------------------------------------|
| Pentyl acetate | Based on the NITE GHS classification results. |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information | |
|----------------|-----------------------------------------------|--|
| Pentyl acetate | Based on the NITE GHS classification results. | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| | Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|----------------|----------------------|-----------------------|-----------|
| Γ | Pentyl acetate | N/A | LC50 : Artemia salina | N/A |
| | • | | 53000 ua/L 24 h | |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source | Long-term (chronic) hazardous to the aquatic environment source | |
|----------------|----------------------------------------------------------------|-----------------------------------------------------------------|--|
| | aquatic environment source | aquatic environment source | |
| | information | information | |
| Pentyl acetate | Based on the NITE GHS classification | Based on the NITE GHS classification | |
| | results. | results. | |

Persistence and degradability Bioaccumulative potential

Mobility in soil

Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1104 Proper shipping name: Amyl acetates

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1104
Proper shipping name: Amyl acetates

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1104 Proper shipping name: UN1104 Amyl acetates

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.184

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Working Environment Evaluation Standards, Administrative Control Levels (Law

Art.65-2, Para.1)

Regulations for the carriage and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|-------------------------------------|-----------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------|
| Pentyl acetate 628-63-7 (97.0) | - | Applicable | - |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet