



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 3.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Aluminium Chloride
Product Code 011-12322,015-12325,013-12321	
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
Emergency telephone number	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Skin corrosion/irritation Serious eye damage/eye irritation Germ cell mutagenicity Reproductive Toxicity Specific target organ toxicity (repeated exposure) Category 2 nervous system Acute aquatic toxicity Chronic aquatic toxicity

Category 4 Category 1 Category 2 Category 2 Category 2

Category 1 Category 1

Pictograms



Signal word

Danger

Hazard statements

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H302 Harmful if swallowed
- H341 Suspected of causing genetic defects
- H361 Suspected of damaging fertility or the unborn child
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life
- H373 May cause damage to the following organs through prolonged or repeated exposure: nervous system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not eat, drink or smoke when using this product

- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Do NOT induce vomiting
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

AICI3

Formula

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Aluminium Chloride	98.0	133.34	(1)-12	*	7446-70-0
Note on ISHL No.:	on ISHL No.: * in the table means announced chemical substances.				

In the table means announced chemical substance

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

Do not use straight streams

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with alkaline substances. Possibility of hydrogen chloride generated by hydrolysis occurs. May be internal pressure of the container is increased. Wear safety glasses, protective gloves, etc. when you opening Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions	
Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Store locked up.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents, alkaline substances, Water

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Aluminium Chloride	N/A	N/A	TWA 2mg(AI)/m ³
7446-70-0			

Personal protective equipment Respiratory protection Hand protection Dust mask (JIS T 8151) Hand protection chemical protective gloves (JIS T 8116) Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147) Skin and body protection General hygiene considerations Long-sleeved work clothes Handle in accordance with good industrial hygiene and safety practice. Vin the media of 20 hermical Substantian (Structure)

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity Solubilities** n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

White - slightly yellow crystals - crystalline powder or mass Pungent odor no data available Strongly acidic (aq.) no data available no data available water : Decomposed . Alcohols , ether : soluble . no data available no data available 2 4 4 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light. Decomposed by the absorption of moisture.

 Hazardous reactions
 May be altered by light. Decomposed by the absorption of moisture.

 Hazardous reactions
 France

 None under normal processing
 France

 Conditions to avoid
 France

 Extremes of temperature and direct sunlight, Moisture
 Incompatible materials

 Strong oxidizing agents, alkaline substances, Water
 Hazardous decomposition products

 Hazardous decomposition products
 Metal oxides, Halides, Hydrogen chloride (HCI) gas

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminium Chloride	1100 mg/kg(Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Aluminium Chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Aluminium Chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Aluminium Chloride	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Aluminium Chloride	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Aluminium Chloride	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Aluminium Chloride	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Aluminium Chloride	Based on the NITE GHS classification results.	

Reproductive toxicity Reproductive toxicity source information **Chemical Name** Based on the NITE GHS classification results. Aluminium Chloride STOT-single exposure STOT -single exposure- source information **Chemical Name** Aluminium Chloride Based on the NITE GHS classification results. STOT-repeated exposure **Chemical Name** STOT -repeated exposure- source information Aluminium Chloride Based on the NITE GHS classification results. Aspiration hazard **Chemical Name** Aspiration Hazard source information Aluminium Chloride Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Aluminium Chloride	N/A	LC50 : Atlantic salmon	N/A
		0.37 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Aluminium Chloride	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN1726
Proper shipping name:	Aluminium chloride, anhydrous
UN classfication	8
Subsidiary hazard class	
Packing group	Ш
Marine pollutant	Yes
IMDG	
UN number	UN1726
Proper shipping name:	Aluminium chloride, anhydrous
UN classfication	8
Subsidiary hazard class	
Packing group	II
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN1726
Proper shipping name:	Aluminium chloride, anhydrous
UN classfication	8
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Yes
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations	
Fire Service Act	Firefighting Inhibitor
Poisonous and Deleterious	Deleterious Substances 3rd. Grade
Substances Control Law	
Industrial Safety and Health Ac	t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)
-	Notifiable Substances (Law Art.57-2)
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)
goods in ship	
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of
	Explosives etc., Attached Table 1)
Pollutant Release and Transfer	Not applicable
Register Law	
(2023.4.1-)	
Water Pollution Control Act	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Aluminium Chloride 7446-70-0 (98.0)	Applicable	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions Disclaimer	The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet