

SAFETY DATA SHEET

According to JIS Z 7253:2019

Issue Date 10-Apr-2025

Revision Number 2.08

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	7 Alkylphenol Mixture Standard Solution (each 100 µg/mL Dichloromethane Solution)
Product Code	016-18651

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Serious eye damage/eye irritation

Carcinogenicity

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Category 1 central nervous system, respiratory system

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1 central nervous system, liver, Male reproductive organ

Acute aquatic toxicity

Chronic aquatic toxicity

Category 4

Category 2

Category 2A

Category 1A

Category 2

Category 1, Category 3

Category 1

Category 3

Category 3

Pictograms



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

H336 - May cause drowsiness or dizziness

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

H370 - Causes damage to the following organs: central nervous system, respiratory system

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, liver, Male reproductive organ

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Wash face, hands and any exposed skin thoroughly after handling
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Dichloromethane	99.93	84.93	(2)-36	*	75-09-2
p-t-Butylphenol	0.010	150.22	(4)-57,(3)-503	*	98-54-4
p-n-Nonylphenol	0.010	N/A	N/A	N/A	N/A-01-1865-7
4-tert-Octylphenol	0.010	206.32	(3)-503	*	140-66-9
p-Pentylphenol	0.010	164.24	(3)-503	*	14938-35-3
4-Octylphenol	0.010	206.32	(3)-503	*	1806-26-4
p-Heptylphenol	0.010	192.30	(3)-503	*	1987-50-4
p-Hexylphenol	0.010	178.27	(3)-503	*	2446-69-7

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE**Handling****Technical measures**

Avoid contact with strong oxidizing agents. Avoid contact with strong bases. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage**Safe storage conditions****Storage conditions**

Container protected from light, and store tightly closed in freezer (-20°C). Packed with an inert gas.

Safe packaging material

Ampoule

Incompatible substances

Strong oxidizing agents, Strong bases

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Dichloromethane 75-09-2	50ppm, 170mg/m ³	ISHL/ACL: 50 ppm	TWA: 50 ppm

Personal protective equipment

Respiratory protection	Protective mask
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Data except for the appearance is described as a solvent.

Form

Color	colorless
Turbidity	clear
Appearance	liquid

Odor

characteristic odor

Melting point/freezing point

-97 °C

Boiling point, initial boiling point and boiling range

40 °C

Flammability

no data available

Evaporation rate:

no data available

Flammability (solid, gas):

no data available

Upper/lower flammability or explosive limits

Upper:

no data available

Lower:

no data available

Flash point

no data available

Auto-ignition temperature:

556 °C / 1033 °F

Decomposition temperature:

no data available

pH

no data available

Viscosity (coefficient of viscosity)

no data available

Dynamic viscosity

no data available

Solubilities

water : sparingly soluble . Diethyl ether , Ethanol : Very soluble.

n-Octanol/water partition coefficient:(log Pow)

1.25

Vapour pressure

47.4 kPa

Specific Gravity / Relative density

1.322 - 1.330

Vapour density

2.9 (air = 1)

Particle characteristics

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.
Hazardous reactions
 Reacts violently with bases, may cause fire or explosion.
Conditions to avoid
 Extremes of temperature and direct sunlight
Incompatible materials
 Strong oxidizing agents, Strong bases
Hazardous decomposition products
 Carbon monoxide (CO), Carbon dioxide (CO₂), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)

https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dichloromethane	2120 mg/kg (Rat, Male)	> 2000 mg/kg (Rat)	18,371 ppm (Rat) 4 h
p-t-Butylphenol	4000 mg/kg (Rat)	2318 mg/kg (Rabbit)	N/A
4-tert-Octylphenol	> 2000 mg/kg (Rat)	1880 mg/kg (Rabbit)	N/A
4-Octylphenol	1200 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Dichloromethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Dichloromethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.

4-Octylphenol	Based on the NITE GHS classification results.
---------------	---

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH
Dichloromethane 75-09-2	Reasonably Anticipated	Group 2A	A3	Group 2A

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Dichloromethane	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)

https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dichloromethane	EC50 : <i>Pseudokirchneriella subcapitata</i> >500 mg/L 96 h EC50 : <i>Pseudokirchneriella subcapitata</i> >500 mg/L 72 h	LC50 : <i>Pimephales promelas</i> 140.8 - 277.8 mg/L 96 h LC50 : <i>Pimephales promelas</i> 262 - 855 mg/L 96 h LC50 : <i>Lepomis macrochirus</i> 193 mg/L 96 h	LC50 : <i>Daphnia magna</i> 27 mg/L 48 h
p-t-Butylphenol	EC50 : <i>Desmodesmus subspicatus</i>	LC50 : <i>Pimephales promelas</i> 4.71 - 5.62 mg/L 96 h	LD50 / EC50 : <i>Crangon crangon</i>

	11.2 mg/L 72 h	LC50 : <i>Cyprinus carpio</i> 6.9 mg/L 96 h	1.9 mg/L 96 h
4-tert-Octylphenol	EC50 : <i>Desmodesmus subspicatus</i> 1.1 mg/L 72 h	LC50 : <i>Pimephales promelas</i> 0.25 mg/L 96 h	EC50 : <i>Americamysis bahia</i> 0.0479 mg/L 96 h
4-Octylphenol	N/A	LC50 : <i>Oryzias latipes</i> 0.0878 mg/L 96 h	N/A

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Dichloromethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
p-t-Butylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-tert-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
4-Octylphenol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number	UN1593
Proper shipping name:	Dichloromethane
UN classification	6.1
Subsidiary hazard class	
Packing group	III
Marine pollutant	Not applicable

IMDG

UN number	UN1593
Proper shipping name:	Dichloromethane
UN classification	6.1
Subsidiary hazard class	
Packing group	III
Marine pollutant (Sea)	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

IATA

UN number	UN1593
Proper shipping name:	Dichloromethane
UN classification	6.1
Subsidiary hazard class	
Packing group	III
Environmentally Hazardous	Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance Mutagens - Existing Chemicals Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)
Regulations for the carriage and storage of dangerous goods in ship	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y
Pollutant Release and Transfer Register Law (2023.4.1-)	Class 1
Class 1 - No.	186
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinance Designating Wastewater Standards Art.1)
Air Pollution Control Law	Hazardous Air Pollutants, Priority Chemical Substances
Soil Contamination Control Law	Designated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dichloromethane 75-09-2 (99.93)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
 etc

Record of SDS revisions

The following contents were revised. Hazards identification. Composition/information on ingredients. Exposure controls/personal protection. Stability and reactivity. Toxicological information. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet