

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
**Revision date** 26-Jan-2023  
 Revision Number 2.04

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	Aluminium, Powder, 53 - 150um, 99.5%
<b>Product Code</b>	012-19172

<b>Manufacturer</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses and restrictions on use</b>	For research use only

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

Classification of the substance or mixture

<b>Substances and mixtures which, in contact with water, emit flammable gases</b>	Category 2
<b>Specific target organ toxicity (single exposure)</b>	Category 1
<b>Category 1</b> respiratory system	
<b>Specific target organ toxicity (repeated exposure)</b>	Category 1
<b>Category 1</b> respiratory system	

## Pictograms



## Signal word

Danger

## Hazard statements

- H261 - In contact with water releases flammable gases
- H370 - Causes damage to the following organs: respiratory system
- H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

## Precautionary statements-(Prevention)

- Keep away from any possible contact with water, because of violent reaction and possible flash fire
- Protect from moisture
- Handle under inert gas
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Handle under inert gas. Protect from moisture

## Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages
- Wash contaminated clothing before reuse
- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary statements-(Storage)**

- Store in a dry place. Store in a closed container
- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

**Formula** Al

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Aluminium	99.5 (subtracting method)	26.982	-	N/A	7429-90-5

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** Not applicable

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

dry sand, dry diatomaceous earth, dry slaked lime

**Unsuitable extinguishing media**

Do not use straight streams

**Specific hazards arising from the chemical product**

Produce flammable gases on contact with water

**Special extinguishing method**

No information available

**Special protective actions for****fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Sweep up and gather scattered particles, and collect it in an empty airtight container.

**Recoverly, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling****Technical measures**

Avoid contact with water and moisture. Avoids contact with acids. Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

**Safety handling precautions**

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Storage****Safe storage conditions****Storage conditions**

Store away from sunlight in well-ventilated place at room temperature (preferably cool).  
Keep container tightly closed. Packed with an inert gas.

**Safe packaging material**

Glass

**Incompatible substances**

steam, Acids, Alkali

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Aluminium 7429-90-5	TWA: 2 mg/m <sup>3</sup> OEL TWA: 0.5 mg/m <sup>3</sup> OEL	N/A	TWA: 1 mg/m <sup>3</sup> respirable particulate matter

**Personal protective equipment****Respiratory protection**

Dust mask

**Hand protection**

Protection gloves

**Eye protection**

protective eyeglasses or chemical safety goggles

**Skin and body protection**

Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form****Color**

silver grey

**Appearance**

powder

Odor	Odorless
Melting point/freezing point	660.3 °C
Boiling point, initial boiling point and boiling range	2467.0 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	acid and alkali hydroxide solution : soluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	2.702
Vapour density	no data available
Particle characteristics	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Hazardous reactions</b>	None under normal processing
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight, Moisture
<b>Incompatible materials</b>	steam, Acids, Alkali
<b>Hazardous decomposition products</b>	Metal oxides

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas-source information
Aluminium	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust-source information	Acute toxicity -inhalation mist-source information
Aluminium	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Aluminium	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Aluminium	Based on the NITE GHS classification results.

### Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Aluminium	Based on the NITE GHS classification results.

**Reproductive cell mutagenicity**

Chemical Name	germ cell mutagenicity source information
Aluminium	Based on the NITE GHS classification results.

**Carcinogenicity**

Chemical Name	Carcinogenicity source information
Aluminium	Based on the NITE GHS classification results.

**Reproductive toxicity**

Chemical Name	Reproductive toxicity source information
Aluminium	Based on the NITE GHS classification results.

**STOT-single exposure**

Chemical Name	STOT -single exposure- source information
Aluminium	Based on the NITE GHS classification results.

**STOT-repeated exposure**

Chemical Name	STOT -repeated exposure- source information
Aluminium	Based on the NITE GHS classification results.

**Aspiration hazard**

Chemical Name	Aspiration Hazard source information
Aluminium	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity** No information available

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Aluminium	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Persistence and degradability** No information available  
**Bioaccumulative potential** No information available  
**Mobility in soil** No information available  
**Hazard to the ozone layer** No information available

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**ADR/RID**

**UN number** UN1396  
**Proper shipping name:** Aluminium powder, uncoated  
**UN classification** 4.3  
**Subsidiary hazard class**  
**Packing group** II  
**Marine pollutant** Not applicable

**IMDG**

**UN number** UN1396  
**Proper shipping name:** Aluminium powder, uncoated  
**UN classification** 4.3  
**Subsidiary hazard class**

**Packing group** II  
**Marine pollutant (Sea)** Not applicable  
**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** No information available

**IATA**

**UN number** UN1396  
**Proper shipping name:** Aluminium powder, uncoated  
**UN classification** 4.3  
**Subsidiary hazard class**  
**Packing group** II  
**Environmentally Hazardous Substance** Not applicable

### Section 15: REGULATORY INFORMATION

**International Inventories**

**EINECS/ELINCS** Listed  
**TSCA** Listed

**Japanese regulations**

**Fire Service Act** Not applicable  
**Poisonous and Deleterious Substances Control Law** Not applicable  
**Industrial Safety and Health Act** Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)  
 Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9)No.37  
 Dangerous Substances - Ignitable Substance (Enforcement Order Attached Table 1 Item 2)  
**Regulations for the carriage and storage of dangerous goods in ship** Flammable Solids - Dangerous When Wet (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)  
**Civil Aeronautics Law** Flammable Solids - Dangerous When Wet (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc., Attached Table 1)  
**Pollutant Release and Transfer Register Law (~2023.3.31)** Not applicable  
**Pollutant Release and Transfer Register Law (2023/4/1~)** Not applicable  
**Water Pollution Control Act** Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)  
**Export Trade Control Order** Appendix 1 Export licensed items

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Aluminium 7429-90-5 ( 99.5 (subtracting method) )	-	Applicable	-

### Section 16: OTHER INFORMATION

**Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**