



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 26-Oct-2023 Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Acenaphthene-d10 Standard Solution (1mg/mL in Acetone Solution) |
|---|---|
| Product Code | 013-19881 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number Recommended uses Restrictions on use | +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Flammable liquids Serious eye damage/eye irritation Reproductive Toxicity Specific target organ toxicity (single exposure) Category 3 Respiratory irritation, Narcotic effects Specific target organ toxicity (repeated exposure) Category 1 central nervous system, respiratory system

Category 2 Category 2B Category 2 Category 3

Category 1

Pictograms



Hazard statements

- H225 Highly flammable liquid and vapor
- H320 Causes eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|-------------------|----------|--------------------|---------------------|----------|------------|
| Acetone | 99 | 58.08 | (2)-542 | * | 67-64-1 |
| Acenaphthene-d10 | 0.10 | 164.27 | 4-645 | * | 15067-26-2 |
| Note on ISHL No.: | * in the | table means announ | ced chemical substa | ances. | |

* in the table means announced chemical substances.

Not applicable Impurities and/or Additives:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand Unsuitable extinguishing media

Specific hazards arising from the chemical product

Vapors may form explosive mixture with air Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditionsKeep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed
with an inert gas.Safe packaging materialAmpouleIncompatible substancesStrong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|---------------|-------------------------------|-------------------|---------------|
| Acetone | 200ppm(470mg/m ³) | ISHL/ACL: 500 ppm | STEL: 500 ppm |

| 67-64-1 | | TWA: 250 ppm |
|---------|--|--------------|

Personal protective equipment

Skin and body protection

Respiratory protection Hand protection Eye protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color

Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pН Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

colorless clear liquid characteristic odor -95.3 °C 56 °C Highly flammable liquid and vapor no data available no data available

2.15 vol% -18 °C 538 °C no data available no data available no data available no data available water , Ethanol , Diethyl ether : freely soluble . -0.24 24.7 0.789 - 0.792 g/mL 2.0 no data available

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

| Acute toxicity | | | |
|----------------|-----------|-------------|-----------------|
| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| | | | |

| Acetone | 5800 mg/kg (Rat) | > 7400 mg/kg (Rabbit) | 32000 ppm (Rat) 4 h(vapor) |
|---------------|--|--|--|
| | | | |
| Chemical Name | Acute toxicity -oral- source | | Acute toxicity -inhalation gas- |
| | information | information | source information |
| Acetone | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. | Based on the NITE GHS classification results. |
| | | | |
| Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
| | vapor- source information | | |
| Acetone | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-----------------------------------|--|
| Acetone | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |
| Chemical Name | Serious eye damage/irritation source information |
| Acetone | Based on the NITE GHS classification results. |
| Respiratory or skin sensitization | |
| Chemical Name | Respiratory or Skin sensitization source information |
| Acetone | Based on the NITE GHS classification results. |
| Reproductive cell mutagenicity | |
| Chemical Name | germ cell mutagencity source information |
| Acetone | Based on the NITE GHS classification results. |
| Carcinogenicity | |
| Chemical Name | Carcinogenicity source information |
| Acetone | Based on the NITE GHS classification results. |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|------------------------|---|
| Acetone | Based on the NITE GHS classification results. |
| STOT-single exposure | |
| Chemical Name | STOT -single exposure- source information |
| Acetone | Based on the NITE GHS classification results. |
| STOT-repeated exposure | · · · · |
| Chemical Name | STOT -repeated exposure- source information |
| Acetone | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| Acetone | Based on the NITE GHS classification results. |
| | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|------------------|----------------------|-----------------------|-----------|
| Acetone | N/A | LC50 : Fathead minnow | N/A |
| | | >100 mg/L 96 h | |
| Acenaphthene-d10 | N/A | LC50 : >400 mg/L 48 h | N/A |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------|--|---|
| Acetone | | Based on the NITE GHS classification results. |

Persistence and degradability Bioaccumulative potential No information available No information available

Mobility in soil Hazard to the ozone layer

No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID | |
|--------------------------------|----------------|
| UN number | UN1090 |
| Proper shipping name: | Acetone |
| UN classfication | 3 |
| Subsidiary hazard class | |
| Packing group | 11 |
| Marine pollutant | Not applicable |
| IMDG | |
| UN number | UN1090 |
| Proper shipping name: | Acetone |
| UN classification | 3 |
| Subsidiary hazard class | 0 |
| Packing group | 11 |
| Marine pollutant (Sea) | Not applicable |
| Transport in bulk according to | |
| Annex II of MARPOL 73/78 and | |
| the IBC Code | |
| | |
| UN number | UN1090 |
| Proper shipping name: | Acetone |
| UN classfication | 3 |
| Subsidiary hazard class | - |
| Packing group | 11 |
| Environmentally Hazardous | Not applicable |
| Substance | |

Section 15: REGULATORY INFORMATION

| Japanese regulations | |
|---|--|
| Fire Service Act | Category IV, Class I petroleums, dangerous grade 2 water-soluble |
| Poisonous and Deleterious | Not applicable |
| Substances Control Law | |
| Industrial Safety and Health Ac | t Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, |
| | Para.1, Enforcement Order Art.18) |
| | Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No.9)No.17 |
| | Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5) |
| | Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) |
| | Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) |
| Regulations for the carriage and storage of dangerous goods in ship | Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1) |
| Civil Aeronautics Law | Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1) |

| Marine Pollution Prevention Law Pollutant Release and Transfer | Enforcement ordinance Appendix No. 1 Noxious liquid substance Dangerous Substances Not applicable | Category Z |
|--|---|------------|
| Register Law (2023.4.1-) | | |
| Export Trade Control Order Narcotics and Psychotropics Control Law | Appendix 1 Export licensed items | |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|---------------------------|---|--|---|
| Acetone 67-64-1 (99) | - | Applicable | |

Section 16: OTHER INFORMATION

| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
|---|---|
| Record of SDS revisions | The following contents were revised. Prodauct and company Identification. Composition/information on ingredients. Fire fighting measures. Exposure controls/personal protection. Physical and chemical properties. Ecological information. Regulatory information. |

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet