



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 22-Feb-2024

Revision Number 8.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

	Anionic Surfactants Mixture Standard Solution (each 1mg/mL Methanol Solution)
Product Code	013-20131

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Serious eye damage/eye irritation

Reproductive Toxicity

Category 2

Category 4

Category 2A

Category 2A

Category 1B

Specific target organ toxicity (single exposure)

Category 1 central nervous system, Visual organ, systemic toxicity

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 1 central nervous system, Visual organ

Category 1

Category 1, Category 3

Pictograms



Hazard statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H360 - May damage fertility or the unborn child

H336 - May cause drowsiness or dizziness

H370 - Causes damage to the following organs: central nervous system, Visual organ, systemic toxicity

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, Visual organ

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood

- · Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- · Keep cool

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Methanol	99.5	32.04	2-201	*	67-56-1
Sodium	0.1	320.42	(3)-1884,(3)-1906,(公表	1322-98-1
decylbenzenesulfonate			3)-1949		
Sodium	0.1	348.48	(3)-1884,(3)-1906,(*	25155-30-0
dodecylbenzenesulfonat			3)-1949		
е					
Sodium	0.1	362.50	(3)-1884,(3)-1906,(公表	26248-24-8
Tridecylbenzenesulfonat			3)-1949		
е					
Sodium	0.1	334.44	(3)-1884,(3)-1906,(公表	27636-75-5
Undecylbenzenesulfonat			3)-1949		
е					
Sodium	0.1	376.52	(3)-1884,(3)-1906,(公表	28348-61-0
tetradecylbenzenesulfon			3)-1949		
ate					

Note on ISHL No.:

Section 4: FIRST AID MEASURES

^{*} in the table means announced chemical substances.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixture with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the

handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material Ampoule

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

	Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
ſ	Methanol	TWA: 200 ppm OEL	200ppm	TWA 200ppm(260mg/m ³)
	67-56-1	TWA: 260 mg/m ³ OEL		STEL 250ppm
		Skin		
		ISHL/ACL: 200 ppm		

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -98 °C Boiling point, initial boiling point and boiling range 64 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or explosive limits

Upper: 36.5 v/v%Lower: 6.0 v/v%Flash point 11 °CAuto-ignition temperature: 464 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Alcohols, ether: freely soluble.

n-Octanol/water partition coefficient:(log Pow) -0.74

Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics 12.3 kPa 0.791 - 0.793 1.1 (air=1) no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Sulfur oxides (SOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	1400 mg/kg (Human)	15800 mg/kg (Rabbit)	>31500 ppm (Rat) 4 h
			(vapor)
Sodium	438 mg/kg (Rat)	N/A	N/A
dodecylbenzenesulfonate			
Sodium	1460 mg/kg (Rat)	N/A	N/A
tetradecylbenzenesulfonate			

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Coalain acaccy is chizonic and in all	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Coalain inaccyleonizonocanonate	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Codiditi Chacoyisonizonicoanonato	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Wiethaner	Based on the NITE GHS Classification results.		Based on the NITE GHS classification results.
Coalani accylecnicoanonate	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Coalain acaccy is on Econocalion atc	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Coalani inaccylbonizonocanonato	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Codiditi Chacoyisonizonicoanonato	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

Serious eye damage/ irritation

cerious eye damager irritation	
Chemical Name	Serious eye damage/irritation source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Methanol	Based on the NITE GHS classification results.	
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.	

Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Methanol	Based on the NITE GHS classification results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.

As	nira	tion	hazard	ı
~3	pna		i iuzui u	ı

Chemical Name	Aspiration Hazard source information	
Methanol	Based on the NITE GHS classification results.	
Sodium decylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification results.	
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methanol	N/A	LC50 : Lepomis macrochirus	LC50 : Artemia
		15400 mg/L 96 h	1340 mg/L 96 h
Sodium decylbenzenesulfonate	N/A	N/A	LC50 : Daphnia magna
			9.55 mg/L 48 h
Sodium	EC50 : Microcystis	LC50 : Oncorhynchus mykiss	LC50: Daphnia magna
dodecylbenzenesulfonate	0.9 mg/L 96 h	10.8 mg/L 96 h	3.5 mg/L 48 h
Sodium	N/A	N/A	LC50 : Daphnia magna
Tridecylbenzenesulfonate			2.0 mg/L 48 h
Sodium	N/A	N/A	LC50 : Daphnia magna
Undecylbenzenesulfonate			1.15 mg/L 48 h
Sodium	N/A	N/A	LC50 : Daphnia magna
tetradecylbenzenesulfonate			0.59 mg/L 48 h

Other data

Other data		
Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the an aquatic environment source information
Methanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Sodium decylbenzenesulfonate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Sodium dodecylbenzenesulfonate	Based on the NITE GHS classification	Based on the NITE GHS classification
•	results.	results.
Sodium Tridecylbenzenesulfonate	Based on the NITE GHS classification	Based on the NITE GHS classification
•	results.	results.
Sodium Undecylbenzenesulfonate	Based on the NITE GHS classification	Based on the NITE GHS classification
•	results.	results.
Sodium tetradecylbenzenesulfonate	Based on the NITE GHS classification	Based on the NITE GHS classification
•	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1230 Proper shipping name: Methanol **UN classfication** 3 6.1 Subsidiary hazard class Packing group

Marine pollutant Not applicable

IMDG

UN1230 **UN** number Proper shipping name: Methanol **UN classfication** Subsidiary hazard class 6.1 Packing group Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1230 Proper shipping name: Methanol **UN classfication** 3 6.1 Subsidiary hazard class Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, alcohols, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Ordinance on

Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act (2024~)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Act on the Evaluation of

Chemical Substances and Regulation of Their

Manufacture, etc

Regulations for the carriage and storage of dangerous

goods in ship

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Marine Pollution Prevention

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Not applicable **Export Trade Control Order** Not applicable **Air Pollution Control Law** Specified Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Methanol 67-56-1 (99.5)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet