



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 08-May-2023 Revision Number 1.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Acetone-d6, 99.9%
Product Code	010-26682,012-26681,018-26683
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture	
Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2B
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Category 3 Respiratory irritation, Narcotic effects	
Specific target organ toxicity (repeated exposure) Category 1 central nervous system, respiratory system, digestive system	Category 1

Pictograms



Signal word

Hazard statements

- H225 Highly flammable liquid and vapor
- H320 Causes eye irritation
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, digestive system

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

(CD3)2CO

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Acetone-D6	99.0	64.12	2-542	*	666-52-4

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions Keep container protect from light, store in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Safe packaging material Incompatible substances Glass, Ampoule Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acetone-D6	N/A	500ppm	N/A
666-52-4			

Personal protective equipment

Respiratory protection Hand protection

Eye protection

Skin and body protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pН Viscosity (coefficient of viscosity) Dynamic viscosity **Solubilities** n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

colorless clear liquid characteristic odor no data available 56 °C Highly flammable liquid and vapor no data available no data available

13.0 2.15 -18 °C 538 °C no data available no data available no data available no data available water , Diethyl ether , Ethanol : Very soluble. -0.24 no data available 0.789 - 0.792 g/mL no data available no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Section 11: TOXICOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone-D6	5800 mg/kg(Rat)	> 7400 mg/kg (Rabbit)	32000 ppm (Rat) 4 h(vapor)
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Acetone-D6	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust source information	- Acute toxicity -inhalation mist- source information
Acetone-D6	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Skin irritation/corrosion			
	ical Name	Skin corrosion/irrita	tion source information
Chemi	cal Name	Skin corrosion/irrita Based on the NITE GHS classi	tion source information
Chemi Acet			tion source information
Chemi Acet Serious eye damage/ irritation		Based on the NITE GHS class	tion source information
Ace Serious eye damage/ irritation Chemi	tone-D6	Based on the NITE GHS class	tion source information fication results. ritation source information
Chemi Acet Serious eye damage/ irritation Chemi	tone-D6 cal Name tone-D6	Based on the NITE GHS classi	tion source information fication results. ritation source information
Chemi Acet Serious eye damage/ irritation Chemi Acet Respiratory or skin sensitizatio	tone-D6 cal Name tone-D6	Based on the NITE GHS classi Serious eye damage/iru Based on the NITE GHS classi	tion source information fication results. ritation source information
Chemi Acet Serious eye damage/ irritation Chemi Acet Respiratory or skin sensitizatio Chemi	tone-D6 tone-D6 on	Based on the NITE GHS classi Serious eye damage/iru Based on the NITE GHS classi	tion source information fication results. ritation source information fication results.
Chemi Acet Serious eye damage/ irritation Chemi Acet Respiratory or skin sensitizatio Chemi	icone-D6 icone-D6 icon icon icon icon icon icone-D6	Based on the NITE GHS class Serious eye damage/in Based on the NITE GHS class Respiratory or Skin sens	tion source information fication results. ritation source information fication results.

	germ een matagerenty eeuree mermatien
Acetone-D6	Based on the NITE GHS classification results.
Carcinogenicity	
Chemical Name	Carcinogenicity source information
Acetone-D6	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Acetone-D6	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Acetone-D6	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Acetone-D6	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Acetone-D6	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Data as deuterium compound has not been obtained. The data of non-labeled compound is described.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone-D6	N/A	LC50 : Fathead minnow	N/A
		>100 mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. **Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN1090
Proper shipping name:	Acetone
UN classfication	3
Subsidiary hazard class	
Packing group	II
Marine pollutant	Not applicable
IMDG	
UN number	UN1090
Proper shipping name:	Acetone
UN classfication	3
Subsidiary hazard class	•
Packing group	П
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN1090
Proper shipping name:	Acetone
UN classfication	3
Subsidiary hazard class	
Packing group	II
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

EINECS/ELINCS Listed	
TSCA -	
Japanese regulations	
Fire Service Act Category IV, Class I petroleums, dangerous grade 2 water-soluble	
Poisonous and Deleterious Not applicable	
Substances Control Law	
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Para.1, Enforcement Order Art.18)	(Law Art.57,
Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attac No.9)No.17	ched Table
Class 2 Organic Solvents (Enforcement Order Attached Table No.6-2, Prevention of Organic Solvent Poisoning Art.1, Para.1, Item 5)	, Ordinance on
Dangerous Substances - Flammable Substance (Enforcement Order A Item 4)	Attached Table 1
Working Environment Evaluation Standards, Administrative Control Le Art.65-2, Para.1)	evels (Law

Regulations for the carriage and storage of dangerous goods in ship	Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z Dangerous Substances
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable
Export Trade Control Order Narcotics and Psychotropics Control Law	Appendix 1 Export licensed items Appendix 2 Export Approval Item

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (2023.4.1-)
Acetone-D6 666-52-4(99.0)	-	Applicable	-

Section 16: OTHER INFORMATION

 Key literature references and sources for data etc.
 NITE: National Institute of Technology and Evaluation (JAPAN)

 http://www.safe.nite.go.jp/japan/db.html
 IATA dangerous Goods Regulations

 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS

 Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet