



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 28-Jan-2023

Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	tert-Butylamine
Product Code	025-03433,029-03436
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome
	1-2 Doshonachi 3-Chome

Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number Recommended uses and restrictions on use +81-6-6203-3741 / +81-3-3270-8571 For research use only

r or recognist dee emy

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Acute toxicity - Inhalation (Vapors)

Acute aquatic toxicity

Category 3

Chronic aquatic toxicity

Category 3

Category 3

Pictograms





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed H331 - Toxic if inhaled

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed

- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary statements-(Response)

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula (CH3)3CNH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
t-Butylamine	98.0	73.14	(2)-132	2-(10)-85	75-64-9

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limitsThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas **Hand protection** lmpermeable protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Long-sleeved work clothes

Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - slightly yellow

Turbidity clear Appearance liquid

Odor characteristic odor

Melting point/freezing point $\,$ -72.65 $\,^{\circ}\text{C}$ Boiling point, initial boiling point and boiling range $\,$ 46 $\,^{\circ}\text{C}$

Flammability Highly flammable liquid and vapor

Evaporation rate:Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point -7 °C Auto-ignition temperature: 375 °C

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data available

Dynamic viscosity

Solubilities

no data available
water: Very soluble. Ethanol: soluble.

Solubilities wat n-Octanol/water partition coefficient:(log Pow) 0.4

Vapour pressureno data availableSpecific Gravity / Relative density0.689 - 0.695 g/mLVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Na	me Oral LD50	Dermal LD5	Inhalation LC50
t-Butylamine	e 80 mg/kg (Rat	:) N/A	3800 mg/m³ (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
t = atj.a			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-

	vapor- source information	source information	source information
t-Butylamine	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
•	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
t-Butylamine	Based on the NITE GHS classification results.
Serious eye damage/ irritation	
Chemical Name	Serious eye damage/irritation source information
t-Butylamine	Based on the NITE GHS classification results.
Respiratory or skin sensitization	
Chemical Name	Respiratory or Skin sensitization source information
t-Butylamine	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	
Chemical Name	germ cell mutagencity source information

Carcinogenicity

Chemical Name	Carcinogenicity source information	
t-Butylamine	Based on the NITE GHS classification results.	

Based on the NITE GHS classification results.

Reproductive toxicity

t-Butylamine

Chemical Name	Reproductive toxicity source information
t-Butylamine	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
t-Butylamine	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
t-Butylamine	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
t-Butylamine	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
t-Butylamine	EC50 = 16 mg/L 96h	N/A	N/A
,	(Pseudokirchneriella		
	subcapitata)		

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
· · · · · · · · · · · · · · · · · · ·	Based on the NITE GHS classification	Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Mobility No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1992

Proper shipping name: Flammable liquid, toxic, n.o.s. (tert-Butylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant Not applicable

IMDG

UN number UN1992

Proper shipping name: Flammable liquid, toxic, n.o.s. (tert-Butylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1992

Proper shipping name: Flammable liquid, toxic, n.o.s. (tert-Butylamine)

UN classfication 3
Subsidiary hazard class 6.1
Packing group II

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

International Inventories

EINECS/ELINCS Listed
TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

ltem 4)

Regulations for the carriage

and storage of dangerous goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

Not applicable

Register Law (2023/4/1~)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and

NITE: National Institute of Technology and Evaluation (JAPAN)

sources for data etc. http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet