



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 3.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Butanethiol
Product Code	022-03742

FUJIFILM Wako Pure Chemical Corporation **Supplier** 

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number** 

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Category 2 Flammable liquids **Acute toxicity - Oral** Category 4 Acute toxicity - Inhalation (Vapors)

Category 4 Serious eye damage/eye irritation Category 2A Skin sensitization Category 1 Category 1, Category 3

Specific target organ toxicity (single exposure) Category 1 central nervous system

Category 3 Respiratory irritation, Narcotic effects

## **Pictograms**



## **Hazard statements**

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H317 - May cause an allergic skin reaction

H370 - Causes damage to the following organs: central nervous system

#### **Precautionary statements-(Prevention)**

- · Contaminated work clothing should not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area

- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- · Keep cool

## Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- · In case of fire: Use suitable extinguishing media for extinction

#### Precautionary statements-(Storage)

- · Store in a well-ventilated place. Keep container tightly closed
- Store locked up

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)3SH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Butanethiol	95.0	90.19	(2)-464	*	109-79-5

Note on ISHL No.: \* in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

## Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

## Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

## Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

## Handling

## Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

## Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## **Storage**

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand-

and eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
1-Butanethiol	N/A	N/A	TWA: 0.5 ppm
109-79-5			

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) Hand protection

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

Color Colorless - nearly colorless

clear **Turbidity Appearance** liquid

characteristic odor Odor

Melting point/freezing point -116 °C 98 °C Boiling point, initial boiling point and boiling range

Highly flammable liquid and vapor Flammability

no data available **Evaporation rate:** no data available Flammability (solid, gas):

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower:

Flash point 1.0 °C

**Auto-ignition temperature:** no data available **Decomposition temperature:** no data available рΗ no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** Ethanol: soluble.

n-Octanol/water partition coefficient:(log Pow) 2.28

no data available Vapour pressure

Specific Gravity / Relative density  $0.840 - 0.847 \text{ g/m L} (20 ^{\circ}\text{C})$ 

Vapour density 3.1

Particle characteristics no data available

## Section 10: STABILITY AND REACTIVITY

## **Stability**

Reactivity no data available Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Sulfur oxides (SOx), Carbon monooxide (CO), Carbon dioxide (CO2)

## **Section 11: TOXICOLOGICAL INFORMATION**

Acute	tox	icity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butanethiol	1500 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	4020 ppm ( Rat ) 4 h
		> 34600 mg/kg ( Rabbit )	

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
i Batariotino			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1-Butanethiol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
1-Butanethiol	Based on the NITE GHS classification results.	
Serious eve damage/irritation		

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
1-Butanethiol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

1-Butanethiol Based on the NITE GHS classification results	Chemical Name	Respiratory or Skin sensitization source information
1 Batanetinoi Bassa en tre internacion resulte.	1-Butanethiol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
1-Butanethiol	Based on the NITE GHS classification results.
0	

Carcinogenicity

Chemical Name	Carcinogenicity source information
1-Butanethiol	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
1-Butanethiol	Based on the NITE GHS classification results.	
CTOT single sympasses		

STOT-single exposure

Chemical Name	STOT -single exposure- source information		
1-Butanethiol	Based on the NITE GHS classification results.		
STOT-rangated exposure			

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
1-Butanethiol	Based on the NITE GHS classification results.	
Assiration borough		

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
1-Butanethiol	Based on the NITE GHS classification results.	

## **Section 12: ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Butanethiol	EC50 : Pseudokirchneriella subcapitata 1068300 ug/L 96 h	LC50 : Ictalurus punctatus 1100000 ug/L 96 h	N/A

## Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
1-Butanethiol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability No information available Bioaccumulative potential No information available Mobility in soil No information available No information available Hazard to the ozone layer

## **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN2347 **UN** number

Proper shipping name: Butyl mercaptan

**UN classfication** 

Subsidiary hazard class

Packing group

Not applicable Marine pollutant

**IMDG** 

UN2347 **UN** number

Proper shipping name: Butyl mercaptan

**UN classfication** 

Subsidiary hazard class

**Packing group** 

Not applicable Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN2347 **UN** number Proper shipping name: Butyl mercaptan

**UN classfication** 

Subsidiary hazard class

Packing group Ш

**Environmentally Hazardous** Not applicable

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

**Fire Service Act** Category IV, Class I petroleums, dangerous grade 2

**Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act ( [2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~)

Regulations for the carriage and storage of dangerous goods in ship Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
1-Butanethiol 109-79-5 ( 95.0 )	-	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**