



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Mar-2024

Revision Number 8.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | BBP Standard |
|--------------|--------------|
| Product Code | 023-06371 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Reproductive Toxicity

Specific target organ toxicity (repeated exposure)

Category 1B

Category 2

Category 2 Male reproductive system

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 2

Pictograms





Signal word

Danger

Hazard statements

H360 - May damage fertility or the unborn child

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H373 - May cause damage to the following organs through prolonged or repeated exposure: Male reproductive system

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C6H4(COOCH2C6H5)COO(CH2)3CH3

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|------------------------|----------|------------------|----------|----------|---------|
| Benzyl Butyl Phthalate | 99.0 | 312.36 | (3)-1312 | * | 85-68-7 |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

^{*} in the table means announced chemical substances.

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in a cool (2-10 °C) well-ventilated dry place.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -35 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):

no data available
no data available
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 196 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data available

Dynamic viscosity no data available

Solubilities Ethanol , acetone : Very soluble. . water : practically

insoluble, or insoluble.

n-Octanol/water partition coefficient:(log Pow) 4.77

Vapour pressure no data available

Specific Gravity / Relative density 1.1

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------|------------------|------------------|----------------------|
| Benzyl Butyl Phthalate | 2330 mg/kg (Rat) | 6700 mg/kg (Rat) | > 6.7 mg/L (Rat) 4 h |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|------------------------|------------------------------------------|--------------------------------------------|-------------------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
|------------------------|------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|-------------------------------|-----------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |
| Carious ave demand/irritation | |

Serious eye damage/ irritation

| Chemical Name | Serious eye damage/irritation source information |
|-----------------------------------|--------------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |
| Descriptions on the consideration | |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|------------------------|------------------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information | |
|------------------------|-----------------------------------------------|--|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. | |
| Carcinogenicity | | |
| Chamical Name | Carainaganiaity source information | |

| Chemical Name | Carcinogenicity source information |
|------------------------|-----------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|------------------------|-----|---------|-------|--------------|
| Benzyl Butyl Phthalate | | Group 3 | | |
| 85-68-7 | | | | |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|------------------------|-----------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |

STOT-single exposure

| Chemical Name | STOT -single exposure- source information | |
|------------------------|-----------------------------------------------|--|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. | |

STOT-repeated exposure

| 0.0.1.0poulou onpooulo | | |
|--------------------------------------------------|-----------------------------------------------|--|
| Chemical Name STOT -repeated exposure- source in | | |
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. | |

Aspiration hazard

| Chemical Name | Aspiration Hazard source information |
|------------------------|-----------------------------------------------|
| Benzyl Butyl Phthalate | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|------------------------|-------------------------------------------------------------|----------------------------------------------|--------------------------------------------|
| Benzyl Butyl Phthalate | EC50 : Pseudokirchneriella subcapitata 0.11 mg/L 96 h | LC50 : Oncorhynchus mykiss 0.82 mg/L 96 h | NOEC : Mysidopsis bahia 0.075 mg/L 28 d |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the | |
|------------------------|----------------------------------------|----------------------------------------|--|
| | aquatic environment source information | aquatic environment source information | |
| Benzyl Butyl Phthalate | Based on the NITE GHS classification | Based on the NITE GHS classification | |
| | results. | results. | |

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Benzyl Butyl Phthalate)

UN classfication

Subsidiary hazard class

Ш Packing group Marine pollutant Yes

IMDG

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Benzyl Butyl Phthalate)

UN classfication

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Benzyl Butyl Phthalate)

UN classfication

Subsidiary hazard class

Packing group Ш **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act ([2024.4.1~] Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Transport by Ship and Storage, Attached Table 1)

2024~) 【2024.4.1~】Notifiable Substances (Law Art.57-2) Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1) **Marine Pollution Prevention** Enforcement ordinance Appendix No. 1 Noxious liquid substance Category X

Marine pollutants (P and PP substances) Law

Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No.

Export Trade Control Order Not applicable

Hazardous Air Pollutants Air Pollution Control Law

Industrial Safety and Health Law

| Law Name | Chemical Name in Regulation | Weight % | |
|--------------------------------------|-----------------------------|----------|----------|
| Notifiable Substances (Law Art.57-2) | n-butyl benzyl phthalate | 99.0 | 2024/4/1 |

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|--------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------|
| Benzyl Butyl Phthalate 85-68-7 (99.0) | - | - | Applicable |

Section 16: OTHER INFORMATION

NITE: National Institute of Technology and Evaluation (JAPAN) Key literature references and

sources for data etc. http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet