



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 17-Apr-2025 Revision Number 3.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	t-Butyl Acetate
Product Code	025-07012,029-07015

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Category 2

Category 4

Category 3

Category 2B

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture

Flammable liquids
Acute toxicity - Inhalation (Vapors)
Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 3 Narcotic effects

Pictograms





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H320 - Causes eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3COOC(CH3)3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
t-Butyl acetate	98.0	116.16	(2)-731	2-(6)-226	540-88-5

Note on ISHL No.: * in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

SOH (Japan)	ISHL (Japan)	ACGIH
N/A	N/A	STEL: 150 ppm TWA: 50 ppm

Chemical Name	Concentration standard value set by the Minister of Health, Labor and Welfare (8hr)	Concentration standard value set by the Minister of Health, Labor and Welfare (Short-Term)
t-Butyl acetate 540-88-5	20 ppm	150 ppm

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 8152)

chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor Melting point/freezing point no data available

Boiling point, initial boiling point and boiling range 95 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

 Upper:
 9.8 vol%

 Lower:
 1.7 vol%

 Flash point
 8 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and acetone : Very soluble. water : practically

insoluble, or insoluble .

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density0.864 - 0.869 g/mL

Vapour density 4.03

Particle characteristics no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Λ.	\sim 1	ıŧΔ	+^	VIC	:itv
~	υL	a LC	LU	ΛIL	.ILV

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
t-Butyl acetate	3300 mg/kg (Rat)	>2000 mg/kg (Rabbit)	13.3 mg/L (Rat)4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
t Daty, acctate			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
t-Butyl acetate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
,	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
t-Butyl acetate	Based on the NITE GHS classification results.
Serious eve damage/ irritation	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
t-Butyl acetate	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
t-Butyl acetate	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
t-Butyl acetate	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
t-Butyl acetate	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
t-Butyl acetate	Based on the NITE GHS classification results.
STOT-single exposure	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
t-Butyl acetate	Based on the NITE GHS classification results.	
	•	

STOT-repeated exposure

C	hemical Name	STOT -repeated exposure- source information		
t	-Butyl acetate	Based on the NITE GHS classification results.		
Aspiration hazard				

Chemical Name	Aspiration Hazard source information	
t-Butyl acetate	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity no data available

Chemical Name	Algae/aquatic plants	Fish	Crustacea
t-Butyl acetate	N/A	LC50 : Fathead minnow	N/A
-		327mg/L 96 h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
t-Butyl acetate	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available

No information available Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1123 Proper shipping name: **Butyl** acetates

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1123 Proper shipping name: **Butyl** acetates

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN1123 Proper shipping name: **Butyl** acetates

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2 Not applicable

Poisonous and Deleterious

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship **Civil Aeronautics Law**

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
t-Butyl acetate 540-88-5 (98.0)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Exposure controls/personal protection.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet