



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 08-May-2023

Revision Number 8.06

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name                                | Isobutyl Acrylate  |  |
|---|--|--|
| Product Code                                | 026-07025  |  |
| Manufacturer                                | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741                       |  |
| Supplier                                    | Fax: +81-6-6203-5964 FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 |  |
| Emergency telephone number Recommended uses | Fax: +81-6-6203-2029<br>+81-6-6203-3741 / +81-3-3270-8571<br>For research use only   |  |

### **Section 2: HAZARDS IDENTIFICATION**

Seek expert judgment when using for purposes other than those recommended.

**GHS** classification

Restrictions on use

Classification of the substance or mixture

Flammable liquids

Skin corrosion/irritation

Serious eye damage/eye irritation

Acute aquatic toxicity

Category 2

Category 2

Category 2

Category 2

**Pictograms** 





Signal word

Warning

#### **Hazard statements**

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H320 - Causes eye irritation

H401 - Toxic to aquatic life

## **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid release to the environment
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge

#### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary statements-(Storage)**

· Store in a well-ventilated place. Keep cool

#### **Precautionary statements-(Disposal)**

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH2:CHCOOCH2CH(CH3)2

| Chemical Name     | Weight-% | Molecular weight | ENCS    | ISHL No. | CAS RN   |
|-------------------|----------|------------------|---------|----------|----------|
| Isobutyl Acrylate | 99.0     | 128.17           | (2)-989 | 公表       | 106-63-8 |

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Stabilizer: Hydroquinone monomethyl ether 0.01%

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

### Special extinguishing method

No information available

### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### **Section 7: HANDLING AND STORAGE**

#### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protectiongas mask for organic gas (JIS T 8152)Hand protectionchemical protective gloves (JIS T 8116)Eye protectionprotective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - nearly colorless

Turbidity clear Appearance liquid

**Odor** characteristic odor

Melting point/freezing point -61 °C
Boiling point, initial boiling point and boiling range 140 °C

Flammability Flammable liquid and vapor

**Evaporation rate:**no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 31 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

**Solubilities** water : insoluble . Ethanol , ether : freely soluble .

n-Octanol/water partition coefficient:(log Pow)
Napour pressure
Specific Gravity / Relative density
Vapour density
Particle characteristics

no data available
0.886 - 0.893 g/mL
no data available
no data available

### **Section 10: STABILITY AND REACTIVITY**

#### **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials
Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2)

### **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

| A toute textioning |                |                   |                    |
|--------------------|----------------|-------------------|--------------------|
| Chemical Name      | Oral LD50      | Dermal LD50       | Inhalation LC50    |
| Isobutyl Acrylate  | 7070uL/kg(Rat) | 891ul /kg(Rabbit) | 2000 ppm (Rat) 4 h |

| Chemical Name     | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas-<br>source information |
|-------------------|--|--|---|
| Isobutyl Acrylate |  |  | Based on the NITE GHS                                 |
| , ,               | classification results.                  | classification results.                    | classification results.                               |

| Chemical Name        | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist-              |
|----------------------|----------------------------|----------------------------------|---|
|                      | vapor- source information  | source information               | source information                            |
| loopaty: / tol flato |                            |                                  | Based on the NITE GHS classification results. |

#### Skin irritation/corrosion

| Chemical Name     | Skin corrosion/irritation source information  |  |
|-------------------|---|--|
| Isobutyl Acrylate | Based on the NITE GHS classification results. |  |

Serious eye damage/ irritation

| Chemical Name                     | Serious eye damage/irritation source information     |
|-----------------------------------|--|
| Isobutyl Acrylate                 | Based on the NITE GHS classification results.        |
| Respiratory or skin sensitization |  |
| Chemical Name                     | Respiratory or Skin sensitization source information |
| Isobutyl Acrylate                 | Based on the NITE GHS classification results.        |
| Reproductive cell mutagenicity    |  |
| Chemical Name                     | germ cell mutagencity source information             |
| Isobutyl Acrylate                 | Based on the NITE GHS classification results.        |
| Carcinogenicity                   |  |
| Chemical Name                     | Carcinogenicity source information                   |
| Isobutyl Acrylate                 | Based on the NITE GHS classification results.        |
| ·                                 | ·  |

Reproductive toxicity

| reproductive texterty  |   |  |  |  |
|------------------------|---|--|--|--|
| Chemical Name          | Reproductive toxicity source information      |  |  |  |
| Isobutyl Acrylate      | Based on the NITE GHS classification results. |  |  |  |
| STOT-single exposure   |   |  |  |  |
| Chemical Name          | STOT -single exposure- source information     |  |  |  |
| Isobutyl Acrylate      | Based on the NITE GHS classification results. |  |  |  |
| STOT-repeated exposure |   |  |  |  |
| Chemical Name          | STOT -repeated exposure- source information   |  |  |  |
| Isobutyl Acrylate      | Based on the NITE GHS classification results. |  |  |  |

| Aspiration hazard |   |
|-------------------|---|
| Chemical Name     | Aspiration Hazard source information          |
| Isobutyl Acrylate | Based on the NITE GHS classification results. |

# **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

| Chemical Name     | Algae/aquatic plants | Fish                     | Crustacea |
|-------------------|----------------------|--------------------------|-----------|
| Isobutyl Acrylate | N/A                  | LC50:Pimephales promelas | N/A       |
|                   |                      | 1.92 - 2.28 mg/L 96 h    |           |

Other data

|               | outor data        |  |   |  |
|---------------|-------------------|--|---|--|
| Chemical Name |                   | Short-term (acute) hazardous to the aquatic environment source | Long-term (chronic) hazardous to the aquatic environment source |  |
|               |                   | information  | information   |  |
|               | Isobutyl Acrylate | Based on the NITE GHS classification                           | Based on the NITE GHS classification                            |  |
|               |                   | results.   | results.  |  |

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer Mobility

No information available No information available No information available No information available

### **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN2527 **UN** number

Proper shipping name: Isobutyl acrylate, stabilized

**UN classfication** 

Subsidiary hazard class

Packing group Ш

Marine pollutant Not applicable

**IMDG** 

UN2527 **UN** number

Proper shipping name: Isobutyl acrylate, stabilized

**UN classfication** 

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

**UN** number UN2527

Proper shipping name: Isobutyl acrylate, stabilized

**UN** classfication

Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

### **Section 15: REGULATORY INFORMATION**

International Inventories

**EINECS/ELINCS** Listed Listed **TSCA** 

Japanese regulations

**Fire Service Act** Category IV, Class II petroleums, dangerous grade 3

**Poisonous and Deleterious** Not applicable

**Substances Control Law** 

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage

and storage of dangerous

goods in ship

**Civil Aeronautics Law** 

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

Law

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

**Export Trade Control Order** Not applicable

### Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**