



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 12-Mar-2024 Revision Number 5.06

Category 2

Category 4 Category 1B

Category 1, Category 2

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Bromobutane
Product Code	027-07413,021-07416

FUJIFILM Wako Pure Chemical Corporation **Supplier**

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids **Acute toxicity - Inhalation (Vapors)**

Carcinogenicity

Specific target organ toxicity (repeated exposure)

Category 1 respiratory system Category 2 blood system, liver

Pictograms





Signal word

Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H332 - Harmful if inhaled

H350 - May cause cancer

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: blood system, liver

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment

- Use explosion-proof electrical/ ventilating / lighting / equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- · Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3(CH2)3Br

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Bromobutane	95.0	137.02	(2)-74	*	109-65-9

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -112.3 °C Boiling point, initial boiling point and boiling range 101 °C

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper: 6.6 %Lower: 2.6 %Flash point $18 \degree \text{C}$ Auto-ignition temperature: $265 \degree \text{C}$

Decomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and acetone: freely soluble. water: very slightly

soluble.

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure

Specific Gravity / Relative density

Napour density

1.273 - 1.280 g/mL

Vapour density

4.75 (air - 1)

Vapour density4.75 (air = 1)Particle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Bromobutane	2,761 mg/kg (Rat)	N/A	14,952 ppm (Rat) 4 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
1-Bromobutane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1-Bromobutane			Based on the NITE GHS classification results.
Skin irritation/corrosion Chemical	Name	Skin corrosion/irritat	ion source information

	1-Bromobutane	Based on the NITE GHS classification results.
Serious eye damage/ irritation		
		Ondered the second seco
	Chemical Name	Serious eye damage/irritation source information

Respiratory or skin sensitization

	Chemical Name	Respiratory or Skin sensitization source information
	1-Bromobutane	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
1-Bromobutane	Based on the NITE GHS classification results.
Carcinogenicity	

Carcinogenicity

Chemical Name	Carcinogenicity source information
1-Bromobutane	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
1-Bromobutane	Based on the NITE GHS classification results.	
STOT-single exposure		

Chemical Name STOT -single exposure- source information 1-Bromobutane Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
1-Bromobutane	Based on the NITE GHS classification results.

Aspiration hazard	
Chemical Name	Aspiration Hazard source information
1-Bromobutane	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Bromobutane	N/A	LC50: =36.7mg/L (96h,	N/A
		Pimenhales promelas)	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
1-Bromobutane	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability **Bioaccumulative potential** Mobility in soil

Hazard to the ozone layer

No information available No information available No information available

Degree of decomposition: 72 % by BOD (METI Existing chemical safety inspections)

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1126 Proper shipping name: 1-Bromobutane

UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1126 Proper shipping name: 1-Bromobutane

UN classfication Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1126 **UN** number Proper shipping name: 1-Bromobutane

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Not applicable

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Mutagens - Existing Chemicals

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Regulations for the carriage

and storage of dangerous

goods in ship

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of Civil Aeronautics Law

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order

Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Exposure controls/personal protection. Physical and chemical properties. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet