



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 08-May-2023 Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | 6-Benzyladenine |
|---|---|
| Product Code | 020-07621,026-07623 |
| Manufacturer | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome |
| | Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964 |
| Supplier | FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029 |
| Emergency telephone number Recommended uses Restrictions on use | +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended. |

Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Acute toxicity - Inhalation (Dusts/Mists) Serious eye damage/eye irritation Reproductive Toxicity Specific target organ toxicity (single exposure) Category 3 Respiratory irritation Acute aquatic toxicity Chronic aquatic toxicity

Category 4 Category 4 Category 2B Category 2 Category 3

Category 3 Category 3

Pictograms



Warning

Hazard statements

- H320 Causes eye irritation
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H361 Suspected of damaging fertility or the unborn child
- H335 May cause respiratory irritation
- H402 Harmful to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

- · Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment

Precautionary statements-(Response)

• IF exposed or concerned: Get medical advice/attention

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- · If eye irritation persists: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

C12H11N5

Rinse mouth

Precautionary statements-(Storage)

Store locked up

• Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Formula

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Chemical NameWeight-%Molecular weightENCSISHL No.CAS RN6-Benzylaminopurine98.0225.25(5)-1137*1214-39-7Note on ISHL No.:* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

| Safe storage conditions | |
|-------------------------|--|
| Storage conditions | Keep container protect from light, store |
| - | in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. |
| Safe packaging material | Glass |
| Incompatible substances | Strong oxidizing agents |

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

| Exposure limits | This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. |
|--|---|
| Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection General hygiene considerations | Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes |

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or | White - slightly yellow crystalline powder - powder no data available 230 °C no data available no data available no data available no data available |
|---|---|
| explosive limits | no data available |
| Upper: | no data available |
| Lower: | no data available |
| Flash point | no data available |
| Auto-ignition temperature: | no data available |
| Decomposition temperature: | no data available |
| pH | no data available |
| Viscosity (coefficient of viscosity) | no data available |
| Dynamic viscosity | Ethanol : slightly soluble . water : practically insoluble,or |
| Solubilities | insoluble . |
| n-Octanol/water partition coefficient:(log Pow) | no data available |
| Vapour pressure | no data available |
| Specific Gravity / Relative density | no data available |
| Vapour density | no data available |
| Particle characteristics | no data available |

Section 10: STABILITY AND REACTIVITY

Stability

 Reactivity
 no data available

 Chemical stability
 May be altered by light.

 Hazardous reactions
 None under normal processing

 Conditions to avoid
 Extremes of temperature and direct sunlight

 Incompatible materials
 Strong oxidizing agents

 Hazardous decomposition products
 Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

| Acute toxicity | | | |
|---------------------|-----------------|--|-----------------|
| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| 6-Benzylaminopurine | 1300 mg/kg(Rat) | > 5000 mg/kg (Rabbit) 5 g/kg (Rabbit) | N/A |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|---------------------------------|---|--|--|
| ° 2° 1. 2 / 1. 1. 10 / 1. 1. 10 | | | Based on the NITE GHS classification results. |
| | | | |
| Chemical Name | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust- source information | Acute toxicity -inhalation mist- source information |
| 6-Benzylaminopurine | Based on the NITE GHS | Based on the NITE GHS | Based on the NITE GHS |

| classificat | ion results. | classification results. | Classification results. | |
|-----------------------------------|---|---|---|--|
| Skin irritation/corrosion | | | | |
| Chemical Name | | Skin corrosion | /irritation source information | |
| 6-Benzylaminopurine | | Based on the NITE GHS | Based on the NITE GHS classification results. | |
| Serious eye damage/ irritation | | | | |
| Chemical Name | | Serious eye dama | ge/irritation source information | |
| 6-Benzylaminopurine | | Based on the NITE GHS classification results. | | |
| Respiratory or skin sensitization | | | | |
| Chemical Name | | Respiratory or Skin | sensitization source information | |
| 6-Benzylaminopurine | 6-Benzylaminopurine Based on the NITE GHS classification results. | | classification results. | |
| Reproductive cell mutagenicity | | | | |
| Chemical Name | | germ cell muta | agencity source information | |
| 6-Benzylaminopurine | | Based on the NITE GHS classification results. | | |
| Carcinogenicity | | | | |
| Chemical Name | | Carcinoger | nicity source information | |
| 6-Benzylaminopurine | | Based on the NITE GHS | classification results. | |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information |
|------------------------|---|
| 6-Benzylaminopurine | Based on the NITE GHS classification results. |
| STOT-single exposure | |
| Chemical Name | STOT -single exposure- source information |
| 6-Benzylaminopurine | Based on the NITE GHS classification results. |
| STOT-repeated exposure | |
| Chemical Name | STOT -repeated exposure- source information |
| 6-Benzylaminopurine | Based on the NITE GHS classification results. |
| Aspiration hazard | |
| Chemical Name | Aspiration Hazard source information |
| 6-Benzylaminopurine | Based on the NITE GHS classification results. |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|----------------------|------|----------------------|
| 6-Benzylaminopurine | N/A | N/A | EC50 : Daphnia magna |
| | | | 20.5 mg/L 48 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the aquatic environment source information | Long-term (chronic) hazardous to the aquatic environment source information |
|---------------------|--|---|
| 6-Benzylaminopurine | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

| Persistence and degradability | |
|-------------------------------|--|
| Bioaccumulative potential | |
| Mobility in soil | |
| Hazard to the ozone layer | |

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

| ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant | Not regulated - Not applicable |
|---|--------------------------------------|
| manno ponatant | |
| IMDG | Not regulated |
| UN number | - |
| Proper shipping name: UN classfication | |
| Subsidiary hazard class | |
| Packing group | |
| Marine pollutant (Sea) | Not applicable |
| Transport in bulk according to | No information available |
| Annex II of MARPOL 73/78 and | |
| the IBC Code | |
| IATA | Not regulated |
| UN number | - |
| Proper shipping name: UN classfication | |
| Subsidiary hazard class | |
| Packing group | |
| Environmentally Hazardous Substance | Not applicable |

Section 15: REGULATORY INFORMATION

| International Inventories EINECS/ELINCS TSCA | Listed Listed |
|--|------------------|
| Japanese regulations | |
| Fire Service Act | Not applicable |
| Poisonous and Deleterious | Not applicable |
| Substances Control Law | |
| Industrial Safety and Health Act | tNot applicable |
| Regulations for the carriage | Not applicable |
| and storage of dangerous | |
| goods in ship | |
| Civil Aeronautics Law | Not applicable |
| Pollutant Release and Transfer | Not applicable |
| Register Law | |
| (2023.4.1-) | |
| Export Trade Control Order | Not applicable |
| | |

Section 16: OTHER INFORMATION

| Key literature references and sources for data etc. | NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc |
|---|---|
| | eic |

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet