



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 08-May-2023

Revision Number 2.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1-Butoxy-2-propanol
Product Code	024-08322,028-08325

Manufacturer FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741

Fax: +81-6-6203-5964 **Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids
Skin corrosion/irritation
Category 2
Serious eye damage/eye irritation
Category 2B
Specific target organ toxicity (single exposure)
Category 3

Category 3 Narcotic effects

Pictograms



Signal word Warning

Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H320 - Causes eye irritation

H336 - May cause drowsiness or dizziness

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep cool

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH3CH2CH2CH2CH(OH)CH3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1-Butoxy-2-propanol	90.0	132.20	(2)-2424,(7)-97	公表	5131-66-8

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: None in particular

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection
Hand protection
Eye protection
gas mask for organic gas (JIS T 8152)
chemical protective gloves (JIS T 8116)
protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - nearly colorless

Turbidity clear Appearance liquid

Odor no data available

Melting point/freezing point -90 °C
Boiling point, initial boiling point and boiling range 170 °C

Flammability Combustible liquid Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point 62 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities Ethanol and acetone : Very soluble. water : soluble .

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density 0.874 - 0.881 g/m L (20 °C)

Vapour density4.6(air=1)Particle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butoxy-2-propanol	1900 mg/kg(Rat)	1400 mg/kg(Rabbit)	>3.52 mg/L 4 h(Rat)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1-Butoxy-2-propanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
1-Butoxy-2-propanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
, , ,	classification results	classification results	classification results

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
---------------	--

1-Butoxy-2-propanol	Based on the NITE GHS classification results.
Serious eye damage/ irritation	·
Chemical Name	Serious eye damage/irritation source information
1-Butoxy-2-propanol	Based on the NITE GHS classification results.
Respiratory or skin sensitization	·
Chemical Name	Respiratory or Skin sensitization source information
1-Butoxy-2-propanol	Based on the NITE GHS classification results.
Reproductive cell mutagenicity	·
Chemical Name	germ cell mutagencity source information
1-Butoxy-2-propanol	Based on the NITE GHS classification results.
Carcinogenicity	·
Chemical Name	Carcinogenicity source information
1-Butoxy-2-propanol	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information		
1-Butoxy-2-propanol	Based on the NITE GHS classification results.		
STOT-single exposure			

Chemical NameSTOT -single exposure- source information1-Butoxy-2-propanolBased on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name
STOT -repeated exposure- source information

1-Butoxy-2-propanol
Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name
Aspiration Hazard source information

1-Butoxy-2-propanol
Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
1-Butoxy-2-propanol	EC50 : Pseudokirchneriella subcapitata >1000 mg/L 96 h	LC50 : Poecilia reticulata 560 - 1000 mg/L 96 h	EC50 : Daphnia magna >1000 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil

Hazard to the ozone layer

No information available No information available No information available

Degree of decomposition: 89 % by BOD (METI Existing chemical safety inspections)

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

International Inventories

TSCA Listed

Japanese regulations

Fire Service Act Category IV, Class II petroleums, dangerous grade 3

Not applicable

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4) Not applicable

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable

Marine Pollution Prevention Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Law

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet