



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Boron Trifluoride Diethyl Ether Complex		
022-08362,026-08365,024-08361		
FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029		
+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.		

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture **Flammable liquids** Skin corrosion/irritation Serious eye damage/eye irritation Acute aquatic toxicity

Pictograms



Hazard statements

- H226 Flammable liquid and vapour
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H402 Harmful to aquatic life

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- · Avoid release to the environment
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- · Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Category 3 Category 1 Category 1 Category 3

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- · In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- · Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

(C2H5)2O·BF3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Boron Trifluoride, Diethyl	46.0-49.0	141.93	(2)-2107	公表	109-63-7
Ether Complex					
Note on ISHL No.: * in the table means announced chemical substances.					

in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions
Safe packaging material
Incompatible substances

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Glass Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Boron Trifluoride, Diethyl Ether	N/A	N/A	TWA: 0.1 ppm BF3
Complex			Ceiling: 0.7 ppm BF3
109-63-7			

Personal protective equipment

Respiratory protection Hand protection Eye protection

Skin and body protection

gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Turbidity Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) **Dynamic viscosity** Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

Colorless - slight brown clear liauid characteristic odor -60.4 °C 125 °C Flammable liquid and vapor no data available no data available no data available no data available 59 °C no data available Ethanol, acetone: Very soluble. water: decomposes. no data available no data available 1.121-1.137 g/mL no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.
Hazardous reactions	
None under normal processing	
Conditions to avoid	
Extremes of temperature and dire	ct sunlight, Heat, flames and sparks, static electricity, spark
Incompatible materials	
Strong oxidizing agents	
Hazardous decomposition product	S
	dioxide (CO2), Halides, Boron oxide

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Boron mindondo, Biotryr Ethor	Based on the NITE GHS classification results.		Based on the NITE GHS classification results.
Complex			classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Boron machao, Biotry Etion			Based on the NITE GHS
	classification results.	classification results.	classification results.

Complex		
Complex		
kin irritation/corrosion		
Chemical Name	Skin corrosion/irritation source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Reproductive toxicity Chemical Name	Reproductive toxicity source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	
Aspiration hazard	•	
Chemical Name	Aspiration Hazard source information	
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Boron Trifluoride, Diethyl Ether	N/A	LC50:Leuciscus idus melanotus	N/A
Complex		31.6mg/L, 96h	

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the aquatic environment source information
	aquatic environment source information	aquatic environment source information
Boron Trifluoride, Diethyl Ether Complex	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID	
UN number	UN2604
Proper shipping name:	Boron trifluoride diethyl etherate
UN classfication	8
Subsidiary hazard class	3
Packing group	1
Marine pollutant	Not applicable
IMDG	
UN number	UN2604
Proper shipping name:	Boron trifluoride diethyl etherate
UN classfication	8
Subsidiary hazard class	3
Packing group	1
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN2604
Proper shipping name:	Boron trifluoride diethyl etherate
UN classfication	8
Subsidiary hazard class	3
Packing group	I
Environmentally Hazardous	Not applicable
Substance	

Section 15: REGULATORY INFORMATION

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law	Category IV, Class III petroleums, dangerous grade 3 Not applicable
Industrial Safety and Health Act	t Not applicable
Industrial Safety and Health Act (2024~)	
Regulations for the carriage and storage of dangerous goods in ship	Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer	Class 1
Register Law (2023.4.1-)	
Class 1 - No.	405
Water Pollution Control Act	Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating Wastewater Standards Art.1)
Export Trade Control Order Air Pollution Control Law Soil Contamination Control Law	Not applicable Hazardous Air Pollutants vDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Boron Trifluoride, Diethyl Ether Complex	-	-	Applicable
109-63-7 (46.0-49.0)			

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions	The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet