



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 11-Sep-2024

Revision Number 5.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	1,3-Bis(aminomethyl)cyclohexane(Mixture of cis-,trans-)
Product Code	028-08462,022-08465

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 4Acute toxicity - DermalCategory 4Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity (single exposure)Category 2

Category 2 systemic toxicity





Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H371 - May cause damage to the following organs: systemic toxicity

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- Do NOT induce vomiting

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
1,3-Bis(aminomethyl)cyc	98.0	142.24	(3)-2279	*	2579-20-6
lohexane					

Note on ISHL No.: * in the table means announced chemical substances.

Substances Remarks: This product is composed of isomer mixture.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Glass

Safe packaging material

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - nearly colorless

Turbidity clear Appearance liquid

Odor characteristic odor

Melting point/freezing point -70 °C
Boiling point, initial boiling point and boiling range 220 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 106 °C

Auto-ignition temperature:no data availableDecomposition temperature:no data availablepHno data availableViscosity (coefficient of viscosity)no data availableDynamic viscosityno data available

Solubilities water , Ethanol , acetone : Very soluble.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative density0.939 - 0.946 g/mLVapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,3-Bis(aminomethyl)cyclohex	200-2000 mg / kg (Rat)	= 1700 mg/kg (Rabbit)	N/A
ane			

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
1,3-Bis(aminomethyl)cyclohexane			Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name Acute toxicity -inhalation		Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
		classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
Serious eye damage/ irritation				
Chemical Name	Serious eye damage/irritation source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
Respiratory or skin sensitization				
Chemical Name	Respiratory or Skin sensitization source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
Reproductive cell mutagenicity				
Chemical Name	germ cell mutagencity source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
Carcinogenicity				
Chemical Name	Carcinogenicity source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
Reproductive toxicity	1			
Chemical Name	Reproductive toxicity source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			
STOT-single exposure				
Chemical Name	STOT -single exposure- source information			
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification results.			

Section 12: FCOLOGICAL	INFORMATION

STOT -repeated exposure- source information

Aspiration Hazard source information

Based on the NITE GHS classification results.

Based on the NITE GHS classification results.

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Chemical Name 1,3-Bis(aminomethyl)cyclohexane

Chemical Name 1,3-Bis(aminomethyl)cyclohexane

Ecotoxicity no data available

Other data

STOT-repeated exposure

Aspiration hazard

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
1,3-Bis(aminomethyl)cyclohexane	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability No information available **Bioaccumulative potential** No information available No information available Mobility in soil Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2735

Proper shipping name: Amines, liquid, corrosive, n.o.s. (1,3-Bis(aminomethyl)cyclohexane)

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN2735 **UN** number

Proper shipping name: Amines, liquid, corrosive, n.o.s. (1,3-Bis(aminomethyl)cyclohexane)

UN classfication

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2735

Proper shipping name: Amines, liquid, corrosive, n.o.s. (1,3-Bis(aminomethyl)cyclohexane)

UN classfication

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class III petroleums, dangerous grade 3 water-soluble

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

2024~)

Industrial Safety and Health Act (2024.4.1~ Lending Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

【2025.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

2025~) 【2025.4.1~】Notifiable Substances (Law Art.57-2)

Regulations for the carriage

and storage of dangerous

Transport by Ship and Storage, Attached Table 1) goods in ship

Corrosive Substances (Ordinance Art.194, MITL Nortification for Air Transportation of **Civil Aeronautics Law**

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet