



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 08-May-2023 Revision Number 2.05

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	N-(Butoxymethyl)acrylamide
Product Code	027-09412,021-09415
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome
	Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses Restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

GHS classification <u>Classification of the substance or mixture</u> Acute toxicity - Oral Acute toxicity - Dermal Serious eye damage/eye irritation Specific target organ toxicity (single exposure) <u>Category 1</u> systemic toxicity

Category 4 Category 3 Category 2B Category 1

Pictograms



#### olgilai itora

Danger

#### **Hazard statements**

- H320 Causes eye irritation
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H370 Causes damage to the following organs: systemic toxicity

### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray

### Precautionary statements-(Response)

• IF exposed: Call a POISON CENTER or doctor/physician

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- Call a POISON CENTER or doctor/physician if you feel unwell
- Remove/Take off immediately all contaminated clothing
- · Wash contaminated clothing before reuse
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth

### Precautionary statements-(Storage)

Store locked up

# Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

#### Others Other hazards

Not available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

### CH3(CH2)3OCH2NHCOCH:CH2

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N-(Butoxymethyl)acryla	85.0	157.21	(2)-1021,(2)-1070	公表	1852-16-0
mide					

\* in the table means announced chemical substances.

Note on ISHL No.:

Impurities and/or Additives:

Not applicable

# Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASUR
---------------------------------

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

## No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

# No information available

### Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: HANDLING AND STORAGE

#### Handling

#### Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

Safe storage conditions	
Storage conditions	Keep container protect from light, store
	in well-ventilated place at room temperature (preferably cool). Keep container tightly
	closed.
Safe packaging material	Glass
Incompatible substances	Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### Personal protective equipment Respiratory protection

Hand protection

Eye protection

Protective mask chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles Long-sleeved work clothes

#### Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### Form

Colorless - slightly yellow Color Turbidity clear liquid Appearance Odor characteristic odor Melting point/freezing point no data available Boiling point, initial boiling point and boiling range no data available Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available Upper/lower flammability or explosive limits Upper: no data available no data available Lower: >110 °C Flash point Auto-ignition temperature: no data available **Decomposition temperature:** no data available рΗ no data available Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available Solubilities Ethanol, acetone: Very soluble. water: practically insoluble, or insoluble . n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density 0.960 Vapour density no data available **Particle characteristics** no data available

# Section 10: STABILITY AND REACTIVITY

#### Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsNone under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

# Incompatible materials

#### Strong oxidizing agents Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

# Section 11: TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-(Butoxymethyl)acrylamide	999.6 mg/kg (rat)	866 mg/kg (rat)	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.
	ciassification results.		ciassification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
it (Batokymoury)/acrytamac			Based on the NITE GHS
	classification results.	classification results.	classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.

Chemical Name	Serious eye damage/irritation source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	
Reproductive toxicity		
Chemical Name	Reproductive toxicity source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	

STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.

# Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

#### Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
N-(Butoxymethyl)acrylamide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability Bioaccumulative potential Mobility in soil Hazard to the ozone layer

Degree of decomposition: 6 % by BOD (METI Existing chemical safety inspections) No information available No information available No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# Section 14: TRANSPORT INFORMATION

#### ADR/RID

UN number	UN2810
Proper shipping name:	Toxic liquid, organic, n.o.s. (N-(Butoxymethyl)acrylamide)
UN classfication	6.1
Subsidiary hazard class	
Packing group	III

Marine pollutant	Not applicable
IMDG	
UN number	UN2810
Proper shipping name:	Toxic liquid, organic, n.o.s. (N-(Butoxymethyl)acrylamide)
UN classfication	6.1
Subsidiary hazard class	
Packing group	III
Marine pollutant (Sea)	Not applicable
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
ΙΑΤΑ	
UN number	UN2810
Proper shipping name:	Toxic liquid, organic, n.o.s. (N-(Butoxymethyl)acrylamide)
UN classfication	6.1
Subsidiary hazard class	
Packing group	III
Environmentally Hazardous	Not applicable
Substance	

# Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA	Listed Listed	
Japanese regulations		
Fire Service Act	Category IV, Class III petroleums, dangerous grade 3	
Poisonous and Deleterious	Not applicable	
Substances Control Law		
Industrial Safety and Health ActNot applicable		
Regulations for the carriage	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance	
and storage of dangerous	Regarding Transport by Ship and Storage, Attached Table 1)	
goods in ship		
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air	
	Transportation of Explosives etc., Attached Table 1)	
Pollutant Release and Transfer	Not applicable	
Register Law		
(2023.4.1-)		
Export Trade Control Order	Not applicable	
Section 16: OTHER INFORMATION		

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
	etc

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

End of Safety Data Sheet