



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 05-Oct-2023

Revision Number 2.07

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | t-Butyl Methyl Ether 300 |
|--------------|--------------------------|
| Product Code | 024-14351                |

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Flammable liquids
Category 2
Skin corrosion/irritation
Category 2
Serious eye damage/eye irritation
Specific target organ toxicity (single exposure)
Category 3
Respiratory irritation, Narcotic effects
Category 3

**Pictograms** 





Signal word

Danger

#### **Hazard statements**

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

#### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep cool

### Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use suitable extinguishing media for extinction

### **Precautionary statements-(Storage)**

- Store in a well-ventilated place. Keep container tightly closed
- · Store locked up

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula (CH3)3COCH3

| Chemical Name           | Weight-% | Molecular weight | ENCS     | ISHL No.   | CAS RN    |
|-------------------------|----------|------------------|----------|------------|-----------|
| tert-Butyl methyl ether | 99.8     | 88.15            | (2)-3220 | 2-(2)-133  | 1634-04-4 |
|                         |          |                  |          | 2-(12)-134 |           |

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

### Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

### **Section 5: FIRE FIGHTING MEASURES**

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

### Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

### Special extinguishing method

No information available

Special protective actions for

#### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### **Section 7: HANDLING AND STORAGE**

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Storage

#### Safe storage conditions

**Storage conditions** Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

| Chemical Name                        | JSOH (Japan) | ISHL (Japan) | ACGIH       |
|--------------------------------------|--------------|--------------|-------------|
| tert-Butyl methyl ether<br>1634-04-4 | N/A          | N/A          | TWA: 50 ppm |

| Chemical Name           | Concentration standard value set by the Minister of Health, Labor and | Concentration standard value set by the Minister of Health, Labor and |
|-------------------------|---|---|
|                         | Welfare (8hr)   | Welfare (Short-Term)  |
| tert-Butyl methyl ether | 50 ppm  | N/A   |

| Chemical Name | Concentration standard value set by the Minister of Health, Labor and |                      |
|---------------|---|----------------------|
|               | Welfare (8hr)   | Welfare (Short-Term) |
| 1634-04-4     |   |                      |

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152)
Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

ColorcolorlessTurbidityclearAppearanceliquid

Odor Slight pungent odor

Melting point/freezing point -109 °C

Boiling point, initial boiling point and boiling range 55 °C

Flammability Highly flammable liquid and vapor

**Evaporation rate:**Flammability (solid, gas):
no data available
no data available

Upper/lower flammability or

explosive limits

Upper: 15.1vol%
Lower: 1.6vol%
Flash point -32 °C
Auto-ignition temperature: 224 °C
Decomposition temperature: no data available

pH no data available
Viscosity (coefficient of viscosity) no data available
Dynamic viscosity no data available

**Solubilities** Ethanol , acetone : Very soluble. water : soluble .

n-Octanol/water partition coefficient:(log Pow) 1.06 Vapour pressure 27kPa

Specific Gravity / Relative density0.739 - 0.742 g/mLVapour density3.1(air=1)Particle characteristicsno data available

## **Section 10: STABILITY AND REACTIVITY**

### **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

### **Section 11: TOXICOLOGICAL INFORMATION**

|                |      |     |     | • •  |
|----------------|------|-----|-----|------|
| $\Lambda \sim$ | 1110 | tov | ,,, |      |
| AL             | ute  | LUX | ıı  | .ILV |
|                |      |     |     |      |

| Chemical Name           | Oral LD50          | Dermal LD50             | Inhalation LC50       |
|-------------------------|--------------------|-------------------------|-----------------------|
| tert-Butyl methyl ether | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat)      | 23576 ppm ( Rat ) 4 h |
|                         |                    | > 7400 mg/kg ( Rabbit ) |                       |

| Chemical Name           | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas-<br>source information |
|-------------------------|--|--|---|
| tert-Butyl methyl ether | Based on the NITE GHS                    | Based on the NITE GHS                      | Based on the NITE GHS                                 |
|                         | classification results.                  | classification results.                    | classification results.                               |

| Chemical Name           | Acute toxicity -inhalation vapor- source information | Acute toxicity -inhalation dust-<br>source information | Acute toxicity -inhalation mist-<br>source information |
|-------------------------|--|--|--|
| tert-Butyl methyl ether | Based on the NITE GHS                                | Based on the NITE GHS                                  | Based on the NITE GHS                                  |
| _ ,                     | classification results.                              | classification results.                                | classification results.                                |

### Skin irritation/corrosion

| Chemical Name           | Skin corrosion/irritation source information  |  |  |
|-------------------------|---|--|--|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |  |  |
| Conjugacy demonstration |   |  |  |

### Serious eye damage/ irritation

| Chemical Name           | Serious eye damage/irritation source information |
|-------------------------|--|
| tert-Butyl methyl ether | Based on the NITE GHS classification results.    |

### Respiratory or skin sensitization

| Chemical Name           | Respiratory or Skin sensitization source information |
|-------------------------|--|
| tert-Butyl methyl ether | Based on the NITE GHS classification results.        |
|                         |  |

## Reproductive cell mutagenicity

| Chemical Name           | germ cell mutagencity source information      |  |
|-------------------------|---|--|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |  |
|                         |   |  |

#### Carcinogenicity

| Chemical Name           | Carcinogenicity source information            |
|-------------------------|---|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |

| Chemical Name           | NTP | IARC    | ACGIH | JSOH (Japan) |
|-------------------------|-----|---------|-------|--------------|
| tert-Butyl methyl ether | -   | Group 3 | A3    | -            |
| 1634-04-4               |     |         |       |              |

## Reproductive toxicity

| Chemical Name Reproductive toxicity source in |                         | Reproductive toxicity source information      |
|---|-------------------------|---|
|   | tert-Butyl methyl ether | Based on the NITE GHS classification results. |

### **STOT-single exposure**

| Chemical Name           | STOT -single exposure- source information     |
|-------------------------|---|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |

### STOT-repeated exposure

| Chemical Name           | STOT -repeated exposure- source information   |
|-------------------------|---|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |
| Aspiration hazard       |   |

| Chemical Name           | Aspiration Hazard source information          |  |
|-------------------------|---|--|
| tert-Butyl methyl ether | Based on the NITE GHS classification results. |  |

# **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

| Chemical Name           | Algae/aquatic plants   | Fish                                     | Crustacea |
|-------------------------|--|--|-----------|
| tert-Butyl methyl ether | EC50 : Pseudokirchneriella<br>subcapitata<br>> 110 mg/L 72 h | LC50 : Oryzias latipes<br>>120 mg/L 96 h | N/A       |

#### Other data

| Other data    |                                     |                                      |  |
|---------------|-------------------------------------|--------------------------------------|--|
| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |  |
|               | aquatic environment source          | aquatic environment source           |  |
|               | information                         | information                          |  |

\_\_\_\_\_\_

tert-Butyl methyl ether Based on the NITE GHS classification Based on the NITE GHS classification results results.

No information available Persistence and degradability **Bioaccumulative potential** No information available Mobility in soil No information available No information available Hazard to the ozone layer

### Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

ADR/RID

**UN** number UN2398

Proper shipping name: Methyl tert-butyl ether

**UN classfication** 

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

**IMDG** 

UN2398 **UN** number

Proper shipping name: Methyl tert-butyl ether

**UN classfication** 

Subsidiary hazard class

Packing group Ш

Marine pollutant (Sea) Not applicable

No information available Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN2398 **UN** number

Proper shipping name: Methyl tert-butyl ether

**UN classfication** 

Subsidiary hazard class

Packing group

**Environmentally Hazardous** Not applicable

**Substance** 

### **Section 15: REGULATORY INFORMATION**

Japanese regulations

**Fire Service Act** Category IV, Class I petroleums, dangerous grade 2 Not applicable

**Poisonous and Deleterious** 

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57,

Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.580

Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship

Civil Aeronautics Law Flammable Liquids (Ordinance Art. 194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

**Marine Pollution Prevention** 

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act

Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

**Export Trade Control Order** Not applicable

| Chemical Name                                 | Poisonous and Deleterious<br>Substances Control Law | Industrial Safety and Health Act<br>Substances<br>(Law Art.57-2) | Pollutant Release and Transfer<br>Register Law<br>(2023.4.1-) |
|---|---|--|---|
| tert-Butyl methyl ether<br>1634-04-4 ( 99.8 ) | -   | Applicable   | -   |

### **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**