



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 21-Feb-2024

Revision Number 2.03

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name N,O-Bis(trimethylsilyl)trifluoroacetamide with 10vol%	
	Chlorotrimethylsilane
Product Code	028-17693,022-17691,026-17694

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification
Classification of the substance or mixture

Flammable liquids
Skin corrosion/irritation
Serious eye damage/eye irritation
Specific target organ toxicity (single exposure)

Category 3 Respiratory irritation



Signal word



Hazard statements

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Danger

- · Use only outdoors or in a well-ventilated area
- · Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- · Take precautionary measures against static discharge

Category 2

Category 1

Category 1

Category 3

Keep cool

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
N,O-Bis(trimethylsilyl)trifl	90	257.40	(2)-3613	2-(3)-287	25561-30-2
uoroacetamide					
Chlorotrimethylsilane	10	108.64	(2)-2041	*	75-77-4

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

^{*} in the table means announced chemical substances.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. To cut with care and wear protective gloves and protective goggles to ampoule time of the opening (Cutting method to check the label). Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material Ampoule

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Colorless - slightly yellow

Turbidity clear Appearance liquid

Odor no data available

Melting point/freezing point $$-41\ ^{\circ}\text{C}$$ Boiling point, initial boiling point and boiling range $$142\ ^{\circ}\text{C}$$

Flammability Highly flammable liquid and vapor

Evaporation rate:no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point -5 °C

no data available **Auto-ignition temperature: Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available **Solubilities** water: decomposes. n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density
Vapour density
no data available
Particle characteristics
no data available
no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Halides, Nitrogen oxides (NOx), Silicon compounds

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chlorotrimethylsilane	100-300 mg/kg (Rat)	1500 mg/kg (Rabbit)	1498 ppm/4hr (Rat)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chlorotrimethylsilane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
•	classification results.	classification results.	classification results.
	•		

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chlorotrimethylsilane			Based on the NITE GHS
•	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Chlorotrimethylsilane	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		

Serious eye damage/irritation source information **Chemical Name** Chlorotrimethylsilane Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Chlorotrimethylsilane	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Chlorotrimethylsilane	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Chlorotrimethylsilane	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Chlorotrimethylsilane	Based on the NITE GHS classification results.	
STOT-single exposure		

Chemical Name	STOT -single exposure- source information	
Chlorotrimethylsilane	Based on the NITE GHS classification results.	
NTOT reported expressive		

STOT-repeated exposure

Cnemical Name	S101 -repeated exposure- source information
Chlorotrimethylsilane	Based on the NITE GHS classification results.
Asniration hazard	

Chemical Name	Aspiration Hazard source information	
Chlorotrimethylsilane	Based on the NITE GHS classification results.	

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity No information available

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Chlorotrimethylsilane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability No information available **Bioaccumulative potential** No information available Mobility in soil No information available Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2924

Proper shipping name: Flammable liquid, corrosive, n.o.s. (N,O-Bis(trimethylsilyl)trifluoroacetamide)

UN classfication Subsidiary hazard class Ш Packing group

Marine pollutant Not applicable

IMDG

UN number UN2924

Flammable liquid, corrosive, n.o.s. (N,O-Bis(trimethylsilyl)trifluoroacetamide) Proper shipping name:

UN classfication 8 Subsidiary hazard class **Packing group** Ш

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2924

Proper shipping name: Flammable liquid, corrosive, n.o.s. (N,O-Bis(trimethylsilyI)trifluoroacetamide)

UN classfication Subsidiary hazard class 8 Packing group Ш Not applicable

Environmentally Hazardous

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

Item 4)

Industrial Safety and Health Act (

2024~)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Transport by Ship and Storage, Attached Table 1)

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

Export Trade Control Order Not applicable

Section 16: OTHER INFORMATION

Key literature references and NITE: National Institute of Technology and Evaluation (JAPAN) **sources for data etc.** http://www.safe.nite.go.jp/japan/db.html

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisionsThe following contents were revised. Prodauct and company Identification. Fire fighting

measures. Handling and storage. Exposure controls/personal protection. Stability and

reactivity. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet