

## SAFETY DATA SHEET

According to JIS Z 7253:2019  
Revision date 29-Jan-2023  
Revision Number 5.03

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(?), Acetone adduct
Product Code	020-18591

Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses and restrictions on use	For research use only

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

## Classification of the substance or mixture

Skin corrosion/irritation

Serious eye damage/eye irritation

Reproductive Toxicity

Category 2  
Category 2A  
Category 2

## Pictograms



Signal word

Warning

## Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

## Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling

## Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse

**Precautionary statements-(Storage)**

- Store locked up

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

**Formula** C<sub>34</sub>H<sub>28</sub>Cl<sub>2</sub>FeP<sub>2</sub>Pd·C<sub>3</sub>H<sub>6</sub>O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II)	97	789.78	N/A	N/A	851232-71-8
Acetone	3	58.08	(2)-542	*	67-64-1

**Note on ISHL No.:** \* in the table means announced chemical substances.

**Impurities and/or Additives:** 残留溶媒 acetone <3%

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

**Unsuitable extinguishing media**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Special extinguishing method**

No information available

**Special protective actions for fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Sweep up and gather scattered particles, and collect it in an empty airtight container.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling****Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

**Safety handling precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Storage****Safe storage conditions****Storage conditions**

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed with an inert gas.

**Safe packaging material**

Glass

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Acetone 67-64-1	200ppm(470mg/m <sup>3</sup> )	ISHL/ACL: 500 ppm	STEL: 500 ppm TWA: 250 ppm

**Personal protective equipment****Respiratory protection**

Dust mask

**Hand protection**

Protection gloves

**Eye protection**

protective eyeglasses or chemical safety goggles

**Skin and body protection**

Long-sleeved work clothes

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form****Color**

pale yellow - brown

<b>Appearance</b>	crystalline powder - powder
<b>Odor</b>	no data available
<b>Melting point/freezing point</b>	no data available
<b>Boiling point, initial boiling point and boiling range</b>	no data available
<b>Flammability</b>	no data available
<b>Evaporation rate:</b>	no data available
<b>Flammability (solid, gas):</b>	no data available
<b>Upper/lower flammability or explosive limits</b>	
<b>Upper:</b>	no data available
<b>Lower:</b>	no data available
<b>Flash point</b>	no data available
<b>Auto-ignition temperature:</b>	no data available
<b>Decomposition temperature:</b>	no data available
<b>pH</b>	no data available
<b>Viscosity (coefficient of viscosity)</b>	no data available
<b>Dynamic viscosity</b>	no data available
<b>Solubilities</b>	water , Ethanol and acetone : practically insoluble,or insoluble .
<b>n-Octanol/water partition coefficient:(log Pow)</b>	no data available
<b>Vapour pressure</b>	no data available
<b>Specific Gravity / Relative density</b>	no data available
<b>Vapour density</b>	no data available
<b>Particle characteristics</b>	no data available

## Section 10: STABILITY AND REACTIVITY

### Stability

<b>Reactivity</b>	no data available
<b>Chemical stability</b>	May be altered by light.
<b>Hazardous reactions</b>	
None under normal processing	
<b>Conditions to avoid</b>	
Extremes of temperature and direct sunlight	
<b>Incompatible materials</b>	
Strong oxidizing agents	
<b>Hazardous decomposition products</b>	
Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Phosphorus oxide, Halides, Metal oxides	

## Section 11: TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	5800 mg/kg ( Rat )	> 7400 mg/kg ( Rabbit )	32000 ppm ( Rat ) 4 h(vapor)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Acetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Acetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Acetone	Based on the NITE GHS classification results.

### Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
---------------	--

Acetone	Based on the NITE GHS classification results.
<b>Respiratory or skin sensitization</b>	
<b>Chemical Name</b>	<b>Respiratory or Skin sensitization source information</b>
Acetone	Based on the NITE GHS classification results.
<b>Reproductive cell mutagenicity</b>	
<b>Chemical Name</b>	<b>germ cell mutagenicity source information</b>
Acetone	Based on the NITE GHS classification results.
<b>Carcinogenicity</b>	
<b>Chemical Name</b>	<b>Carcinogenicity source information</b>
Acetone	Based on the NITE GHS classification results.
<b>Reproductive toxicity</b>	
<b>Chemical Name</b>	<b>Reproductive toxicity source information</b>
Acetone	Based on the NITE GHS classification results.
<b>STOT-single exposure</b>	
<b>Chemical Name</b>	<b>STOT -single exposure- source information</b>
Acetone	Based on the NITE GHS classification results.
<b>STOT-repeated exposure</b>	
<b>Chemical Name</b>	<b>STOT -repeated exposure- source information</b>
Acetone	Based on the NITE GHS classification results.
<b>Aspiration hazard</b>	
<b>Chemical Name</b>	<b>Aspiration Hazard source information</b>
Acetone	Based on the NITE GHS classification results.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity** No information available

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone	N/A	LC50 : Fathead minnow >100 mg/L 96 h	N/A

**Other data**

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Acetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

**Persistence and degradability** No information available  
**Bioaccumulative potential** No information available  
**Mobility in soil** No information available  
**Hazard to the ozone layer** No information available  
**Mobility**

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated container and contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**ADR/RID** Not regulated  
**UN number** -  
**Proper shipping name:**

UN classification  
 Subsidiary hazard class  
 Packing group  
 Marine pollutant Not applicable

IMDG Not regulated  
 UN number -  
 Proper shipping name:  
 UN classification  
 Subsidiary hazard class  
 Packing group  
 Marine pollutant (Sea) Not applicable  
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA Not regulated  
 UN number -  
 Proper shipping name:  
 UN classification  
 Subsidiary hazard class  
 Packing group  
 Environmentally Hazardous Substance Not applicable

## Section 15: REGULATORY INFORMATION

### International Inventories

EINECS/ELINCS Listed  
 TSCA -

### Japanese regulations

Fire Service Act Not applicable  
 Poisonous and Deleterious Substances Control Law Not applicable  
 Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)  
 Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Attached Table No.9)No.17  
 Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc Priority Assessment Chemical Substances (Law Article 2, Para.5)  
 Regulations for the carriage and storage of dangerous goods in ship Not applicable  
 Civil Aeronautics Law Not applicable  
 Pollutant Release and Transfer Register Law (~2023.3.31) Not applicable  
 Pollutant Release and Transfer Register Law (2023/4/1~) Not applicable  
 Export Trade Control Order Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Acetone 67-64-1 ( 3 )	-	Applicable	-

---

**Section 16: OTHER INFORMATION****Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
IATA dangerous Goods Regulations  
RTECS:Registry of Toxic Effects of Chemical Substances  
Japan Industrial Safety and Health Association GHS Model SDS  
Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.  
Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
etc

**Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**