



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 27-Jan-2023 Revision Number 1.04

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	t-Butyldimethylsilane
Product Code	026-18951,024-18952

Manufacturer FUJIFILM Wako Pure Chemical Corporation

> 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Category 2

Category 2

Category 3

Category 2A

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

**Emergency telephone number** Recommended uses and

restrictions on use

+81-6-6203-3741 / +81-3-3270-8571


For research use only

# **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification Classification of the substance or mixture

Flammable liquids Skin corrosion/irritation Serious eye damage/eye irritation Specific target organ toxicity (single exposure)

Category 3 Respiratory irritation



Danger

# **Hazard statements**

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

# **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- · Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment

- · Use only non-sparking tools
- · Take precautionary measures against static discharge
- Keep cool

# Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary statements-(Storage)**

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

# Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

# **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula C6H16Si

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
t-Butyldimethylsilane	98.0	116.28	(2)-3696	2-(3)-256	29681-57-0

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

# **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

# Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

#### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

#### Special extinguishing method

No information available

#### Special protective actions for

### fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

### Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### **Storage**

Safe storage conditions

Storage conditions Keep container protect from light, store

Glass

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Packed with an inert gas.

Safe packaging material

Incompatible substances Strong oxidizing agents

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits**This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Personal protective equipment

**Respiratory protection** gas mask for organic gas **Hand protection** lmpermeable protective gloves

Eye protection protective eyeglasses or chemical safety goggles

Long-sleeved work clothes

### Skin and body protection

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

ColorColorless - pale yellowTurbidityclear ~ nearly clear

Appearance liquid

Odorno data availableMelting point/freezing pointno data available

Boiling point, initial boiling point and boiling range 72 °C

Flammability Highly flammable liquid and vapor

**Evaporation rate:**no data available
Flammability (solid, gas):
no data available

Upper/lower flammability or

explosive limits

Upper:no data availableLower:no data available

Flash point -11 °C

no data available Auto-ignition temperature: **Decomposition temperature:** no data available no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available **Solubilities** No data available n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure Specific Gravity / Relative density 0.704 - 0.709 g/mL

Vapour density

Particle characteristics

0.704 - 0.709 g/m

no data available

no data available

### Section 10: STABILITY AND REACTIVITY

### Stability

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2)

# **Section 11: TOXICOLOGICAL INFORMATION**

Acute toxicity no data available

Skin irritation/corrosionno data availableSerious eye damage/ irritationno data availableRespiratory or skin sensitizationno data availableReproductive cell mutagenicityno data availableCarcinogenicityno data available

Reproductive toxicityno data availableSTOT-single exposureno data availableSTOT-repeated exposureno data availableAspiration hazardno data available

# **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** No information available

Other data no data available

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN1993

**Proper shipping name:** Flammable liquid, n.o.s. (t-Butyldimethylsilane)

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG

UN number UN1993

**Proper shipping name:** Flammable liquid, n.o.s. (t-Butyldimethylsilane)

UN classfication 3

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

**IATA** 

UN number UN1993

**Proper shipping name:** Flammable liquid, n.o.s. (t-Butyldimethylsilane)

UN classfication 3

Subsidiary hazard class

Packing group

Environmentally Hazardous Not applicable

Substance

# **Section 15: REGULATORY INFORMATION**

**International Inventories** 

EINECS/ELINCS - TSCA -

Japanese regulations

Fire Service Act Category IV, Class I petroleums, dangerous grade 2

Poisonous and Deleterious

Not applicable

Substances Control Law

Item 4)

Regulations for the carriage and storage of dangerous

Flammable Liquids (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

Industrial Safety and Health Act Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1

goods in ship

Civil Aeronautics Law

Flammable Liquids (Ordinance Art.194, MITL Nortification for Air Transportation of

Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (~2023.3.31)

Pollutant Release and Transfer

sfer Not applicable

Register Law (2023/4/1~)

Export Trade Control Order N

Not applicable

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

#### **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**