



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 01-Mar-2024

Revision Number 1.01

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	(R)-BiAC
Product Code	025-19761

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Carcinogenicity Category 1A
Specific target organ toxicity (single exposure) Category 2

Category 2 central nervous system, respiratory system

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 central nervous system, liver, Male reproductive system

#### **Pictograms**



Signal word

Danger

#### **Hazard statements**

H350 - May cause cancer

H371 - May cause damage to the following organs: central nervous system, respiratory system

H373 - May cause damage to the following organs through prolonged or repeated exposure: central nervous system, liver, Male reproductive system

#### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product

#### **Precautionary statements-(Response)**

• IF exposed or concerned: Get medical advice/attention

## Precautionary statements-(Storage)

Store locked up

### Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C25H27N3O4·HCI

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
(R)-BiAC	90.0	469.96	N/A	N/A	2415284-12-5
Dichloromethane	<3	84.93	(2)-36	*	75-09-2
Hexane	<1	86.18	(2)-6	*	110-54-3

Note on ISHL No.:

\* in the table means announced chemical substances.

Impurities and/or Additives: residue: Dichloromethane < 3 %, Hexane < 1 %

## **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### **Protection of first-aiders**

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

## Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### Special extinguishing method

No information available

## Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

## **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

## Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

### Handling

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

### Storage

Safe storage conditions

**Storage conditions** Container protected from light, and store tightly closed in freezer (-20°C). Packed with an

inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Dichloromethane	Ceiling: 100 ppm	ISHL/ACL: 50 ppm	TWA: 50 ppm
75-09-2	Ceiling: 347 mg/m <sup>3</sup>		
	TWA: 173 mg/m <sup>3</sup> OEL		
	Skin		
	ISHL/ACL: 50 ppm		
Hexane	TWA: 40 ppm OEL	ISHL/ACL: 40 ppm	TWA: 50 ppm
110-54-3	TWA: 140 mg/m <sup>3</sup> OEL		Skin
	Skin		
	ISHL/ACL: 40 ppm		

## Personal protective equipment

Respiratory protection Dust mask ( JIS T 8151 )

Hand protection chemical protective gloves (JIS T 8116)

**Eye protection** protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

ColorWhite - slightly yellowAppearancecrystalline powder - powder

Odor no data available
Melting point/freezing point no data available
Boiling point, initial boiling point and boiling range no data available
Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pecomposition temperature:
no data available
ph no data available
viscosity (coefficient of viscosity)
no data available
pynamic viscosity
no data available

**Solubilities** Ethanol: soluble. water, acetone: practically insoluble.

n-Octanol/water partition coefficient:(log Pow)

Vapour pressure
Specific Gravity / Relative density
Napour density
Particle characteristics

no data available
no data available
no data available
no data available

## **Section 10: STABILITY AND REACTIVITY**

### **Stability**

Reactivity no data available
Chemical stability May be altered by light.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Halides

## **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dichloromethane	2120 mg/kg (Rat Male)	N/A	18,371 ppm ( Rat ) 4 h
Hexane	15800 mg/kg ( Rat )	3297 mg/kg ( Rabbit )	48000 ppm ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Dichloromethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Hexane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Dichloromethane	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Hexane	Based on the NIT classification resu		Based on the NITE GHS		the NITE GHS
[2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,2,		classification results. classification results.			
kin irritation/corrosion	nical Name		Skin corrosio	on/irritation sourc	e information
	promethane		Based on the NITE GH		
= : : : : :	lexane		Based on the NITE GH		
Serious eye damage/ irritation			Daded on the 14112 on	O diagomodilon rec	uito.
	ical Name		Serious eve dan	nage/irritation so	irce information
	promethane		Based on the NITE GH		
	lexane		Based on the NITE GH		
Respiratory or skin sensitizat			Badda dir tilo Till E dir	o diadomodilon roc	ano.
	nical Name		Respiratory or Sk	in sensitization s	ource information
	promethane		Based on the NITE GH		
	lexane		Based on the NITE GH		
Reproductive cell mutagenici					•
	nical Name		germ cell mi	utagencity source	information
	promethane		Based on the NITE GH		
	lexane			Based on the NITE GHS classification results.	
Carcinogenicity					
Chemical Name		Carcinogenicity source information			
Dichlo	Dichloromethane			Based on the NITE GHS classification results.	
F	lexane		Based on the NITE GHS classification results.		ults.
Chemical Nan	•	NTP	IARC	ACGIH	JSOH (Japan
Dichlorometha	ne	Reasonably	Group 2A	A3	Group 2A
75-09-2		Anticipated			
Reproductive toxicity	· I NI		Danna duati:		information
	nical Name		Based on the NITE GH	ve toxicity source	
	promethane				
	lexane		Based on the NITE GH	5 classification res	uits.
STOT-single exposure	rical Nama		STOT -single	OVDOSUTO- SOUTO	o information
	nical Name promethane		STOT -single exposure- source information		
	lexane		Based on the NITE GHS classification results.  Based on the NITE GHS classification results.		
STOT-repeated exposure	lexarie		based on the NTL OT	o classification res	uits.
	nical Name		STOT -reneate	d evnosure- sour	ce information
	Chemical Name Dichloromethane		STOT -repeated exposure- source information  Based on the NITE GHS classification results.		
	Hexane		Based on the NITE GHS classification results.		
Aspiration hazard	lexarie		Dasca on the NTL OT	O classification res	uito.
	nical Name		Aspiration	Hazard source in	nformation
	Chemical NameAspiration Hazard source informationDichloromethaneBased on the NITE GHS classification results.				
Hexane		Based on the NITE GHS classification results.			

## Section 12: ECOLOGICAL INFORMATION

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Dichloromethane	N/A	N/A	EC50:Daphnia magna
			27 mg/L 48 h
Hexane	N/A	LC50:Pimephales promelas 2.1	LC50 : Daphnia magna
		- 2.98 mg/L 96 h	3.88 mg/L 48 h

## Other data

aguatia anvironment, aguras informatian aguatia anvironmen	
aquatic environment source information aquatic environment	t source information
Dichloromethane Based on the NITE GHS classification Based on the NITE G	HS classification

	results.	results.
Hexane	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number -

Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name:

UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

**Environmentally Hazardous** 

Not applicable

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act

Poisonous and Deleterious

Not applicable

Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1)

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance)

Mutagens - Existing Chemicals

Industrial Safety and Health Act ( 2024.4.1~ Lagrange Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

2024~)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage and storage of dangerous

Not applicable

goods in ship

Civil Aeronautics Law Not applicable
Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 186

**Export Trade Control Order** Not applicable

Air Pollution Control Law Hazardous Air Pollutants, Priority Chemical Substances

Soil Contamination Control LawDesignated Hazardous Substances

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Dichloromethane 75-09-2 ( <3 )	-	Applicable	Applicable
Hexane 110-54-3 ( <1 )	-	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**