



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 22-Feb-2024

Revision Number 5.07

Category 1

Section 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name | Cadmium Chloride, Anhydrous |
|--------------|-----------------------------|
| Product Code | 032-00122,036-00125 |

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - OralCategory 3Germ cell mutagenicityCategory 1BCarcinogenicityCategory 1AReproductive ToxicityCategory 1ASpecific target organ toxicity (single exposure)Category 1

Category 1 respiratory system, liver, digestive system Specific target organ toxicity (repeated exposure)

Category 1 respiratory system, bone, liver, kidneys, heart

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

Pictograms



Hazard statements

H301 - Toxic if swallowed

H340 - May cause genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H410 - Very toxic to aquatic life with long lasting effects

H400 - Very toxic to aquatic life

H370 - Causes damage to the following organs: respiratory system, liver, digestive system

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system, bone, liver, kidneys, heart

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood

- · Use personal protective equipment as required
- · Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

· Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CdCl2

| Chemical Name | Weight-% | Molecular weight | ENCS | ISHL No. | CAS RN |
|------------------|----------|------------------|---------|----------|------------|
| Cadmium chloride | 95.0 | 183.32 | (1)-199 | * | 10108-64-2 |

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

^{*} in the table means announced chemical substances.

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage |

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed. Store locked up.

Safe packaging material Polyethylene, Polypropylene Incompatible substances No information available

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

| Chemical Name | JSOH (Japan) | ISHL (Japan) | ACGIH |
|------------------|----------------------------------|----------------------------------|---------------------------------|
| Cadmium chloride | TWA: 0.05 mg/m ³ OEL | ISHL/ACL: 0.05 mg/m ³ | TWA: 0.01 mg/m ³ Cd |
| 10108-64-2 | ISHL/ACL: 0.05 mg/m ³ | - | TWA: 0.002 mg/m ³ Cd |
| | _ | | respirable particulate matter |

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorWhite - nearly whiteAppearancecrystalline powder - powder

Odor no data available

Melting point/freezing point 568 °C Boiling point, initial boiling point and boiling range 967 °C

Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pH
mild acidic (aq.)
Viscosity (coefficient of viscosity)
no data available

Dynamic viscosity no data available

Solubilities water : freely soluble . Ethanol : sparingly soluble .

n-Octanol/water partition coefficient:(log Pow) no data available vapour pressure no data available

Specific Gravity / Relative density 4.047

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Moisture

Incompatible materials

No information available

Hazardous decomposition products

Halides, Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-------------------|-------------|-----------------|
| Cadmium chloride | 107 mg/kg (Rat) | N/A | N/A |

| Chemical Name | Acute toxicity -oral- source information | Acute toxicity -dermal- source information | Acute toxicity -inhalation gas- source information |
|----------------------|--|--|---|
| Gadifilati Gilloriae | | | Based on the NITE GHS classification results. |

| Chemical Name Transfer Productions and Transfe | Chemical Name | Acute toxicity -inhalation | Acute toxicity -inhalation dust- | Acute toxicity -inhalation mist- |
|--|---------------|----------------------------|----------------------------------|----------------------------------|
|--|---------------|----------------------------|----------------------------------|----------------------------------|

| | vapor- source information | source information | source information |
|---|---------------------------|-------------------------|-------------------------|
| • | | | Based on the NITE GHS |
| | classification results. | classification results. | classification results. |
| | | | |

Skin irritation/corrosion

| Chemical Name | Skin corrosion/irritation source information |
|--------------------------------|---|
| Cadmium chloride | Based on the NITE GHS classification results. |
| Serious eye damage/ irritation | |

| Chemical Name | Serious eye damage/irritation source information |
|------------------|--|
| Cadmium chloride | Based on the NITE GHS classification results. |

Respiratory or skin sensitization

| Chemical Name | Respiratory or Skin sensitization source information |
|------------------|--|
| Cadmium chloride | Based on the NITE GHS classification results. |

Reproductive cell mutagenicity

| Chemical Name | germ cell mutagencity source information |
|------------------|---|
| Cadmium chloride | Based on the NITE GHS classification results. |
| <u> </u> | |

Carcinogenicity

| | Carcinogenicity source information |
|-------------------------------|------------------------------------|
| Cadmium chloride Based on the | e NITE GHS classification results. |

| Chemical Name | NTP | IARC | ACGIH | JSOH (Japan) |
|------------------|-------|---------|-------|--------------|
| Cadmium chloride | Known | Group 1 | A2 | Group 1 |
| 10108-64-2 | | | | |

Reproductive toxicity

| Chemical Name | Reproductive toxicity source information | |
|------------------|---|--|
| Cadmium chloride | Based on the NITE GHS classification results. | |

STOT-single exposure

| Chemical Name STOT -single exposure- source in | |
|--|---|
| Cadmium chloride | Based on the NITE GHS classification results. |
| | |

STOT-repeated exposure

| Chemical Name | STOT -repeated exposure- source information | |
|------------------|---|--|
| Cadmium chloride | Based on the NITE GHS classification results. | |
| | | |

Aspiration hazard

| - 1 | A CONTROL OF THE CONT | | | | |
|---------------|--|---|--|--|--|
| Chemical Name | | Aspiration Hazard source information | | | |
| ſ | Cadmium chloride | Based on the NITE GHS classification results. | | | |

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

| | Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|------------------|----------------------|------|---------------------------|
| ſ | Cadmium chloride | N/A | N/A | LC50 : Americamysis bahia |
| | | | | 0.00138 mg/L 96 h |

Other data

| Chemical Name | Short-term (acute) hazardous to the | Long-term (chronic) hazardous to the |
|------------------|--|--|
| | aquatic environment source information | aquatic environment source information |
| Cadmium chloride | Based on the NITE GHS classification | Based on the NITE GHS classification |
| | results. | results. |

Persistence and degradability **Bioaccumulative potential** Mobility in soil

No information available No information available No information available

No information available

Hazard to the ozone layer

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN2570

Proper shipping name: Cadmium compound

6 1

UN classfication

Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN2570

Proper shipping name: Cadmium compound

UN classification 6.1

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN2570

Proper shipping name: Cadmium compound

UN classfication 6.1

Subsidiary hazard class

Packing group III Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Deleterious Substances 3rd. Grade

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Substances designated by the Minister of Health, Labor and Welfare as carcinogenic(Ordinance on Industrial Safety and Health Art.577, Para.2)

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

Para.1)

Industrial Safety and Health Act (

2024~)

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)

Regulations for the carriage and storage of dangerous goods in ship

Civil Aeronautics Law

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1)

Marine Pollution Prevention Marine pollutants (P and PP substances)

Law

Pollutant Release and Transfer Specified Class 1 No.

Register Law (2023.4.1-)

Specified Class 1-No. 75

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Soil Contamination Control LawDesignated Hazardous Substances

| Chemical Name | Poisonous and Deleterious Substances Control Law | Industrial Safety and Health Act Substances (Law Art.57-2) | Pollutant Release and Transfer Register Law (2023.4.1-) |
|---|---|--|---|
| Cadmium chloride 10108-64-2 (95.0) | Applicable | Applicable | Applicable |

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet