



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 22-Feb-2024

Revision Number 3.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chloroacetyl Chloride
Product Code	033-02293,037-02296

**Supplier** FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

## **Section 2: HAZARDS IDENTIFICATION**

**GHS** classification

Classification of the substance or mixture

Acute toxicity - OralCategory 3Acute toxicity - Inhalation (Vapors)Category 3Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1Specific target organ toxicity (single exposure)Category 1

Category 1 respiratory system, cardiovascular system

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system





### Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H301 - Toxic if swallowed

H331 - Toxic if inhaled

H370 - Causes damage to the following organs: respiratory system, cardiovascular system

H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

### **Precautionary statements-(Prevention)**

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary statements-(Response)

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

#### rinsing

- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Do NOT induce vomiting

### Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

#### Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula CICH2COCI

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chloroacetyl Chloride	97.0	112.94	(2)-1147	公表	79-04-9

Note on ISHL No.:

## **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

## **Section 5: FIRE FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

## Unsuitable extinguishing media

Do not use straight streams

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

#### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

<sup>\*</sup> in the table means announced chemical substances.

### Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

## Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

#### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: HANDLING AND STORAGE

#### Handling

#### **Technical measures**

Possibility of hydrogen chloride generated by hydrolysis occurs. May be internal pressure of the container is increased. Wear safety glasses, protective gloves, etc. when you opening Flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Use with local exhaust ventilation.

## **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity)

#### **Storage**

Safe storage conditions

Storage conditions Keep container protect from light, store

Glass

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material

Incompatible substances Strong oxidizing agents, Water

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

## **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Chloroacetyl Chloride	N/A	N/A	STEL: 0.15 ppm
79-04-9			TWA: 0.05 ppm
			Skin

#### Personal protective equipment

**Respiratory protection**Gas mask for acidic gas (JIS T 8152)
chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

**General hygiene considerations** 

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Form** 

Color Colorless - slightly yellow

**Turbidity** clear liquid **Appearance** Odor Pungent odor Melting point/freezing point -22 °C 105-106 °C Boiling point, initial boiling point and boiling range Flammability no data available **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: no data available Lower: Flash point no data available Auto-ignition temperature: no data available **Decomposition temperature:** no data available no data available pН Viscosity (coefficient of viscosity) no data available Dynamic viscosity no data available

Solubilities water and Ethanol decomposed with .

n-Octanol/water partition coefficient:(log Pow)
No data available
Napour pressure
Napour density

## **Section 10: STABILITY AND REACTIVITY**

## Stability

**Reactivity** no data available

**Chemical stability** May be altered by light. Decomposed by the absorption of moisture.

**Hazardous reactions** 

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Moisture

Incompatible materials

Strong oxidizing agents, Water

**Hazardous decomposition products** 

Carbon monooxide (CO), Carbon dioxide (CO2), Halides

## **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chloroacetyl Chloride	208 mg/kg (Rat)	662 mg/kg (Rat)	1000 ppm (Rat) 4h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information

Chloroacetyl Chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
<u> </u>	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation missource information
Chloroacetyl Chloride	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
in irritation/corrosion			
	al Name	Skin corrosion/irritat	tion source information
Chloroace	tyl Chloride	Based on the NITE GHS classit	fication results.
rious eye damage/ irritation		•	
	al Name		itation source information
	tyl Chloride	Based on the NITE GHS classif	fication results.
espiratory or skin sensitization			
	al Name		itization source information
	tyl Chloride	Based on the NITE GHS classit	fication results.
productive cell mutagenicity			
	al Name		ity source information
	tyl Chloride	Based on the NITE GHS classit	fication results.
arcinogenicity			
	al Name	9	source information
Chloroace	tyl Chloride	Based on the NITE GHS classif	fication results.
eproductive toxicity			
Chemic	al Name		ity source information
Chloroace	tyl Chloride	Based on the NITE GHS classif	fication results.
FOT-single exposure			
	al Name		ure- source information
	tyl Chloride	Based on the NITE GHS classit	fication results.
OT-repeated exposure			
	al Name		sure- source information
	tyl Chloride	Based on the NITE GHS classit	fication results.
spiration hazard			
	al Name	-	d source information
Chloroace	tyl Chloride	Based on the NITE GHS classit	fication results.

## **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** No information available

## Other data

I	Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
		aquatic environment source information	aquatic environment source information
ĺ	Chloroacetyl Chloride	Based on the NITE GHS classification	Based on the NITE GHS classification
		results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1752

Proper shipping name: Chloroacetyl chloride

UN classfication 6.1 Subsidiary hazard class 8 Packing group |

Marine pollutant Not applicable

**IMDG** 

UN number UN1752

Proper shipping name: Chloroacetyl chloride

UN classfication 6.1 Subsidiary hazard class 8 Packing group |

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Forbidden UN number UN1752

Proper shipping name: Chloroacetyl chloride

UN classfication 6.1 Subsidiary hazard class 8

Packing group

Environmentally Hazardous

**Substance** 

## **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Firefighting Inhibitor

Poisonous and Deleterious Deleterious Substances 1st. Grade

Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Industrial Safety and Health Act (

2024~)

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Regulations for the carriage and storage of dangerous Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Art.4, Ministry of

goods in ship

Civil Aeronautics Law Forbidden (Ordinance Art.194)

Pollutant Release and Transfer Not applicable

Register Law

(2023.4.1-)

**Export Trade Control Order** Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chloroacetyl Chloride 79-04-9 ( 97.0 )	Applicable	Applicable	-

## **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**