



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.06

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chloroform			
Product Code	036-02607,038-02601,038-02606,034-02603,034-02608			
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan			

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

**Emergency telephone number** +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Category 4 **Acute toxicity - Oral Acute toxicity - Inhalation (Vapors)** Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Category 2 **Reproductive Toxicity** Category 1, Category 3

Specific target organ toxicity (single exposure)

Category 1 respiratory system, cardiovascular system, liver, kidneys

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 central nervous system, respiratory system, liver, kidneys

Acute aquatic toxicity Category 3 Chronic aquatic toxicity Category 1

**Pictograms** 



# **Hazard statements**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H336 - May cause drowsiness or dizziness

H410 - Very toxic to aquatic life with long lasting effects

H402 - Harmful to aquatic life

H370 - Causes damage to the following organs: respiratory system, cardiovascular system, liver, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver, kidneys

#### **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Avoid release to the environment

#### Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Collect spillage

#### Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

#### **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

### **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Single Substance or Mixture Substance

Formula CHCl3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chloroform	99.0	119.38	2-37	*	67-66-3
Ethanol	<1.0	46.07	(2)-202	*	64-17-5

\* in the table means announced chemical substances.

### **Section 4: FIRST AID MEASURES**

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Note on ISHL No.:

Impurities and/or Additives:

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Ethanol < 1% (Stabilizer)

#### Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### **Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Unsuitable extinguishing media

No information available

### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

#### Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

### Recoverly, neutralization

No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Section 7: HANDLING AND STORAGE

### **Handling**

#### **Technical measures**

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

### **Storage**

#### Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Glass, Iron

Incompatible substances Strong oxidizing agents, Strong bases

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### **Exposure limits**

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Chloroform 67-66-3	TWA: 3 ppm OEL TWA: 14.7 mg/m³ OEL Skin ISHL/ACL: 3 ppm	ISHL/ACL: 3 ppm	TWA: 10 ppm
Ethanol 64-17-5	N/A	N/A	STEL: 1000 ppm

Personal protective equipment

**Respiratory protection** gas mask for organic gas (JIS T 8152) **Hand protection** gas mask for organic gas (JIS T 8152) chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Form

ColorcolorlessTurbidityclearAppearanceliquid

**Odor** characteristic odor

Melting point/freezing point -64 °C
Boiling point, initial boiling point and boiling range 61 °C

Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper:
Lower:
no data available
pH
no data available

Viscosity (coefficient of viscosity)

no data available

pynamic viscosity

no data available

**Solubilities** Ethanol and Diethyl ether : Very soluble. water : slightly soluble

n-Octanol/water partition coefficient:(log Pow) 1.97

Vapour pressure no data available

Specific Gravity / Relative density 1.471 -1.484 g/m L (20°C)

Vapour density4.01 (Air=1)Particle characteristicsno data available

### **Section 10: STABILITY AND REACTIVITY**

### Stability

Reactivity no data available
Chemical stability May be altered by light.

Hazardous reactions

Coexisting with water for a long time, it hydrolyzes to produce hydrochloric acid.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents, Strong bases

### Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Phosgene, Chlorine, Hydrogen chloride (HCl) gas, Halides

# **Section 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chloroform	908 mg/kg ( Rat )	> 3980 mg/kg ( Rabbit )	11.3 g/m³ ( Rat ) 4 h
Ethanol	6200 mg/kg ( Rat )	20000 mg/kg ( Rabbit )	63000 ppmV ( Rat ) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chloroform	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chloroform	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

#### Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Chloroform	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

concac by a damago, irritation			
Chemical Name	Serious eye damage/irritation source information		
Chloroform	Based on the NITE GHS classification results.		
Ethanol	Based on the NITE GHS classification results.		

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name		germ cell mutagencity source information
Chloroform		Based on the NITE GHS classification results.
	Ethanol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Chloroform	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Chloroform	Reasonably	Group 2A	A3	Group 2B
67-66-3	Anticipated	Group 2B		
	•	Group 3		
Ethanol	Known	Group 1	A3	-
64-17-5		•		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Ethanol Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Chloroform	EC50 : Chlamydomonas angulosa 13.3 mg/L 72 h	LC50 : Lepomis macrochirus 18 mg/L 96 h LC50 : Oncorhynchus mykiss 18 mg/L 96 h LC50 : Poecilia reticulata 300 mg/L 96 h LC50 : Pimephales promelas	EC50 : Daphnia magna 29 mg/L 48 h
Ethanol	EC50 : Chlorella alga	71 mg/L 96 h  LC50 : Oncorhychus mykiss	EC50 : Daphnia magna
	1000 mg/L 96 h	11200 ppm 96 h	5463 mg/L 48 h

#### Other data

o tilo: data		
Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Chloroform	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Ethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID

UN number UN1888

Chloroform Proper shipping name:

**UN classfication** 6 1

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

**IMDG** 

**UN** number UN1888 Proper shipping name: Chloroform

**UN classfication** 6.1

Subsidiary hazard class

Ш Packing group Yes Marine pollutant (Sea)

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

UN1888 **UN** number Chloroform Proper shipping name:

**UN classfication** 

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

**Substance** 

### Section 15: REGULATORY INFORMATION

Japanese regulations

**Fire Service Act** Firefighting Inhibitor

Poisonous and Deleterious Deleterious Substances 3rd, Grade

**Substances Control Law** 

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Industrial Safety and Health Act (

2024~)

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Act on the Evaluation of **Chemical Substances and** Regulation of Their

Manufacture, etc

Regulations for the carriage

and storage of dangerous

goods in ship

Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

Regarding Transport by Ship and Storage, Attached Table 1)

**Civil Aeronautics Law** 

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

**Marine Pollution Prevention** Law

Pollutant Release and Transfer Class 1

**Register Law** 

(2023.4.1-)

Class 1 - No.

**Water Pollution Control Act** Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

**Export Trade Control Order** Not applicable

**Air Pollution Control Law Priority Chemical Substances** 

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chloroform 67-66-3 ( 99.0 )	Applicable	Applicable	Applicable
Ethanol 64-17-5 ( <1.0 )	-	Applicable	-

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**