



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 3.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chromium(III) Chloride Hexahydrate
Product Code	033-03131,035-03135
Supplier	FUJIFILM Wako Pure Chemical Corporation
	1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
	Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number	+81-6-6203-3741 / +81-3-3270-8571
Recommended uses	For research use only
Restrictions on use	Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification Classification of the substance or mixture **Respiratory sensitization** Skin sensitization **Reproductive Toxicity** Acute aquatic toxicity Chronic aquatic toxicity

Category 1 Category 1 Category 2 Category 1 Category 1

Pictograms



Danger

Hazard statements

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H361 Suspected of damaging fertility or the unborn child
- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · In case of inadequate ventilation wear respiratory protection
- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves

Avoid release to the environment

Precautionary statements-(Response)

- · IF exposed or concerned: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water

- If skin irritation or rash occurs: Get medical advice/attention
- Wash contaminated clothing before reuse
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- Collect spillage

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture

Substance

Formula

CrCl3.6H2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chromium(III) chloride	93.0	266.45	1-208	*	10060-12-5
hexahydrate					

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

<u>Storage</u>

eterage	
Safe storage conditions	
Storage conditions	Store away from sunlight in well-ventilated place at room temperature (preferably cool).
	Keep container tightly closed.
Safe packaging material	Polyethylene, Polypropylene
Incompatible substances	Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Chromium(III) chloride hexahydrate 10060-12-5	TWA: 0.5 mg/m ³ OEL	N/A	N/A

Personal protective equipment Respiratory protection Hand protection

Eye protection

Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability **Evaporation rate:** Flammability (solid, gas): Upper/lower flammability or explosive limits Upper: Lower: Flash point Auto-ignition temperature: **Decomposition temperature:** pН Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow) Vapour pressure Specific Gravity / Relative density Vapour density **Particle characteristics**

green- Dark green crystals - crystalline powder or mass no data available 83 °C no data available water, Ethanol: free soluble. no data available no data available 1.76 no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivityno data availableChemical stabilityThis material is deliquescent.Hazardous reactionsThis material is deliquescent.None under normal processingConditions to avoidConditions to avoidstremes of temperature and direct sunlight, MoistureIncompatible materials
Strong oxidizing agentsHazardous decomposition products
Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chromium(III) chloride hexahydrate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
		classification results.	classification results.
Oh and a d Mana a	A suite textisity, inhelation	A suite textisity, indepletion dust	A suite terrisity, indepletion wi

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
Chromium(III) chloride hexahydrate			Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Chromium(III) chloride hexahydrate	Based on the NITE GHS classification results.

Serious eye damage/ irritation	n
--------------------------------	---

Serious eye damage/ irritation					
Chemical Name			Serious eye damage/irritation source information		
Chromium(III) chloride hexahydrate		Ba	Based on the NITE GHS classification results.		
Respiratory or skin sensitization					
Chemical Name			Respiratory or Sk	kin sensitization s	ource information
Chromium(III) chloride hexahydra	te	Ba	ased on the NITE GH	S classification res	ults.
Reproductive cell mutagenicity					
Chemical Name			germ cell m	utagencity source	information
Chromium(III) chloride hexahydra	te	Ba	ased on the NITE GH	S classification res	ults.
Carcinogenicity					
Chemical Name				genicity source inf	
Chromium(III) chloride hexahydra	te	Ba	ased on the NITE GH	IS classification res	ults.
Chemical Name	NTP		IARC	ACGIH	JSOH (Japan)
Chromium(III) chloride hexahydrate 10060-12-5			Group 3		
Reproductive toxicity	•				
Chemical Name			Reproductive toxicity source information		
Chromium(III) chloride hexahydrate		Ba	Based on the NITE GHS classification results.		
STOT-single exposure					
Chemical Name			STOT -single exposure- source information		
Chromium(III) chloride hexahydrate		Ba	Based on the NITE GHS classification results.		
STOT-repeated exposure					
Chemical Name			STOT -repeated exposure- source information		
Chromium(III) chloride hexahydrate		Ba	Based on the NITE GHS classification results.		
Aspiration hazard					
Chemical Name			Aspiration Hazard source information		
		D	Based on the NITE GHS classification results.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
		Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number

UN3077

Proper shipping name: UN classfication	Environmentally hazardous substance, solid, n.o.s. (Chromium(III) chloride hexahydrate) 9
Subsidiary hazard class Packing group Marine pollutant	III Yes
IMDG UN number	UN3077
Proper shipping name: UN classfication	Environmentally hazardous substance, solid, n.o.s. (Chromium(III) chloride hexahydrate) 9
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	
Annex II of MARPOL 73/78 and the IBC Code	
ΙΑΤΑ	
UN number	UN3077
Proper shipping name:	Environmentally hazardous substance, solid, n.o.s. (Chromium(III) chloride hexahydrate)
UN classfication	9
Subsidiary hazard class	
Packing group	
Environmentally Hazardous Substance	Yes

Section 15: REGULATORY INFORMATION

Japanese regulations			
Fire Service Act	Not applicable		
Poisonous and Deleterious	Not applicable		
Substances Control Law			
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)		
	Notifiable Substances (Law Art.57-2)		
Industrial Safety and Health Act ([2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)		
<u>2024~)</u>			
Regulations for the carriage	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding		
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)		
goods in ship			
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification		
	for Air Transportation of Explosives etc., Attached Table 1)		
Pollutant Release and Transfer	Class 1		
Register Law			
(2023.4.1-)			
Class 1 - No.	87		
Water Pollution Control Act	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)		
Export Trade Control Order	Not applicable		
Air Pollution Control Law	Priority Chemical Substances		

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chromium(III) chloride hexahydrate 10060-12-5 (93.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions

The following contents were revised. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet