



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 7.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Cobalt(II) Chloride Hexahydrate
Product Code	038-03681,036-03682,030-03685
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification	
Classification of the substance or mixture	
Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 1, Category 3
Category 1 central nervous system, digestive system, liver, kidneys	
Category 3 Respiratory irritation	
Specific target organ toxicity (repeated exposure)	Category 1, Category 2
Category 1 nervous system, respiratory system, cardiovascular system, thyroid gla	and, blood system
Category 2 testes	-
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Biotograme	



Hazard statements

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H301 Toxic if swallowed
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H341 Suspected of causing genetic defects
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child

- H335 May cause respiratory irritation
- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H370 Causes damage to the following organs: central nervous system, digestive system, liver, kidneys
- H372 Causes damage to the following organs through prolonged or repeated exposure: nervous system, respiratory
- system, cardiovascular system, thyroid gland, blood system
- H373 May cause damage to the following organs through prolonged or repeated exposure: testes

Precautionary statements-(Prevention)

- Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · In case of inadequate ventilation wear respiratory protection
- · Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- Take off contaminated clothing and wash before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- · If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed
- **Precautionary statements-(Disposal)**
 - · Dispose of contents/container to an approved waste disposal plant

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula

CoCl2.6H2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Cobalt(II) chloride	99.0 - 102.0	237.93	1-207	*	7791-13-1
hexahydrate					

Note on ISHL No.:

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Avoid contact with acidic substances Use with local exhaust ventilation. **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions Storage conditions

Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Safe packaging material Incompatible substances

Keep container tightly closed. Polyethylene Strong oxidizing agents, Strong acids

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Cobalt(II) chloride hexahydrate	TWA: 0.05 mg/m ³ OEL	ISHL/ACL: 0.02 mg/m ³	TWA: 0.02 mg/m ³ Co inhalable
7791-13-1	ISHL/ACL: 0.02 mg/m ³	-	particulate matter

Personal protective equipment

Respiratory protection Hand protection Eye protection Skin and body protection Dust mask (JIS T 8151) chemical protective gloves (JIS T 8116) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color	purplish red - dark red
Appearance	crystals - crystalline powder
Odor	no data available
Melting point/freezing point	86 °C
Boiling point, initial boiling point and boiling range	110 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
рН	3.0 - 6.0 (50g/L, 25°C)
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	water Very soluble. Ethanol free soluble .
n-Octanol/water partition coefficient:(log Pow)	no data available
Vapour pressure	no data available
Specific Gravity / Relative density	1.924
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity

no data available

Chemical stability This material is deliquescent. Hazardous reactions None under normal processing Conditions to avoid Extremes of temperature and direct sunlight, Moisture Incompatible materials Strong oxidizing agents, Strong acids Hazardous decomposition products

Metal oxides, Halides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cobalt(II) chloride hexahydrate	80 mg/kg (Rat)	N/A	N/A
Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	e Acute toxicity -inhalation gas-
Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chemical Name Cobalt(II) chloride hexahydrat	information	-	

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
	vapor- source information	source information	source information
			Based on the NITE GHS classification results.

Skin irritation/corrosion

Skin initiation/corrosion		_			
Chemical Name			Skin corrosion/irritation source information		
Cobalt(II) chloride hexahydrate		B	Based on the NITE GHS classification results.		
Serious eye damage/ irritation					
Chemical Name			Serious eye dam	age/irritation sou	Irce information
Cobalt(II) chloride hexahydrate		B	ased on the NITE GHS	6 classification res	ults.
Respiratory or skin sensitization					
Chemical Name			Respiratory or Ski	n sensitization se	ource information
Cobalt(II) chloride hexahydrate		B	ased on the NITE GHS	S classification res	ults.
Reproductive cell mutagenicity					
Chemical Name			germ cell mu	tagencity source	information
Cobalt(II) chloride hexahydrate		B	ased on the NITE GHS	S classification res	ults.
Carcinogenicity					
Chemical Name			Carcinoge	enicity source inf	ormation
Cobalt(II) chloride hexahydrate		B	ased on the NITE GHS	S classification res	ults.
Chemical Name	NTP		IARC	ACGIH	JSOH (Japan)
Cobalt(II) chloride hexahydrate	Reasonably		Group 2B	A3	Group 2B
7791-13-1	Anticipated				
Reproductive toxicity					
Chemical Name		Reproductive toxicity source information			
Cobalt(II) chloride hexahydrate		B	Based on the NITE GHS classification results.		
STOT-single exposure					
Chemical Name			STOT -single exposure- source information		
Cobalt(II) chloride hexahydrate		Based on the NITE GHS classification results.			
STOT-repeated exposure					
Chemical Name		STOT -repeated exposure- source information			
Cobalt(II) chloride hexahydrate		B	ased on the NITE GHS	6 classification res	ults.
Aspiration hazard					
Chemical Name		Aspiration Hazard source information			
Cobalt(II) chloride hexahydrate		B	Based on the NITE GHS classification results.		

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cobalt(II) chloride hexahydrate	EC50: Lemna minor	N/A	LC50:Daphnia magna
	0.47 mgCoCl2/L 7 d		2.4 mg CoCl2/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Cobalt(II) chloride hexahydrate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	
Bioaccumulative potential	
Mobility in soil	
Hazard to the ozone layer	

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

AUK/KIU	
UN number	UN3288
Proper shipping name:	Toxic solid, inorganic, n.o.s. (Cobalt(II) chloride hexahydrate)
UN classfication	6.1
Subsidiary hazard class	0.1
	Ш
Packing group	
Marine pollutant	Yes
IMDG	
UN number	UN3288
Proper shipping name:	Toxic solid, inorganic, n.o.s. (Cobalt(II) chloride hexahydrate)
UN classfication	6.1
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	No information available
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA	
UN number	UN3288
Proper shipping name:	Toxic solid, inorganic, n.o.s. (Cobalt(II) chloride hexahydrate)
UN classfication	6.1
Subsidiary hazard class	
Packing group	
Environmentally Hazardous	Yes
	100
Substance	

Section 15: REGULATORY INFORMATION

Japanese regulations		
Fire Service Act	Not applicable	
Poisonous and Deleterious	Not applicable	
Substances Control Law		
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)		
-	Notifiable Substances (Law Art.57-2)	
	Group 2 Specified Chemical Substance	
Industrial Safety and Health Act (2024~)	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)	
Regulations for the carriage	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance	
and storage of dangerous	Regarding Transport by Ship and Storage, Attached Table 1)	
goods in ship		
Civil Aeronautics Law	Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air	
	Transportation of Explosives etc., Attached Table 1)	
Pollutant Release and Transfer	Class 1	
Register Law		
(2023.4.1-)		
Class 1 - No.	132	
Export Trade Control Order	Not applicable	
Air Pollution Control Law	Hazardous Air Pollutants	

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Cobalt(II) chloride hexahydrate 7791-13-1 (99.0 - 102.0)	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for sa

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet