



# SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 4.05

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Copper(II) Oxide, Powder	
Product Code	038-04345	
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741	
Emergency telephone number Recommended uses Restrictions on use	Fax: +81-6-6203-2029 +81-6-6203-3741 / +81-3-3270-8571 For research use only Seek expert judgment when using for purposes other than those recommended.	

### Section 2: HAZARDS IDENTIFICATION

**GHS** classification Classification of the substance or mixture Skin sensitization Specific target organ toxicity (single exposure) Category 1 systemic toxicity Category 3 Respiratory irritation Acute aquatic toxicity Chronic aquatic toxicity

Category 1 Category 1, Category 3

Category 1 Category 1

Pictograms Danger

Signal word

Hazard statements

H335 - May cause respiratory irritation

- H317 May cause an allergic skin reaction
- H410 Very toxic to aquatic life with long lasting effects
- H400 Very toxic to aquatic life

H370 - Causes damage to the following organs: systemic toxicity

#### **Precautionary statements-(Prevention)**

- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- **Precautionary statements-(Response)** 
  - IF exposed: Call a POISON CENTER or doctor/physician
  - IF ON SKIN: Wash with plenty of soap and water

- · If skin irritation or rash occurs: Get medical advice/attention
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- Collect spillage

## Precautionary statements-(Storage)

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Precautionary statements-(Disposal)**

· Dispose of contents/container to an approved waste disposal plant

#### Others

Other hazards

#### Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

#### Formula

CuO

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Copper(II) oxide	95.0	79.55	(1)-297	*	1317-38-0
Note on ISHL No.: * in the table means announced chemical substances.					

in the table means announced chemical substances.

## Section 4: FIRST AID MEASURES

#### Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

### Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

### Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

#### **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

## No information available

### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

#### Handling

#### Technical measures

Avoid contact with acidic substances Use with local exhaust ventilation.

#### Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

#### Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### <u>Storage</u>

Safe storage conditions Storage conditions	
Safe packaging material	

Incompatible substances

Store away from sunlight in well-ventilated place at room temperature (preferably cool). Keep container tightly closed. Polypropylene Strong acids

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

#### Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Copper(II) oxide	N/A	N/A	TWA: 1 mg/m <sup>3</sup> Cu dust and
1317-38-0			mist

#### Personal protective equipment

Respiratory protection Hand protection

Eye protection

Dust mask ( JIS T 8151 ) chemical protective gloves ( JIS T 8116 ) protective eyeglasses or chemical safety goggles (JIS T 8147) Long-sleeved work clothes

Skin and body protection General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form Color Appearance Odor Melting point/freezing point Boiling point, initial boiling point and boiling range Flammability Evaporation rate: Flammability (solid, gas): Upper/lower flammability or explosive limits Upper:	black powder no data available 1064 °C no data available no data available no data available no data available no data available
Upper: Lower: Flash point Auto-ignition temperature: Decomposition temperature: pH Viscosity (coefficient of viscosity) Dynamic viscosity Solubilities n-Octanol/water partition coefficient:(log Pow)	no data available no data available no data available no data available no data available no data available no data available dil. nitric acid : soluble . ammonia solution : gradually soluble . no data available
Vapour pressure Specific Gravity / Relative density Vapour density Particle characteristics	no data available no data available no data available no data available

## Section 10: STABILITY AND REACTIVITY

#### Stability

 Reactivity
 no data available

 Chemical stability
 Stable under recommended storage conditions.

 Hazardous reactions
 Stable under recommended storage conditions.

 None under normal processing
 Conditions to avoid

 Extremes of temperature and direct sunlight
 Incompatible materials

 Strong acids
 Hazardous decomposition products

 Metal oxides
 Metal oxides

## Section 11: TOXICOLOGICAL INFORMATION

## Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Copper(II) oxide	>2000 mg/kg ( Rat )	>2000 mg/kg ( Rat )	N/A
Chemical Name	Acute toxicity -oral- source	e Acute toxicity -dermal- source	Acute toxicity -inhalation gas-

Chemical Name	Acute toxicity -oral- source	Acute toxicity -definal- Source	Acute toxicity -initialation gas-
	information	information	source information
Copper(II) oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist-
Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chemical Name Copper(II) oxide		source information	,

#### Skin irritation/corrosion

Chemical	Name
----------	------

Skin corrosion/irritation source information

Based on the NITE GHS classification results.	
Serious eye damage/irritation source information	
Based on the NITE GHS classification results.	
Respiratory or Skin sensitization source information	
Based on the NITE GHS classification results.	
germ cell mutagencity source information	
Based on the NITE GHS classification results.	
Carcinogenicity source information	
Based on the NITE GHS classification results.	

#### **Reproductive toxicity**

Chemical Name	Reproductive toxicity source information	
Copper(II) oxide	Based on the NITE GHS classification results.	
STOT-single exposure		
Chemical Name	STOT -single exposure- source information	
Copper(II) oxide	Based on the NITE GHS classification results.	
STOT-repeated exposure		
Chemical Name	STOT -repeated exposure- source information	
Copper(II) oxide	Based on the NITE GHS classification results.	
Aspiration hazard		
Chemical Name	Aspiration Hazard source information	
Copper(II) oxide	Based on the NITE GHS classification results.	

## Section 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Copper(II) oxide	LC50 : Pseudokirchneriella subcapitata 3.1 ppb	N/A	N/A

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Copper(II) oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

## Section 13: DISPOSAL CONSIDERATIONS

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## **Section 14: TRANSPORT INFORMATION**

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	UN3077 Environmentally hazardous substance, solid, n.o.s. (Copper(II) oxide) 9 III Yes
IMDG	
UN number	UN3077
Proper shipping name:	Environmentally hazardous substance, solid, n.o.s. (Copper(II) oxide)
UN classfication	9
Subsidiary hazard class	
Packing group	
Marine pollutant (Sea)	Yes
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code	
IATA UN number	UN3077
Proper shipping name: UN classfication	Environmentally hazardous substance, solid, n.o.s. (Copper(II) oxide)
Subsidiary hazard class	9
Packing group	III
Environmentally Hazardous	Yes
Substance	

## Section 15: REGULATORY INFORMATION

Japanese regulations Fire Service Act	Not applicable			
Poisonous and Deleterious	Not applicable			
Substances Control Law				
Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)				
-	Notifiable Substances (Law Art.57-2)			
Industrial Safety and Health Act (	[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)			
<u>2024~)</u>				
Regulations for the carriage	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding			
and storage of dangerous	Transport by Ship and Storage, Attached Table 1)			
goods in ship				
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification			
	for Air Transportation of Explosives etc., Attached Table 1)			
Pollutant Release and Transfer				
Register Law				
(2023.4.1-)				
Water Pollution Control Act	Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)			
Export Trade Control Order	Not applicable			
Air Pollution Control Law	Hazardous Air Pollutants			

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Copper(II) oxide 1317-38-0 ( 95.0 )	-	Applicable	-

## Section 16: OTHER INFORMATION

Key literature references and

NITE: National Institute of Technology and Evaluation (JAPAN)

sources for data etc.	http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
Record of SDS revisions Disclaimer	The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

### End of Safety Data Sheet