



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 22-Feb-2024 Revision Number 2.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chloroform
Product Code	031-05516
Supplier	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 4 **Acute toxicity - Oral Acute toxicity - Inhalation (Vapors)** Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Category 2 **Reproductive Toxicity** Category 1, Category 3

Specific target organ toxicity (single exposure)

Category 1 respiratory system, cardiovascular system, liver, kidneys

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 central nervous system, respiratory system, liver, kidneys

Acute aquatic toxicity Category 3 Chronic aquatic toxicity Category 1

Pictograms



Hazard statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H336 - May cause drowsiness or dizziness

H410 - Very toxic to aquatic life with long lasting effects

H402 - Harmful to aquatic life

H370 - Causes damage to the following organs: respiratory system, cardiovascular system, liver, kidneys

H372 - Causes damage to the following organs through prolonged or repeated exposure: central nervous system, respiratory system, liver, kidneys

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- · Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- Call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

- Store in a well-ventilated place. Keep container tightly closed
- Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CHCl3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chloroform	99.0	119.38	2-37	*	67-66-3
Ethanol	<1.0	46.07	(2)-202	*	64-17-5

* in the table means announced chemical substances.

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Note on ISHL No.:

Impurities and/or Additives:

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Ethanol < 1% (Stabilizer)

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light, store

in well-ventilated place at room temperature (preferably cool). Keep container tightly

closed. Store locked up.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents, Strong bases

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH	
Chloroform	Chloroform TWA: 3 ppm OEL		TWA: 10 ppm	
67-66-3	TWA: 14.7 mg/m ³ OEL			
	Skin			
	ISHL/ACL: 3 ppm			
Ethanol	N/A	N/A	STEL: 1000 ppm	
64-17-5				

Personal protective equipment

Respiratory protection gas mask for organic gas (JIS T 8152) **Hand protection** chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

ColorcolorlessTurbidityclearAppearanceliquid

Odor characteristic odor

Melting point/freezing point -64 °C

Boiling point, initial boiling point and boiling range 61 °C

Flammability no data available Evaporation rate: no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

Upper: no data available
Lower: no data available
Flash point no data available
Auto-ignition temperature: no data available
Decomposition temperature: no data available
pH no data available
Viscosity (coefficient of viscosity) no data available

Dynamic viscosity

no data available

Solubilities Ethanol : Very soluble. water : slightly soluble .

n-Octanol/water partition coefficient:(log Pow) 1.97

Vapour pressureno data availableSpecific Gravity / Relative density1.48 g/mLVapour density4.01 (Air=1)Particle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability

May be altered by light.

Hazardous reactions

Coexisting with water for a long time, it hydrolyzes to produce hydrochloric acid.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Phosgene, Chlorine, Hydrogen chloride (HCI) gas

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chloroform	908 mg/kg (Rat)	> 3980 mg/kg (Rabbit)	11.3 g/m³ (Rat) 4 h
Ethanol	6200 mg/kg (Rat)	20000 mg/kg (Rabbit)	63000 ppmV (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
0111010101111			Based on the NITE GHS classification results.
Zulalioi			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chloroform			Based on the NITE GHS
	classification results.	classification results.	classification results.
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

Chemical Name	germ cell mutagencity source information
Chloroform	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Chloroform	Reasonably	Group 2A	A3	Group 2B
67-66-3	Anticipated	Group 2B		
		Group 3		
Ethanol	Known	Group 1	A3	-
64-17-5		·		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Chloroform	Based on the NITE GHS classification results.	
Ethanol	Based on the NITE GHS classification results.	

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Chloroform	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Chloroform	EC50 : Chlamydomonas	LC50 : Lepomis macrochirus	EC50 : Daphnia magna
	angulosa	18 mg/L 96 h	29 mg/L 48 h
	13.3 mg/L 72 h	LC50 : Oncorhynchus mykiss	
		18 mg/L 96 h	
		LC50 : Poecilia reticulata	
		300 mg/L 96 h	
		LC50 : Pimephales promelas	
		71 mg/L 96 h	
Ethanol	EC50 : Chlorella alga	LC50 : Oncorhychus mykiss	EC50 : Daphnia magna
	1000 mg/L 96 h	11200 ppm 96 h	5463 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Chloroform	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Ethanol	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability Bioaccumulative potential Mobility in soil

Hazard to the ozone layer

No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1888
Proper shipping name: Chloroform

UN classfication 6.1

Subsidiary hazard class

Packing group Ш Marine pollutant Yes

IMDG

UN1888 **UN** number Proper shipping name: Chloroform

UN classfication 6.1

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN1888 **UN** number Proper shipping name: Chloroform

UN classfication 6 1

Subsidiary hazard class

Packing group Ш Yes **Environmentally Hazardous**

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Firefighting Inhibitor

Deleterious Substances 3rd. Grade **Poisonous and Deleterious**

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Substances with Health Hazards Prevention Guideline(Carcinogenicity Substance) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

【2024.4.1~】Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Industrial Safety and Health Act (

2024~)

Priority Assessment Chemical Substances (Law Article 2, Para.5) Act on the Evaluation of

Chemical Substances and Regulation of Their

Manufacture, etc

Regulations for the carriage

and storage of dangerous

goods in ship **Civil Aeronautics Law** Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance

Regarding Transport by Ship and Storage, Attached Table 1)

Toxic and Infectious Substances (Ordinance Art.194, MITL Nortification for Air

Transportation of Explosives etc., Attached Table 1) Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Marine Pollution Prevention Law

Pollutant Release and Transfer Class 1

Register Law

(2023.4.1-)127 Class 1 - No.

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Export Trade Control Order Not applicable

Air Pollution Control Law **Priority Chemical Substances**

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
		(Law Ait.57-2)	(2020.4.17)

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chloroform 67-66-3 (99.0)	Applicable	Applicable	Applicable
Ethanol 64-17-5 (<1.0)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet