



SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 22-Feb-2024

Revision Number 2.06

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Cobalt(2,3) Oxide
Product Code	039-08792,033-08795

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Respiratory sensitizationCategory 1Skin sensitizationCategory 1CarcinogenicityCategory 2Specific target organ toxicity (repeated exposure)Category 1

Pictograms



Signal word

Danger

Hazard statements

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H351 Suspected of causing cancer
- H372 Causes damage to organs through prolonged or repeated exposure
- H317 May cause an allergic skin reaction

Precautionary statements-(Prevention)

- · Obtain special instructions before use
- · Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- In case of inadequate ventilation wear respiratory protection
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves
- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention

- · Wash contaminated clothing before reuse
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Precautionary statements-(Storage)

Store locked up

Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Co3O4

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Cobalt(II,III) oxide	66.0 - 74.0 (as Co)	240.80	(1)-267	*	1308-06-1

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people

^{*} in the table means announced chemical substances.

involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoids contact with acids. Avoid contact with strong bases. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditionsStore away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material Polyethylene, Polypropylene

Incompatible substances Acids, Strong bases

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

	Chemical Name	emical Name JSOH (Japan) ISHL (Japan)		ACGIH	
Γ	Cobalt(II,III) oxide	TWA: 0.05 mg/m ³ OEL	ISHL/ACL: 0.02 mg/m ³	TWA: 0.02 mg/m ³ Co inhalable	
	1308-06-1	ISHL/ACL: 0.02 mg/m ³	-	particulate matter	

Personal protective equipment

Respiratory protection Dust mask (JIS T 8151)

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color grayish brown - black

Appearance powder

no data available Odor

895 °C Melting point/freezing point

Boiling point, initial boiling point and boiling range no data available **Flammability** no data available **Evaporation rate:** no data available Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available no data available Lower: Flash point no data available **Auto-ignition temperature:** no data available no data available **Decomposition temperature:** no data available рΗ Viscosity (coefficient of viscosity) no data available

Dynamic viscosity no data available Solubilities water: insoluble. hydrochloric acid, acid, concentrated alkali:

soluble.

n-Octanol/water partition coefficient:(log Pow) no data available no data available Vapour pressure

Specific Gravity / Relative density 6.11

no data available Vapour density **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials Acids, Strong bases

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Ī	Cobalt(II,III) oxide	> 5 g/kg (Rat)	> 2000 mg/kg (Rat)	> 5.06 mg/L (Rat)4 h	

Skin irritation/corrosion no data available no data available Serious eye damage/ irritation Respiratory or skin sensitization no data available Reproductive cell mutagenicity no data available

Carcinogenicity

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Cobalt(II,III) oxide	Reasonably	Group 2B	A3	Group 2B
1308-06-1	Anticipated	Group 3		

Reproductive toxicity no data available STOT-single exposure STOT-repeated exposure Aspiration hazard no data available no data available no data available

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

[Chemical Name	Algae/aquatic plants	Fish	Crustacea
	Cobalt(II,III) oxide	EC50:Pseudokirchneriella	LC50:Brachydanio rerio	EC50:Daphnia magna
		subcapitata	136 mg/L 96 h	136 mg/L 48 h
		88 mg/L 72 h	-	

Other data no data available

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number -

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

Environmentally Hazardous N

Substance

Not applicable

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Not applicable
Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2) Group 2 Specified Chemical Substance

Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2,

[2024.4.1~] Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1)

Para.1)

Not applicable

Industrial Safety and Health Act (

2024~)

Regulations for the carriage

and storage of dangerous

goods in ship

Civil Aeronautics Law Not applicable
Pollutant Release and Transfer Class 1

Register Law (2023.4.1-)

Class 1 - No. 132

Export Trade Control Order Not applicable

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Cobalt(II,III) oxide 1308-06-1 (66.0 - 74.0 (as Co))	-	Applicable	Applicable

Section 16: OTHER INFORMATION

Key literature references and

sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

Record of SDS revisions

Disclaimer

The following contents were revised. Regulatory information.

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet