

SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 18-Mar-2025
Revision Number 4.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Dibromochloromethane
Product Code	035-09791

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Acute toxicity - Oral

Category 4

Reproductive Toxicity

Category 2

Specific target organ toxicity (single exposure)

Category 3

Category 3 Narcotic effects

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 liver, kidneys

Acute aquatic toxicity

Category 2

Chronic aquatic toxicity

Category 1

Pictograms



Signal word

Warning

Hazard statements

H302 - Harmful if swallowed

H361 - Suspected of damaging fertility or the unborn child

H336 - May cause drowsiness or dizziness

H401 - Toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H373 - May cause damage to the following organs through prolonged or repeated exposure: liver, kidneys

Precautionary statements-(Prevention)

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth
- Collect spillage

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula ClCHBr₂

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chlorodibromomethane	98.0	208.27	N/A	N/A	124-48-1
Ethanol	0.70 - 1.30	46.07	(2)-202	*	64-17-5

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Ethanol 0.70 - 1.30%

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full

firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with strong oxidizing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Ethanol 64-17-5	N/A	N/A	STEL: 1000 ppm

Personal protective equipment

Respiratory protection

Protective mask

Hand protection

chemical protective gloves (JIS T 8116)

Eye protection

protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection

Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to

them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form	
Color	Colorless - pale brown
Turbidity	clear
Appearance	liquid
Odor	characteristic odor
Melting point/freezing point	-22 °C
Boiling point, initial boiling point and boiling range	120 °C
Flammability	no data available
Evaporation rate:	no data available
Flammability (solid, gas):	no data available
Upper/lower flammability or explosive limits	
Upper:	no data available
Lower:	no data available
Flash point	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	no data available
pH	no data available
Viscosity (coefficient of viscosity)	no data available
Dynamic viscosity	no data available
Solubilities	ethanol, acetone : Very soluble . water : practically insoluble, or insoluble .
n-Octanol/water partition coefficient:(log Pow)	2.16
Vapour pressure	no data available
Specific Gravity / Relative density	2.37 - 2.45 g/mL
Vapour density	no data available
Particle characteristics	no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.
Hazardous reactions	
None under normal processing	
Conditions to avoid	
Extremes of temperature and direct sunlight	
Incompatible materials	
Strong oxidizing agents	
Hazardous decomposition products	
Carbon monoxide (CO), Carbon dioxide (CO ₂), Halides	

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chlorodibromomethane	= 370 mg/kg (Rat)	N/A	N/A
Ethanol	6200 mg/kg (Rat)	20000 mg/kg (Rabbit)	63000 ppmV (Rat)

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chlorodibromomethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS

	classification results.	classification results.	classification results.
--	-------------------------	-------------------------	-------------------------

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chlorodibromomethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Chemical Name	NTP	IARC	ACGIH	JSOH
Chlorodibromomethane 124-48-1	N/A	Group 3	N/A	N/A
Ethanol 64-17-5	Known	N/A	A3	-

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Chlorodibromomethane	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Chlorodibromomethane	EC50 : <i>Pseudokirchneriella subcapitata</i> 9.6 mg/L 72 h	N/A	EC50 : <i>Daphnia magna</i> 0.063 mg/L 21 d
Ethanol	EC50 : <i>Chlorella alga</i> 1000 mg/L 96 h	LC50 : <i>Oncorhynchus mykiss</i> 11200 ppm 96 h	EC50 : <i>Daphnia magna</i> 5463 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Chlorodibromomethane	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Ethanol	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability No information available

Bioaccumulative potential No information available

Mobility in soil No information available

Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3082
 Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibromochloromethane)
 UN classification 9
 Subsidiary hazard class
 Packing group III
 Marine pollutant Yes

IMDG

UN number UN3082
 Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibromochloromethane)
 UN classification 9
 Subsidiary hazard class
 Packing group III
 Marine pollutant (Sea) Yes
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA

UN number UN3082
 Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Dibromochloromethane)
 UN classification 9
 Subsidiary hazard class
 Packing group III
 Environmentally Hazardous Substance Yes

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Not applicable
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2)
Industrial Safety and Health Act (2026~)	【2026.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) 【2026.4.1~】 Notifiable Substances (Law Art.57-2)
Regulations for the carriage and storage of dangerous goods in ship	Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification for Air Transportation of Explosives etc., Attached Table 1)
Pollutant Release and Transfer Register Law (2023.4.1-)	Class 1
Class 1 - No.	209
Air Pollution Control Law	Hazardous Air Pollutants

Industrial Safety and Health Law

Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date
Notifiable Substances (Law Art.57-2)	Dibromochloromethane	98.0	2026/4/1

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chlorodibromomethane 124-48-1 (98.0)	-	-	Applicable
Ethanol 64-17-5 (0.70 - 1.30)	-	Applicable	-

Section 16: OTHER INFORMATION**Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
 etc

Record of SDS revisions

The following contents were revised. Hazards identification. Composition/information on ingredients. Exposure controls/personal protection. Ecological information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet