

SAFETY DATA SHEET

According to JIS Z 7253:2019
Issue Date 05-Jun-2025
Revision Number 4.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chloroacetone
Product Code	034-10712

Supplier FUJIFILM Wako Pure Chemical Corporation
1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan
Phone: +81-6-6203-3741
Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Flammable liquids

Acute toxicity - Oral

Acute toxicity - Dermal

Acute toxicity - Inhalation (Vapors)

Skin corrosion/irritation

Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 1 respiratory system

Category 2

Category 3

Category 2

Category 2

Category 1

Category 1

Category 1

Pictograms



Signal word

Danger

Hazard statements

- H225 - Highly flammable liquid and vapor
- H314 - Causes severe skin burns and eye damage
- H318 - Causes serious eye damage
- H301 - Toxic if swallowed
- H310 - Fatal in contact with skin
- H330 - Fatal if inhaled
- H370 - Causes damage to the following organs: respiratory system

Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not get in eyes, on skin, or on clothing
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating / lighting / equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge

Precautionary statements-(Response)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Do NOT induce vomiting
- In case of fire: Use suitable extinguishing media for extinction

Precautionary statements-(Storage)

- Store locked up
- Store in a well-ventilated place. Keep cool

Precautionary statements-(Disposal)

- Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula CH₃COCH₂Cl

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Chloroacetone	95.0	92.52	(2)-577	*	78-95-5
Magnesium oxide	0.2	40.30	(1)-465	*	1309-48-4

Note on ISHL No.: * in the table means announced chemical substances.

Impurities and/or Additives: Stabilizer: Magnesium Oxide 0.2 %

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Vapors may form explosive mixtures with air

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminant and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recovery, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

Safe packaging material

Glass

Incompatible substances

Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Chloroacetone	N/A	N/A	Skin

78-95-5			Ceiling: 1 ppm
Magnesium oxide 1309-48-4	N/A	N/A	TWA: 10 mg/m ³ inhalable particulate matter

Personal protective equipment

Respiratory protection	gas mask for organic gas (JIS T 8152)
Hand protection	chemical protective gloves (JIS T 8116)
Eye protection	protective eyeglasses or chemical safety goggles (JIS T 8147)
Skin and body protection	Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color	Colorless - dark brown
Turbidity	clear ~ slightly muddy
Appearance	liquid

Odor

Lachrymator, Pungent odor

Melting point/freezing point

-44.5 °C

Boiling point, initial boiling point and boiling range

120 °C

Flammability

Highly flammable liquid and vapor

Evaporation rate:

no data available

Flammability (solid, gas):

no data available

Upper/lower flammability or explosive limits**Upper:**

no data available

Lower:

no data available

Flash point

27 °C

Auto-ignition temperature:

600 °C

Decomposition temperature:

no data available

pH

no data available

Viscosity (coefficient of viscosity)

no data available

Dynamic viscosity

no data available

Solubilities

Ethanol , acetone : Very soluble . water : soluble .

n-Octanol/water partition coefficient:(log Pow)

0.28

Vapour pressure

no data available

Specific Gravity / Relative density

1.162

Vapour density

3.2

Particle characteristics

no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity	no data available
Chemical stability	May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO₂), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chloroacetone	= 100 mg/kg (Rat)	= 141 mg/kg (Rabbit)	121 ppm (Rat) 4 h
Magnesium oxide	3990 mg/kg (Rat) 3870 mg/kg (Rat)	N/A	N/A

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Chloroacetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Chloroacetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Reproductive cell mutagenicity

Chemical Name	germ cell mutagenicity source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

STOT-single exposure

Chemical Name	STOT -single exposure- source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Aspiration hazard

Chemical Name	Aspiration Hazard source information
Chloroacetone	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity no data available

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Chloroacetone	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.
Magnesium oxide	Based on the NITE GHS classification results.	Based on the NITE GHS classification results.

Persistence and degradability No information available
Bioaccumulative potential No information available
Mobility in soil No information available
Hazard to the ozone layer No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN1695
Proper shipping name: CHLOROACETONE, STABILIZED
UN classification 6.1
Subsidiary hazard class 3, 8
Packing group I
Marine pollutant Yes

IMDG

UN number UN1695
Proper shipping name: CHLOROACETONE, STABILIZED
UN classification 6.1
Subsidiary hazard class 3, 8, P
Packing group I
Marine pollutant (Sea) Yes
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA

Forbidden
UN number UN1695
Proper shipping name: CHLOROACETONE, STABILIZED
UN classification 6.1
Subsidiary hazard class 3, 8
Packing group I
Environmentally Hazardous Substance Yes

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act	Category IV, Class II petroleums, dangerous grade 3
Poisonous and Deleterious Substances Control Law	Not applicable
Industrial Safety and Health Act	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57) Notifiable Substances (Law Art.57-2) Chemical Substances Hazardous to Skin, etc.(Regulations Article 594-2 Paragraph 1) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
Regulations for the carriage and storage of dangerous goods in ship	Toxic Substances - Poison (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)
Civil Aeronautics Law	Forbidden (Ordinance Art.194)
Marine Pollution Prevention Law	Marine pollutants (P and PP substances)
Pollutant Release and Transfer Register Law (2023.4.1-)	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Chloroacetone 78-95-5 (95.0)	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)
https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput
 IATA dangerous Goods Regulations
 RTECS:Registry of Toxic Effects of Chemical Substances
 Japan Industrial Safety and Health Association GHS Model SDS
 Dictionary of Synthetic Organic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.
 etc

Record of SDS revisions

The following contents were revised. Composition/information on ingredients. Fire fighting measures. Exposure controls/personal protection. Toxicological information. Ecological information. Transport information. Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet