



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 25-Nov-2025 Revision Number 7.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Copper(I) Oxide, 99.5%
Product Code	039-13202,033-13205

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

+81-6-6203-3741 / +81-3-3270-8571 **Emergency telephone number**

Recommended uses For research use only

Restrictions on use Seek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Category 4 **Acute toxicity - Oral** Acute toxicity - Inhalation (Dusts/Mists) Category 4 Serious eye damage/eye irritation Category 1

Specific target organ toxicity (single exposure) Category 1, Category 3

Category 1 systemic toxicity

Category 3 Respiratory irritation

Acute aquatic toxicity Category 1 Chronic aquatic toxicity Category 1

Pictograms



Hazard statements

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H370 - Causes damage to the following organs: systemic toxicity

Precautionary statements-(Prevention)

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- · Use only outdoors or in a well-ventilated area
- Wear protective gloves/protective clothing/eye protection/face protection
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid release to the environment

Precautionary statements-(Response)

- IF exposed: Call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- · Collect spillage

Precautionary statements-(Storage)

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula Cu2O

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Copper(I) oxide	99.5(subtracting	143.09	(1)-297	*	1317-39-1
	method)				

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog), Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

^{*} in the table means announced chemical substances.

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Sweep up and gather scattered particles, and collect it in an empty airtight container.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

Storage conditions Store away from sunlight in well-ventilated place at room temperature (preferably cool).

Keep container tightly closed.

Safe packaging material

Glass

No information available Incompatible substances

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Copper(I) oxide	N/A	N/A	TWA: 1 mg/m³ Cu dust and
1317-39-1			mist

Personal protective equipment

Dust mask (JIS T 8151) Respiratory protection

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Long-sleeved work clothes Skin and body protection

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color reddish brown Appearance powder

Odor no data available

Melting point/freezing point 1232 °C Boiling point, initial boiling point and boiling range 1800 °C

Flammability no data available
Evaporation rate: no data available
Flammability (solid, gas): no data available

Upper/lower flammability or explosive limits

no data available Upper: Lower: no data available Flash point no data available Auto-ignition temperature: no data available no data available **Decomposition temperature:** рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities dil. sulfuric acid : soluble . water : practically insoluble,or

insoluble.

n-Octanol/water partition coefficient:(log Pow) no data available Vapour pressure no data available

Specific Gravity / Relative density

Vapour densityno data availableParticle characteristicsno data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

No information available

Hazardous decomposition products

Metal oxides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Copper(I) oxide	= 470 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 50 mg/L (Rat) 4 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
Copper(I) oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation	Acute toxicity -inhalation dust-	Acute toxicity -inhalation mist
Chemical Name	vapor- source information	source information	source information
Copper(I) oxide	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.
Skin irritation/corrosion			
	ical Name	Skin corrosion/irritat	tion source information
Сорр	er(I) oxide	Based on the NITE GHS classif	fication results.
Serious eye damage/ irritation) 		
Chem	ical Name	Serious eye damage/irritation source information	
Сорр	er(I) oxide	Based on the NITE GHS classification results.	
Respiratory or skin sensitizat	on	·	
Chem	ical Name	Respiratory or Skin sens	itization source information
Сорр	er(I) oxide	Based on the NITE GHS classif	fication results.
Reproductive cell mutagenicit	ty		
Chem	ical Name	germ cell mutagencity source information	
Сорр	er(I) oxide	Based on the NITE GHS classification results.	
Carcinogenicity		•	
Chem	ical Name	Carcinogenicity source information	
Сорр	er(I) oxide	Based on the NITE GHS classification results.	
		•	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Copper(I) oxide	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Copper(I) oxide	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Copper(I) oxide	Based on the NITE GHS classification results.
Aspiration hazard	

Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Copper(I) oxide	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Ecotoxicity

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ī	Copper(I) oxide	EC50 : Pseudokirchneriella	N/A	EC50 : Daphnia magna
		subcapitata		0.026 mg/L 48 h
		0.021 - 0.037 mg/L 96 h		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source information	aquatic environment source information
Copper(I) oxide	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Hazard to the ozone layer

No information available
No information available
No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper(I) oxide)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant Yes

IMDG

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper(I) oxide)

UN classfication 9

Subsidiary hazard class

Packing group III
Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3077

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper(I) oxide)

UN classfication

Subsidiary hazard class

Packing group III Environmentally Hazardous Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act
Poisonous and Deleterious
Not applicable
Not applicable

Substances Control Law

Industrial Safety and Health Act Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Notifiable Substances (Law Art.57-2)

Chemical Substances Hazardous to Skin, etc. (Regulations Article 594-2 Paragraph 1) Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Regulations for the carriage

and storage of dangerous goods in ship

Transport by Ship and Storage, Attached Table 1)

Civil Aeronautics Law

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Specified substances(Law Art.2 Para.4, Enforcement Order Art.3-3)

Air Pollution Control Law Hazardous Air Pollutants

Chemical Name	Poisonous and Deleterious	Industrial Safety and Health Act	Pollutant Release and Transfer
	Substances Control Law	Substances	Register Law
		(Law Art.57-2)	(2023.4.1-)

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Copper(I) oxide 1317-39-1 (99.5(subtracting method))	-	Applicable	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Record of SDS revisions

The following contents were revised. Prodauct and company Identification. Hazards identification. Accidental release measures. Exposure controls/personal protection.

Regulatory information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet