



# SAFETY DATA SHEET

According to JIS Z 7253:2019

Revision date 06-Oct-2023

Revision Number 4.03

# Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chromium Standard Solution (Cr 1000)
Product Code	030-16191

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

**Recommended uses** For research use only

**Restrictions on use**Seek expert judgment when using for purposes other than those recommended.

# Section 2: HAZARDS IDENTIFICATION

**GHS** classification

Classification of the substance or mixture

Category 2 Skin corrosion/irritation Serious eye damage/eye irritation Category 2A Category 1 Respiratory sensitization Skin sensitization Category 1 Germ cell mutagenicity Category 1B Category 1A Carcinogenicity Category 1B **Reproductive Toxicity** Acute aquatic toxicity Category 3 Category 3 Chronic aquatic toxicity

# **Pictograms**



Signal word

Danger

# **Hazard statements**

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H317 May cause an allergic skin reaction
- H402 Harmful to aquatic life
- H412 Harmful to aquatic life with long lasting effects

## **Precautionary statements-(Prevention)**

- · Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- · Use personal protective equipment as required
- · Wash face, hands and any exposed skin thoroughly after handling

- Avoid breathing dust/fume/gas/mist/vapors/spray
- In case of inadequate ventilation wear respiratory protection
- · Contaminated work clothing should not be allowed out of the workplace
- · Wear protective gloves
- Avoid release to the environment

## Precautionary statements-(Response)

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- · Take off contaminated clothing and wash before reuse
- If skin irritation or rash occurs: Get medical advice/attention
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
- If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

## **Precautionary statements-(Storage)**

Store locked up

## Precautionary statements-(Disposal)

• Dispose of contents/container to an approved waste disposal plant

**Others** 

Other hazards Not available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	<99.1	18.02	N/A	N/A	7732-18-5
Nitric Acid	0.63	63.01	(1)-394	*	7697-37-2
Potassium dichromate	0.28	294.18	(1)-278	*	7778-50-9

Note on ISHL No.: \* in the table means announced chemical substances.

Impurities and/or Additives: Not applicable

# **Section 4: FIRST AID MEASURES**

## Inhalation

Remove to fresh air. If symptoms persist, call a physician.

#### Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

## Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

#### Protection of first-aiders

Use personal protective equipment as required.

# **Section 5: FIRE FIGHTING MEASURES**

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

## Unsuitable extinguishing media

No information available

#### Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Special extinguishing method

No information available

#### Special protective actions for

## fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

## **Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

## Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

## Recoverly, neutralization

No information available

#### Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

## Handling

## Technical measures

Avoid contact with alkaline substances. Avoid contact with organic substance Use with local exhaust ventilation.

#### **Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

# Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions

**Storage conditions** Store away from sunlight in well-ventilated place at room temperature (under 25 °C).

Keep container tightly closed. Store locked up.

Safe packaging material

Polyethylene

Incompatible substances

alkaline substances, Metals

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

**Exposure limits** 

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Nitric Acid	2ppm, 5.2mg/m <sup>3</sup>	N/A	STEL: 4 ppm
7697-37-2			TWA: 2 ppm
Potassium dichromate 7778-50-9	TWA: 0.05 mg/m³ OEL TWA: 0.01 mg/m³ OEL ISHL/ACL: 0.05 mg/m³	ISHL/ACL: 0.05 mg/m <sup>3</sup>	STEL: 0.0005 mg/m³ Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m³ Cr(VI) inhalable particulate matter Skin

Personal protective equipment

Respiratory protection
Hand protection
Eye protection
Gas mask for acidic gas ( JIS T 8152 )
chemical protective gloves ( JIS T 8116 )
protective eyeglasses or chemical safety goggles

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form** 

ColoryellowTurbidityclearAppearanceliquid

Odor
Melting point/freezing point
Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
no data available

Upper/lower flammability or

explosive limits

no data available Upper: Lower: no data available no data available Flash point Auto-ignition temperature: no data available no data available **Decomposition temperature:** рΗ Strongly aciditc, pH = 1 Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

**Solubilities** water, Ethanol: miscible.

n-Octanol/water partition coefficient:(log Pow)no data availableVapour pressureno data availableSpecific Gravity / Relative densityno data availableVapour densityno data availableParticle characteristicsno data available

# **Section 10: STABILITY AND REACTIVITY**

## **Stability**

**Reactivity** no data available

Chemical stability Stable under recommended storage conditions.

Hazardous reactions corrodes metals.

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

alkaline substances, Metals

Hazardous decomposition products

Nitrogen oxides (NOx), Metal oxides

# **Section 11: TOXICOLOGICAL INFORMATION**

Acute toxicity

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Nitric Acid	N/A	N/A	334 ppm ( Rat ) 0.5 h	
Potassium dichromate	17 mg/kg (Rat)	403 mg/kg (Rabbit)	0.029 mg/L ( Rat ) 4 h	

\_\_\_\_\_\_

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
14111071010			Based on the NITE GHS
	classification results.	classification results.	classification results.
Potassium dichromate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Nitric Acid	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	Classification results.	classification results.	Classification results.
Potassium dichromate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	Classification results.

## Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Chemical Name	Respiratory or Skin sensitization source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

Reproductive cell mutagenicity

	Chemical Name	germ cell mutagencity source information
Nitric Acid		Based on the NITE GHS classification results.
	Potassium dichromate	Based on the NITE GHS classification results.

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

Chemical Name	NTP	IARC	ACGIH	JSOH (Japan)
Nitric Acid	-	Group 1	-	-
7697-37-2		Group 2A		
Potassium dichromate	Known	Group 1	A1	Group 1
7778-50-9		•		

Reproductive toxicity

Chemical Name	Reproductive toxicity source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

STOT-single exposure

Chemical Name	STOT -single exposure- source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

**Aspiration hazard** 

Chemical Name	Aspiration Hazard source information	
Nitric Acid	Based on the NITE GHS classification results.	
Potassium dichromate	Based on the NITE GHS classification results.	

# **Section 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Nitric Acid	N/A	LC50 : Gambusia affinis 72 mg/L 96 h	N/A
Potassium dichromate	N/A	LC50 : Morone saxatilis 26 mg/L 96h	EC50 : Daphnia pulex 0.061 mg/L 48h

#### Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the
	aquatic environment source	aquatic environment source
	information	information
Nitric Acid	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.
Potassium dichromate	Based on the NITE GHS classification	Based on the NITE GHS classification
	results.	results.

Persistence and degradabilityNo information availableBioaccumulative potentialNo information availableMobility in soilNo information availableHazard to the ozone layerNo information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **Section 14: TRANSPORT INFORMATION**

ADR/RID Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant Not applicable

IMDG Not regulated

UN number -

Proper shipping name: UN classfication

Subsidiary hazard class

Packing group

Marine pollutant (Sea) Not applicable

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA Not regulated

UN number

Proper shipping name: UN classfication Subsidiary hazard class

Packing group

**Environmentally Hazardous** 

Not applicable

**Substance** 

# **Section 15: REGULATORY INFORMATION**

Japanese regulations

Fire Service Act Not applicable

Poisonous and Deleterious Substances Control Law Deleterious Substances 3rd. Grade

Industrial Safety and Health Act Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table

No.9)No.142

Working Environment Evaluation Standards, Administrative Control Levels (Law

Art.65-2, Para.1)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326)

Regulations for the carriage and storage of dangerous

Not applicable

goods in ship

Civil Aeronautics Law Not applicable

**Marine Pollution Prevention** 

Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Y

Law

Pollutant Release and Transfer Specified Class 1 No.

Register Law (2023.4.1-)

Specified Class 1-No. 88

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Export Trade Control Order Air Pollution Control Law

Not applicable

Soil Contamination Control

Priority Chemical Substances Designated Hazardous Substances

Law

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2)	Pollutant Release and Transfer Register Law (2023.4.1-)
Potassium dichromate 7778-50-9 ( 0.28 )	Applicable	Applicable	Applicable

# **Section 16: OTHER INFORMATION**

Key literature references and sources for data etc.

NITE: National Institute of Technology and Evaluation (JAPAN)

http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances
Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

etc

## **Disclaimer**

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. \*JIS: Japanese Industrial Standards

**End of Safety Data Sheet**