

## SAFETY DATA SHEET

According to JIS Z 7253:2012  
**Revision Date** 30-Apr-2018  
 Version 7

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

<b>Product name</b>	m-Chloroperbenzoic Acid,with Water
<b>Product code</b>	031-17282,035-17285,033-17281
<b>CAS No</b>	937-14-4
<b>Formula</b>	C1C6H4COOOH
<b>Manufacturer</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-5964
<b>Supplier</b>	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
<b>Emergency telephone number</b>	+81-6-6203-3741 / +81-3-3270-8571
<b>Recommended uses and restrictions on use</b>	For research purposes
<b>Announcement of company name change</b>	Company name has changed since April 1, 2018. Former name was "Wako Pure Chemical Industries, Ltd."

## Section 2: HAZARDS IDENTIFICATION

## GHS classification

Classification of the substance or mixture

Organic peroxides

Acute toxicity - Oral

Skin corrosion/irritation

Serious eye damage/eye irritation

Type D  
 Category 4  
 Category 2  
 Category 2A

## Pictograms



## Signal word

Danger

## Hazard statements

H242 - Heating may cause a fire

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

## Precautionary statements-(Prevention)

- Wash face, hands and any exposed skin thoroughly after handling

- Wear protective gloves/protective clothing/eye protection/face protection
- Do not eat, drink or smoke when using this product
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep only in original container
- Keep cool
- Ground/bond container and receiving equipment
- Keep/Store away from clothing/combustible materials

**Precautionary statements-(Response)**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth.
- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary statements-(Storage)**

- Store in a well-ventilated place
- Store away from other materials
- Store in a well-ventilated place. Keep cool

**Precautionary statements-(Disposal)**

- Dispose of contents/container to an approved waste disposal plant

**Others**

**Other hazards** Not available

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Single Substance or Mixture** Substance

**Formula** C<sub>6</sub>H<sub>4</sub>ClCOOH

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS No.
m-Chloroperbenzoic acid	69.0-75.0	172.57	(3)-3987	4-(6)-36	937-14-4

**Impurities and/or Additives :** Not applicable

### Section 4: FIRST AID MEASURES

**Inhalation**

Remove to fresh air. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

**Ingestion**

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

**Protection of first-aiders**

Use personal protective equipment as required.

### Section 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media**

Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder, Sand

**Unsuitable extinguishing media**

No information available

**Special extinguishing method**

No information available

**Specific hazards arising from the chemical product**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Protection of fire-fighters**

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

**Environmental precautions**

To be careful not discharged to the environment without being properly handled waste water contaminated.

**Methods and materials for contaminant and methods and materials for cleaning up**

Sweep up and gather scattered particles, and collect it in an empty airtight container.

**Recovery, neutralization**

No information available

**Secondary disaster prevention measures**

Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: HANDLING AND STORAGE

**Handling****Technical measures**

Highly flammable. Avoid contact with high temperature objects, spark, and strong oxidizing agents. Do not give shock. Use with local exhaust ventilation.

**Precautions**

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

**Safety handling precautions**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Storage****Safe storage conditions****Storage conditions**

Keep container protect from light tightly closed. Store in a cool (2-10 °C) place.

**Safe packaging material**

Polyethylene

**Incompatible substances**

Strong oxidizing agents

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls**

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and hand- and eye-wash facility. And display their position clearly.

**Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

**Personal protective equipment**

<b>Respiratory protection</b>	Dust mask
<b>Hand protection</b>	Protection gloves
<b>Eye protection</b>	protective eyeglasses or chemical safety goggles
<b>Skin and body protection</b>	Long-sleeved work clothes, protective boots

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

**Form**

<b>Color</b>	White - slightly yellow
<b>Appearance</b>	crystals - crystalline powder

**Odor**

No data available

**pH**

No data available

**Melting point/freezing point**

90 °C

**Boiling point, initial boiling point and boiling range**

No data available

**Flash point**

No data available

**Evaporation rate:**

No data available

**Flammability (solid, gas):**

No data available

**Upper/lower flammability or explosive limits**

**Upper :**

No data available

**Lower :**

No data available

**Vapour pressure**

No data available

**Vapour density**

No data available

**Specific Gravity / Relative density**

No data available

**Solubilities**

Ethanol and acetic acid : soluble .

**n-Octanol/water partition coefficient:(log Pow)**

No data available

**Auto-ignition temperature:**

No data available

**Decomposition temperature:**

No data available

**Viscosity (coefficient of viscosity)**

No data available

**Dynamic viscosity**

No data available

## Section 10: STABILITY AND REACTIVITY

**Stability**

<b>Stability</b>	May be altered by light.
<b>Reactivity</b>	No data available

**Hazardous reactions**

None under normal processing

**Conditions to avoid**

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark, Shock

**Incompatible materials**

Strong oxidizing agents

**Hazardous decomposition products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Halides

## Section 11: TOXICOLOGICAL INFORMATION

**Acute toxicity**

No data available

<b>Skin irritation/corrosion</b>	No data available
<b>Serious eye damage/ irritation</b>	No data available
<b>Respiratory or skin sensitization</b>	No data available
<b>Reproductive cell mutagenicity</b>	No data available
<b>Carcinogenicity</b>	No data available
<b>Reproductive toxicity</b>	No data available
<b>STOT-single exposure</b>	No data available
<b>STOT-repeated exposure</b>	No data available
<b>Aspiration hazard</b>	No data available

## Section 12: ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No information available
<b>Other data</b>	No data available
<b>Persistence and degradability</b>	No information available
<b>Bioaccumulative potential</b>	No information available
<b>Mobility in soil</b>	No information available
<b>Hazard to the ozone layer</b>	No information available

## Section 13: DISPOSAL CONSIDERATIONS

### Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

### ADR/RID

<b>UN number</b>	UN3106
<b>Proper shipping name:</b>	Organic peroxide type D, solid (m-Chloroperbenzoic acid)
<b>UN classification</b>	5.2
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	
<b>Marine pollutant</b>	Not applicable

### IMDG

<b>UN number</b>	UN3106
<b>Proper shipping name:</b>	Organic peroxide type D, solid (m-Chloroperbenzoic acid)
<b>UN classification</b>	5.2
<b>Subsidiary hazard class</b>	
<b>Packing group</b>	
<b>Marine pollutant (Sea)</b>	Not applicable
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No information available

### IATA

<b>UN number</b>	UN3106
<b>Proper shipping name:</b>	Organic peroxide type D, solid (m-Chloroperbenzoic acid)
<b>UN classification</b>	5.2
<b>Subsidiary hazard class</b>	

Packing group  
Environmentally Hazardous  
Substance Not applicable

## Section 15: REGULATORY INFORMATION

### International Inventories

EINECS/ELINCS Listed  
TSCA Listed

### Japanese regulations

**Fire Service Act** Category V, organic peroxides dangerous grade 2  
**Poisonous and Deleterious Substances Control Law** Not applicable  
**Industrial Safety and Health Act** Dangerous Substances - Explosive Substance (Enforcement Order Attached Table 1 Item 1)  
**Regulations for the carriage and storage of dangerous goods in ship** Oxidizing Agents - Organic Peroxides (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage, Attached Table 1)  
**Civil Aeronautics Law** Oxidizing Agents - Organic Peroxides (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc on Air, Attached Table 1)  
**Pollutant Release and Transfer Register Law** Not applicable  
**Export Trade Control Order** Not applicable

## Section 16: OTHER INFORMATION

### **Key literature references and sources for data etc.**

NITE: National Institute of Technology and Evaluation (JAPAN)  
<http://www.safe.nite.go.jp/japan/db.html>  
 IATA dangerous Goods Regulations  
 RTECS:Registry of Toxic Effects of Chemical Substances  
 Japan Industrial Safety and Health Association GHS Model SDS  
 Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.  
 Chemical Dictionary, Kyouritsu Publishing Co., Ltd.  
 etc

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.  
 GHS Classification is according to JIS Z7252(2014). \*JIS: Japanese Industrial Standards

### **Product information**

You might get a product which indicates a former company name, during the period of transition.

**End of Safety Data Sheet**