



SAFETY DATA SHEET

According to JIS Z 7253:2019 Issue Date 31-Jul-2025 Revision Number 5.04

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Carfentrazone-ethyl Standard
Product Code	030-20361

Supplier FUJIFILM Wako Pure Chemical Corporation

1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan

Phone: +81-6-6203-3741 Fax: +81-6-6203-2029

Emergency telephone number +81-6-6203-3741 / +81-3-3270-8571

Recommended uses For research use only

Restrictions on useSeek expert judgment when using for purposes other than those recommended.

Section 2: HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture

Specific target organ toxicity (repeated exposure)

Category 2

Category 2 liver

Acute aquatic toxicity

Chronic aquatic toxicity

Category 1

Category 1

Pictograms





Signal word

Warning

Hazard statements

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H373 - May cause damage to the following organs through prolonged or repeated exposure: liver

Precautionary statements-(Prevention)

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Avoid release to the environment

Precautionary statements-(Response)

- · Get medical advice/attention if you feel unwell
- Collect spillage

Precautionary statements-(Storage)

Not applicable

Precautionary statements-(Disposal)

· Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Substance

Formula C15H14Cl2F3N3O3

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Carfentrazone-ethyl	98.0	412.19	N/A	8-(3)-1016	128639-02-1

Note on ISHL No.:

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder, Sand

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

^{*} in the table means announced chemical substances.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use with local exhaust ventilation. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging. Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle. In places other than those specified, should not be smoking or eating and drinking. Should not be brought contaminated protective equipment and gloves to rest stops. Deny unnecessary entry of non-emergency personnel to the handling area.

Safety handling precautions

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Storage

Safe storage conditions

Storage conditions Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Packed

with an inert gas.

Safe packaging material Glass

Incompatible substances Strong oxidizing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

Chemical Name	JSOH (Japan)	ISHL (Japan)	ACGIH
Carfentrazone-ethyl	N/A	N/A	TWA: 1 mg/m³ inhalable
128639-02-1			particulate matter

Personal protective equipment

Respiratory protection Protective mask

Hand protection chemical protective gloves (JIS T 8116)

Eye protection protective eyeglasses or chemical safety goggles (JIS T 8147)

Skin and body protection Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

If this product is classified as "Chemical Substances Hazardous to Skin, etc.", use appropriate protective equipment to them.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color yellow - yellow brown

Appearance liquid

Odor no data available

Melting point/freezing point -22 °C

Boiling point, initial boiling point and boiling range
Flammability
Evaporation rate:
Flammability (solid, gas):

350 - 355 °C
no data available
no data available
no data available

Upper/lower flammability or explosive limits

Upper:no data availableLower:no data available

Flash point 110 °C

no data available **Auto-ignition temperature: Decomposition temperature:** no data available рΗ no data available Viscosity (coefficient of viscosity) no data available **Dynamic viscosity** no data available

Solubilities Ethanol and acetone water practically insoluble, or insoluble .

n-Octanol/water partition coefficient:(log Pow) 3.36

no data available Vapour pressure Specific Gravity / Relative density 1.457 g/cm3 Vapour density no data available **Particle characteristics** no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivity no data available **Chemical stability** May be altered by light.

Hazardous reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight, Heat, flames and sparks, static electricity, spark

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon monooxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Halides

Section 11: TOXICOLOGICAL INFORMATION

*NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carfentrazone-ethyl	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rat)	> 5.09 g/m³ (Rat) 4 h

Chemical Name	Acute toxicity -oral- source	Acute toxicity -dermal- source	Acute toxicity -inhalation gas-
	information	information	source information
Carfentrazone-ethyl	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Garioritiazono diriyi			Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	
Opinional and demand distriction		

Serious eye damage/ irritation

Chemical Name	Serious eye damage/irritation source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	

Respiratory or skin sensitization

Offernical Name	Respiratory or okin sensitization source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		

Chemical Name	germ cell mutagencity source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	

Carcinogenicity

Chemical Name	Carcinogenicity source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	

Reproductive toxicity

Chemical Name	Reproductive toxicity source information
Carfentrazone-ethyl	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Carfentrazone-ethyl	Based on the NITE GHS classification results.

STOT-repeated exposure

Chemical Name	STOT -repeated exposure- source information	
Carfentrazone-ethyl	Based on the NITE GHS classification results.	
	~	

Aspiration hazard

Addition nature				
Chemical Name	Aspiration Hazard source information			
Carfentrazone-ethyl	Based on the NITE GHS classification results.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Carfentrazone-ethyl	ErC50 : Selenastrum	N/A	N/A
	capricornutum		
	0.0139 mg/L 72 h		

Other data

Chemical Name	Short-term (acute) hazardous to the	Long-term (chronic) hazardous to the	
	aquatic environment source information	aquatic environment source information	
Carfentrazone-ethyl	Based on the NITE GHS classification	Based on the NITE GHS classification	
	results.	results.	

Persistence and degradability Bioaccumulative potential

Mobility in soil Hazard to the ozone layer No information available No information available No information available No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)

UN classfication

Subsidiary hazard class
Packing group III
Marine pollutant Yes

IMDG

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)

UN classfication

^{*}NITE: National Institute of Technology and Evaluation (JAPAN) https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

Subsidiary hazard class

Packing group Ш Marine pollutant (Sea) Yes

Transport in bulk according to No information available

Annex II of MARPOL 73/78 and

the IBC Code

IATA

UN number UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)

UN classfication

Subsidiary hazard class

Ш Packing group **Environmentally Hazardous** Yes

Substance

Section 15: REGULATORY INFORMATION

Japanese regulations

Fire Service Act Category IV, Class IV petroleums, dangerous grade 3

Poisonous and Deleterious Not applicable

Substances Control Law

Industrial Safety and Health Act Not applicable

Industrial Safety and Health Act (【2026.4.1~】 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57)

Regulations for the carriage

【2026.4.1~】Notifiable Substances (Law Art.57-2)

and storage of dangerous

Noxious Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding

Transport by Ship and Storage, Attached Table 1)

goods in ship **Civil Aeronautics Law**

Misellaneous Dangerous Substances and Articles (Ordinance Art.194, MITL Nortification

for Air Transportation of Explosives etc., Attached Table 1)

Pollutant Release and Transfer Not applicable

Register Law (2023.4.1-)

Water Pollution Control Act Harmful Substances (Law Art.2, Enforcement Order Art.2, Ordinace Designating

Wastewater Standards Art.1)

Industrial Safety and Health Law

manufactural variety and retained = and						
Law Name	Chemical Name in Regulation	Weight %	Scheduled enforcement date			
Notifiable Substances (Law Art.57-2)	Ethyl	98.0	2026/4/1			
	2-chloro-3-[2-chloro-5-[4-(difluoro					
	methyl)-3-methyl-5-oxo-4,5-dihyd					
	ro-1H-1,2,4-triazol-1-yl]-4-fluorop					
	henyl]propanoate					

Section 16: OTHER INFORMATION

Key literature references and

NITE: National Institute of Technology and Evaluation (JAPAN) sources for data etc. https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/srhInput

IATA dangerous Goods Regulations

RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS

Dictionary of Synthetic Oraganic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd.

Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

The following contents were revised. Prodauct and company Identification. Fire fighting **Record of SDS revisions**

measures. Exposure controls/personal protection. Ecological information. Regulatory

information.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z 7252:2019. *JIS: Japanese Industrial Standards

End of Safety Data Sheet