



SAFETY DATA SHEET

According to JIS Z 7253:2019 Revision date 31-Jan-2023 Revision Number 1.05

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	Chlorate Ion Standard Solution (CIO3- 1000)
Product Code	031-24953
Manufacturer	FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome Chuo-ku, Osaka 540-8605, Japan
Supplier	Phone: +81-6-6203-3741 Fax: +81-6-6203-5964 FUJIFILM Wako Pure Chemical Corporation 1-2 Doshomachi 3-Chome, Chuo-ku, Osaka 540-8605, Japan Phone: +81-6-6203-3741 Fax: +81-6-6203-2029
Emergency telephone number Recommended uses and restrictions on use	+81-6-6203-3741 / +81-3-3270-8571 For research use only
	Section 2: HAZARDS IDENTIFICATION
GHS classification <u>Classification of the substance o</u> Not a hazardous substance or mixt	o <u>r mixture</u> ure according to the Globally Harmonized System (GHS)
Pictograms Signal word	None
Hazard statements Not a hazardous substance or i	mixture according to the Globally Harmonized System (GHS)
Precautionary statements-(Preve • Not applicable	ntion)
Precautionary statements-(Resp • Not applicable	
Precautionary statements-(Stora • Not applicable Procautionary statements-(Dispo	

Precautionary statements-(Disposal)

Not applicable

Others Other hazards

Not available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Single Substance or Mixture Mixture

Chemical Name	Weight-%	Molecular weight	ENCS	ISHL No.	CAS RN
Water	=<99.9	18.02	N/A	N/A	7732-18-5
Sodium chlorate	980-1020 mg/L (as CIO3-)	106.44	(1)-239	公表	7775-09-9

Note on ISHL No.:

* in the table means announced chemical substances.

Impurities and/or Additives: Not a

Not applicable

Section 4: FIRST AID MEASURES

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Do not induce vomiting without medical advice.

Protection of first-aiders

Use personal protective equipment as required.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment **Unsuitable extinguishing media**

No information available

Specific hazards arising from the chemical product

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Special extinguishing method

No information available

Special protective actions for

fire-fighters

Use personal protective equipment as required. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For indoor, provide adequate ventilation process until the end of working. Deny unnecessary entry other than the people involved by, for example, using a rope. While working, wear appropriate protective equipments to avoid adhering it on skin, or inhaling the gas. Work from windward, and retract the people downwind.

Environmental precautions

To be careful not discharged to the environment without being properly handled waste water contaminated.

Methods and materials for contaminent and methods and materials for cleaning up

Absorb dry sand, earth, sawdust and the waste. Collect empty container that can be sealed.

Recoverly, neutralization

No information available

Secondary disaster prevention measures

Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: HANDLING AND STORAGE

Handling

Technical measures

Avoid contact with reducing agents. Use with local exhaust ventilation.

Precautions

Do not rough handling containers, such as upsetting, falling, giving a shock, and dragging Prevent leakage, overflow, and scattering. Not to generate steam and dust in vain. Seal the container after use. After handling, wash hands and face, and then gargle In places other than those specified, should not be smoking or eating and drinking Should not be brought

contaminated protective equipment and gloves to rest stops Deny unnecessary entry of non-emergency personnel to the handling area

Safety handling precautions

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Storage

Safe storage conditions	
Storage conditions	Keep container protect from light tightly closed. Store in a cool (2-10 °C) place. Store locked up.

Safe packaging material Incompatible substances

Glass Strong reducing agents

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In case of indoor workplace, seal the source or use a local exhaust system. Provide the safety shower facility, and handand eye-wash facility. And display their position clearly.

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Personal protective equipment Respiratory protection Hand protection Eye protection Skin and body protection

Protective mask Protection gloves protective eyeglasses or chemical safety goggles Long-sleeved work clothes

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Form

Color Turbidity Appearance	colorle: clear liquid
Odor	Odorle
Melting point/freezing point	no data
Boiling point, initial boiling point and boiling range	no data
Flammability	no data
Evaporation rate:	no data
Flammability (solid, gas):	no data
Upper/lower flammability or	no dat
explosive limits	
Upper:	no data
••	no data
Lower:	
Flash point	no data
Auto-ignition temperature:	no data
Decomposition temperature:	no data
рН	neutral
Viscosity (coefficient of viscosity)	no data
Dynamic viscosity	no data
Solubilities	water :
n-Octanol/water partition coefficient:(log Pow)	no data
Vapour pressure	no data
Specific Gravity / Relative density	no data
Vapour density	no data
Particle characteristics	no data

colorless clear liquid Odorless no data available no data available no data available no data available no data available

no data available no data available no data available no data available no data available no data available no data available water : freely soluble . no data available no data available

Section 10: STABILITY AND REACTIVITY

Stability

Reactivityno data availableChemical stabilityMay be altered by light.Hazardous reactionsMay be altered by light.None under normal processingConditions to avoidConditions to avoidExtremes of temperature and direct sunlightIncompatible materialsStrong reducing agentsHazardous decomposition productsHydrogen chloride (HCI) gas, Chlorine

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium chlorate	> 5000 mg/kg (Rat)	> 5000 mg/kg(Rat)	>28 g/m³ (Rat)1 h >5.59 mg/L (Rat)4.5 h

Chemical Name	Acute toxicity -oral- source information	Acute toxicity -dermal- source information	Acute toxicity -inhalation gas- source information
			Based on the NITE GHS classification results.

Chemical Name	Acute toxicity -inhalation vapor- source information	Acute toxicity -inhalation dust- source information	Acute toxicity -inhalation mist- source information
Sodium chlorate	Based on the NITE GHS	Based on the NITE GHS	Based on the NITE GHS
	classification results.	classification results.	classification results.

Skin irritation/corrosion

Chemical Name	Skin corrosion/irritation source information	
Sodium chlorate	Based on the NITE GHS classification results.	
Serious eye damage/ irritation		
Chemical Name	Serious eye damage/irritation source information	
Sodium chlorate	Based on the NITE GHS classification results.	
Respiratory or skin sensitization		
Chemical Name	Respiratory or Skin sensitization source information	
Sodium chlorate	Based on the NITE GHS classification results.	
Reproductive cell mutagenicity		
Chemical Name	germ cell mutagencity source information	
Sodium chlorate	Based on the NITE GHS classification results.	
Carcinogenicity		
Chemical Name	Carcinogenicity source information	
Sodium chlorate	Based on the NITE GHS classification results.	

Reproductive toxicity	
Chemical Name	Reproductive toxicity source information
Sodium chlorate	Based on the NITE GHS classification results.
STOT-single exposure	
Chemical Name	STOT -single exposure- source information
Sodium chlorate	Based on the NITE GHS classification results.
STOT-repeated exposure	
Chemical Name	STOT -repeated exposure- source information
Sodium chlorate	Based on the NITE GHS classification results.
Aspiration hazard	
Chemical Name	Aspiration Hazard source information
Sodium chlorate	Based on the NITE GHS classification results.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium chlorate	N/A	C50:Oncorhynchus mykiss	EC50: Daphnia magna
		1750 mg/L 96 h	>100 mg/L 48 h

Other data

Chemical Name	Short-term (acute) hazardous to the aquatic environment source information	Long-term (chronic) hazardous to the aquatic environment source information
Sodium chlorate		Based on the NITE GHS classification results.

Persistence and degradability	No information available
Bioaccumulative potential	No information available
Mobility in soil	No information available
Hazard to the ozone layer	No information available

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated container and contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14: TRANSPORT INFORMATION

ADR/RID UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group Marine pollutant	Not regulated - Not applicable
IMDG	Not regulated
UN number Proper shipping name: UN classfication Subsidiary hazard class	-
Packing group Marine pollutant (Sea) Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable No information available
IATA UN number Proper shipping name: UN classfication Subsidiary hazard class Packing group	Not regulated
Environmentally Hazardous Substance	Not applicable

_

Section 15: REGULATORY INFORMATION

International Inventories EINECS/ELINCS TSCA

<u>Japanese regulations</u> Fire Service Act Poisonous and Deleterious Substances Control Law	Not applicable Deleterious Substances 3rd. Grade
Industrial Safety and Health Ac	tNot applicable
Regulations for the carriage and storage of dangerous goods in ship	Not applicable
Civil Aeronautics Law	Not applicable
Marine Pollution Prevention Law	Enforcement ordinance Appendix No. 1 Noxious liquid substance Category Z
Pollutant Release and Transfer Register Law (~2023.3.31)	· Not applicable
Pollutant Release and Transfer Register Law (2023/4/1~)	Not applicable
Export Trade Control Order	Not applicable

Chemical Name	Poisonous and Deleterious Substances Control Law	Industrial Safety and Health Act Substances (Law Art.57-2) (~2024.3.31)	Pollutant Release and Transfer Register Law (~2023.3.31)
Sodium chlorate 7775-09-9 (980-1020 mg/L (as ClO3-))	Applicable	-	-

Section 16: OTHER INFORMATION

Key literature references and sources for data etc.	NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc
	RTECS:Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Oraganic Chemistry , SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd.

Disclaimer

This SDS is according to JIS Z 7253: 2019. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GHS Classification is according to JIS Z7252(2019). *JIS: Japanese Industrial Standards

End of Safety Data Sheet